


# 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip Antenna (AA077)

## Engineering Specification

[H] [2] [U] [8] [4] [W] [1] [H] [1] [S] [0] [1] [0] [0]

### 1. Product Number



### 2. Features

- \*Stable and reliable performances in both 2.4 and 5 GHz bands
- \*Low profile and compact size
- \*RoHS compliance
- \*SMT processes compatible

### 3. Applications

- \*Wi-Fi CERTIFIED ac applications
- \*Wireless communication devices when IEEE802.11 a/b/g/n/ac functions are needed.
- \*IoT applications

### 4. Description

Unictron's AA077 ceramic chip antenna is designed for Wi-Fi CERTIFIED ac applications, covering both 2400~2500 MHz & 5150~5850 MHz frequency bands. Fabricated with proprietary design and processes, AA077 shows excellent performance and is fully compatible with SMT processes which can decrease the assembly cost and improve device's quality and consistency.



詠業科技股份有限公司  
Unictron Technologies Corporation  
No. 83, Xixiang Road, Longtan District, Taoyuan City 32556  
Website: [www.unictron.com](http://www.unictron.com)

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : George

Checked by : Mike

Approved by : Herbert

**TITLE : 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip  
Antenna (AA077) Engineering Specification**

DOCUMENT  
NO.

**H2U84W1H1S0100**

REV.


**H**

## 5. Layout Guide & Electrical Specifications


### 5-1. Layout Guide (unit : mm)

#### Solder Land Pattern:

The solder land pattern (gold marking areas) is shown below. Recommendation on matching circuit will be provided according to customer's installation conditions.



Top View



Bottom View



詠業科技股份有限公司  
Unictron Technologies Corporation  
No. 83, Xixiang Road, Longtan District, Taoyuan City 32556  
Website: [www.unictron.com](http://www.unictron.com)

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : George

Checked by : Mike

Approved by : Herbert

**TITLE :** 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip  
Antenna (AA077) Engineering Specification

DOCUMENT  
NO.

**H2U84W1H1S0100**

REV.  
**H**

## 5-2. Electrical Specifications (Evaluation Board Dimensions: 80 x 40 mm<sup>2</sup>)

### 5-2-1. Electrical Table (2400~2500 MHz Band)

Characteristics	Specifications	Unit
Outline Dimensions	3.2 x 1.6 x 0.5	mm
Ground Plane Dimensions	80 x 40	mm
Working Frequency	2400~2500	MHz
VSWR(@ center frequency)*	2 Max.	
Characteristic Impedance	50	Ω
Polarization	Linear Polarization	
Peak Gain	1.5 (typical)	dBi
Efficiency	76 (typical)	%

\*Center frequency means the frequency with the lowest value in return loss of the chip antenna on the evaluation board.

### 5-2-2. Electrical Table (5150~5850 MHz Band)


Characteristics	Specifications	Unit
Working Frequency	5150~5850	MHz
VSWR(@ center frequency)*	2 Max.	
Characteristic Impedance	50	Ω
Polarization	Linear Polarization	
Peak Gain	2.3 (typical)	dBi
Efficiency	67 (typical)	%

\*Center frequency means the frequency with the lowest value in return loss of the chip antenna on the evaluation board.


 <p>詠業科技股份有限公司 Unictron Technologies Corporation No. 83, Xixiang Road, Longtan District, Taoyuan City 32556 Website: <a href="http://www.unictron.com">www.unictron.com</a></p>	<p>THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION</p>		
	Prepared by : Xenia	Designed by : George	Checked by : Mike
TITLE : 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip Antenna (AA077) Engineering Specification	DOCUMENT NO.	H2U84W1H1S0100	REV. H
		PAGE 3 OF 22	

## 5-2-3. Return Loss & VSWR

### Return Loss ( $S_{11}$ )




### VSWR ( $S_{11}$ )



## 6. Outline Dimensions of Antenna & Evaluation Board (unit: mm)

### 6-1. Antenna Dimensions



**NOTE:**  
1. All materials are RoHS compliant.  
2. "A~C" Critical Dimensions.  
3. "( )" Reference Dimensions.



詠業科技股份有限公司  
Unictron Technologies Corporation  
No. 83, Xixiang Road, Longtan District, Taoyuan City 32556  
Website: [www.unictron.com](http://www.unictron.com)

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : George

Checked by : Mike

Approved by : Herbert


**TITLE :** 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip  
Antenna (AA077) Engineering Specification

DOCUMENT  
NO.

**H2U84W1H1S0100**


REV.  
**H**

## PIN Definitions



PIN	1	2
Soldering PAD	Signal	Tuning / Ground

### 6-2. Evaluation Board with Antenna







<p><b>Unictron</b> Technologies Corp.</p>	<p>詠業科技股份有限公司 Unictron Technologies Corporation No. 83, Xixiang Road, Longtan District, Taoyuan City 32556 Website: <a href="http://www.unictron.com">www.unictron.com</a></p>	<p>THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION</p>
Prepared by : Xenia	Designed by : George	Checked by : Mike
Approved by : Herbert		
<p><b>TITLE :</b> 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip Antenna (AA077) Engineering Specification</p>	<p><b>DOCUMENT NO.</b></p> <p><b>H2U84W1H1S0100</b></p>	<p>REV.</p> <p><b>H</b></p>
		<p>PAGE 5 OF 22</p>

## 7. Radiation Pattern (with 80 x 40 mm<sup>2</sup> Evaluation Board)

### 7-1. 2400~2500 MHz Band

#### 7-1-1. 3D Gain Pattern @ 2442 MHz (unit: dBi)



詠業科技股份有限公司

Unictron Technologies Corporation

No. 83, Xixiang Road, Longtan District, Taoyuan City 32556

Website: [www.unictron.com](http://www.unictron.com)

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : George

Checked by : Mike

Approved by : Herbert

**TITLE :** 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip Antenna (AA077) Engineering Specification

DOCUMENT NO.

**H2U84W1H1S0100**


REV.

**H**

7-1-2. 3D Efficiency Table

Frequency(MHz)	2400	2412	2417	2422	2427	2432	2437	2442	2447	2452	2457	2462	2467	2472	2484	2500
Efficiency(dB)	-1.7	-1.4	-1.2	-1.0	-1.0	-1.0	-1.1	-1.1	-1.2	-1.1	-1.1	-1.0	-1.0	-1.1	-1.5	-1.8
Efficiency(%)	67.9	73.2	76.1	78.7	79.9	78.8	77.4	76.8	76.8	77.2	78.1	79.3	79.2	78.1	71.5	65.5
Peak Gain(dBi)	0.8	1.2	1.3	1.4	1.4	1.3	1.3	1.4	1.5	1.5	1.4	1.5	1.4	1.3	1.2	0.8

7-1-3. 3D Efficiency vs. Frequency



詠業科技股份有限公司  
**Unictron Technologies Corporation**  
 No. 83, Xixiang Road, Longtan District, Taoyuan City 32556  
 Website: [www.unictron.com](http://www.unictron.com)

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : George

Checked by : Mike

Approved by : Herbert

**TITLE : 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip  
 Antenna (AA077) Engineering Specification**





DOCUMENT  
 NO.

**H2U84W1H1S0100**

REV.
<b>H</b>

## 7-2. 5150~5850 MHz Band

### 7-2-1. 3D Gain Pattern @ 5150 MHz (unit: dBi)



詠業科技股份有限公司  
Unictron Technologies Corporation  
No. 83, Xixiang Road, Longtan District, Taoyuan City 32556  
Website: [www.unictron.com](http://www.unictron.com)

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : George

Checked by : Mike

Approved by : Herbert

**TITLE :** 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip Antenna (AA077) Engineering Specification





DOCUMENT NO.

**H2U84W1H1S0100**

REV.

**H**

## 7-2-2. 3D Gain Pattern @ 5550 MHz (unit: dBi)



詠業科技股份有限公司  
Unictron Technologies Corporation  
No. 83, Xixiang Road, Longtan District, Taoyuan City 32556  
Website: [www.unictron.com](http://www.unictron.com)

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : George

Checked by : Mike

Approved by : Herbert

**TITLE : 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip Antenna (AA077) Engineering Specification**





DOCUMENT NO.

**H2U84W1H1S0100**

REV.

**H**

### 7-2-3. 3D Gain Pattern @ 5850 MHz (unit: dBi)



詠業科技股份有限公司  
Unictron Technologies Corporation  
No. 83, Xixiang Road, Longtan District, Taoyuan City 32556  
Website: [www.unictron.com](http://www.unictron.com)

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : George

Checked by : Mike

Approved by : Herbert

**TITLE : 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip Antenna (AA077) Engineering Specification**

DOCUMENT NO.


**H2U84W1H1S0100**

REV.  
**H**

7-2-4. 3D Efficiency Table

Frequency(MHz)	5150	5200	5250	5300	5350	5400	5450	5500	5550	5600	5650	5700	5750	5800	5850
Efficiency(dB)	-1.5	-1.4	-1.8	-1.5	-1.4	-1.8	-2.0	-1.6	-1.7	-1.6	-1.4	-1.6	-1.8	-1.5	-1.9
Efficiency(%)	71.5	71.9	65.7	71.6	71.9	65.8	63.2	69.9	67.3	69.6	71.7	68.9	66.6	70.1	64.6
Peak Gain(dBi)	2.2	2.3	2.0	2.3	2.1	2.1	2.0	2.4	2.3	2.8	2.9	2.6	2.5	2.6	2.2


7-2-5. 3D Efficiency vs. Frequency



 <p><b>Unictron</b> Technologies Corp.</p>	<p>詠業科技股份有限公司 Unictron Technologies Corporation No. 83, Xixiang Road, Longtan District, Taoyuan City 32556 Website: <a href="http://www.unictron.com">www.unictron.com</a></p>	<p>THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION</p>		
		Prepared by : Xenia	Designed by : George	Checked by : Mike
<b>TITLE :</b>	<b>3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip Antenna (AA077) Engineering Specification</b>	<b>DOCUMENT NO.</b>	<b>H2U84W1H1S0100</b>	REV. <b>H</b>
PAGE	11	OF	22	

## 8. Frequency tuning and Matching circuit

### 8-1. Chip antenna tuning scenario :



詠業科技股份有限公司  
Unictron Technologies Corporation  
No. 83, Xixiang Road, Longtan District, Taoyuan City 32556  
Website: [www.unictron.com](http://www.unictron.com)

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : George

Checked by : Mike

Approved by : Herbert

**TITLE : 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip  
Antenna (AA077) Engineering Specification**


DOCUMENT  
NO.

**H2U84W1H1S0100**

REV.  
**H**

## 8-2. Matching circuit :

With the following recommended values of matching and tuning components, the center frequencies will be about 2442 MHz for lower band & 5500 MHz for higher band at our standard 80x40 mm<sup>2</sup> evaluation board. However, these are typical reference values which may need to be changed when circuit boards or part vendors are different.



System Matching Circuit Component			
Location	Description	Vendor	Tolerance
1	N/A	-	-
2	1 nH, (0402)	DARFON	±0.3 nH
3	0.2 pF, (0402)	DARFON	±0.05 pF
4	22 pF, (0402)	DARFON	±5%
5 Fine tuning element	1 pF, (0402)	DARFON	±0.05 pF
6 Fine tuning element	0.2 pF, (0402)	DARFON	±0.05 pF



詠業科技股份有限公司  
Unictron Technologies Corporation  
No. 83, Xixiang Road, Longtan District, Taoyuan City 32556  
Website: [www.unictron.com](http://www.unictron.com)

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia


Designed by : George

Checked by : Mike

Approved by : Herbert


TITLE : 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip Antenna (AA077) Engineering Specification	DOCUMENT NO.	H2U84W1H1S0100	REV.
			H
PAGE 13	OF	22	

### 8-3. Reference for frequency tuning element (2400~2500 MHz Band)



1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [F1 D&M]  
 Tr2 S11 Log Mag 10.00dB/ Ref 0.000dB [F1 D&M]  
 Tr3 S11 Log Mag 10.00dB/ Ref 0.000dB [F1 D&M]  
 Tr4 S11 Log Mag 10.00dB/ Ref 0.000dB [F1 D&M]  
 Tr5 S11 Log Mag 10.00dB/ Ref 0.000dB [F1 D&M]  
 Tr6 S11 Log Mag 10.00dB/ Ref 0.000dB [F1 D&M]



詠業科技股份有限公司  
 Unictron Technologies Corporation  
 No. 83, Xixiang Road, Longtan District, Taoyuan City 32556  
 Website: [www.unictron.com](http://www.unictron.com)

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : George

Checked by : Mike

Approved by : Herbert



**TITLE : 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip  
 Antenna (AA077) Engineering Specification**

DOCUMENT  
 NO.

**H2U84W1H1S0100**

REV.  
**H**

#### 8-4. Reference for frequency tuning element (5150~5850 MHz Band)



詠業科技股份有限公司  
 Unictron Technologies Corporation  
 No. 83, Xixiang Road, Longtan District, Taoyuan City 32556  
 Website: [www.unictron.com](http://www.unictron.com)

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : George

Checked by : Mike

Approved by : Herbert

TITLE : 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip  
 Antenna (AA077) Engineering Specification


DOCUMENT  
 NO.

H2U84W1H1S0100

REV.  
 H

## 9. Soldering Conditions

### 9-1. Typical Soldering Profile for Lead-free Process



## 10. Reminders for users of Unictron's AA077 ceramic chip antennas

- 10-1. This chip antenna is made of ceramic materials which are relatively more rigid and brittle compared to printed circuit board materials. Bending of circuit board at the locations where chip antenna is mounted may cause the cracking of solder joints or antenna itself.
- 10-2. Punching/cutting of the break-off tab of PCB panel may cause severe bending of the circuit board which may result in cracking of solder joints or chip antenna itself. Therefore break-off tab shall be located away from the installation site of chip antenna.
- 10-3. Be cautious when ultrasonic welding process needs to be used near the locations where chip antennas are installed. Strong ultrasonic vibration may cause the cracking of chip antenna solder joints.


 <b>Unictron Technologies Corp.</b>	<p>詠業科技股份有限公司 <b>Unictron Technologies Corporation</b> No. 83, Xixiang Road, Longtan District, Taoyuan City 32556 Website: <a href="http://www.unictron.com">www.unictron.com</a></p>	<p>THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION</p>
Prepared by : Xenia	Designed by : George	Checked by : Mike
Approved by : Herbert		
<b>TITLE : 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip Antenna (AA077) Engineering Specification</b>	<b>DOCUMENT NO.</b>	<b>H2U84W1H1S0100</b>
		<b>REV.</b>
		<b>H</b>
		<b>PAGE 16 OF 22</b>

## 11. Packing

(1) Quantity/Reel: 5000 pcs/Reel

(2) Plastic tape:


a. Tape Drawing



b. Tape Dimensions (unit: mm)

Feature	Specifications	Tolerances
W	12.00	$\pm 0.30$
P	4.00	$\pm 0.10$
E	1.75	$\pm 0.10$
F	5.50	$\pm 0.10$
P2	2.00	$\pm 0.10$
D	1.50	$+0.10$ $-0.00$
Po	4.00	$\pm 0.10$
10Po	40.00	$\pm 0.20$

c. Reel Drawing



詠業科技股份有限公司  
Unictron Technologies Corporation  
No. 83, Xixiang Road, Longtan District, Taoyuan City 32556  
Website: [www.unictron.com](http://www.unictron.com)

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : George

Checked by : Mike

Approved by : Herbert


TITLE : 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip  
Antenna (AA077) Engineering Specification

DOCUMENT  
NO.


H2U84W1H1S0100

REV.  
H

d. Drawing of small size carton in developed view



e. Drawing of middle size carton in developed view



詠業科技股份有限公司  
**Unictron Technologies Corporation**  
 No. 83, Xixiang Road, Longtan District, Taoyuan City 32556  
 Website: [www.unictron.com](http://www.unictron.com)

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : George

Checked by : Mike

Approved by : Herbert


**TITLE : 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip  
 Antenna (AA077) Engineering Specification**

DOCUMENT  
 NO.


**H2U84W1H1S0100**

REV.  
**H**

e. Drawing of large size carton in developed view



f. Picture of label




 <p><b>詠業科技股份有限公司</b>  <b>Unictron Technologies Corporation</b>            No. 83, Xixiang Road, Longtan District, Taoyuan City 32556  <a href="http://www.unictron.com">Website:www.unictron.com</a></p>	<p>THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION</p>
Prepared by : Xenia      Designed by : George      Checked by : Mike      Approved by : Herbert	
TITLE : 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip Antenna (AA077) Engineering Specification	DOCUMENT NO. : H2U84W1H1S0100

g. Reel with label



h. Small size carton with label



詠業科技股份有限公司  
Unictron Technologies Corporation  
No. 83, Xixiang Road, Longtan District, Taoyuan City 32556  
Website: [www.unictron.com](http://www.unictron.com)

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : George

Checked by : Mike

Approved by : Herbert

**TITLE : 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip  
Antenna (AA077) Engineering Specification**

DOCUMENT  
NO.

**H2U84W1H1S0100**


REV.  
**H**

PAGE 20 OF 22

i. Middle size carton with label



11-2. Process of packing



1 reel includes 5,000pcs(max.) chip antennas

1 small size carton includes 2pcs(max.) reels

1 middle size carton includes 5pcs(max.) small cartons

1 large size carton includes 2pcs(max.) middle cartons



詠業科技股份有限公司  
Unictron Technologies Corporation  
No. 83, Xixiang Road, Longtan District, Taoyuan City 32556  
Website: [www.unictron.com](http://www.unictron.com)

THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION

Prepared by : Xenia

Designed by : George

Checked by : Mike

Approved by : Herbert

**TITLE : 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip  
Antenna (AA077) Engineering Specification**

DOCUMENT  
NO.

**H2U84W1H1S0100**

REV.  
**H**

## 12. Operating & Storage Conditions

### 12-1. Operating

- (1) Maximum Input Power: 2 W
- (2) Operating Temperature: -40°C to 85°C

### 12-2. Storage

- (1) Storage Temperature: -5°C to 40°C
- (2) Relative Humidity: 20% to 70%
- (3) Shelf Life: 1 year

## 13. Notice

### (1) Installation Guide:

Please refer to Unictron's application note "General guidelines for the installation of Unictron's chip antennas" for further information.

### (2) All specifications are subject to change without notice.

 <b>Unictron</b> Technologies Corp.	<p>詠業科技股份有限公司 <b>Unictron Technologies Corporation</b> No. 83, Xixiang Road, Longtan District, Taoyuan City 32556 Website: <a href="http://www.unictron.com">www.unictron.com</a></p>	<p>THIS DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS OR DEVICES WITHOUT PERMISSION</p>
Prepared by : Xenia	Designed by : George	Checked by : Mike
<b>TITLE : 3.2 x 1.6 x 0.5 (mm) WiFi Dual Band Chip Antenna (AA077) Engineering Specification</b>	DOCUMENT NO.	REV. <b>H2U84W1H1S0100</b> <b>H</b>
		PAGE 22 OF 22