


BMW COM P1 Manual



Charging

Red LED: Charging

Blue LED: Fully charged

Power On/Off

On/Off : Press and hold the B button for 1 sec

Volume Adjustment

Tap the (+) button or (-) button

Mute/Unmute the Mic :

Tap the B button

Pairing Menu

1. Enter Pairing Menu : Tap the B button and (+) button
2. Navigate: Tap the (+) button or (-) button
 - Mobile Phone Pairing
 - Vehicle Pairing
 - Navigator Pairing
 - Intercom Pairing
 - Universal Intercom Pairing
3. Execute the menu : Tap A button
Cancel & Exit : Tap B button

Music Operation

Play or pause music: Tap the A button
Skip forward : Double tap the A button
Skip backward : Triple tap the A button
Fast forward : Tap and then press the A button
Fast backward : Press and then press the A button

Mobile Phone Call Making and Answering

Answering a call: Tap the A button or (+) button
Ending a call: Double tap the A button
Call a Voice Assistant : Press and hold the A button for 1 second
Rejecting a call: Double tap the A button

Toggle IC Mode

Toggle between Mesh Intercom and Bluetooth Intercom : Triple tap the B button

Mesh Intercom

Mesh Intercom On/Off : Double tap the B button.

Mode change(Open and Group) : Triple tap the B button

Open Mesh Channel Setting :

1. Enter the Channel Setting : Tap the B button and (+) button
2. Navigate: Tap the (+) button or (-) button.
3. Save the channel : Tap A button

Group Mesh Mesh Grouping : Tap the B button and (+) button

Bluetooth Intercom

Bluetooth Intercom On/Off : Double tap the B button.

Reset Mode

1. Enter Pairing Menu : Tap the B button and (-) button
 2. Navigate: Tap the (+) button or (-) button
 - Reset All Bluetooth Connections
 - Reset Intercom Connections
 - Reset Mesh Settings
 - Factory Reset
 3. Execute the menu : Tap A button
- Cancel & Exit : Tap B button

Fault Reset

If the NAUTITALK CREW is on but not responding, you can perform a fault reset to restore normal functionality. Ensure the USB-C charging cable is disconnected, then press and hold the B button and (+) button simultaneously for 10 seconds until it restarts.

All settings will remain unchanged.

Certification and Safety Approvals FCC Compliance Statement

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1)
This device may not cause harmful interference, and

(2) This device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment on and off, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antennae
- Increase the separation between the equipment and the receiver
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. -
- Consult the dealer or an experienced radio/TV technician for help.

FCC RF Exposure Statement

This equipment complies with FCC/IC radiation exposure limits set forth for an uncontrolled environment. End users must follow the specific operating instructions for satisfying RF exposure compliance. When equipped, the distance between antenna and one's head surface is 43.9mm.

FCC Caution

Any changes or modifications to the equipment not expressly approved by the party responsible for compliance could void user's authority to operate the equipment.

Industry Canada(IC) Statement

This device complies with Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions:

- (1) this device may not cause interference, and
- (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Le present appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisee aux deux conditions suivantes :

- (1) l'appareil ne doit pas produire de brouillage, et
- (2) l'utilisateur de l'appareil doit accepter tout brouillage radioelectrique subi, meme si le brouillage est susceptible d'en compromettre le fonctionnement.

IC RF Exposure Statement

Cet équipement est conforme aux limites d'exposition aux radiations de la FCC/IC définies pour un environnement non contrôlé. Les utilisateurs finaux doivent suivre les instructions d'utilisation spécifiques pour satisfaire à la conformité d'exposition RF.

Lorsque équipé, la distance entre l'antenne et la surface de la tête est de 43.9mm.