

Tested By:Hong, Report No.:0514925

Scan Settings (1 Range)

| Frequencies |      |      | Receiver Settings |          |        |       |              |
|-------------|------|------|-------------------|----------|--------|-------|--------------|
| Start       | Stop | Step | IF BW             | Detector | M-Time | Atten | Preamp OpRge |
| 150k        | 30M  | 5k   | 10k               | PK+AV    | 10ms   | AUTO  | LN OFF 60dB  |


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

| Transducer No. | Start | Stop | Name   |
|----------------|-------|------|--------|
| 21             | 9k    | 30M  | EW0698 |



Report No.: 0514925

Tx mode

Tested By: Hong, Report No.: 0514925

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
|-------|------|------|-------|----------|--------|-------|--------|-------|
| 150k  | 30M  | 5k   | 10k   | PK+AV    | 10ms   | AUTO  | LN OFF | 60dB  |

Final Measurement Results:

| Frequency | QP Level | QP Limit |
|-----------|----------|----------|
| MHz       | dBuV     | dBuV     |

|         |      |      |
|---------|------|------|
| 0.15000 | 44.1 | 66.0 |
| 0.22000 | 41.4 | 62.9 |
| 0.29500 | 39.2 | 60.3 |
| 0.41000 | 38.6 | 57.7 |
| 0.61500 | 36.4 | 56.0 |
| 0.98000 | 32.8 | 56.0 |
| 1.09500 | 31.4 | 56.0 |

| Frequency | AV Level | AV Limit |
|-----------|----------|----------|
| MHz       | dBuV     | dBuV     |

no Results

\* limit exceeded

Tested By:Hong, Report No.:0514925

Scan Settings (1 Range)

| Frequencies |      |      |       | Receiver Settings |        |       |              |
|-------------|------|------|-------|-------------------|--------|-------|--------------|
| Start       | Stop | Step | IF BW | Detector          | M-Time | Atten | Preamp OpRge |
| 150k        | 30M  | 5k   | 10k   | PK+AV             | 10ms   | AUTO  | LN OFF 60dB  |


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

| Transducer No. | Start | Stop | Name   |
|----------------|-------|------|--------|
| 21             | 9k    | 30M  | EW0698 |



Report No.: 0514925  
 PC Download mode  
 (PC mains)

Tested By: Hong, Report No.: 0514925

Scan Settings (1 Range)

|                         |      |      |                               |          |        |       |        |       |
|-------------------------|------|------|-------------------------------|----------|--------|-------|--------|-------|
| ----- Frequencies ----- |      |      | ----- Receiver Settings ----- |          |        |       |        |       |
| Start                   | Stop | Step | IF BW                         | Detector | M-Time | Atten | Preamp | OpRge |
| 150k                    | 30M  | 5k   | 10k                           | PK+AV    | 10ms   | AUTO  | LN OFF | 60dB  |

Final Measurement Results:

| Frequency | QP Level | QP Limit |
|-----------|----------|----------|
| MHz       | dBuV     | dBuV     |
| 0.20000   | 45.5     | 63.6     |
| 1.10500   | 34.6     | 56.0     |

| Frequency | AV Level | AV Limit |
|-----------|----------|----------|
| MHz       | dBuV     | dBuV     |
| 0.20000   | 45.1     | 53.6     |
| 0.30000   | 35.9     | 50.2     |
| 0.73500   | 31.9     | 46.0     |
| 1.05000   | 30.0     | 46.0     |
| 1.10500   | 33.5     | 46.0     |
| 1.57500   | 27.5     | 46.0     |
| 2.42000   | 26.5     | 46.0     |
| 3.84500   | 27.8     | 46.0     |
| 4.28500   | 28.5     | 46.0     |

\* limit exceeded