







Band2-9400-4-0.009~0.15MHz




Band2-9400-4-1000~3000MHz




Band2-9400-5-10000~20000MHz




Band2-9400-5-0.15~30MHz




Band2-9400-5-30~1000MHz




Band2-9400-5-1000~3000MHz




Band2-9400-5-3000~10000MHz




Band2-9400-5-0.009~0.15MHz




Band2-9538-1-0.009~0.15MHz




Band2-9538-1-0.15~30MHz




Band2-9538-1-30~1000MHz




Band2-9538-1-1000~3000MHz




Band2-9538-1-3000~10000MHz




Band2-9538-1-10000~20000MHz




Band2-9538-2-1000~3000MHz




Band2-9538-2-10000~20000MHz




Band2-9538-2-3000~10000MHz




Band2-9538-2-30~1000MHz




Band2-9538-2-0.15~30MHz




Band2-9538-2-0.009~0.15MHz




Band2-9538-3-3000~10000MHz




Band2-9538-3-0.15~30MHz




Band2-9538-3-10000~20000MHz




Band2-9538-3-30~1000MHz




Band2-9538-3-1000~3000MHz




Band2-9538-3-0.009~0.15MHz




Band2-9538-4-0.009~0.15MHz




Band2-9538-4-10000~20000MHz




Band2-9538-4-3000~10000MHz




Band2-9538-4-1000~3000MHz




Band2-9538-4-0.15~30MHz




Band2-9538-4-30~1000MHz




Band2-9538-5-10000~20000MHz




Band2-9538-5-0.009~0.15MHz




Band2-9538-5-0.15~30MHz




Band2-9538-5-30~1000MHz



Band2-9538-5-1000~3000MHz



Band2-9538-5-3000~10000MHz



APPENDIX A.6: FREQUENCY STABILITY

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VL	NT	1.58	0.000853	±2.5	PASS
Band2	9262	VN	NT	1.98	0.001069	±2.5	PASS
Band2	9262	VH	NT	2.23	0.001204	±2.5	PASS
Band2	9400	VL	NT	-0.46	-0.000245	±2.5	PASS
Band2	9400	VN	NT	-0.62	-0.000330	±2.5	PASS
Band2	9400	VH	NT	-0.26	-0.000138	±2.5	PASS
Band2	9538	VL	NT	-4.51	-0.002364	±2.5	PASS
Band2	9538	VN	NT	-4.79	-0.002511	±2.5	PASS
Band2	9538	VH	NT	-4.27	-0.002238	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-35	2.61	0.001409	±2.5	PASS
Band2	9262	NV	-30	2.45	0.001323	±2.5	PASS
Band2	9262	NV	-20	2.90	0.001566	±2.5	PASS
Band2	9262	NV	0	3.28	0.001771	±2.5	PASS
Band2	9262	NV	10	2.87	0.001549	±2.5	PASS
Band2	9262	NV	20	3.76	0.002030	±2.5	PASS
Band2	9262	NV	30	3.52	0.001900	±2.5	PASS
Band2	9262	NV	40	3.68	0.001987	±2.5	PASS
Band2	9262	NV	50	3.86	0.002084	±2.5	PASS
Band2	9262	NV	55	3.96	0.002138	±2.5	PASS
Band2	9262	NV	60	4.32	0.002332	±2.5	PASS
Band2	9262	NV	70	3.82	0.002062	±2.5	PASS
Band2	9262	NV	75	4.13	0.002230	±2.5	PASS
Band2	9400	NV	-35	-0.31	-0.000165	±2.5	PASS
Band2	9400	NV	-30	-0.59	-0.000314	±2.5	PASS
Band2	9400	NV	-20	-0.39	-0.000207	±2.5	PASS
Band2	9400	NV	0	-0.34	-0.000181	±2.5	PASS
Band2	9400	NV	10	-0.79	-0.000420	±2.5	PASS
Band2	9400	NV	20	-0.54	-0.000287	±2.5	PASS
Band2	9400	NV	30	-0.62	-0.000330	±2.5	PASS
Band2	9400	NV	40	-0.49	-0.000261	±2.5	PASS
Band2	9400	NV	50	-0.51	-0.000271	±2.5	PASS
Band2	9400	NV	55	-1.19	-0.000633	±2.5	PASS
Band2	9400	NV	60	-0.63	-0.000335	±2.5	PASS
Band2	9400	NV	70	-0.52	-0.000277	±2.5	PASS
Band2	9400	NV	75	-0.46	-0.000245	±2.5	PASS
Band2	9538	NV	-35	-4.18	-0.002191	±2.5	PASS
Band2	9538	NV	-30	-4.04	-0.002118	±2.5	PASS
Band2	9538	NV	-20	-4.06	-0.002128	±2.5	PASS
Band2	9538	NV	0	-4.34	-0.002275	±2.5	PASS

Band2	9538	NV	10	-4.06	-0.002128	±2.5	PASS
Band2	9538	NV	20	-3.76	-0.001971	±2.5	PASS
Band2	9538	NV	30	-3.81	-0.001997	±2.5	PASS
Band2	9538	NV	40	-3.53	-0.001850	±2.5	PASS
Band2	9538	NV	50	-3.59	-0.001882	±2.5	PASS
Band2	9538	NV	55	-2.85	-0.001494	±2.5	PASS
Band2	9538	NV	60	-3.86	-0.002023	±2.5	PASS
Band2	9538	NV	70	-4.00	-0.002097	±2.5	PASS
Band2	9538	NV	75	-3.58	-0.001877	±2.5	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VL	NT	-4.16	-0.002246	±2.5	PASS
Band2	9262	1	VN	NT	-4.70	-0.002537	±2.5	PASS
Band2	9262	1	VH	NT	-3.49	-0.001884	±2.5	PASS
Band2	9262	2	VL	NT	-3.22	-0.001738	±2.5	PASS
Band2	9262	2	VN	NT	-3.18	-0.001717	±2.5	PASS
Band2	9262	2	VH	NT	-2.88	-0.001555	±2.5	PASS
Band2	9262	3	VL	NT	-2.31	-0.001247	±2.5	PASS
Band2	9262	3	VN	NT	-2.66	-0.001436	±2.5	PASS
Band2	9262	3	VH	NT	-2.80	-0.001512	±2.5	PASS
Band2	9262	4	VL	NT	-1.99	-0.001074	±2.5	PASS
Band2	9262	4	VN	NT	-2.00	-0.001080	±2.5	PASS
Band2	9262	4	VH	NT	-2.05	-0.001107	±2.5	PASS
Band2	9400	1	VL	NT	-1.78	-0.000947	±2.5	PASS
Band2	9400	1	VN	NT	-1.92	-0.001021	±2.5	PASS
Band2	9400	1	VH	NT	-1.71	-0.000910	±2.5	PASS
Band2	9400	2	VL	NT	-1.79	-0.000952	±2.5	PASS
Band2	9400	2	VN	NT	-1.92	-0.001021	±2.5	PASS
Band2	9400	2	VH	NT	-1.80	-0.000957	±2.5	PASS
Band2	9400	3	VL	NT	-1.60	-0.000851	±2.5	PASS
Band2	9400	3	VN	NT	-1.54	-0.000819	±2.5	PASS
Band2	9400	3	VH	NT	-1.29	-0.000686	±2.5	PASS
Band2	9400	4	VL	NT	-1.87	-0.000995	±2.5	PASS
Band2	9400	4	VN	NT	-1.55	-0.000824	±2.5	PASS
Band2	9400	4	VH	NT	-1.29	-0.000686	±2.5	PASS
Band2	9538	1	VL	NT	-1.39	-0.000729	±2.5	PASS
Band2	9538	1	VN	NT	-1.25	-0.000655	±2.5	PASS
Band2	9538	1	VH	NT	-1.57	-0.000823	±2.5	PASS
Band2	9538	2	VL	NT	-1.07	-0.000561	±2.5	PASS
Band2	9538	2	VN	NT	-0.94	-0.000493	±2.5	PASS
Band2	9538	2	VH	NT	-1.15	-0.000603	±2.5	PASS
Band2	9538	3	VL	NT	-0.93	-0.000488	±2.5	PASS
Band2	9538	3	VN	NT	-1.02	-0.000535	±2.5	PASS
Band2	9538	3	VH	NT	-1.02	-0.000535	±2.5	PASS
Band2	9538	4	VL	NT	-0.74	-0.000388	±2.5	PASS
Band2	9538	4	VN	NT	-0.62	-0.000325	±2.5	PASS
Band2	9538	4	VH	NT	-0.78	-0.000409	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-35	-3.49	-0.001884	±2.5	PASS
Band2	9262	1	NV	-30	-3.67	-0.001981	±2.5	PASS
Band2	9262	1	NV	-20	-3.35	-0.001808	±2.5	PASS
Band2	9262	1	NV	0	-3.39	-0.001830	±2.5	PASS
Band2	9262	1	NV	10	-3.63	-0.001960	±2.5	PASS
Band2	9262	1	NV	20	-3.15	-0.001700	±2.5	PASS
Band2	9262	1	NV	30	-3.21	-0.001733	±2.5	PASS
Band2	9262	1	NV	40	-3.43	-0.001852	±2.5	PASS
Band2	9262	1	NV	50	-3.12	-0.001684	±2.5	PASS
Band2	9262	1	NV	55	-1.54	-0.000831	±2.5	PASS
Band2	9262	1	NV	60	-3.35	-0.001808	±2.5	PASS
Band2	9262	1	NV	70	-3.08	-0.001663	±2.5	PASS
Band2	9262	1	NV	75	-3.23	-0.001744	±2.5	PASS
Band2	9262	2	NV	-35	-3.03	-0.001636	±2.5	PASS
Band2	9262	2	NV	-30	-2.93	-0.001582	±2.5	PASS
Band2	9262	2	NV	-20	-2.93	-0.001582	±2.5	PASS
Band2	9262	2	NV	0	-2.72	-0.001468	±2.5	PASS
Band2	9262	2	NV	10	-2.93	-0.001582	±2.5	PASS
Band2	9262	2	NV	20	-2.87	-0.001549	±2.5	PASS
Band2	9262	2	NV	30	-2.73	-0.001474	±2.5	PASS
Band2	9262	2	NV	40	-2.95	-0.001593	±2.5	PASS
Band2	9262	2	NV	50	-2.66	-0.001436	±2.5	PASS
Band2	9262	2	NV	55	-1.17	-0.000632	±2.5	PASS
Band2	9262	2	NV	60	-2.71	-0.001463	±2.5	PASS
Band2	9262	2	NV	70	-2.45	-0.001323	±2.5	PASS
Band2	9262	2	NV	75	-2.97	-0.001603	±2.5	PASS
Band2	9262	3	NV	-35	-2.78	-0.001501	±2.5	PASS
Band2	9262	3	NV	-30	-2.33	-0.001258	±2.5	PASS
Band2	9262	3	NV	-20	-2.42	-0.001306	±2.5	PASS
Band2	9262	3	NV	0	-2.60	-0.001404	±2.5	PASS
Band2	9262	3	NV	10	-2.55	-0.001377	±2.5	PASS
Band2	9262	3	NV	20	-2.23	-0.001204	±2.5	PASS
Band2	9262	3	NV	30	-2.10	-0.001134	±2.5	PASS
Band2	9262	3	NV	40	-2.16	-0.001166	±2.5	PASS
Band2	9262	3	NV	50	-2.26	-0.001220	±2.5	PASS
Band2	9262	3	NV	55	-0.20	-0.000108	±2.5	PASS
Band2	9262	3	NV	60	-2.26	-0.001220	±2.5	PASS
Band2	9262	3	NV	70	-2.08	-0.001123	±2.5	PASS
Band2	9262	3	NV	75	-2.30	-0.001242	±2.5	PASS
Band2	9262	4	NV	-35	-1.70	-0.000918	±2.5	PASS
Band2	9262	4	NV	-30	-1.82	-0.000983	±2.5	PASS
Band2	9262	4	NV	-20	-1.92	-0.001036	±2.5	PASS
Band2	9262	4	NV	0	-2.02	-0.001090	±2.5	PASS
Band2	9262	4	NV	10	-1.77	-0.000956	±2.5	PASS
Band2	9262	4	NV	20	-1.95	-0.001053	±2.5	PASS
Band2	9262	4	NV	30	-1.85	-0.000999	±2.5	PASS

Band2	9262	4	NV	40	-1.93	-0.001042	±2.5	PASS
Band2	9262	4	NV	50	-1.85	-0.000999	±2.5	PASS
Band2	9262	4	NV	55	0.57	0.000308	±2.5	PASS
Band2	9262	4	NV	60	-1.87	-0.001010	±2.5	PASS
Band2	9262	4	NV	70	-2.17	-0.001171	±2.5	PASS
Band2	9262	4	NV	75	-1.95	-0.001053	±2.5	PASS
Band2	9400	1	NV	-35	-1.65	-0.000878	±2.5	PASS
Band2	9400	1	NV	-30	-1.91	-0.001016	±2.5	PASS
Band2	9400	1	NV	-20	-2.01	-0.001069	±2.5	PASS
Band2	9400	1	NV	0	-1.91	-0.001016	±2.5	PASS
Band2	9400	1	NV	10	-1.83	-0.000973	±2.5	PASS
Band2	9400	1	NV	20	-1.86	-0.000989	±2.5	PASS
Band2	9400	1	NV	30	-1.72	-0.000915	±2.5	PASS
Band2	9400	1	NV	40	-1.94	-0.001032	±2.5	PASS
Band2	9400	1	NV	50	-1.85	-0.000984	±2.5	PASS
Band2	9400	1	NV	55	-0.54	-0.000287	±2.5	PASS
Band2	9400	1	NV	60	-1.77	-0.000941	±2.5	PASS
Band2	9400	1	NV	70	-1.54	-0.000819	±2.5	PASS
Band2	9400	1	NV	75	-1.52	-0.000809	±2.5	PASS
Band2	9400	2	NV	-35	-1.66	-0.000883	±2.5	PASS
Band2	9400	2	NV	-30	-1.38	-0.000734	±2.5	PASS
Band2	9400	2	NV	-20	-1.77	-0.000941	±2.5	PASS
Band2	9400	2	NV	0	-1.47	-0.000782	±2.5	PASS
Band2	9400	2	NV	10	-1.77	-0.000941	±2.5	PASS
Band2	9400	2	NV	20	-1.66	-0.000883	±2.5	PASS
Band2	9400	2	NV	30	-1.64	-0.000872	±2.5	PASS
Band2	9400	2	NV	40	-1.18	-0.000628	±2.5	PASS
Band2	9400	2	NV	50	-1.67	-0.000888	±2.5	PASS
Band2	9400	2	NV	55	0.79	0.000420	±2.5	PASS
Band2	9400	2	NV	60	-1.80	-0.000957	±2.5	PASS
Band2	9400	2	NV	70	-1.34	-0.000713	±2.5	PASS
Band2	9400	2	NV	75	-1.58	-0.000840	±2.5	PASS
Band2	9400	3	NV	-35	-1.32	-0.000702	±2.5	PASS
Band2	9400	3	NV	-30	-1.63	-0.000867	±2.5	PASS
Band2	9400	3	NV	-20	-1.50	-0.000798	±2.5	PASS
Band2	9400	3	NV	0	-1.28	-0.000681	±2.5	PASS
Band2	9400	3	NV	10	-1.39	-0.000739	±2.5	PASS
Band2	9400	3	NV	20	-1.31	-0.000697	±2.5	PASS
Band2	9400	3	NV	30	-1.24	-0.000660	±2.5	PASS
Band2	9400	3	NV	40	-1.59	-0.000846	±2.5	PASS
Band2	9400	3	NV	50	-1.38	-0.000734	±2.5	PASS
Band2	9400	3	NV	55	0.44	0.000234	±2.5	PASS
Band2	9400	3	NV	60	-1.38	-0.000734	±2.5	PASS
Band2	9400	3	NV	70	-1.47	-0.000782	±2.5	PASS
Band2	9400	3	NV	75	-1.14	-0.000606	±2.5	PASS
Band2	9400	4	NV	-35	-1.79	-0.000952	±2.5	PASS
Band2	9400	4	NV	-30	-1.17	-0.000622	±2.5	PASS
Band2	9400	4	NV	-20	-1.39	-0.000739	±2.5	PASS
Band2	9400	4	NV	0	-1.46	-0.000777	±2.5	PASS
Band2	9400	4	NV	10	-1.29	-0.000686	±2.5	PASS

Band2	9400	4	NV	20	-1.36	-0.000723	±2.5	PASS
Band2	9400	4	NV	30	-1.25	-0.000665	±2.5	PASS
Band2	9400	4	NV	40	-1.39	-0.000739	±2.5	PASS
Band2	9400	4	NV	50	-1.49	-0.000793	±2.5	PASS
Band2	9400	4	NV	55	0.66	0.000351	±2.5	PASS
Band2	9400	4	NV	60	-1.57	-0.000835	±2.5	PASS
Band2	9400	4	NV	70	-1.52	-0.000809	±2.5	PASS
Band2	9400	4	NV	75	-1.29	-0.000686	±2.5	PASS
Band2	9538	1	NV	-35	-1.26	-0.000661	±2.5	PASS
Band2	9538	1	NV	-30	-1.04	-0.000545	±2.5	PASS
Band2	9538	1	NV	-20	-1.33	-0.000697	±2.5	PASS
Band2	9538	1	NV	0	-1.50	-0.000786	±2.5	PASS
Band2	9538	1	NV	10	-1.44	-0.000755	±2.5	PASS
Band2	9538	1	NV	20	-1.45	-0.000760	±2.5	PASS
Band2	9538	1	NV	30	-0.94	-0.000493	±2.5	PASS
Band2	9538	1	NV	40	-1.28	-0.000671	±2.5	PASS
Band2	9538	1	NV	50	-1.29	-0.000676	±2.5	PASS
Band2	9538	1	NV	55	1.55	0.000813	±2.5	PASS
Band2	9538	1	NV	60	-1.26	-0.000661	±2.5	PASS
Band2	9538	1	NV	70	-1.36	-0.000713	±2.5	PASS
Band2	9538	1	NV	75	-1.09	-0.000571	±2.5	PASS
Band2	9538	2	NV	-35	-1.02	-0.000535	±2.5	PASS
Band2	9538	2	NV	-30	-0.94	-0.000493	±2.5	PASS
Band2	9538	2	NV	-20	-0.64	-0.000336	±2.5	PASS
Band2	9538	2	NV	0	-0.88	-0.000461	±2.5	PASS
Band2	9538	2	NV	10	-0.99	-0.000519	±2.5	PASS
Band2	9538	2	NV	20	-0.81	-0.000425	±2.5	PASS
Band2	9538	2	NV	30	-0.93	-0.000488	±2.5	PASS
Band2	9538	2	NV	40	-1.05	-0.000550	±2.5	PASS
Band2	9538	2	NV	50	-1.20	-0.000629	±2.5	PASS
Band2	9538	2	NV	55	1.49	0.000781	±2.5	PASS
Band2	9538	2	NV	60	-1.20	-0.000629	±2.5	PASS
Band2	9538	2	NV	70	-0.73	-0.000383	±2.5	PASS
Band2	9538	2	NV	75	-0.92	-0.000482	±2.5	PASS
Band2	9538	3	NV	-35	-0.57	-0.000299	±2.5	PASS
Band2	9538	3	NV	-30	-0.74	-0.000388	±2.5	PASS
Band2	9538	3	NV	-20	-0.78	-0.000409	±2.5	PASS
Band2	9538	3	NV	0	-0.87	-0.000456	±2.5	PASS
Band2	9538	3	NV	10	-0.87	-0.000456	±2.5	PASS
Band2	9538	3	NV	20	-0.68	-0.000356	±2.5	PASS
Band2	9538	3	NV	30	-1.09	-0.000571	±2.5	PASS
Band2	9538	3	NV	40	-0.49	-0.000257	±2.5	PASS
Band2	9538	3	NV	50	-0.54	-0.000283	±2.5	PASS
Band2	9538	3	NV	55	0.95	0.000498	±2.5	PASS
Band2	9538	3	NV	60	-0.81	-0.000425	±2.5	PASS
Band2	9538	3	NV	70	-0.74	-0.000388	±2.5	PASS
Band2	9538	3	NV	75	-0.85	-0.000446	±2.5	PASS
Band2	9538	4	NV	-35	-0.81	-0.000425	±2.5	PASS
Band2	9538	4	NV	-30	-0.57	-0.000299	±2.5	PASS
Band2	9538	4	NV	-20	-0.88	-0.000461	±2.5	PASS

Band2	9538	4	NV	0	-0.31	-0.000163	±2.5	PASS
Band2	9538	4	NV	10	-0.63	-0.000330	±2.5	PASS
Band2	9538	4	NV	20	-0.54	-0.000283	±2.5	PASS
Band2	9538	4	NV	30	-0.64	-0.000336	±2.5	PASS
Band2	9538	4	NV	40	-0.55	-0.000288	±2.5	PASS
Band2	9538	4	NV	50	-0.61	-0.000320	±2.5	PASS
Band2	9538	4	NV	55	1.72	0.000902	±2.5	PASS
Band2	9538	4	NV	60	-0.57	-0.000299	±2.5	PASS
Band2	9538	4	NV	70	-0.74	-0.000388	±2.5	PASS
Band2	9538	4	NV	75	-0.64	-0.000336	±2.5	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VL	NT	-7.05	-0.003806	±2.5	PASS
Band2	9262	1	VN	NT	-6.40	-0.003455	±2.5	PASS
Band2	9262	1	VH	NT	-6.55	-0.003536	±2.5	PASS
Band2	9262	2	VL	NT	-4.79	-0.002586	±2.5	PASS
Band2	9262	2	VN	NT	-5.00	-0.002699	±2.5	PASS
Band2	9262	2	VH	NT	-4.79	-0.002586	±2.5	PASS
Band2	9262	3	VL	NT	-4.11	-0.002219	±2.5	PASS
Band2	9262	3	VN	NT	-4.11	-0.002219	±2.5	PASS
Band2	9262	3	VH	NT	-4.26	-0.002300	±2.5	PASS
Band2	9262	4	VL	NT	-3.55	-0.001916	±2.5	PASS
Band2	9262	4	VN	NT	-3.68	-0.001987	±2.5	PASS
Band2	9262	4	VH	NT	-3.71	-0.002003	±2.5	PASS
Band2	9262	5	VL	NT	-3.22	-0.001738	±2.5	PASS
Band2	9262	5	VN	NT	-3.50	-0.001889	±2.5	PASS
Band2	9262	5	VH	NT	-3.46	-0.001868	±2.5	PASS
Band2	9400	1	VL	NT	-3.00	-0.001596	±2.5	PASS
Band2	9400	1	VN	NT	-3.00	-0.001596	±2.5	PASS
Band2	9400	1	VH	NT	-3.00	-0.001596	±2.5	PASS
Band2	9400	2	VL	NT	-2.98	-0.001585	±2.5	PASS
Band2	9400	2	VN	NT	-3.00	-0.001596	±2.5	PASS
Band2	9400	2	VH	NT	-3.20	-0.001702	±2.5	PASS
Band2	9400	3	VL	NT	-2.46	-0.001309	±2.5	PASS
Band2	9400	3	VN	NT	-2.92	-0.001553	±2.5	PASS
Band2	9400	3	VH	NT	-2.52	-0.001340	±2.5	PASS
Band2	9400	4	VL	NT	-2.55	-0.001356	±2.5	PASS
Band2	9400	4	VN	NT	-2.51	-0.001335	±2.5	PASS
Band2	9400	4	VH	NT	-2.96	-0.001574	±2.5	PASS
Band2	9400	5	VL	NT	-2.70	-0.001436	±2.5	PASS
Band2	9400	5	VN	NT	-2.30	-0.001223	±2.5	PASS
Band2	9400	5	VH	NT	-2.18	-0.001160	±2.5	PASS
Band2	9538	1	VL	NT	-2.55	-0.001337	±2.5	PASS
Band2	9538	1	VN	NT	-2.60	-0.001363	±2.5	PASS
Band2	9538	1	VH	NT	-2.45	-0.001284	±2.5	PASS
Band2	9538	2	VL	NT	-2.42	-0.001269	±2.5	PASS
Band2	9538	2	VN	NT	-2.12	-0.001111	±2.5	PASS

Band2	9538	2	VH	NT	-2.12	-0.001111	±2.5	PASS
Band2	9538	3	VL	NT	-2.07	-0.001085	±2.5	PASS
Band2	9538	3	VN	NT	-2.14	-0.001122	±2.5	PASS
Band2	9538	3	VH	NT	-2.12	-0.001111	±2.5	PASS
Band2	9538	4	VL	NT	-2.11	-0.001106	±2.5	PASS
Band2	9538	4	VN	NT	-2.04	-0.001069	±2.5	PASS
Band2	9538	4	VH	NT	-2.23	-0.001169	±2.5	PASS
Band2	9538	5	VL	NT	-2.09	-0.001096	±2.5	PASS
Band2	9538	5	VN	NT	-2.13	-0.001117	±2.5	PASS
Band2	9538	5	VH	NT	-2.05	-0.001075	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-35	-6.25	-0.003374	±2.5	PASS
Band2	9262	1	NV	-30	-6.06	-0.003271	±2.5	PASS
Band2	9262	1	NV	-20	-5.84	-0.003153	±2.5	PASS
Band2	9262	1	NV	0	-5.59	-0.003018	±2.5	PASS
Band2	9262	1	NV	10	-5.51	-0.002975	±2.5	PASS
Band2	9262	1	NV	20	-5.54	-0.002991	±2.5	PASS
Band2	9262	1	NV	30	-5.51	-0.002975	±2.5	PASS
Band2	9262	1	NV	40	-5.26	-0.002840	±2.5	PASS
Band2	9262	1	NV	50	-5.37	-0.002899	±2.5	PASS
Band2	9262	1	NV	55	-4.54	-0.002451	±2.5	PASS
Band2	9262	1	NV	60	-5.24	-0.002829	±2.5	PASS
Band2	9262	1	NV	70	-4.91	-0.002651	±2.5	PASS
Band2	9262	1	NV	75	-5.19	-0.002802	±2.5	PASS
Band2	9262	2	NV	-35	-4.48	-0.002418	±2.5	PASS
Band2	9262	2	NV	-30	-4.41	-0.002381	±2.5	PASS
Band2	9262	2	NV	-20	-4.73	-0.002553	±2.5	PASS
Band2	9262	2	NV	0	-4.79	-0.002586	±2.5	PASS
Band2	9262	2	NV	10	-4.84	-0.002613	±2.5	PASS
Band2	9262	2	NV	20	-4.49	-0.002424	±2.5	PASS
Band2	9262	2	NV	30	-4.26	-0.002300	±2.5	PASS
Band2	9262	2	NV	40	-4.23	-0.002284	±2.5	PASS
Band2	9262	2	NV	50	-4.82	-0.002602	±2.5	PASS
Band2	9262	2	NV	55	-5.19	-0.002802	±2.5	PASS
Band2	9262	2	NV	60	-4.33	-0.002338	±2.5	PASS
Band2	9262	2	NV	70	-4.23	-0.002284	±2.5	PASS
Band2	9262	2	NV	75	-4.13	-0.002230	±2.5	PASS
Band2	9262	3	NV	-35	-4.40	-0.002375	±2.5	PASS
Band2	9262	3	NV	-30	-3.75	-0.002024	±2.5	PASS
Band2	9262	3	NV	-20	-4.10	-0.002213	±2.5	PASS
Band2	9262	3	NV	0	-4.03	-0.002176	±2.5	PASS
Band2	9262	3	NV	10	-3.83	-0.002068	±2.5	PASS
Band2	9262	3	NV	20	-3.96	-0.002138	±2.5	PASS
Band2	9262	3	NV	30	-3.78	-0.002041	±2.5	PASS
Band2	9262	3	NV	40	-4.03	-0.002176	±2.5	PASS
Band2	9262	3	NV	50	-3.84	-0.002073	±2.5	PASS

Band2	9262	3	NV	55	-5.25	-0.002834	±2.5	PASS
Band2	9262	3	NV	60	-3.98	-0.002149	±2.5	PASS
Band2	9262	3	NV	70	-3.87	-0.002089	±2.5	PASS
Band2	9262	3	NV	75	-3.53	-0.001906	±2.5	PASS
Band2	9262	4	NV	-35	-3.65	-0.001970	±2.5	PASS
Band2	9262	4	NV	-30	-3.79	-0.002046	±2.5	PASS
Band2	9262	4	NV	-20	-3.71	-0.002003	±2.5	PASS
Band2	9262	4	NV	0	-3.69	-0.001992	±2.5	PASS
Band2	9262	4	NV	10	-3.42	-0.001846	±2.5	PASS
Band2	9262	4	NV	20	-3.59	-0.001938	±2.5	PASS
Band2	9262	4	NV	30	-3.70	-0.001997	±2.5	PASS
Band2	9262	4	NV	40	-3.46	-0.001868	±2.5	PASS
Band2	9262	4	NV	50	-3.43	-0.001852	±2.5	PASS
Band2	9262	4	NV	55	-4.96	-0.002678	±2.5	PASS
Band2	9262	4	NV	60	-3.48	-0.001879	±2.5	PASS
Band2	9262	4	NV	70	-3.48	-0.001879	±2.5	PASS
Band2	9262	4	NV	75	-3.12	-0.001684	±2.5	PASS
Band2	9262	5	NV	-35	-3.11	-0.001679	±2.5	PASS
Band2	9262	5	NV	-30	-3.63	-0.001960	±2.5	PASS
Band2	9262	5	NV	-20	-3.11	-0.001679	±2.5	PASS
Band2	9262	5	NV	0	-3.23	-0.001744	±2.5	PASS
Band2	9262	5	NV	10	-3.50	-0.001889	±2.5	PASS
Band2	9262	5	NV	20	-3.03	-0.001636	±2.5	PASS
Band2	9262	5	NV	30	-3.63	-0.001960	±2.5	PASS
Band2	9262	5	NV	40	-3.26	-0.001760	±2.5	PASS
Band2	9262	5	NV	50	-3.15	-0.001700	±2.5	PASS
Band2	9262	5	NV	55	-4.26	-0.002300	±2.5	PASS
Band2	9262	5	NV	60	-3.12	-0.001684	±2.5	PASS
Band2	9262	5	NV	70	-3.33	-0.001798	±2.5	PASS
Band2	9262	5	NV	75	-2.84	-0.001533	±2.5	PASS
Band2	9400	1	NV	-35	-3.07	-0.001633	±2.5	PASS
Band2	9400	1	NV	-30	-3.06	-0.001628	±2.5	PASS
Band2	9400	1	NV	-20	-2.98	-0.001585	±2.5	PASS
Band2	9400	1	NV	0	-2.92	-0.001553	±2.5	PASS
Band2	9400	1	NV	10	-3.23	-0.001718	±2.5	PASS
Band2	9400	1	NV	20	-3.08	-0.001638	±2.5	PASS
Band2	9400	1	NV	30	-2.81	-0.001495	±2.5	PASS
Band2	9400	1	NV	40	-3.09	-0.001644	±2.5	PASS
Band2	9400	1	NV	50	-3.15	-0.001676	±2.5	PASS
Band2	9400	1	NV	55	-4.82	-0.002564	±2.5	PASS
Band2	9400	1	NV	60	-3.17	-0.001686	±2.5	PASS
Band2	9400	1	NV	70	-2.75	-0.001463	±2.5	PASS
Band2	9400	1	NV	75	-2.90	-0.001543	±2.5	PASS
Band2	9400	2	NV	-35	-3.27	-0.001739	±2.5	PASS
Band2	9400	2	NV	-30	-2.77	-0.001473	±2.5	PASS
Band2	9400	2	NV	-20	-2.79	-0.001484	±2.5	PASS
Band2	9400	2	NV	0	-2.91	-0.001548	±2.5	PASS
Band2	9400	2	NV	10	-2.98	-0.001585	±2.5	PASS
Band2	9400	2	NV	20	-2.83	-0.001505	±2.5	PASS
Band2	9400	2	NV	30	-2.92	-0.001553	±2.5	PASS

Band2	9400	2	NV	40	-2.75	-0.001463	±2.5	PASS
Band2	9400	2	NV	50	-3.03	-0.001612	±2.5	PASS
Band2	9400	2	NV	55	-4.33	-0.002303	±2.5	PASS
Band2	9400	2	NV	60	-2.85	-0.001516	±2.5	PASS
Band2	9400	2	NV	70	-2.55	-0.001356	±2.5	PASS
Band2	9400	2	NV	75	-2.66	-0.001415	±2.5	PASS
Band2	9400	3	NV	-35	-2.80	-0.001489	±2.5	PASS
Band2	9400	3	NV	-30	-2.55	-0.001356	±2.5	PASS
Band2	9400	3	NV	-20	-2.79	-0.001484	±2.5	PASS
Band2	9400	3	NV	0	-2.48	-0.001319	±2.5	PASS
Band2	9400	3	NV	10	-2.54	-0.001351	±2.5	PASS
Band2	9400	3	NV	20	-2.71	-0.001441	±2.5	PASS
Band2	9400	3	NV	30	-2.79	-0.001484	±2.5	PASS
Band2	9400	3	NV	40	-2.38	-0.001266	±2.5	PASS
Band2	9400	3	NV	50	-2.82	-0.001500	±2.5	PASS
Band2	9400	3	NV	55	-4.95	-0.002633	±2.5	PASS
Band2	9400	3	NV	60	-2.80	-0.001489	±2.5	PASS
Band2	9400	3	NV	70	-2.40	-0.001277	±2.5	PASS
Band2	9400	3	NV	75	-2.66	-0.001415	±2.5	PASS
Band2	9400	4	NV	-35	-2.30	-0.001223	±2.5	PASS
Band2	9400	4	NV	-30	-2.55	-0.001356	±2.5	PASS
Band2	9400	4	NV	-20	-2.34	-0.001245	±2.5	PASS
Band2	9400	4	NV	0	-2.48	-0.001319	±2.5	PASS
Band2	9400	4	NV	10	-2.20	-0.001170	±2.5	PASS
Band2	9400	4	NV	20	-2.69	-0.001431	±2.5	PASS
Band2	9400	4	NV	30	-2.89	-0.001537	±2.5	PASS
Band2	9400	4	NV	40	-2.68	-0.001426	±2.5	PASS
Band2	9400	4	NV	50	-2.65	-0.001410	±2.5	PASS
Band2	9400	4	NV	55	-5.04	-0.002681	±2.5	PASS
Band2	9400	4	NV	60	-2.70	-0.001436	±2.5	PASS
Band2	9400	4	NV	70	-2.32	-0.001234	±2.5	PASS
Band2	9400	4	NV	75	-2.69	-0.001431	±2.5	PASS
Band2	9400	5	NV	-35	-2.38	-0.001266	±2.5	PASS
Band2	9400	5	NV	-30	-2.35	-0.001250	±2.5	PASS
Band2	9400	5	NV	-20	-2.10	-0.001117	±2.5	PASS
Band2	9400	5	NV	0	-2.02	-0.001074	±2.5	PASS
Band2	9400	5	NV	10	-2.55	-0.001356	±2.5	PASS
Band2	9400	5	NV	20	-2.42	-0.001287	±2.5	PASS
Band2	9400	5	NV	30	-2.27	-0.001207	±2.5	PASS
Band2	9400	5	NV	40	-2.25	-0.001197	±2.5	PASS
Band2	9400	5	NV	50	-2.72	-0.001447	±2.5	PASS
Band2	9400	5	NV	55	-4.62	-0.002457	±2.5	PASS
Band2	9400	5	NV	60	-2.60	-0.001383	±2.5	PASS
Band2	9400	5	NV	70	-2.23	-0.001186	±2.5	PASS
Band2	9400	5	NV	75	-2.52	-0.001340	±2.5	PASS
Band2	9538	1	NV	-35	-2.58	-0.001352	±2.5	PASS
Band2	9538	1	NV	-30	-2.57	-0.001347	±2.5	PASS
Band2	9538	1	NV	-20	-2.20	-0.001153	±2.5	PASS
Band2	9538	1	NV	0	-2.44	-0.001279	±2.5	PASS
Band2	9538	1	NV	10	-2.39	-0.001253	±2.5	PASS

Band2	9538	1	NV	20	-2.35	-0.001232	±2.5	PASS
Band2	9538	1	NV	30	-2.23	-0.001169	±2.5	PASS
Band2	9538	1	NV	40	-2.15	-0.001127	±2.5	PASS
Band2	9538	1	NV	50	-2.27	-0.001190	±2.5	PASS
Band2	9538	1	NV	55	-4.81	-0.002521	±2.5	PASS
Band2	9538	1	NV	60	-2.18	-0.001143	±2.5	PASS
Band2	9538	1	NV	70	-2.37	-0.001242	±2.5	PASS
Band2	9538	1	NV	75	-2.36	-0.001237	±2.5	PASS
Band2	9538	2	NV	-35	-2.23	-0.001169	±2.5	PASS
Band2	9538	2	NV	-30	-2.37	-0.001242	±2.5	PASS
Band2	9538	2	NV	-20	-2.05	-0.001075	±2.5	PASS
Band2	9538	2	NV	0	-2.35	-0.001232	±2.5	PASS
Band2	9538	2	NV	10	-2.12	-0.001111	±2.5	PASS
Band2	9538	2	NV	20	-2.42	-0.001269	±2.5	PASS
Band2	9538	2	NV	30	-2.05	-0.001075	±2.5	PASS
Band2	9538	2	NV	40	-2.17	-0.001138	±2.5	PASS
Band2	9538	2	NV	50	-2.42	-0.001269	±2.5	PASS
Band2	9538	2	NV	55	-4.91	-0.002574	±2.5	PASS
Band2	9538	2	NV	60	-2.18	-0.001143	±2.5	PASS
Band2	9538	2	NV	70	-2.00	-0.001048	±2.5	PASS
Band2	9538	2	NV	75	-2.38	-0.001248	±2.5	PASS
Band2	9538	3	NV	-35	-2.14	-0.001122	±2.5	PASS
Band2	9538	3	NV	-30	-2.19	-0.001148	±2.5	PASS
Band2	9538	3	NV	-20	-2.35	-0.001232	±2.5	PASS
Band2	9538	3	NV	0	-2.29	-0.001200	±2.5	PASS
Band2	9538	3	NV	10	-2.12	-0.001111	±2.5	PASS
Band2	9538	3	NV	20	-2.20	-0.001153	±2.5	PASS
Band2	9538	3	NV	30	-2.27	-0.001190	±2.5	PASS
Band2	9538	3	NV	40	-2.12	-0.001111	±2.5	PASS
Band2	9538	3	NV	50	-2.28	-0.001195	±2.5	PASS
Band2	9538	3	NV	55	-4.48	-0.002349	±2.5	PASS
Band2	9538	3	NV	60	-2.15	-0.001127	±2.5	PASS
Band2	9538	3	NV	70	-2.33	-0.001221	±2.5	PASS
Band2	9538	3	NV	75	-2.05	-0.001075	±2.5	PASS
Band2	9538	4	NV	-35	-2.04	-0.001069	±2.5	PASS
Band2	9538	4	NV	-30	-2.11	-0.001106	±2.5	PASS
Band2	9538	4	NV	-20	-2.07	-0.001085	±2.5	PASS
Band2	9538	4	NV	0	-2.05	-0.001075	±2.5	PASS
Band2	9538	4	NV	10	-2.12	-0.001111	±2.5	PASS
Band2	9538	4	NV	20	-2.08	-0.001090	±2.5	PASS
Band2	9538	4	NV	30	-1.93	-0.001012	±2.5	PASS
Band2	9538	4	NV	40	-2.13	-0.001117	±2.5	PASS
Band2	9538	4	NV	50	-2.30	-0.001206	±2.5	PASS
Band2	9538	4	NV	55	-5.50	-0.002883	±2.5	PASS
Band2	9538	4	NV	60	-2.24	-0.001174	±2.5	PASS
Band2	9538	4	NV	70	-2.17	-0.001138	±2.5	PASS
Band2	9538	4	NV	75	-2.46	-0.001290	±2.5	PASS
Band2	9538	5	NV	-35	-2.08	-0.001090	±2.5	PASS
Band2	9538	5	NV	-30	-2.37	-0.001242	±2.5	PASS
Band2	9538	5	NV	-20	-2.33	-0.001221	±2.5	PASS

Band2	9538	5	NV	0	-2.42	-0.001269	±2.5	PASS
Band2	9538	5	NV	10	-2.21	-0.001159	±2.5	PASS
Band2	9538	5	NV	20	-2.37	-0.001242	±2.5	PASS
Band2	9538	5	NV	30	-2.07	-0.001085	±2.5	PASS
Band2	9538	5	NV	40	-2.14	-0.001122	±2.5	PASS
Band2	9538	5	NV	50	-2.26	-0.001185	±2.5	PASS
Band2	9538	5	NV	55	-4.83	-0.002532	±2.5	PASS
Band2	9538	5	NV	60	-2.01	-0.001054	±2.5	PASS
Band2	9538	5	NV	70	-2.25	-0.001179	±2.5	PASS
Band2	9538	5	NV	75	-2.05	-0.001075	±2.5	PASS