




MIMO <Ant. E+F(F)>

EUT Mode


802.11be EHT320 FullIRU

Plot on 6105 MHz




11:51:23 25.02.2025


Plot on 6265 MHz



11:56:47 25.02.2025



11:51:36 25.02.2025



11:57:18 25.02.2025



Appendix B. Radiated Spurious Emission Test Data

Test Engineer :	Ken Kuo and Edward Liao	Relative Humidity :	40.2 ~ 48.5 %
		Temperature :	20.7 ~ 23.4°C

Note symbol

-L	Low channel location
-R	High channel location

**B1. Radiated Spurious Emission Test Modes**

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	E+F	802.11a	1	5955	MCS0	-	-
Mode 2	U-NII-5	5.925-6.425	E+F	802.11a	49	6195	MCS0	-	-
Mode 3	U-NII-5	5.925-6.425	E+F	802.11a	93	6415	MCS0	-	-
Mode 4	U-NII-5	5.925-6.425	E+F	802.11be EHT20	1	5955	MCS0	Full RU	-
Mode 5	U-NII-5	5.925-6.425	E+F	802.11be EHT20	49	6195	MCS0	Full RU	-
Mode 6	U-NII-5	5.925-6.425	E+F	802.11be EHT20	93	6415	MCS0	Full RU	-
Mode 7	U-NII-5	5.925-6.425	E+F	802.11be EHT40	3	5965	MCS0	Full RU	-
Mode 8	U-NII-5	5.925-6.425	E+F	802.11be EHT40	51	6205	MCS0	Full RU	-
Mode 9	U-NII-5	5.925-6.425	E+F	802.11be EHT40	91	6405	MCS0	Full RU	-
Mode 10	U-NII-5	5.925-6.425	E+F	802.11be EHT80	7	5985	MCS0	Full RU	-
Mode 11	U-NII-5	5.925-6.425	E+F	802.11be EHT80	55	6225	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 12	U-NII-5	5.925-6.425	E+F	802.11be EHT80	87	6385	MCS0	Full RU	-
Mode 13	U-NII-5	5.925-6.425	E+F	802.11be EHT160	15	6025	MCS0	Full RU	-
Mode 14	U-NII-5	5.925-6.425	E+F	802.11be EHT160	47	6185	MCS0	Full RU	-
Mode 15	U-NII-5	5.925-6.425	E+F	802.11be EHT160	79	6345	MCS0	Full RU	-
Mode 16	U-NII-5	5.925-6.425	E+F	802.11be EHT320	31	6105	MCS0	Full RU	-
Mode 17	U-NII-5	5.925-6.425	E+F	802.11be EHT320	63	6265	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 30	U-NII-7	6.525-6.875	E+F	802.11a	117	6535	MCS0	-	-
Mode 31	U-NII-7	6.525-6.875	E+F	802.11a	149	6695	MCS0	-	-
Mode 32	U-NII-7	6.525-6.875	E+F	802.11a	181	6855	MCS0	-	-
Mode 33	U-NII-7	6.525-6.875	E+F	802.11be EHT20	117	6535	MCS0	Full RU	-
Mode 34	U-NII-7	6.525-6.875	E+F	802.11be EHT20	149	6695	MCS0	Full RU	-
Mode 35	U-NII-7	6.525-6.875	E+F	802.11be EHT20	181	6855	MCS0	Full RU	-
Mode 36	U-NII-7	6.525-6.875	E+F	802.11be EHT40	123	6565	MCS0	Full RU	-
Mode 37	U-NII-7	6.525-6.875	E+F	802.11be EHT40	147	6685	MCS0	Full RU	-
Mode 38	U-NII-7	6.525-6.875	E+F	802.11be EHT40	179	6845	MCS0	Full RU	-
Mode 40	U-NII-7	6.525-6.875	E+F	802.11be EHT80	135	6625	MCS0	Full RU	-
Mode 41	U-NII-7	6.525-6.875	E+F	802.11be EHT80	151	6705	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 42	U-NII-7	6.525-6.875	E+F	802.11be EHT80	167	6785	MCS0	Full RU	-
Mode 43	U-NII-7	6.525-6.875	E+F	802.11be EHT160	143	6665	MCS0	Full RU	-
Mode 44	U-NII-7	6.525-6.875	E+F	802.11be EHT320	127	6585	MCS0	Full RU	-
Mode 45	U-NII-5	5.925-6.425	E+F	802.11be EHT40	3	5965	MCS0	Full RU	LF

B2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
1	802.11a	1	5924.58	58.51	68.20	-9.69	H	Avg.	Pass	-	Band Edge
	802.11a	1	17865.00	46.27	54.00	-7.73	H	Avg.	Pass	-	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	-	Band Edge
	802.11a	49	12390.00	50.33	74.00	-23.67	V	Peak	Pass	-	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	-	Band Edge
	802.11a	93	19245.00	38.58	54.00	-15.42	H	Avg.	Pass	-	Harmonic
4	802.11be EHT20	1	5924.97	59.91	68.20	-8.29	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	1	17865.00	44.93	54.00	-9.07	V	Avg.	Pass	Full RU	Harmonic
5	802.11be EHT20	49	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT20	49	12390.00	48.88	74.00	-25.12	V	Peak	Pass	Full RU	Harmonic
6	802.11be EHT20	93	-	-	-	-	-	-	-	Full RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
6	802.11be EHT20	93	19245.00	31.97	54.00	-22.03	V	Avg.	Pass	Full RU	Harmonic
7	802.11be EHT40	3	5924.82	66.11	68.20	-2.09	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT40	3	17895.00	45.58	54.00	-8.42	V	Avg.	Pass	Full RU	Harmonic
8	802.11be EHT40	51	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	51	12410.00	48.56	74.00	-25.44	V	Peak	Pass	Full RU	Harmonic
9	802.11be EHT40	91	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT40	91	19215.00	35.39	54.00	-18.61	H	Avg.	Pass	Full RU	Harmonic
10	802.11be EHT80	7	5924.52	64.64	68.20	-3.56	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT80	7	17955.00	54.08	74.00	-19.92	V	Peak	Pass	Full RU	Harmonic
11	802.11be EHT80	55	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	55	12450.00	48.54	74.00	-25.46	H	Peak	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
12	802.11be EHT80	87	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	87	19155.00	38.53	74.00	-35.47	H	Peak	Pass	Full RU	Harmonic
13	802.11be EHT160	15	5924.00	64.36	68.20	-3.84	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT160	15	12050.00	48.21	74.00	-25.79	V	Peak	Pass	Full RU	Harmonic
14	802.11be EHT160	47	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT160	47	12370.00	47.65	74.00	-26.35	V	Peak	Pass	Full RU	Harmonic
15	802.11be EHT160	79	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT160	79	12690.00	48.79	74.00	-25.21	V	Peak	Pass	Full RU	Harmonic
16	802.11be EHT320	31	5923.56	61.95	68.20	-6.25	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT320	31	12210.00	39.82	54.00	-14.18	V	Avg.	Pass	Full RU	Harmonic
17	802.11be EHT320	63	-	-	-	-	-	-	-	Full RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
17	802.11be EHT320	63	12530.00	40.80	54.00	-13.20	V	Avg.	Pass	Full RU	Harmonic
30	802.11a	117	-	-	-	-	-	-	-	-	Band Edge
30	802.11a	117	19605.00	42.85	74.00	-31.15	H	Peak	Pass	-	Harmonic
31	802.11a	149	-	-	-	-	-	-	-	-	Band Edge
31	802.11a	149	13390.00	43.10	54.00	-10.90	V	Avg.	Pass	-	Harmonic
32	802.11a	181	-	-	-	-	-	-	-	-	Band Edge
32	802.11a	181	20565.00	41.11	74.00	-32.89	H	Peak	Pass	-	Harmonic
33	802.11be EHT20	117	-	-	-	-	-	-	-	Full RU	Band Edge
33	802.11be EHT20	117	19605.00	44.55	74.00	-29.45	H	Peak	Pass	Full RU	Harmonic
34	802.11be EHT20	149	-	-	-	-	-	-	-	Full RU	Band Edge







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/ m)	Limit (dBuV/ m)	Margin (dB)	Pol	Peak Avg.	Result	RU	Remark
34	802.11be EHT20	149	13390.00	49.53	74.00	-24.47	V	Peak	Pass	Full RU	Harmonic
35	802.11be EHT20	181	-	-	-	-	-	-	-	Full RU	Band Edge
35	802.11be EHT20	181	20565.00	33.88	54.00	-20.12	H	Avg.	Pass	Full RU	Harmonic
36	802.11be EHT40	123	-	-	-	-	-	-	-	Full RU	Band Edge
36	802.11be EHT40	123	19695.00	36.92	54.00	-17.08	H	Avg.	Pass	Full RU	Harmonic
37	802.11be EHT40	147	-	-	-	-	-	-	-	Full RU	Band Edge
37	802.11be EHT40	147	13370.00	40.66	54.00	-13.34	V	Avg.	Pass	Full RU	Harmonic
38	802.11be EHT40	179	-	-	-	-	-	-	-	Full RU	Band Edge
38	802.11be EHT40	179	20535.00	39.00	74.00	-35.00	H	Peak	Pass	Full RU	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
40	802.11be EHT80	135	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	135	13250.00	40.04	54.00	-13.96	H	Avg.	Pass	Full RU	Harmonic
41	802.11be EHT80	151	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	151	20115.00	37.44	74.00	-36.56	V	Peak	Pass	Full RU	Harmonic
42	802.11be EHT80	167	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT80	167	20355.00	36.95	74.00	-37.05	H	Peak	Pass	Full RU	Harmonic
43	802.11be EHT160	143	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT160	143	13330.00	40.48	54.00	-13.52	H	Avg.	Pass	Full RU	Harmonic
44	802.11be EHT320	127	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11be EHT320	127	19755.00	37.32	74.00	-36.68	H	Peak	Pass	Full RU	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
45	LF	3	46.49	31.40	40.00	-8.60	V	Peak	Pass	-	LF





Mode	1																																																																																												
	Band Edge																																																																																												
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																												
ANT	E+F																																																																																												
Pol.	Horizontal					Fundamental																																																																																							
Peak																																																																																													
	Site : 03CH02-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.84</td><td>71.38</td><td>88.20</td><td>-16.82</td><td>54.32</td><td>34.06</td><td>13.02</td><td>30.02</td><td>0.00</td><td>59 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.84	71.38	88.20	-16.82	54.32	34.06	13.02	30.02	0.00	59 PEAK	Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>117.32</td><td>-----</td><td>-----</td><td>100.21</td><td>34.09</td><td>13.05</td><td>30.03</td><td>0.00</td><td>59 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	117.32	-----	-----	100.21	34.09	13.05	30.03	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5924.84	71.38	88.20	-16.82	54.32	34.06	13.02	30.02	0.00	59 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5955.00	117.32	-----	-----	100.21	34.09	13.05	30.03	0.00	59 PEAK																																																																																			
Avg																																																																																													
	Site : 03CH02-CA Condition: AVG_BE(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.58</td><td>58.51</td><td>68.20</td><td>-9.69</td><td>41.45</td><td>34.06</td><td>13.02</td><td>30.02</td><td>0.00</td><td>59 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.58	58.51	68.20	-9.69	41.45	34.06	13.02	30.02	0.00	59 AVERAGE	Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>110.95</td><td>-----</td><td>-----</td><td>93.84</td><td>34.09</td><td>13.05</td><td>30.03</td><td>0.00</td><td>59 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	110.95	-----	-----	93.84	34.09	13.05	30.03	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5924.58	58.51	68.20	-9.69	41.45	34.06	13.02	30.02	0.00	59 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5955.00	110.95	-----	-----	93.84	34.09	13.05	30.03	0.00	59 AVERAGE																																																																																			







Mode	1																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																		
ANT	E+F																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH02-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.32</td><td>72.04</td><td>88.20</td><td>-16.16</td><td>54.95</td><td>34.09</td><td>13.02</td><td>30.02</td><td>0.00</td><td>320</td><td>322</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.32	72.04	88.20	-16.16	54.95	34.09	13.02	30.02	0.00	320	322	PEAK	Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>117.72</td><td>-----</td><td>-----</td><td>100.57</td><td>34.13</td><td>13.06</td><td>30.04</td><td>0.00</td><td>320</td><td>322</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	117.72	-----	-----	100.57	34.13	13.06	30.04	0.00	320	322
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.32	72.04	88.20	-16.16	54.95	34.09	13.02	30.02	0.00	320	322	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	117.72	-----	-----	100.57	34.13	13.06	30.04	0.00	320	322	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH02-CA Condition: AVG_BE(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>58.14</td><td>68.20</td><td>-10.06</td><td>41.05</td><td>34.09</td><td>13.02</td><td>30.02</td><td>0.00</td><td>320</td><td>322</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	58.14	68.20	-10.06	41.05	34.09	13.02	30.02	0.00	320	322	AVERAGE	Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>110.40</td><td>-----</td><td>-----</td><td>93.25</td><td>34.13</td><td>13.06</td><td>30.04</td><td>0.00</td><td>320</td><td>322</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	110.40	-----	-----	93.25	34.13	13.06	30.04	0.00	320	322
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.97	58.14	68.20	-10.06	41.05	34.09	13.02	30.02	0.00	320	322	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	110.40	-----	-----	93.25	34.13	13.06	30.04	0.00	320	322	AVERAGE																																																																																							





Mode	1																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																																							
ANT	E+F																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>47.03</td><td>74.00</td><td>-26.97</td><td>56.70</td><td>38.80</td><td>18.82</td><td>67.41</td><td>0.12</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17865.00</td><td>55.28</td><td>74.00</td><td>-18.72</td><td>56.99</td><td>42.00</td><td>23.63</td><td>67.62</td><td>0.20</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>17865.00</td><td>46.27</td><td>54.00</td><td>-7.73</td><td>47.98</td><td>42.00</td><td>23.63</td><td>67.62</td><td>0.20</td><td>--</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	47.03	74.00	-26.97	56.70	38.80	18.82	67.41	0.12	--	PEAK	2	17865.00	55.28	74.00	-18.72	56.99	42.00	23.63	67.62	0.20	--	PEAK	3	17865.00	46.27	54.00	-7.73	47.98	42.00	23.63	67.62	0.20	--	Average	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>47.07</td><td>74.00</td><td>-26.93</td><td>56.77</td><td>38.77</td><td>18.82</td><td>67.41</td><td>0.12</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17865.00</td><td>54.81</td><td>74.00</td><td>-19.19</td><td>56.77</td><td>41.83</td><td>23.63</td><td>67.62</td><td>0.20</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>17865.00</td><td>45.79</td><td>54.00</td><td>-8.21</td><td>47.75</td><td>41.83</td><td>23.63</td><td>67.62</td><td>0.20</td><td>--</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	47.07	74.00	-26.93	56.77	38.77	18.82	67.41	0.12	--	PEAK	2	17865.00	54.81	74.00	-19.19	56.77	41.83	23.63	67.62	0.20	--	PEAK	3	17865.00	45.79	54.00	-8.21	47.75	41.83	23.63	67.62	0.20	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	11910.00	47.03	74.00	-26.97	56.70	38.80	18.82	67.41	0.12	--	PEAK																																																																																																																													
2	17865.00	55.28	74.00	-18.72	56.99	42.00	23.63	67.62	0.20	--	PEAK																																																																																																																													
3	17865.00	46.27	54.00	-7.73	47.98	42.00	23.63	67.62	0.20	--	Average																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	11910.00	47.07	74.00	-26.93	56.77	38.77	18.82	67.41	0.12	--	PEAK																																																																																																																													
2	17865.00	54.81	74.00	-19.19	56.77	41.83	23.63	67.62	0.20	--	PEAK																																																																																																																													
3	17865.00	45.79	54.00	-8.21	47.75	41.83	23.63	67.62	0.20	--	Average																																																																																																																													





Mode	1	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL





Mode	2																																											
	Band Edge																																											
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																											
ANT	E+F																																											
Pol.	Horizontal	Fundamental																																										
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>115.13</td><td>-----</td><td>97.77</td><td>34.16</td><td>13.35</td><td>30.15</td><td>0.00</td><td>400</td><td>7 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6195.00	115.13	-----	97.77	34.16	13.35	30.15	0.00	400	7 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	6195.00	115.13	-----	97.77	34.16	13.35	30.15	0.00	400	7 PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>108.20</td><td>-----</td><td>90.87</td><td>34.14</td><td>13.33</td><td>30.14</td><td>0.00</td><td>400</td><td>7 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6195.00	108.20	-----	90.87	34.14	13.33	30.14	0.00	400	7 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	6195.00	108.20	-----	90.87	34.14	13.33	30.14	0.00	400	7 AVERAGE																																		







Mode	2																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																													
ANT	E+F																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>115.31</td><td>-----</td><td>-----</td><td>97.88</td><td>34.24</td><td>13.34</td><td>30.15</td><td>0.00</td><td>311</td><td>315</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6195.00	115.31	-----	-----	97.88	34.24	13.34	30.15	0.00	311	315	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6195.00	115.31	-----	-----	97.88	34.24	13.34	30.15	0.00	311	315	PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>109.36</td><td>-----</td><td>-----</td><td>91.94</td><td>34.23</td><td>13.33</td><td>30.14</td><td>0.00</td><td>311</td><td>315</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6195.00	109.36	-----	-----	91.94	34.23	13.33	30.14	0.00	311	315	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6195.00	109.36	-----	-----	91.94	34.23	13.33	30.14	0.00	311	315	AVERAGE																																		





	2																																																																					
Mode	Harmonic																																																																					
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																					
ANT	E+F																																																																					
Pol.	Horizontal						Vertical																																																															
Peak Avg																																																																						
	Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL						Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL																																																															
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>47.76</td><td>74.00</td><td>-26.24</td><td>56.48</td><td>38.81</td><td>19.20</td><td>66.83</td><td>0.10</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>18585.00</td><td>36.99</td><td>74.00</td><td>-37.01</td><td>37.95</td><td>38.13</td><td>24.03</td><td>53.58</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	47.76	74.00	-26.24	56.48	38.81	19.20	66.83	0.10	--	--	PEAK	2	18585.00	36.99	74.00	-37.01	37.95	38.13	24.03	53.58	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	12390.00	47.76	74.00	-26.24	56.48	38.81	19.20	66.83	0.10	--	--	PEAK																																																										
2	18585.00	36.99	74.00	-37.01	37.95	38.13	24.03	53.58	-9.54	--	--	Peak																																																										
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>50.33</td><td>74.00</td><td>-23.67</td><td>58.95</td><td>38.91</td><td>19.20</td><td>66.83</td><td>0.10</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>18594.00</td><td>36.89</td><td>74.00</td><td>-37.11</td><td>37.79</td><td>38.20</td><td>24.03</td><td>53.59</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	50.33	74.00	-23.67	58.95	38.91	19.20	66.83	0.10	--	--	PEAK	2	18594.00	36.89	74.00	-37.11	37.79	38.20	24.03	53.59	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	12390.00	50.33	74.00	-23.67	58.95	38.91	19.20	66.83	0.10	--	--	PEAK																																																										
2	18594.00	36.89	74.00	-37.11	37.79	38.20	24.03	53.59	-9.54	--	--	Peak																																																										





Mode	2	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL





Mode	3																																																				
	Band Edge																																																				
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																				
ANT	E+F																																																				
Pol.	Horizontal					Fundamental																																															
Peak	Blank					 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>116.43</td><td>-----</td><td>98.31</td><td>34.80</td><td>13.63</td><td>30.31</td><td>0.00</td><td>390</td><td>13</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6415.00	116.43	-----	98.31	34.80	13.63	30.31	0.00	390	13	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	6415.00	116.43	-----	98.31	34.80	13.63	30.31	0.00	390	13	PEAK																																										
Avg	Blank					 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>109.57</td><td>-----</td><td>91.49</td><td>34.77</td><td>13.62</td><td>30.31</td><td>0.00</td><td>390</td><td>13</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6415.00	109.57	-----	91.49	34.77	13.62	30.31	0.00	390	13	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	6415.00	109.57	-----	91.49	34.77	13.62	30.31	0.00	390	13	AVERAGE																																										







Mode	3																																												
	Band Edge																																												
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																												
ANT	E+F																																												
Pol.	Vertical	Fundamental																																											
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>117.65</td><td>-----</td><td>99.46</td><td>34.88</td><td>13.62</td><td>30.31</td><td>0.00</td><td>307</td><td>323</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6415.00	117.65	-----	99.46	34.88	13.62	30.31	0.00	307	323	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6415.00	117.65	-----	99.46	34.88	13.62	30.31	0.00	307	323	PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>110.42</td><td>-----</td><td>92.19</td><td>34.91</td><td>13.63</td><td>30.31</td><td>0.00</td><td>307</td><td>323</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6415.00	110.42	-----	92.19	34.91	13.63	30.31	0.00	307	323	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6415.00	110.42	-----	92.19	34.91	13.63	30.31	0.00	307	323	AVERAGE																																		



Mode	3																																																																																		
	Harmonic																																																																																		
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																		
ANT	E+F																																																																																		
Pol.	Horizontal						Vertical																																																																												
Peak Avg																																																																																			
	Site : 03CH02-CA																																																																																		
	Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL																																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.87</td><td>88.20</td><td>-40.33</td><td>56.58</td><td>39.37</td><td>19.54</td><td>67.72</td><td>0.10</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>19245.00</td><td>49.50</td><td>74.00</td><td>-24.50</td><td>50.49</td><td>37.92</td><td>24.33</td><td>53.70</td><td>-9.54</td><td>203</td><td>55 PEAK</td></tr><tr><td>3</td><td>19245.00</td><td>38.58</td><td>54.00</td><td>-15.42</td><td>39.57</td><td>37.92</td><td>24.33</td><td>53.70</td><td>-9.54</td><td>203</td><td>55 Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	47.87	88.20	-40.33	56.58	39.37	19.54	67.72	0.10	--	-- PEAK	2	19245.00	49.50	74.00	-24.50	50.49	37.92	24.33	53.70	-9.54	203	55 PEAK	3	19245.00	38.58	54.00	-15.42	39.57	37.92	24.33	53.70	-9.54	203	55 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	12830.00	47.87	88.20	-40.33	56.58	39.37	19.54	67.72	0.10	--	-- PEAK																																																																								
2	19245.00	49.50	74.00	-24.50	50.49	37.92	24.33	53.70	-9.54	203	55 PEAK																																																																								
3	19245.00	38.58	54.00	-15.42	39.57	37.92	24.33	53.70	-9.54	203	55 Average																																																																								
Site : 03CH02-CA																																																																																			
Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL																																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>50.54</td><td>88.20</td><td>-37.66</td><td>59.19</td><td>39.43</td><td>19.54</td><td>67.72</td><td>0.10</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>19245.00</td><td>42.71</td><td>74.00</td><td>-31.29</td><td>43.71</td><td>37.91</td><td>24.33</td><td>53.70</td><td>-9.54</td><td>300</td><td>13 PEAK</td></tr><tr><td>3</td><td>19245.00</td><td>32.45</td><td>54.00</td><td>-21.55</td><td>33.45</td><td>37.91</td><td>24.33</td><td>53.70</td><td>-9.54</td><td>300</td><td>13 Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	50.54	88.20	-37.66	59.19	39.43	19.54	67.72	0.10	--	-- PEAK	2	19245.00	42.71	74.00	-31.29	43.71	37.91	24.33	53.70	-9.54	300	13 PEAK	3	19245.00	32.45	54.00	-21.55	33.45	37.91	24.33	53.70	-9.54	300	13 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	12830.00	50.54	88.20	-37.66	59.19	39.43	19.54	67.72	0.10	--	-- PEAK																																																																								
2	19245.00	42.71	74.00	-31.29	43.71	37.91	24.33	53.70	-9.54	300	13 PEAK																																																																								
3	19245.00	32.45	54.00	-21.55	33.45	37.91	24.33	53.70	-9.54	300	13 Average																																																																								







Mode	3	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL





Mode	4																																																																																							
	Band Edge																																																																																							
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																							
ANT	E+F																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	Site : 03CH02-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.71</td><td>71.80</td><td>88.20</td><td>-16.40</td><td>54.74</td><td>34.06</td><td>13.02</td><td>30.02</td><td>0.00</td><td>300</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.71	71.80	88.20	-16.40	54.74	34.06	13.02	30.02	0.00	300	PEAK	Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>114.99</td><td>-----</td><td>-----</td><td>97.88</td><td>34.09</td><td>13.05</td><td>30.03</td><td>0.00</td><td>300</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	114.99	-----	-----	97.88	34.09	13.05	30.03	0.00	300	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5924.71	71.80	88.20	-16.40	54.74	34.06	13.02	30.02	0.00	300	PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5955.00	114.99	-----	-----	97.88	34.09	13.05	30.03	0.00	300	PEAK																																																																													
Avg	Site : 03CH02-CA Condition: AVG_BE(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>59.91</td><td>68.20</td><td>-8.29</td><td>42.85</td><td>34.06</td><td>13.02</td><td>30.02</td><td>0.00</td><td>300</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	59.91	68.20	-8.29	42.85	34.06	13.02	30.02	0.00	300	AVERAGE	Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>107.77</td><td>-----</td><td>-----</td><td>90.66</td><td>34.09</td><td>13.05</td><td>30.03</td><td>0.00</td><td>300</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	107.77	-----	-----	90.66	34.09	13.05	30.03	0.00	300	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5924.97	59.91	68.20	-8.29	42.85	34.06	13.02	30.02	0.00	300	AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5955.00	107.77	-----	-----	90.66	34.09	13.05	30.03	0.00	300	AVERAGE																																																																													







Mode	4																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																																		
ANT	E+F																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH02-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5918.47</td><td>68.54</td><td>88.20</td><td>-19.66</td><td>51.47</td><td>34.08</td><td>13.01</td><td>30.02</td><td>0.00</td><td>300</td><td>317</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.47	68.54	88.20	-19.66	51.47	34.08	13.01	30.02	0.00	300	317	PEAK	Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>115.49</td><td>-----</td><td>-----</td><td>98.35</td><td>34.12</td><td>13.05</td><td>30.03</td><td>0.00</td><td>300</td><td>317</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	115.49	-----	-----	98.35	34.12	13.05	30.03	0.00	300	317
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5918.47	68.54	88.20	-19.66	51.47	34.08	13.01	30.02	0.00	300	317	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	115.49	-----	-----	98.35	34.12	13.05	30.03	0.00	300	317	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH02-CA Condition: AVG_BE(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>55.31</td><td>68.20</td><td>-12.89</td><td>38.22</td><td>34.09</td><td>13.02</td><td>30.02</td><td>0.00</td><td>300</td><td>317</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	55.31	68.20	-12.89	38.22	34.09	13.02	30.02	0.00	300	317	AVERAGE	Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>108.30</td><td>-----</td><td>-----</td><td>91.16</td><td>34.12</td><td>13.05</td><td>30.03</td><td>0.00</td><td>300</td><td>317</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	108.30	-----	-----	91.16	34.12	13.05	30.03	0.00	300	317
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.97	55.31	68.20	-12.89	38.22	34.09	13.02	30.02	0.00	300	317	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	108.30	-----	-----	91.16	34.12	13.05	30.03	0.00	300	317	AVERAGE																																																																																							





Mode	4																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																																																																							
ANT	E+F																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	 Site : 03CH02-CA Condition: PEAK(U-NII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 4 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>46.79</td><td>74.00</td><td>-27.21</td><td>56.46</td><td>38.80</td><td>18.82</td><td>67.41</td><td>0.12</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17865.00</td><td>53.93</td><td>74.00</td><td>-20.07</td><td>55.64</td><td>42.00</td><td>23.63</td><td>67.62</td><td>0.20</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>17865.00</td><td>44.90</td><td>54.00</td><td>-9.10</td><td>46.61</td><td>42.00</td><td>23.63</td><td>67.62</td><td>0.20</td><td>--</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	46.79	74.00	-27.21	56.46	38.80	18.82	67.41	0.12	--	PEAK	2	17865.00	53.93	74.00	-20.07	55.64	42.00	23.63	67.62	0.20	--	PEAK	3	17865.00	44.90	54.00	-9.10	46.61	42.00	23.63	67.62	0.20	--	Average	 Site : 03CH02-CA Condition: PEAK(U-NII)_6E 3m HORN_02140_250207 VERTICAL Mode : 4 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>46.83</td><td>74.00</td><td>-27.17</td><td>56.53</td><td>38.77</td><td>18.82</td><td>67.41</td><td>0.12</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17865.00</td><td>53.94</td><td>74.00</td><td>-20.06</td><td>55.90</td><td>41.83</td><td>23.63</td><td>67.62</td><td>0.20</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>17865.00</td><td>44.93</td><td>54.00</td><td>-9.07</td><td>46.89</td><td>41.83</td><td>23.63</td><td>67.62</td><td>0.20</td><td>--</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	46.83	74.00	-27.17	56.53	38.77	18.82	67.41	0.12	--	PEAK	2	17865.00	53.94	74.00	-20.06	55.90	41.83	23.63	67.62	0.20	--	PEAK	3	17865.00	44.93	54.00	-9.07	46.89	41.83	23.63	67.62	0.20	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	11910.00	46.79	74.00	-27.21	56.46	38.80	18.82	67.41	0.12	--	PEAK																																																																																																																													
2	17865.00	53.93	74.00	-20.07	55.64	42.00	23.63	67.62	0.20	--	PEAK																																																																																																																													
3	17865.00	44.90	54.00	-9.10	46.61	42.00	23.63	67.62	0.20	--	Average																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	11910.00	46.83	74.00	-27.17	56.53	38.77	18.82	67.41	0.12	--	PEAK																																																																																																																													
2	17865.00	53.94	74.00	-20.06	55.90	41.83	23.63	67.62	0.20	--	PEAK																																																																																																																													
3	17865.00	44.93	54.00	-9.07	46.89	41.83	23.63	67.62	0.20	--	Average																																																																																																																													





Mode	4	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 4	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL Mode : 4
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 4	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 4





Mode	5																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_Full RU_6195MHz																																													
ANT	E+F																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>115.64</td><td>-----</td><td>-----</td><td>98.31</td><td>34.14</td><td>13.33</td><td>30.14</td><td>0.00</td><td>400</td><td>11</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6195.00	115.64	-----	-----	98.31	34.14	13.33	30.14	0.00	400	11	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6195.00	115.64	-----	-----	98.31	34.14	13.33	30.14	0.00	400	11	PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>107.57</td><td>-----</td><td>-----</td><td>90.23</td><td>34.15</td><td>13.34</td><td>30.15</td><td>0.00</td><td>400</td><td>11</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6195.00	107.57	-----	-----	90.23	34.15	13.34	30.15	0.00	400	11	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6195.00	107.57	-----	-----	90.23	34.15	13.34	30.15	0.00	400	11	AVERAGE																																		







Mode	5																																											
	Band Edge																																											
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_Full RU_6195MHz																																											
ANT	E+F																																											
Pol.	Vertical	Fundamental																																										
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>116.37</td><td>-----</td><td>-----</td><td></td><td>98.92</td><td>34.25</td><td>13.35</td><td>30.15</td><td>0.00</td><td>217</td><td>313</td><td>PEAK</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6195.00	116.37	-----	-----		98.92	34.25	13.35	30.15	0.00	217	313	PEAK
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg																															
1	6195.00	116.37	-----	-----		98.92	34.25	13.35	30.15	0.00	217	313	PEAK																															
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6195.00</td><td>108.32</td><td>-----</td><td>-----</td><td></td><td>98.87</td><td>34.25</td><td>13.35</td><td>30.15</td><td>0.00</td><td>217</td><td>313</td><td>AVERAGE</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	6195.00	108.32	-----	-----		98.87	34.25	13.35	30.15	0.00	217	313	AVERAGE
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg																															
1	6195.00	108.32	-----	-----		98.87	34.25	13.35	30.15	0.00	217	313	AVERAGE																															





Mode	5																																																																																																					
	Harmonic																																																																																																					
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_Full RU_6195MHz																																																																																																					
ANT	E+F																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12390.00</td><td>47.77</td><td>74.00</td><td>-26.23</td><td>56.49</td><td>38.81</td><td>19.20</td><td>66.83</td><td>0.10</td><td>-- -- PEAK</td></tr><tr><td>2 18585.00</td><td>38.70</td><td>74.00</td><td>-35.30</td><td>39.66</td><td>38.13</td><td>24.03</td><td>53.58</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12390.00	47.77	74.00	-26.23	56.49	38.81	19.20	66.83	0.10	-- -- PEAK	2 18585.00	38.70	74.00	-35.30	39.66	38.13	24.03	53.58	-9.54	-- -- PEAK	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL Mode : 5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12390.00</td><td>48.88</td><td>74.00</td><td>-25.12</td><td>57.50</td><td>38.91</td><td>19.20</td><td>66.83</td><td>0.10</td><td>-- -- PEAK</td></tr><tr><td>2 18585.00</td><td>36.83</td><td>74.00</td><td>-37.17</td><td>37.71</td><td>38.21</td><td>24.03</td><td>53.58</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12390.00	48.88	74.00	-25.12	57.50	38.91	19.20	66.83	0.10	-- -- PEAK	2 18585.00	36.83	74.00	-37.17	37.71	38.21	24.03	53.58	-9.54	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 12390.00	47.77	74.00	-26.23	56.49	38.81	19.20	66.83	0.10	-- -- PEAK																																																																																													
2 18585.00	38.70	74.00	-35.30	39.66	38.13	24.03	53.58	-9.54	-- -- PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 12390.00	48.88	74.00	-25.12	57.50	38.91	19.20	66.83	0.10	-- -- PEAK																																																																																													
2 18585.00	36.83	74.00	-37.17	37.71	38.21	24.03	53.58	-9.54	-- -- PEAK																																																																																													





Mode	5	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH49_Full RU_6195MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 5	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL Mode : 5
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 5	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 5





Mode	6																																											
	Band Edge																																											
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_Full RU_6415MHz																																											
ANT	E+F																																											
Pol.	Horizontal	Fundamental																																										
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>116.52</td><td>-----</td><td>98.40</td><td>34.80</td><td>13.63</td><td>30.31</td><td>0.00</td><td>389</td><td>14 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6415.00	116.52	-----	98.40	34.80	13.63	30.31	0.00	389	14 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	6415.00	116.52	-----	98.40	34.80	13.63	30.31	0.00	389	14 PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>108.61</td><td>-----</td><td>90.49</td><td>34.80</td><td>13.63</td><td>30.31</td><td>0.00</td><td>389</td><td>14 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6415.00	108.61	-----	90.49	34.80	13.63	30.31	0.00	389	14 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	6415.00	108.61	-----	90.49	34.80	13.63	30.31	0.00	389	14 AVERAGE																																		







Mode	6																																												
	Band Edge																																												
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_Full RU_6415MHz																																												
ANT	E+F																																												
Pol.	Vertical	Fundamental																																											
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>118.17</td><td>-----</td><td>99.92</td><td>34.94</td><td>13.63</td><td>30.32</td><td>0.00</td><td>308</td><td>323</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6415.00	118.17	-----	99.92	34.94	13.63	30.32	0.00	308	323	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6415.00	118.17	-----	99.92	34.94	13.63	30.32	0.00	308	323	PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6415.00</td><td>110.22</td><td>-----</td><td>91.97</td><td>34.94</td><td>13.63</td><td>30.32</td><td>0.00</td><td>308</td><td>323</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6415.00	110.22	-----	91.97	34.94	13.63	30.32	0.00	308	323	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6415.00	110.22	-----	91.97	34.94	13.63	30.32	0.00	308	323	AVERAGE																																		







Mode	6																																																																																																																																															
	Harmonic																																																																																																																																															
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_Full RU_6415MHz																																																																																																																																															
ANT	E+F																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																									
Peak Avg																																																																																																																																																
	Site : 03CH02-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 6 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12830.00</td><td>47.86</td><td>88.20</td><td>-40.34</td><td>56.57</td><td>39.37</td><td>19.54</td><td>67.72</td><td>0.10</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19245.00</td><td>50.45</td><td>74.00</td><td>-23.55</td><td>51.44</td><td>37.92</td><td>24.33</td><td>53.70</td><td>-9.54</td><td>200</td><td>55 Peak</td></tr><tr><td>3</td><td>19245.00</td><td>38.16</td><td>74.00</td><td>-35.84</td><td>39.15</td><td>37.92</td><td>24.33</td><td>53.70</td><td>-9.54</td><td>200</td><td>55 Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	47.86	88.20	-40.34	56.57	39.37	19.54	67.72	0.10	--	PEAK	2	19245.00	50.45	74.00	-23.55	51.44	37.92	24.33	53.70	-9.54	200	55 Peak	3	19245.00	38.16	74.00	-35.84	39.15	37.92	24.33	53.70	-9.54	200	55 Average	Site : 03CH02-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 6 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12830.00</td><td>50.80</td><td>88.20</td><td>-37.40</td><td>59.45</td><td>39.43</td><td>19.54</td><td>67.72</td><td>0.10</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19245.00</td><td>43.27</td><td>74.00</td><td>-30.73</td><td>44.27</td><td>37.91</td><td>24.33</td><td>53.70</td><td>-9.54</td><td>300</td><td>21 PEAK</td></tr><tr><td>3</td><td>19245.00</td><td>31.97</td><td>54.00</td><td>-22.03</td><td>32.97</td><td>37.91</td><td>24.33</td><td>53.70</td><td>-9.54</td><td>300</td><td>21 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	50.80	88.20	-37.40	59.45	39.43	19.54	67.72	0.10	--	PEAK	2	19245.00	43.27	74.00	-30.73	44.27	37.91	24.33	53.70	-9.54	300	21 PEAK	3	19245.00	31.97	54.00	-22.03	32.97	37.91	24.33	53.70	-9.54	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	12830.00	47.86	88.20	-40.34	56.57	39.37	19.54	67.72	0.10	--	PEAK																																																																																																																																					
2	19245.00	50.45	74.00	-23.55	51.44	37.92	24.33	53.70	-9.54	200	55 Peak																																																																																																																																					
3	19245.00	38.16	74.00	-35.84	39.15	37.92	24.33	53.70	-9.54	200	55 Average																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	12830.00	50.80	88.20	-37.40	59.45	39.43	19.54	67.72	0.10	--	PEAK																																																																																																																																					
2	19245.00	43.27	74.00	-30.73	44.27	37.91	24.33	53.70	-9.54	300	21 PEAK																																																																																																																																					
3	19245.00	31.97	54.00	-22.03	32.97	37.91	24.33	53.70	-9.54	300	21 Average																																																																																																																																					







Mode	6	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_Full RU_6415MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 6	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL Mode : 6
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 6	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 6





Mode	7																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																		
ANT	E+F																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH02-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.40</td><td>76.63</td><td>88.20</td><td>-11.57</td><td>59.57</td><td>34.06</td><td>13.02</td><td>30.02</td><td>0.00</td><td>100</td><td>60</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.40	76.63	88.20	-11.57	59.57	34.06	13.02	30.02	0.00	100	60	PEAK	Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>115.16</td><td>-----</td><td>-----</td><td>98.05</td><td>34.08</td><td>13.08</td><td>30.05</td><td>0.00</td><td>100</td><td>60</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	115.16	-----	-----	98.05	34.08	13.08	30.05	0.00	100	60
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.40	76.63	88.20	-11.57	59.57	34.06	13.02	30.02	0.00	100	60	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	115.16	-----	-----	98.05	34.08	13.08	30.05	0.00	100	60	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH02-CA Condition: AVG_BE(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.82</td><td>66.11</td><td>68.20</td><td>-2.09</td><td>49.05</td><td>34.06</td><td>13.02</td><td>30.02</td><td>0.00</td><td>100</td><td>60</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.82	66.11	68.20	-2.09	49.05	34.06	13.02	30.02	0.00	100	60	AVERAGE	Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>107.32</td><td>-----</td><td>-----</td><td>90.21</td><td>34.08</td><td>13.08</td><td>30.05</td><td>0.00</td><td>100</td><td>60</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	107.32	-----	-----	90.21	34.08	13.08	30.05	0.00	100	60
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.82	66.11	68.20	-2.09	49.05	34.06	13.02	30.02	0.00	100	60	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	107.32	-----	-----	90.21	34.08	13.08	30.05	0.00	100	60	AVERAGE																																																																																							







Mode	7																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																		
ANT	E+F																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH02-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.70</td><td>75.12</td><td>88.20</td><td>-13.08</td><td>58.03</td><td>34.09</td><td>13.02</td><td>30.02</td><td>0.00</td><td>311</td><td>321</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.70	75.12	88.20	-13.08	58.03	34.09	13.02	30.02	0.00	311	321	PEAK	Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>112.84</td><td>-----</td><td>-----</td><td>95.70</td><td>34.12</td><td>13.05</td><td>30.03</td><td>0.00</td><td>311</td><td>321</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	112.84	-----	-----	95.70	34.12	13.05	30.03	0.00	311	321
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5923.70	75.12	88.20	-13.08	58.03	34.09	13.02	30.02	0.00	311	321	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	112.84	-----	-----	95.70	34.12	13.05	30.03	0.00	311	321	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH02-CA Condition: AVG_BE(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.82</td><td>64.46</td><td>68.20</td><td>-3.74</td><td>47.37</td><td>34.09</td><td>13.02</td><td>30.02</td><td>0.00</td><td>311</td><td>321</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.82	64.46	68.20	-3.74	47.37	34.09	13.02	30.02	0.00	311	321	AVERAGE	Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>105.60</td><td>-----</td><td>-----</td><td>88.44</td><td>34.13</td><td>13.07</td><td>30.04</td><td>0.00</td><td>311</td><td>321</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	105.60	-----	-----	88.44	34.13	13.07	30.04	0.00	311	321
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.82	64.46	68.20	-3.74	47.37	34.09	13.02	30.02	0.00	311	321	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	105.60	-----	-----	88.44	34.13	13.07	30.04	0.00	311	321	AVERAGE																																																																																							





Mode	7																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																																																							
ANT	E+F																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 7 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>45.82</td><td>74.00</td><td>-28.18</td><td>55.38</td><td>38.81</td><td>18.84</td><td>67.32</td><td>0.11</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17895.00</td><td>54.35</td><td>74.00</td><td>-19.65</td><td>55.87</td><td>42.27</td><td>23.66</td><td>67.65</td><td>0.20</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>17895.00</td><td>45.32</td><td>54.00</td><td>-8.68</td><td>46.84</td><td>42.27</td><td>23.66</td><td>67.65</td><td>0.20</td><td>--</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	45.82	74.00	-28.18	55.38	38.81	18.84	67.32	0.11	--	PEAK	2	17895.00	54.35	74.00	-19.65	55.87	42.27	23.66	67.65	0.20	--	PEAK	3	17895.00	45.32	54.00	-8.68	46.84	42.27	23.66	67.65	0.20	--	Average	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL Mode : 7 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>46.84</td><td>74.00</td><td>-27.16</td><td>56.43</td><td>38.78</td><td>18.84</td><td>67.32</td><td>0.11</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17895.00</td><td>54.59</td><td>74.00</td><td>-19.41</td><td>56.37</td><td>42.01</td><td>23.66</td><td>67.65</td><td>0.20</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>17895.00</td><td>45.58</td><td>54.00</td><td>-8.42</td><td>47.36</td><td>42.01</td><td>23.66</td><td>67.65</td><td>0.20</td><td>--</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	46.84	74.00	-27.16	56.43	38.78	18.84	67.32	0.11	--	PEAK	2	17895.00	54.59	74.00	-19.41	56.37	42.01	23.66	67.65	0.20	--	PEAK	3	17895.00	45.58	54.00	-8.42	47.36	42.01	23.66	67.65	0.20	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	11930.00	45.82	74.00	-28.18	55.38	38.81	18.84	67.32	0.11	--	PEAK																																																																																																																													
2	17895.00	54.35	74.00	-19.65	55.87	42.27	23.66	67.65	0.20	--	PEAK																																																																																																																													
3	17895.00	45.32	54.00	-8.68	46.84	42.27	23.66	67.65	0.20	--	Average																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	11930.00	46.84	74.00	-27.16	56.43	38.78	18.84	67.32	0.11	--	PEAK																																																																																																																													
2	17895.00	54.59	74.00	-19.41	56.37	42.01	23.66	67.65	0.20	--	PEAK																																																																																																																													
3	17895.00	45.58	54.00	-8.42	47.36	42.01	23.66	67.65	0.20	--	Average																																																																																																																													





Mode	7	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 7	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL Mode : 7
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 7	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 7





Mode	8																																										
	Band Edge																																										
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_Full RU_6205MHz																																										
ANT	E+F																																										
Pol.	Horizontal	Fundamental																																									
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6205.00</td><td>111.00</td><td>-----</td><td>93.57</td><td>34.21</td><td>13.38</td><td>30.16</td><td>0.00</td><td>400</td><td>7 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6205.00	111.00	-----	93.57	34.21	13.38	30.16	0.00	400	7 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	6205.00	111.00	-----	93.57	34.21	13.38	30.16	0.00	400	7 PEAK																																	
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6205.00</td><td>104.05</td><td>-----</td><td>86.69</td><td>34.16</td><td>13.35</td><td>30.15</td><td>0.00</td><td>400</td><td>7 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6205.00	104.05	-----	86.69	34.16	13.35	30.15	0.00	400	7 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	6205.00	104.05	-----	86.69	34.16	13.35	30.15	0.00	400	7 AVERAGE																																	







Mode	8																																												
	Band Edge																																												
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_Full RU_6205MHz																																												
ANT	E+F																																												
Pol.	Vertical	Fundamental																																											
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6205.00</td><td>114.28</td><td>-----</td><td>-----</td><td>96.77</td><td>34.29</td><td>13.38</td><td>30.16</td><td>0.00</td><td>312</td><td>316 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6205.00	114.28	-----	-----	96.77	34.29	13.38	30.16	0.00	312	316 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	6205.00	114.28	-----	-----	96.77	34.29	13.38	30.16	0.00	312	316 PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6205.00</td><td>106.18</td><td>-----</td><td>-----</td><td>88.67</td><td>34.29</td><td>13.38</td><td>30.16</td><td>0.00</td><td>312</td><td>316 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6205.00	106.18	-----	-----	88.67	34.29	13.38	30.16	0.00	312	316 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	6205.00	106.18	-----	-----	88.67	34.29	13.38	30.16	0.00	312	316 AVERAGE																																		





Mode	8																																																																
	Harmonic																																																																
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_Full RU_6205MHz																																																																
ANT	E+F																																																																
Pol.	Horizontal								Vertical																																																								
Peak Avg																																																																	
	Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 8																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12410.00</td><td>47.14</td><td>74.00</td><td>-26.86</td><td>55.00</td><td>38.81</td><td>19.22</td><td>66.79</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 18615.00</td><td>36.87</td><td>74.00</td><td>-37.13</td><td>37.84</td><td>38.11</td><td>24.04</td><td>53.58</td><td>-9.54</td><td>-- Peak</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12410.00	47.14	74.00	-26.86	55.00	38.81	19.22	66.79	0.10	-- PEAK	2 18615.00	36.87	74.00	-37.13	37.84	38.11	24.04	53.58	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1 12410.00	47.14	74.00	-26.86	55.00	38.81	19.22	66.79	0.10	-- PEAK																																																								
2 18615.00	36.87	74.00	-37.13	37.84	38.11	24.04	53.58	-9.54	-- Peak																																																								
Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL Mode : 8																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12410.00</td><td>48.56</td><td>74.00</td><td>-25.44</td><td>57.12</td><td>38.91</td><td>19.22</td><td>66.79</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 18615.00</td><td>35.86</td><td>74.00</td><td>-38.14</td><td>36.76</td><td>38.18</td><td>24.04</td><td>53.58</td><td>-9.54</td><td>-- Peak</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12410.00	48.56	74.00	-25.44	57.12	38.91	19.22	66.79	0.10	-- PEAK	2 18615.00	35.86	74.00	-38.14	36.76	38.18	24.04	53.58	-9.54	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1 12410.00	48.56	74.00	-25.44	57.12	38.91	19.22	66.79	0.10	-- PEAK																																																								
2 18615.00	35.86	74.00	-38.14	36.76	38.18	24.04	53.58	-9.54	-- Peak																																																								





Mode	8	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH51_Full RU_6205MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 8	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL Mode : 8
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 8	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 8





Mode	9																																												
	Band Edge																																												
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full RU_6405MHz																																												
ANT	E+F																																												
Pol.	Horizontal	Fundamental																																											
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6405.00</td><td>113.02</td><td>-----</td><td>94.96</td><td>34.75</td><td>13.61</td><td>30.30</td><td>0.00</td><td>394</td><td>14</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6405.00	113.02	-----	94.96	34.75	13.61	30.30	0.00	394	14	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6405.00	113.02	-----	94.96	34.75	13.61	30.30	0.00	394	14	PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6405.00</td><td>106.03</td><td>-----</td><td>87.97</td><td>34.75</td><td>13.61</td><td>30.30</td><td>0.00</td><td>394</td><td>14</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6405.00	106.03	-----	87.97	34.75	13.61	30.30	0.00	394	14	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6405.00	106.03	-----	87.97	34.75	13.61	30.30	0.00	394	14	AVERAGE																																		







Mode	9																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full RU_6405MHz																																													
ANT	E+F																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6405.00</td><td>115.58</td><td>-----</td><td>-----</td><td>97.45</td><td>34.82</td><td>13.61</td><td>30.30</td><td>0.00</td><td>307</td><td>320</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6405.00	115.58	-----	-----	97.45	34.82	13.61	30.30	0.00	307	320	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6405.00	115.58	-----	-----	97.45	34.82	13.61	30.30	0.00	307	320	PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6405.00</td><td>107.32</td><td>-----</td><td>-----</td><td>89.09</td><td>34.91</td><td>13.63</td><td>30.31</td><td>0.00</td><td>307</td><td>320</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6405.00	107.32	-----	-----	89.09	34.91	13.63	30.31	0.00	307	320	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6405.00	107.32	-----	-----	89.09	34.91	13.63	30.31	0.00	307	320	AVERAGE																																		







		9																																																																											
Mode	Harmonic																																																																												
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full RU_6405MHz																																																																												
ANT	E+F																																																																												
Pol.	Horizontal																																																																												
Peak Avg																																																																													
	Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 9																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>48.14</td><td>88.20</td><td>-40.06</td><td>56.72</td><td>39.35</td><td>19.52</td><td>67.55</td><td>0.10</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19215.00</td><td>46.90</td><td>74.00</td><td>-27.10</td><td>47.89</td><td>37.91</td><td>24.31</td><td>53.67</td><td>-9.54</td><td>200</td><td>57 PEAK</td></tr><tr><td>3</td><td>19215.00</td><td>35.39</td><td>54.00</td><td>-18.61</td><td>36.38</td><td>37.91</td><td>24.31</td><td>53.67</td><td>-9.54</td><td>200</td><td>57 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	48.14	88.20	-40.06	56.72	39.35	19.52	67.55	0.10	--	PEAK	2	19215.00	46.90	74.00	-27.10	47.89	37.91	24.31	53.67	-9.54	200	57 PEAK	3	19215.00	35.39	54.00	-18.61	36.38	37.91	24.31	53.67	-9.54	200
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	12810.00	48.14	88.20	-40.06	56.72	39.35	19.52	67.55	0.10	--	PEAK																																																																		
2	19215.00	46.90	74.00	-27.10	47.89	37.91	24.31	53.67	-9.54	200	57 PEAK																																																																		
3	19215.00	35.39	54.00	-18.61	36.38	37.91	24.31	53.67	-9.54	200	57 Average																																																																		
Peak Avg																																																																													
	Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL Mode : 9																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>48.96</td><td>88.20</td><td>-39.24</td><td>57.48</td><td>39.41</td><td>19.52</td><td>67.55</td><td>0.10</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19215.00</td><td>41.88</td><td>74.00</td><td>-32.12</td><td>42.87</td><td>37.91</td><td>24.31</td><td>53.67</td><td>-9.54</td><td>300</td><td>15 PEAK</td></tr><tr><td>3</td><td>19215.00</td><td>32.24</td><td>54.00</td><td>-21.76</td><td>33.23</td><td>37.91</td><td>24.31</td><td>53.67</td><td>-9.54</td><td>300</td><td>15 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	48.96	88.20	-39.24	57.48	39.41	19.52	67.55	0.10	--	PEAK	2	19215.00	41.88	74.00	-32.12	42.87	37.91	24.31	53.67	-9.54	300	15 PEAK	3	19215.00	32.24	54.00	-21.76	33.23	37.91	24.31	53.67	-9.54	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	12810.00	48.96	88.20	-39.24	57.48	39.41	19.52	67.55	0.10	--	PEAK																																																																		
2	19215.00	41.88	74.00	-32.12	42.87	37.91	24.31	53.67	-9.54	300	15 PEAK																																																																		
3	19215.00	32.24	54.00	-21.76	33.23	37.91	24.31	53.67	-9.54	300	15 Average																																																																		







Mode	9	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full RU_6405MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 9	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL Mode : 9
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 9	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 9





Mode	10																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																		
ANT	E+F																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH02-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5921.00</td><td>74.79</td><td>88.20</td><td>-13.41</td><td>57.73</td><td>34.06</td><td>13.02</td><td>30.02</td><td>0.00</td><td>100</td><td>56</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.00	74.79	88.20	-13.41	57.73	34.06	13.02	30.02	0.00	100	56	PEAK	Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>111.76</td><td>-----</td><td>-----</td><td>94.65</td><td>34.08</td><td>13.08</td><td>30.05</td><td>0.00</td><td>100</td><td>56</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	111.76	-----	-----	94.65	34.08	13.08	30.05	0.00	100	56
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5921.00	74.79	88.20	-13.41	57.73	34.06	13.02	30.02	0.00	100	56	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	111.76	-----	-----	94.65	34.08	13.08	30.05	0.00	100	56	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH02-CA Condition: AVG_BE(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.52</td><td>64.64</td><td>68.20</td><td>-3.56</td><td>47.58</td><td>34.06</td><td>13.02</td><td>30.02</td><td>0.00</td><td>100</td><td>56</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.52	64.64	68.20	-3.56	47.58	34.06	13.02	30.02	0.00	100	56	AVERAGE	Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>103.97</td><td>-----</td><td>-----</td><td>86.86</td><td>34.08</td><td>13.08</td><td>30.05</td><td>0.00</td><td>100</td><td>56</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	103.97	-----	-----	86.86	34.08	13.08	30.05	0.00	100	56
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.52	64.64	68.20	-3.56	47.58	34.06	13.02	30.02	0.00	100	56	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	103.97	-----	-----	86.86	34.08	13.08	30.05	0.00	100	56	AVERAGE																																																																																							







		10																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																		
ANT	E+F																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH02-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5925.00</td><td>71.94</td><td>88.20</td><td>-16.26</td><td>54.85</td><td>34.09</td><td>13.02</td><td>30.02</td><td>0.00</td><td>280</td><td>321</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	71.94	88.20	-16.26	54.85	34.09	13.02	30.02	0.00	280	321	PEAK	Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>111.60</td><td>-----</td><td>-----</td><td>94.46</td><td>34.12</td><td>13.05</td><td>30.03</td><td>0.00</td><td>280</td><td>321</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	111.60	-----	-----	94.46	34.12	13.05	30.03	0.00	280	321
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5925.00	71.94	88.20	-16.26	54.85	34.09	13.02	30.02	0.00	280	321	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	111.60	-----	-----	94.46	34.12	13.05	30.03	0.00	280	321	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH02-CA Condition: AVG_BE(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.84</td><td>62.39</td><td>68.20</td><td>-5.81</td><td>45.30</td><td>34.09</td><td>13.02</td><td>30.02</td><td>0.00</td><td>280</td><td>321</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.84	62.39	68.20	-5.81	45.30	34.09	13.02	30.02	0.00	280	321	AVERAGE	Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>102.89</td><td>-----</td><td>-----</td><td>85.74</td><td>34.13</td><td>13.06</td><td>30.04</td><td>0.00</td><td>280</td><td>321</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	102.89	-----	-----	85.74	34.13	13.06	30.04	0.00	280	321
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.84	62.39	68.20	-5.81	45.30	34.09	13.02	30.02	0.00	280	321	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	102.89	-----	-----	85.74	34.13	13.06	30.04	0.00	280	321	AVERAGE																																																																																							





Mode	10																																																																																																												
	Harmonic																																																																																																												
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																												
ANT	E+F																																																																																																												
Pol.	Horizontal					Vertical																																																																																																							
Peak Avg																																																																																																													
	Site : 03CH02-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 10 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11970.00</td><td>47.17</td><td>74.00</td><td>-26.83</td><td>56.50</td><td>38.83</td><td>18.87</td><td>67.14</td><td>0.11</td><td>-- PEAK</td></tr><tr><td>2 17955.00</td><td>53.88</td><td>74.00</td><td>-20.12</td><td>55.03</td><td>42.63</td><td>23.72</td><td>67.70</td><td>0.20</td><td>-- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11970.00	47.17	74.00	-26.83	56.50	38.83	18.87	67.14	0.11	-- PEAK	2 17955.00	53.88	74.00	-20.12	55.03	42.63	23.72	67.70	0.20	-- Peak	Site : 03CH02-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 10 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11970.00</td><td>46.45</td><td>74.00</td><td>-27.55</td><td>55.81</td><td>38.80</td><td>18.87</td><td>67.14</td><td>0.11</td><td>-- PEAK</td></tr><tr><td>2 17955.00</td><td>54.08</td><td>74.00</td><td>-19.92</td><td>55.49</td><td>42.37</td><td>23.72</td><td>67.70</td><td>0.20</td><td>-- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11970.00	46.45	74.00	-27.55	55.81	38.80	18.87	67.14	0.11	-- PEAK	2 17955.00	54.08	74.00	-19.92	55.49	42.37	23.72	67.70	0.20
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1 11970.00	47.17	74.00	-26.83	56.50	38.83	18.87	67.14	0.11	-- PEAK																																																																																																				
2 17955.00	53.88	74.00	-20.12	55.03	42.63	23.72	67.70	0.20	-- Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1 11970.00	46.45	74.00	-27.55	55.81	38.80	18.87	67.14	0.11	-- PEAK																																																																																																				
2 17955.00	54.08	74.00	-19.92	55.49	42.37	23.72	67.70	0.20	-- Peak																																																																																																				





Mode	10	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 10	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL Mode : 10
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 10	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 10





Mode	11																																												
	Band Edge																																												
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_Full RU_6225MHz																																												
ANT	E+F																																												
Pol.	Horizontal	Fundamental																																											
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6225.00</td><td>109.52</td><td>-----</td><td>92.04</td><td>34.25</td><td>13.41</td><td>30.18</td><td>0.00</td><td>358</td><td>11</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6225.00	109.52	-----	92.04	34.25	13.41	30.18	0.00	358	11	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6225.00	109.52	-----	92.04	34.25	13.41	30.18	0.00	358	11	PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6225.00</td><td>101.05</td><td>-----</td><td>83.57</td><td>34.25</td><td>13.41</td><td>30.18</td><td>0.00</td><td>358</td><td>11</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6225.00	101.05	-----	83.57	34.25	13.41	30.18	0.00	358	11	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6225.00	101.05	-----	83.57	34.25	13.41	30.18	0.00	358	11	AVERAGE																																		







Mode	11																																																					
	Band Edge																																																					
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_Full RU_6225MHz																																																					
ANT	E+F																																																					
Pol.	Vertical					Fundamental																																																
Peak	Blank					 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6225.00</td><td>111.58</td><td>-----</td><td>93.96</td><td>34.38</td><td>13.43</td><td>30.19</td><td>0.00</td><td>311</td><td>323</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6225.00	111.58	-----	93.96	34.38	13.43	30.19	0.00	311	323	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	6225.00	111.58	-----	93.96	34.38	13.43	30.19	0.00	311	323	PEAK																																											
Avg	Blank					 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6225.00</td><td>103.18</td><td>-----</td><td>85.59</td><td>34.36</td><td>13.42</td><td>30.19</td><td>0.00</td><td>311</td><td>323</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6225.00	103.18	-----	85.59	34.36	13.42	30.19	0.00	311	323	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	6225.00	103.18	-----	85.59	34.36	13.42	30.19	0.00	311	323	AVERAGE																																											





		11																																																																	
Mode		Harmonic																																																																	
		U-NII-5_5.925-6.425_802.11be EHT80_CH55_Full RU_6225MHz																																																																	
ANT		E+F																																																																	
Pol.		Horizontal										Vertical																																																							
Peak Avg																																																																			
		Site : 03CH02-CA Condition: PEAK(UINII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 11										Site : 03CH02-CA Condition: PEAK(UINII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 11																																																							
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12450.00</td><td>48.54</td><td>74.00</td><td>-25.46</td><td>57.09</td><td>38.83</td><td>19.25</td><td>66.73</td><td>0.10</td><td>-- -- PEAK</td></tr><tr><td>2 18675.00</td><td>36.78</td><td>74.00</td><td>-37.22</td><td>37.70</td><td>38.08</td><td>24.07</td><td>53.53</td><td>-9.54</td><td>-- -- Peak</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12450.00	48.54	74.00	-25.46	57.09	38.83	19.25	66.73	0.10	-- -- PEAK	2 18675.00	36.78	74.00	-37.22	37.70	38.08	24.07	53.53	-9.54	-- -- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																										
1 12450.00	48.54	74.00	-25.46	57.09	38.83	19.25	66.73	0.10	-- -- PEAK																																																										
2 18675.00	36.78	74.00	-37.22	37.70	38.08	24.07	53.53	-9.54	-- -- Peak																																																										





Mode	11	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH55_Full RU_6225MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 11	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL Mode : 11
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 11	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 11





Mode	12																																												
	Band Edge																																												
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz																																												
ANT	E+F																																												
Pol.	Horizontal	Fundamental																																											
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6385.00</td><td>110.58</td><td>-----</td><td>-----</td><td>92.52</td><td>34.75</td><td>13.61</td><td>30.30</td><td>0.00</td><td>393</td><td>14 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6385.00	110.58	-----	-----	92.52	34.75	13.61	30.30	0.00	393	14 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	6385.00	110.58	-----	-----	92.52	34.75	13.61	30.30	0.00	393	14 PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6385.00</td><td>102.67</td><td>-----</td><td>-----</td><td>84.61</td><td>34.75</td><td>13.61</td><td>30.30</td><td>0.00</td><td>393</td><td>14 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6385.00	102.67	-----	-----	84.61	34.75	13.61	30.30	0.00	393	14 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	6385.00	102.67	-----	-----	84.61	34.75	13.61	30.30	0.00	393	14 AVERAGE																																		







Mode	12																																																							
	Band Edge																																																							
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz																																																							
ANT	E+F																																																							
Pol.	Vertical						Fundamental																																																	
Peak	Blank						 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6385.00</td><td>112.57</td><td>-----</td><td>-----</td><td>94.34</td><td>34.91</td><td>13.63</td><td>30.31</td><td>0.00</td><td>307</td><td>322</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6385.00	112.57	-----	-----	94.34	34.91	13.63	30.31	0.00	307	322	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	6385.00	112.57	-----	-----	94.34	34.91	13.63	30.31	0.00	307	322	PEAK																																												
Avg	Blank						 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6385.00</td><td>103.83</td><td>-----</td><td>-----</td><td>85.64</td><td>34.88</td><td>13.62</td><td>30.31</td><td>0.00</td><td>307</td><td>322</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6385.00	103.83	-----	-----	85.64	34.88	13.62	30.31	0.00	307	322	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	6385.00	103.83	-----	-----	85.64	34.88	13.62	30.31	0.00	307	322	AVERAGE																																												







Mode	12																																																																																																																						
	Harmonic																																																																																																																						
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz																																																																																																																						
ANT	E+F																																																																																																																						
Pol.	Horizontal					Vertical																																																																																																																	
Peak Avg																																																																																																																							
	Site : 03CH02-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 12										Site : 03CH02-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 12																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12770.00</td><td>48.02</td><td>88.20</td><td>-40.18</td><td>56.30</td><td>39.28</td><td>19.49</td><td>67.15</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 19155.00</td><td>38.53</td><td>74.00</td><td>-35.47</td><td>39.48</td><td>37.98</td><td>24.29</td><td>53.68</td><td>-9.54</td><td>-- PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12770.00	48.02	88.20	-40.18	56.30	39.28	19.49	67.15	0.10	-- PEAK	2 19155.00	38.53	74.00	-35.47	39.48	37.98	24.29	53.68	-9.54	-- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12770.00</td><td>48.36</td><td>88.20</td><td>-39.84</td><td>56.58</td><td>39.34</td><td>19.49</td><td>67.15</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 19155.00</td><td>37.40</td><td>74.00</td><td>-36.60</td><td>38.33</td><td>38.00</td><td>24.29</td><td>53.68</td><td>-9.54</td><td>-- PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12770.00	48.36	88.20	-39.84	56.58	39.34	19.49	67.15	0.10	-- PEAK	2 19155.00	37.40	74.00	-36.60	38.33	38.00	24.29	53.68	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 12770.00	48.02	88.20	-40.18	56.30	39.28	19.49	67.15	0.10	-- PEAK																																																																																																														
2 19155.00	38.53	74.00	-35.47	39.48	37.98	24.29	53.68	-9.54	-- PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 12770.00	48.36	88.20	-39.84	56.58	39.34	19.49	67.15	0.10	-- PEAK																																																																																																														
2 19155.00	37.40	74.00	-36.60	38.33	38.00	24.29	53.68	-9.54	-- PEAK																																																																																																														







Mode	12	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 12	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL Mode : 12
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 12	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 12





Mode	13																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																		
ANT	E+F																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH02-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5920.00</td><td>74.58</td><td>88.20</td><td>-13.62</td><td>57.53</td><td>34.05</td><td>13.02</td><td>30.02</td><td>0.00</td><td>100</td><td>56</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.00	74.58	88.20	-13.62	57.53	34.05	13.02	30.02	0.00	100	56	PEAK	Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>109.64</td><td>-----</td><td>-----</td><td>92.51</td><td>34.04</td><td>13.18</td><td>30.09</td><td>0.00</td><td>100</td><td>56</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	109.64	-----	-----	92.51	34.04	13.18	30.09	0.00	100	56
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5920.00	74.58	88.20	-13.62	57.53	34.05	13.02	30.02	0.00	100	56	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	109.64	-----	-----	92.51	34.04	13.18	30.09	0.00	100	56	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH02-CA Condition: AVG_BE(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.00</td><td>64.36</td><td>68.20</td><td>-3.84</td><td>47.30</td><td>34.06</td><td>13.02</td><td>30.02</td><td>0.00</td><td>100</td><td>56</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.00	64.36	68.20	-3.84	47.30	34.06	13.02	30.02	0.00	100	56	AVERAGE	Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>101.00</td><td>-----</td><td>-----</td><td>83.97</td><td>34.08</td><td>13.00</td><td>30.05</td><td>0.00</td><td>100</td><td>56</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	101.00	-----	-----	83.97	34.08	13.00	30.05	0.00	100	56
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.00	64.36	68.20	-3.84	47.30	34.06	13.02	30.02	0.00	100	56	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	101.00	-----	-----	83.97	34.08	13.00	30.05	0.00	100	56	AVERAGE																																																																																							







		13																																																																																																
Mode	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																	
ANT	E+F																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	Site : 03CH02-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.60</td><td>72.75</td><td>88.20</td><td>-15.45</td><td>55.66</td><td>34.09</td><td>13.02</td><td>30.02</td><td>0.00</td><td>331</td><td>321</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.60	72.75	88.20	-15.45	55.66	34.09	13.02	30.02	0.00	331	321	PEAK	Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>108.18</td><td>-----</td><td>-----</td><td>91.03</td><td>34.13</td><td>13.06</td><td>30.04</td><td>0.00</td><td>331</td><td>321</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	108.18	-----	-----	91.03	34.13	13.06	30.04	0.00	331	321
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5924.60	72.75	88.20	-15.45	55.66	34.09	13.02	30.02	0.00	331	321	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	6025.00	108.18	-----	-----	91.03	34.13	13.06	30.04	0.00	331	321	PEAK																																																																																						
Avg																																																																																																		
	Site : 03CH02-CA Condition: AVG_BE(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5925.00</td><td>61.69</td><td>68.20</td><td>-6.51</td><td>44.60</td><td>34.09</td><td>13.02</td><td>30.02</td><td>0.00</td><td>331</td><td>321</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	61.69	68.20	-6.51	44.60	34.09	13.02	30.02	0.00	331	321	AVERAGE	Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>100.12</td><td>-----</td><td>-----</td><td>82.97</td><td>34.13</td><td>13.06</td><td>30.04</td><td>0.00</td><td>331</td><td>321</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	100.12	-----	-----	82.97	34.13	13.06	30.04	0.00	331	321
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5925.00	61.69	68.20	-6.51	44.60	34.09	13.02	30.02	0.00	331	321	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	6025.00	100.12	-----	-----	82.97	34.13	13.06	30.04	0.00	331	321	AVERAGE																																																																																						





Mode	13																																																																
	Harmonic																																																																
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																
ANT	E+F																																																																
Pol.	Horizontal								Vertical																																																								
Peak Avg																																																																	
	Site : 03CH02-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 13																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12050.00</td><td>47.19</td><td>74.00</td><td>-26.81</td><td>56.07</td><td>38.91</td><td>18.94</td><td>66.83</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 18075.00</td><td>37.69</td><td>74.00</td><td>-36.31</td><td>38.83</td><td>37.80</td><td>23.79</td><td>53.19</td><td>-9.54</td><td>-- PEAK</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12050.00	47.19	74.00	-26.81	56.07	38.91	18.94	66.83	0.10	-- PEAK	2 18075.00	37.69	74.00	-36.31	38.83	37.80	23.79	53.19	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1 12050.00	47.19	74.00	-26.81	56.07	38.91	18.94	66.83	0.10	-- PEAK																																																								
2 18075.00	37.69	74.00	-36.31	38.83	37.80	23.79	53.19	-9.54	-- PEAK																																																								

Site : 03CH02-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 13																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12050.00</td><td>48.21</td><td>74.00</td><td>-25.79</td><td>57.10</td><td>38.90</td><td>18.94</td><td>66.83</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 18075.00</td><td>37.06</td><td>74.00</td><td>-36.94</td><td>38.09</td><td>37.91</td><td>23.79</td><td>53.19</td><td>-9.54</td><td>-- PEAK</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12050.00	48.21	74.00	-25.79	57.10	38.90	18.94	66.83	0.10	-- PEAK	2 18075.00	37.06	74.00	-36.94	38.09	37.91	23.79	53.19	-9.54	-- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1 12050.00	48.21	74.00	-25.79	57.10	38.90	18.94	66.83	0.10	-- PEAK																																																								
2 18075.00	37.06	74.00	-36.94	38.09	37.91	23.79	53.19	-9.54	-- PEAK																																																								





Mode	13	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 13	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL Mode : 13
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 13	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 13





Mode	14																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz																																													
ANT	E+F																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6185.00</td><td>106.64</td><td>-----</td><td>-----</td><td>89.16</td><td>34.25</td><td>13.41</td><td>30.18</td><td>0.00</td><td>348</td><td>16</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6185.00	106.64	-----	-----	89.16	34.25	13.41	30.18	0.00	348	16	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6185.00	106.64	-----	-----	89.16	34.25	13.41	30.18	0.00	348	16	PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6185.00</td><td>98.54</td><td>-----</td><td>-----</td><td>81.18</td><td>34.16</td><td>13.35</td><td>30.15</td><td>0.00</td><td>348</td><td>16</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6185.00	98.54	-----	-----	81.18	34.16	13.35	30.15	0.00	348	16	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6185.00	98.54	-----	-----	81.18	34.16	13.35	30.15	0.00	348	16	AVERAGE																																		







Mode	14																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz																																													
ANT	E+F																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6185.00</td><td>109.31</td><td>-----</td><td>-----</td><td>91.74</td><td>34.34</td><td>13.41</td><td>30.18</td><td>0.00</td><td>200</td><td>316</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6185.00	109.31	-----	-----	91.74	34.34	13.41	30.18	0.00	200	316	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6185.00	109.31	-----	-----	91.74	34.34	13.41	30.18	0.00	200	316	PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6185.00</td><td>100.38</td><td>-----</td><td>-----</td><td>82.81</td><td>34.34</td><td>13.41</td><td>30.18</td><td>0.00</td><td>200</td><td>316</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6185.00	100.38	-----	-----	82.81	34.34	13.41	30.18	0.00	200	316	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6185.00	100.38	-----	-----	82.81	34.34	13.41	30.18	0.00	200	316	AVERAGE																																		





Mode	14																																																										
	Harmonic																																																										
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz																																																										
ANT	E+F																																																										
Pol.	Horizontal					Vertical																																																					
Peak Avg																																																											
	Site : 03CH02-CA																																																										
	Condition: PEAK(U(UNI)_6E 1m SHF_HORN_00841_240807 HORIZONTAL																																																										
Mode : 14																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12370.00</td><td>47.21</td><td>74.00</td><td>-26.79</td><td>55.99</td><td>38.00</td><td>19.18</td><td>66.06</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 18555.00</td><td>38.27</td><td>74.00</td><td>-35.73</td><td>39.21</td><td>38.14</td><td>24.01</td><td>53.55</td><td>-9.54</td><td>-- PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12370.00	47.21	74.00	-26.79	55.99	38.00	19.18	66.06	0.10	-- PEAK	2 18555.00	38.27	74.00	-35.73	39.21	38.14	24.01	53.55	-9.54	-- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																		
1 12370.00	47.21	74.00	-26.79	55.99	38.00	19.18	66.06	0.10	-- PEAK																																																		
2 18555.00	38.27	74.00	-35.73	39.21	38.14	24.01	53.55	-9.54	-- PEAK																																																		
Site : 03CH02-CA																																																											
Condition: PEAK(U(UNI)_6E 1m SHF_HORN_00841_240807 VERTICAL																																																											
Mode : 14																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12370.00</td><td>47.65</td><td>74.00</td><td>-26.35</td><td>56.33</td><td>38.90</td><td>19.18</td><td>66.06</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 18555.00</td><td>38.56</td><td>74.00</td><td>-35.44</td><td>39.38</td><td>38.26</td><td>24.01</td><td>53.55</td><td>-9.54</td><td>-- PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12370.00	47.65	74.00	-26.35	56.33	38.90	19.18	66.06	0.10	-- PEAK	2 18555.00	38.56	74.00	-35.44	39.38	38.26	24.01	53.55	-9.54	-- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																		
1 12370.00	47.65	74.00	-26.35	56.33	38.90	19.18	66.06	0.10	-- PEAK																																																		
2 18555.00	38.56	74.00	-35.44	39.38	38.26	24.01	53.55	-9.54	-- PEAK																																																		





Mode	14	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 14	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL Mode : 14
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 14	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 14





Mode	15																																																					
	Band Edge																																																					
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz																																																					
ANT	E+F																																																					
Pol.	Horizontal					Fundamental																																																
Peak	Blank					 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6345.00</td><td>108.38</td><td>-----</td><td>-----</td><td>90.55</td><td>34.55</td><td>13.54</td><td>30.26</td><td>0.00</td><td>391</td><td>12</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6345.00	108.38	-----	-----	90.55	34.55	13.54	30.26	0.00	391	12	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6345.00	108.38	-----	-----	90.55	34.55	13.54	30.26	0.00	391	12	PEAK																																										
Avg	Blank					 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6345.00</td><td>100.28</td><td>-----</td><td>-----</td><td>82.22</td><td>34.75</td><td>13.61</td><td>30.30</td><td>0.00</td><td>391</td><td>12</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6345.00	100.28	-----	-----	82.22	34.75	13.61	30.30	0.00	391	12	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6345.00	100.28	-----	-----	82.22	34.75	13.61	30.30	0.00	391	12	AVERAGE																																										







Mode	15																																																				
	Band Edge																																																				
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz																																																				
ANT	E+F																																																				
Pol.	Vertical	Fundamental																																																			
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6345.00</td><td>111.11</td><td>-----</td><td>93.23</td><td>34.61</td><td>13.52</td><td>30.25</td><td>0.00</td><td></td><td>308</td><td>322</td><td>PEAK</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	6345.00	111.11	-----	93.23	34.61	13.52	30.25	0.00		308	322	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																										
1	6345.00	111.11	-----	93.23	34.61	13.52	30.25	0.00		308	322	PEAK																																									
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6345.00</td><td>101.39</td><td>-----</td><td>83.20</td><td>34.88</td><td>13.62</td><td>30.31</td><td>0.00</td><td></td><td>308</td><td>322</td><td>AVERAGE</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	6345.00	101.39	-----	83.20	34.88	13.62	30.31	0.00		308	322	AVERAGE
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																										
1	6345.00	101.39	-----	83.20	34.88	13.62	30.31	0.00		308	322	AVERAGE																																									







Mode	15																																																																																																																						
	Harmonic																																																																																																																						
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz																																																																																																																						
ANT	E+F																																																																																																																						
Pol.	Horizontal					Vertical																																																																																																																	
Peak Avg																																																																																																																							
	Site : 03CH02-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 15										Site : 03CH02-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 15																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12690.00</td><td>48.73</td><td>74.00</td><td>-25.27</td><td>56.49</td><td>39.10</td><td>19.43</td><td>66.39</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 19035.00</td><td>38.14</td><td>74.00</td><td>-35.86</td><td>39.04</td><td>38.06</td><td>24.23</td><td>53.65</td><td>-9.54</td><td>-- PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12690.00	48.73	74.00	-25.27	56.49	39.10	19.43	66.39	0.10	-- PEAK	2 19035.00	38.14	74.00	-35.86	39.04	38.06	24.23	53.65	-9.54	-- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12690.00</td><td>48.79</td><td>74.00</td><td>-25.21</td><td>56.48</td><td>39.17</td><td>19.43</td><td>66.39</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 19035.00</td><td>37.51</td><td>74.00</td><td>-36.49</td><td>38.40</td><td>38.07</td><td>24.23</td><td>53.65</td><td>-9.54</td><td>-- PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12690.00	48.79	74.00	-25.21	56.48	39.17	19.43	66.39	0.10	-- PEAK	2 19035.00	37.51	74.00	-36.49	38.40	38.07	24.23	53.65	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 12690.00	48.73	74.00	-25.27	56.49	39.10	19.43	66.39	0.10	-- PEAK																																																																																																														
2 19035.00	38.14	74.00	-35.86	39.04	38.06	24.23	53.65	-9.54	-- PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 12690.00	48.79	74.00	-25.21	56.48	39.17	19.43	66.39	0.10	-- PEAK																																																																																																														
2 19035.00	37.51	74.00	-36.49	38.40	38.07	24.23	53.65	-9.54	-- PEAK																																																																																																														







Mode	15	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 15	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL Mode : 15
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 15	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 15





Mode	16																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																																		
ANT	E+F																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH02-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.12</td><td>71.25</td><td>88.20</td><td>-16.95</td><td>54.19</td><td>34.06</td><td>13.02</td><td>30.02</td><td>0.00</td><td>100</td><td>58</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.12	71.25	88.20	-16.95	54.19	34.06	13.02	30.02	0.00	100	58	PEAK	Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>105.53</td><td>-----</td><td>-----</td><td>88.42</td><td>34.08</td><td>13.08</td><td>30.05</td><td>0.00</td><td>100</td><td>58</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	105.53	-----	-----	88.42	34.08	13.08	30.05	0.00	100	58
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.12	71.25	88.20	-16.95	54.19	34.06	13.02	30.02	0.00	100	58	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6105.00	105.53	-----	-----	88.42	34.08	13.08	30.05	0.00	100	58	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH02-CA Condition: AVG_BE(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.56</td><td>61.95</td><td>68.20</td><td>-6.25</td><td>44.89</td><td>34.06</td><td>13.02</td><td>30.02</td><td>0.00</td><td>100</td><td>58</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.56	61.95	68.20	-6.25	44.89	34.06	13.02	30.02	0.00	100	58	AVERAGE	Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>97.60</td><td>-----</td><td>-----</td><td>80.49</td><td>34.08</td><td>13.08</td><td>30.05</td><td>0.00</td><td>100</td><td>58</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	97.60	-----	-----	80.49	34.08	13.08	30.05	0.00	100	58
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5923.56	61.95	68.20	-6.25	44.89	34.06	13.02	30.02	0.00	100	58	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6105.00	97.60	-----	-----	80.49	34.08	13.08	30.05	0.00	100	58	AVERAGE																																																																																							







		16																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																																		
ANT	E+F																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH02-CA Condition: PEAK_BE(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.16</td><td>68.72</td><td>88.20</td><td>-19.48</td><td>51.63</td><td>34.09</td><td>13.02</td><td>30.02</td><td>0.00</td><td>279</td><td>316</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.16	68.72	88.20	-19.48	51.63	34.09	13.02	30.02	0.00	279	316	PEAK	Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>107.48</td><td>-----</td><td>-----</td><td>90.20</td><td>34.14</td><td>13.26</td><td>30.12</td><td>0.00</td><td>279</td><td>316</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	107.48	-----	-----	90.20	34.14	13.26	30.12	0.00	279	316
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5922.16	68.72	88.20	-19.48	51.63	34.09	13.02	30.02	0.00	279	316	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6105.00	107.48	-----	-----	90.20	34.14	13.26	30.12	0.00	279	316	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH02-CA Condition: AVG_BE(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>59.51</td><td>68.20</td><td>-8.69</td><td>42.42</td><td>34.09</td><td>13.02</td><td>30.02</td><td>0.00</td><td>279</td><td>316</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	59.51	68.20	-8.69	42.42	34.09	13.02	30.02	0.00	279	316	AVERAGE	Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>97.90</td><td>-----</td><td>-----</td><td>80.31</td><td>34.36</td><td>13.42</td><td>30.19</td><td>0.00</td><td>279</td><td>316</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	97.90	-----	-----	80.31	34.36	13.42	30.19	0.00	279	316
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.96	59.51	68.20	-8.69	42.42	34.09	13.02	30.02	0.00	279	316	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6105.00	97.90	-----	-----	80.31	34.36	13.42	30.19	0.00	279	316	AVERAGE																																																																																							





Mode	16																																																																										
	Harmonic																																																																										
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																										
ANT	E+F																																																																										
Pol.	Horizontal								Vertical																																																																		
Peak Avg																																																																											
	Site : 03CH02-CA Condition: PEAK(UUNI)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 16																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12210.00</td><td>48.66</td><td>74.00</td><td>-25.34</td><td>57.29</td><td>38.93</td><td>19.06</td><td>66.72</td><td>0.10</td><td>-- -- PEAK</td></tr><tr><td>2 12210.00</td><td>39.65</td><td>54.00</td><td>-14.35</td><td>48.28</td><td>38.93</td><td>19.06</td><td>66.72</td><td>0.10</td><td>-- -- Average</td></tr><tr><td>3 18315.00</td><td>37.78</td><td>74.00</td><td>-36.22</td><td>38.82</td><td>37.91</td><td>23.90</td><td>53.31</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12210.00	48.66	74.00	-25.34	57.29	38.93	19.06	66.72	0.10	-- -- PEAK	2 12210.00	39.65	54.00	-14.35	48.28	38.93	19.06	66.72	0.10	-- -- Average	3 18315.00	37.78	74.00	-36.22	38.82	37.91	23.90	53.31	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																		
1 12210.00	48.66	74.00	-25.34	57.29	38.93	19.06	66.72	0.10	-- -- PEAK																																																																		
2 12210.00	39.65	54.00	-14.35	48.28	38.93	19.06	66.72	0.10	-- -- Average																																																																		
3 18315.00	37.78	74.00	-36.22	38.82	37.91	23.90	53.31	-9.54	-- -- PEAK																																																																		
Site : 03CH02-CA Condition: PEAK(UUNI)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 16																																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12210.00</td><td>48.85</td><td>74.00</td><td>-25.15</td><td>57.41</td><td>39.00</td><td>19.06</td><td>66.72</td><td>0.10</td><td>-- -- PEAK</td></tr><tr><td>2 12210.00</td><td>39.82</td><td>54.00</td><td>-14.18</td><td>48.38</td><td>39.00</td><td>19.06</td><td>66.72</td><td>0.10</td><td>-- -- Average</td></tr><tr><td>3 18315.00</td><td>37.14</td><td>74.00</td><td>-36.86</td><td>38.00</td><td>38.09</td><td>23.90</td><td>53.31</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12210.00	48.85	74.00	-25.15	57.41	39.00	19.06	66.72	0.10	-- -- PEAK	2 12210.00	39.82	54.00	-14.18	48.38	39.00	19.06	66.72	0.10	-- -- Average	3 18315.00	37.14	74.00	-36.86	38.00	38.09	23.90	53.31	-9.54	-- -- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																		
1 12210.00	48.85	74.00	-25.15	57.41	39.00	19.06	66.72	0.10	-- -- PEAK																																																																		
2 12210.00	39.82	54.00	-14.18	48.38	39.00	19.06	66.72	0.10	-- -- Average																																																																		
3 18315.00	37.14	74.00	-36.86	38.00	38.09	23.90	53.31	-9.54	-- -- PEAK																																																																		





Mode	16	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 16	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL Mode : 16
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 16	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 16





Mode	17																																																				
	Band Edge																																																				
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz																																																				
ANT	E+F																																																				
Pol.	Horizontal					Fundamental																																															
Peak	Blank					 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6265.00</td><td>105.39</td><td>-----</td><td>88.20</td><td>34.06</td><td>13.25</td><td>30.12</td><td>0.00</td><td>393</td><td>14</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6265.00	105.39	-----	88.20	34.06	13.25	30.12	0.00	393	14	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	6265.00	105.39	-----	88.20	34.06	13.25	30.12	0.00	393	14	PEAK																																										
Avg	Blank					 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6265.00</td><td>97.46</td><td>-----</td><td>79.40</td><td>34.75</td><td>13.61</td><td>30.30</td><td>0.00</td><td>393</td><td>14</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6265.00	97.46	-----	79.40	34.75	13.61	30.30	0.00	393	14	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	6265.00	97.46	-----	79.40	34.75	13.61	30.30	0.00	393	14	AVERAGE																																										







Mode	17																																																						
	Band Edge																																																						
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz																																																						
ANT	E+F																																																						
Pol.	Vertical					Fundamental																																																	
Peak	Blank					 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6265.00</td><td>108.10</td><td>-----</td><td>-----</td><td>89.87</td><td>34.91</td><td>13.63</td><td>30.31</td><td>0.00</td><td>308</td><td>320</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6265.00	108.10	-----	-----	89.87	34.91	13.63	30.31	0.00	308	320	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6265.00	108.10	-----	-----	89.87	34.91	13.63	30.31	0.00	308	320	PEAK																																											
Avg	Blank					 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6265.00</td><td>98.76</td><td>-----</td><td>-----</td><td>80.53</td><td>34.91</td><td>13.63</td><td>30.31</td><td>0.00</td><td>308</td><td>320</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6265.00	98.76	-----	-----	80.53	34.91	13.63	30.31	0.00	308	320	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6265.00	98.76	-----	-----	80.53	34.91	13.63	30.31	0.00	308	320	AVERAGE																																											





Mode	17																																																																										
	Harmonic																																																																										
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz																																																																										
ANT	E+F																																																																										
Pol.	Horizontal								Vertical																																																																		
Peak Avg																																																																											
	Site : 03CH02-CA Condition: PEAK(UUNI)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 17																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12530.00</td><td>48.77</td><td>74.00</td><td>-25.23</td><td>57.11</td><td>38.83</td><td>19.31</td><td>66.58</td><td>0.10</td><td>-- -- PEAK</td></tr><tr><td>2 12530.00</td><td>39.73</td><td>54.00</td><td>-14.27</td><td>48.07</td><td>38.83</td><td>19.31</td><td>66.58</td><td>0.10</td><td>-- -- Average</td></tr><tr><td>3 18795.00</td><td>37.77</td><td>74.00</td><td>-36.23</td><td>38.28</td><td>38.26</td><td>24.12</td><td>53.35</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12530.00	48.77	74.00	-25.23	57.11	38.83	19.31	66.58	0.10	-- -- PEAK	2 12530.00	39.73	54.00	-14.27	48.07	38.83	19.31	66.58	0.10	-- -- Average	3 18795.00	37.77	74.00	-36.23	38.28	38.26	24.12	53.35	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																		
1 12530.00	48.77	74.00	-25.23	57.11	38.83	19.31	66.58	0.10	-- -- PEAK																																																																		
2 12530.00	39.73	54.00	-14.27	48.07	38.83	19.31	66.58	0.10	-- -- Average																																																																		
3 18795.00	37.77	74.00	-36.23	38.28	38.26	24.12	53.35	-9.54	-- -- PEAK																																																																		
Site : 03CH02-CA Condition: PEAK(UUNI)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 17																																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12530.00</td><td>49.83</td><td>74.00</td><td>-24.17</td><td>58.00</td><td>38.92</td><td>19.31</td><td>66.58</td><td>0.10</td><td>-- -- PEAK</td></tr><tr><td>2 12530.00</td><td>40.80</td><td>54.00</td><td>-13.20</td><td>49.05</td><td>38.92</td><td>19.31</td><td>66.58</td><td>0.10</td><td>-- -- Average</td></tr><tr><td>3 18795.00</td><td>37.92</td><td>74.00</td><td>-36.08</td><td>38.25</td><td>38.44</td><td>24.12</td><td>53.35</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12530.00	49.83	74.00	-24.17	58.00	38.92	19.31	66.58	0.10	-- -- PEAK	2 12530.00	40.80	54.00	-13.20	49.05	38.92	19.31	66.58	0.10	-- -- Average	3 18795.00	37.92	74.00	-36.08	38.25	38.44	24.12	53.35	-9.54	-- -- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																		
1 12530.00	49.83	74.00	-24.17	58.00	38.92	19.31	66.58	0.10	-- -- PEAK																																																																		
2 12530.00	40.80	54.00	-13.20	49.05	38.92	19.31	66.58	0.10	-- -- Average																																																																		
3 18795.00	37.92	74.00	-36.08	38.25	38.44	24.12	53.35	-9.54	-- -- PEAK																																																																		





Mode	17	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 17	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL Mode : 17
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 17	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 17





Mode	30																																													
	Band Edge																																													
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																													
ANT	E+F																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>116.10</td><td>-----</td><td>-----</td><td>97.42</td><td>35.34</td><td>13.72</td><td>30.38</td><td>0.00</td><td>300</td><td>327</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	116.10	-----	-----	97.42	35.34	13.72	30.38	0.00	300	327	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6535.00	116.10	-----	-----	97.42	35.34	13.72	30.38	0.00	300	327	PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>109.15</td><td>-----</td><td>-----</td><td>90.47</td><td>35.34</td><td>13.72</td><td>30.38</td><td>0.00</td><td>300</td><td>327</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	109.15	-----	-----	90.47	35.34	13.72	30.38	0.00	300	327	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6535.00	109.15	-----	-----	90.47	35.34	13.72	30.38	0.00	300	327	AVERAGE																																		







Mode	30																																											
	Band Edge																																											
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																											
ANT	E+F																																											
Pol.	Vertical	Fundamental																																										
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>117.07</td><td>-----</td><td>98.31</td><td>35.42</td><td>13.72</td><td>30.38</td><td>0.00</td><td>298</td><td>317</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	117.07	-----	98.31	35.42	13.72	30.38	0.00	298	317	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	6535.00	117.07	-----	98.31	35.42	13.72	30.38	0.00	298	317	PEAK																																	
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>110.26</td><td>-----</td><td>91.50</td><td>35.42</td><td>13.72</td><td>30.38</td><td>0.00</td><td>298</td><td>317</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	110.26	-----	91.50	35.42	13.72	30.38	0.00	298	317	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	6535.00	110.26	-----	91.50	35.42	13.72	30.38	0.00	298	317	AVERAGE																																	





Mode	30																																																											
	Harmonic																																																											
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																											
ANT	E+F																																																											
Pol.	Horizontal						Vertical																																																					
Peak Avg																																																												
	Site : 03CH02-CA																																																											
	Condition: PEAK(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13870.00</td><td>49.03</td><td>88.20</td><td>-39.17</td><td>56.78</td><td>39.48</td><td>19.72</td><td>67.05</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 19685.00</td><td>42.85</td><td>74.00</td><td>-31.15</td><td>44.04</td><td>37.86</td><td>24.49</td><td>54.00</td><td>-9.54</td><td>-- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13870.00	49.03	88.20	-39.17	56.78	39.48	19.72	67.05	0.10	-- PEAK	2 19685.00	42.85	74.00	-31.15	44.04	37.86	24.49	54.00	-9.54	-- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																			
1 13870.00	49.03	88.20	-39.17	56.78	39.48	19.72	67.05	0.10	-- PEAK																																																			
2 19685.00	42.85	74.00	-31.15	44.04	37.86	24.49	54.00	-9.54	-- PEAK																																																			
Site : 03CH02-CA																																																												
Condition: PEAK(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL																																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13870.00</td><td>49.66</td><td>88.20</td><td>-38.54</td><td>57.32</td><td>39.57</td><td>19.72</td><td>67.05</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 19685.00</td><td>40.28</td><td>74.00</td><td>-33.72</td><td>41.58</td><td>37.75</td><td>24.49</td><td>54.00</td><td>-9.54</td><td>-- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13870.00	49.66	88.20	-38.54	57.32	39.57	19.72	67.05	0.10	-- PEAK	2 19685.00	40.28	74.00	-33.72	41.58	37.75	24.49	54.00	-9.54	-- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																			
1 13870.00	49.66	88.20	-38.54	57.32	39.57	19.72	67.05	0.10	-- PEAK																																																			
2 19685.00	40.28	74.00	-33.72	41.58	37.75	24.49	54.00	-9.54	-- PEAK																																																			





Mode	30	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL





Mode	31																																													
	Band Edge																																													
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																													
ANT	E+F																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>115.61</td><td>-----</td><td>-----</td><td>96.30</td><td>35.95</td><td>13.85</td><td>30.49</td><td>0.00</td><td>392</td><td>333</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	115.61	-----	-----	96.30	35.95	13.85	30.49	0.00	392	333	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6695.00	115.61	-----	-----	96.30	35.95	13.85	30.49	0.00	392	333	PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>108.63</td><td>-----</td><td>-----</td><td>89.32</td><td>35.95</td><td>13.85</td><td>30.49</td><td>0.00</td><td>392</td><td>333</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	108.63	-----	-----	89.32	35.95	13.85	30.49	0.00	392	333	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6695.00	108.63	-----	-----	89.32	35.95	13.85	30.49	0.00	392	333	AVERAGE																																		







Mode	31																																												
	Band Edge																																												
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																												
ANT	E+F																																												
Pol.	Vertical	Fundamental																																											
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th rowspan="2">Freq</th><th rowspan="2">Level</th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6695.00</td><td>116.14</td><td>-----</td><td>-----</td><td>96.83</td><td>35.95</td><td>13.84</td><td>30.48</td><td>0.00</td><td></td><td>320</td><td>317 PEAK</td></tr></table>	Freq	Level	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6695.00	116.14	-----	-----	96.83	35.95	13.84	30.48	0.00		320	317 PEAK
Freq	Level	Limit			Read	Ant	Cable	Preamp	Aux	APos	TPos				Remark																														
		Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																		
1 6695.00	116.14	-----	-----	96.83	35.95	13.84	30.48	0.00		320	317 PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th rowspan="2">Freq</th><th rowspan="2">Level</th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6695.00</td><td>108.98</td><td>-----</td><td>-----</td><td>89.67</td><td>35.95</td><td>13.84</td><td>30.48</td><td>0.00</td><td></td><td>320</td><td>317 AVERAGE</td></tr></table>	Freq	Level	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 6695.00	108.98	-----	-----	89.67	35.95	13.84	30.48	0.00		320	317 AVERAGE
Freq	Level	Limit			Read	Ant	Cable	Preamp	Aux	APos	TPos				Remark																														
		Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																		
1 6695.00	108.98	-----	-----	89.67	35.95	13.84	30.48	0.00		320	317 AVERAGE																																		





Mode	31																																																																				
	Harmonic																																																																				
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																				
ANT	E+F																																																																				
Pol.	Horizontal					Vertical																																																															
Peak Avg																																																																					
	Site : 03CH02-CA																																																																				
	Condition: PEAK(UUNI)_6E 1m SHF_HORW_00041_240007 HORIZONTAL																																																																				
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13390.00</td><td>54.03</td><td>74.00</td><td>-19.97</td><td>60.96</td><td>40.12</td><td>19.97</td><td>67.12</td><td>0.10</td><td>105 359 PEAK</td></tr><tr><td>2 13390.00</td><td>42.47</td><td>54.00</td><td>-11.53</td><td>49.40</td><td>40.12</td><td>19.97</td><td>67.12</td><td>0.10</td><td>105 359 Average</td></tr><tr><td>3 20805.00</td><td>40.10</td><td>74.00</td><td>-33.90</td><td>40.76</td><td>37.95</td><td>24.75</td><td>53.82</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13390.00	54.03	74.00	-19.97	60.96	40.12	19.97	67.12	0.10	105 359 PEAK	2 13390.00	42.47	54.00	-11.53	49.40	40.12	19.97	67.12	0.10	105 359 Average	3 20805.00	40.10	74.00	-33.90	40.76	37.95	24.75	53.82	-9.54	-- -- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1 13390.00	54.03	74.00	-19.97	60.96	40.12	19.97	67.12	0.10	105 359 PEAK																																																												
2 13390.00	42.47	54.00	-11.53	49.40	40.12	19.97	67.12	0.10	105 359 Average																																																												
3 20805.00	40.10	74.00	-33.90	40.76	37.95	24.75	53.82	-9.54	-- -- PEAK																																																												
Site : 03CH02-CA																																																																					
Condition: PEAK(UUNI)_6E 1m SHF_HORW_00041_240007 VERTICAL																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13390.00</td><td>54.00</td><td>74.00</td><td>-20.00</td><td>60.88</td><td>40.17</td><td>19.97</td><td>67.12</td><td>0.10</td><td>110 0 PEAK</td></tr><tr><td>2 13390.00</td><td>43.10</td><td>54.00</td><td>-10.90</td><td>49.90</td><td>40.17</td><td>19.97</td><td>67.12</td><td>0.10</td><td>110 0 Average</td></tr><tr><td>3 20805.00</td><td>35.77</td><td>74.00</td><td>-38.23</td><td>36.76</td><td>37.62</td><td>24.75</td><td>53.82</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13390.00	54.00	74.00	-20.00	60.88	40.17	19.97	67.12	0.10	110 0 PEAK	2 13390.00	43.10	54.00	-10.90	49.90	40.17	19.97	67.12	0.10	110 0 Average	3 20805.00	35.77	74.00	-38.23	36.76	37.62	24.75	53.82	-9.54	-- -- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1 13390.00	54.00	74.00	-20.00	60.88	40.17	19.97	67.12	0.10	110 0 PEAK																																																												
2 13390.00	43.10	54.00	-10.90	49.90	40.17	19.97	67.12	0.10	110 0 Average																																																												
3 20805.00	35.77	74.00	-38.23	36.76	37.62	24.75	53.82	-9.54	-- -- PEAK																																																												





Mode	31	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL





Mode	32																																													
	Band Edge																																													
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																													
ANT	E+F																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>114.56</td><td>-----</td><td>-----</td><td>95.32</td><td>35.85</td><td>14.01</td><td>30.62</td><td>0.00</td><td>400</td><td>354</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	114.56	-----	-----	95.32	35.85	14.01	30.62	0.00	400	354	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6855.00	114.56	-----	-----	95.32	35.85	14.01	30.62	0.00	400	354	PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>107.27</td><td>-----</td><td>-----</td><td>88.03</td><td>35.85</td><td>14.01</td><td>30.62</td><td>0.00</td><td>400</td><td>354</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	107.27	-----	-----	88.03	35.85	14.01	30.62	0.00	400	354	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6855.00	107.27	-----	-----	88.03	35.85	14.01	30.62	0.00	400	354	AVERAGE																																		







Mode	32																																																				
	Band Edge																																																				
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																				
ANT	E+F																																																				
Pol.	Vertical	Fundamental																																																			
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6855.00</td><td>115.70</td><td>-----</td><td>96.37</td><td>35.94</td><td>14.01</td><td>30.62</td><td>0.00</td><td></td><td>133</td><td>60</td><td>PEAK</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	6855.00	115.70	-----	96.37	35.94	14.01	30.62	0.00		133	60	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																										
1	6855.00	115.70	-----	96.37	35.94	14.01	30.62	0.00		133	60	PEAK																																									
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6855.00</td><td>108.37</td><td>-----</td><td>89.04</td><td>35.94</td><td>14.01</td><td>30.62</td><td>0.00</td><td></td><td>133</td><td>60</td><td>AVERAGE</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	6855.00	108.37	-----	89.04	35.94	14.01	30.62	0.00		133	60	AVERAGE
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																										
1	6855.00	108.37	-----	89.04	35.94	14.01	30.62	0.00		133	60	AVERAGE																																									





Mode	32																																																																																																																																		
	Harmonic																																																																																																																																		
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																																																																																		
ANT	E+F																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																												
Peak Avg																																																																																																																																			
	Site : 03CH02-CA Condition: PEAK(UUNI)_6E 1m SHF_HORN_00841_240807 HORIZONTAL						Site : 03CH02-CA Condition: PEAK(UUNI)_6E 1m SHF_HORN_00841_240807 VERTICAL																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13710.00</td><td>50.39</td><td>88.20</td><td>-37.81</td><td>57.14</td><td>40.86</td><td>20.22</td><td>67.93</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 20565.00</td><td>41.11</td><td>74.00</td><td>-32.89</td><td>40.73</td><td>38.09</td><td>25.17</td><td>53.34</td><td>-9.54</td><td>-- PEAK</td></tr><tr><td>3 27438.00</td><td>44.21</td><td>88.20</td><td>-43.99</td><td>37.97</td><td>39.25</td><td>29.69</td><td>53.16</td><td>-9.54</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13710.00	50.39	88.20	-37.81	57.14	40.86	20.22	67.93	0.10	-- PEAK	2 20565.00	41.11	74.00	-32.89	40.73	38.09	25.17	53.34	-9.54	-- PEAK	3 27438.00	44.21	88.20	-43.99	37.97	39.25	29.69	53.16	-9.54	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13710.00</td><td>51.50</td><td>88.20</td><td>-36.62</td><td>58.29</td><td>40.90</td><td>20.22</td><td>67.93</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 20565.00</td><td>36.70</td><td>74.00</td><td>-37.30</td><td>36.59</td><td>37.82</td><td>25.17</td><td>53.34</td><td>-9.54</td><td>-- PEAK</td></tr><tr><td>3 27416.00</td><td>44.50</td><td>88.20</td><td>-43.70</td><td>38.23</td><td>39.29</td><td>29.68</td><td>53.16</td><td>-9.54</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13710.00	51.50	88.20	-36.62	58.29	40.90	20.22	67.93	0.10	-- PEAK	2 20565.00	36.70	74.00	-37.30	36.59	37.82	25.17	53.34	-9.54	-- PEAK	3 27416.00	44.50	88.20	-43.70	38.23	39.29	29.68	53.16	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1 13710.00	50.39	88.20	-37.81	57.14	40.86	20.22	67.93	0.10	-- PEAK																																																																																																																										
2 20565.00	41.11	74.00	-32.89	40.73	38.09	25.17	53.34	-9.54	-- PEAK																																																																																																																										
3 27438.00	44.21	88.20	-43.99	37.97	39.25	29.69	53.16	-9.54	-- Peak																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1 13710.00	51.50	88.20	-36.62	58.29	40.90	20.22	67.93	0.10	-- PEAK																																																																																																																										
2 20565.00	36.70	74.00	-37.30	36.59	37.82	25.17	53.34	-9.54	-- PEAK																																																																																																																										
3 27416.00	44.50	88.20	-43.70	38.23	39.29	29.68	53.16	-9.54	-- Peak																																																																																																																										





Mode	32	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL





Mode	33																																													
	Band Edge																																													
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz																																													
ANT	E+F																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>117.42</td><td>-----</td><td>-----</td><td>98.74</td><td>35.34</td><td>13.72</td><td>30.38</td><td>0.00</td><td>286</td><td>327</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	117.42	-----	-----	98.74	35.34	13.72	30.38	0.00	286	327	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6535.00	117.42	-----	-----	98.74	35.34	13.72	30.38	0.00	286	327	PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6535.00</td><td>109.71</td><td>-----</td><td>-----</td><td>91.03</td><td>35.34</td><td>13.72</td><td>30.38</td><td>0.00</td><td>286</td><td>327</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6535.00	109.71	-----	-----	91.03	35.34	13.72	30.38	0.00	286	327	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6535.00	109.71	-----	-----	91.03	35.34	13.72	30.38	0.00	286	327	AVERAGE																																		







Mode	33																																																				
	Band Edge																																																				
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz																																																				
ANT	E+F																																																				
Pol.	Vertical	Fundamental																																																			
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6535.00</td><td>118.31</td><td>-----</td><td>99.48</td><td>35.49</td><td>13.73</td><td>30.39</td><td>0.00</td><td></td><td>311</td><td>314</td><td>PEAK</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	6535.00	118.31	-----	99.48	35.49	13.73	30.39	0.00		311	314	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																										
1	6535.00	118.31	-----	99.48	35.49	13.73	30.39	0.00		311	314	PEAK																																									
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6535.00</td><td>109.78</td><td>-----</td><td>91.05</td><td>35.39</td><td>13.71</td><td>30.37</td><td>0.00</td><td></td><td>311</td><td>314</td><td>AVERAGE</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	6535.00	109.78	-----	91.05	35.39	13.71	30.37	0.00		311	314	AVERAGE
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																										
1	6535.00	109.78	-----	91.05	35.39	13.71	30.37	0.00		311	314	AVERAGE																																									





Mode	33																																																																																																													
	Harmonic																																																																																																													
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz																																																																																																													
ANT	E+F																																																																																																													
Pol.	Horizontal						Vertical																																																																																																							
Peak Avg																																																																																																														
	Site : 03CH02-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 33						Site : 03CH02-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 33																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13870.00</td><td>50.41</td><td>88.20 -37.79</td><td>58.16</td><td>39.48</td><td>19.72</td><td>67.05</td><td>0.10</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 19685.00</td><td>44.55</td><td>74.00 -29.45</td><td>45.74</td><td>37.86</td><td>24.49</td><td>54.00</td><td>-9.54</td><td>--</td><td>-- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13870.00	50.41	88.20 -37.79	58.16	39.48	19.72	67.05	0.10	--	-- PEAK	2 19685.00	44.55	74.00 -29.45	45.74	37.86	24.49	54.00	-9.54	--	-- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13870.00</td><td>50.11</td><td>88.20 -38.09</td><td>57.77</td><td>39.57</td><td>19.72</td><td>67.05</td><td>0.10</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 19685.00</td><td>41.79</td><td>74.00 -32.21</td><td>43.09</td><td>37.75</td><td>24.49</td><td>54.00</td><td>-9.54</td><td>--</td><td>-- PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13870.00	50.11	88.20 -38.09	57.77	39.57	19.72	67.05	0.10	--	-- PEAK	2 19685.00	41.79	74.00 -32.21	43.09	37.75	24.49	54.00	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1 13870.00	50.41	88.20 -37.79	58.16	39.48	19.72	67.05	0.10	--	-- PEAK																																																																																																					
2 19685.00	44.55	74.00 -29.45	45.74	37.86	24.49	54.00	-9.54	--	-- PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1 13870.00	50.11	88.20 -38.09	57.77	39.57	19.72	67.05	0.10	--	-- PEAK																																																																																																					
2 19685.00	41.79	74.00 -32.21	43.09	37.75	24.49	54.00	-9.54	--	-- PEAK																																																																																																					





Mode	33	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 33	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL Mode : 33
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 33	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 33





Mode	34																																													
	Band Edge																																													
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz																																													
ANT	E+F																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>116.55</td><td>-----</td><td>-----</td><td>97.26</td><td>35.93</td><td>13.84</td><td>30.48</td><td>0.00</td><td>288</td><td>330</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	116.55	-----	-----	97.26	35.93	13.84	30.48	0.00	288	330	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6695.00	116.55	-----	-----	97.26	35.93	13.84	30.48	0.00	288	330	PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>108.28</td><td>-----</td><td>-----</td><td>88.99</td><td>35.93</td><td>13.84</td><td>30.48</td><td>0.00</td><td>288</td><td>330</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	108.28	-----	-----	88.99	35.93	13.84	30.48	0.00	288	330	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6695.00	108.28	-----	-----	88.99	35.93	13.84	30.48	0.00	288	330	AVERAGE																																		







Mode	34																																																				
	Band Edge																																																				
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz																																																				
ANT	E+F																																																				
Pol.	Vertical					Fundamental																																															
Peak	Blank					 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>115.88</td><td>-----</td><td>-----</td><td>96.55</td><td>35.97</td><td>13.85</td><td>30.49</td><td>0.00</td><td>200</td><td>52 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	115.88	-----	-----	96.55	35.97	13.85	30.49	0.00	200	52 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	6695.00	115.88	-----	-----	96.55	35.97	13.85	30.49	0.00	200	52 PEAK																																										
Avg	Blank					 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6695.00</td><td>107.67</td><td>-----</td><td>-----</td><td>88.34</td><td>35.97</td><td>13.85</td><td>30.49</td><td>0.00</td><td>200</td><td>52 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6695.00	107.67	-----	-----	88.34	35.97	13.85	30.49	0.00	200	52 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	6695.00	107.67	-----	-----	88.34	35.97	13.85	30.49	0.00	200	52 AVERAGE																																										





Mode	34																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz																																																																																																																									
ANT	E+F																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 1m SHF_HORW_00841_240807 HORIZONTAL Mode : 34 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13390.00</td><td>49.46</td><td>74.00</td><td>-24.54</td><td>56.39</td><td>40.12</td><td>19.97</td><td>67.12</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 20805.00</td><td>38.15</td><td>74.00</td><td>-35.85</td><td>38.81</td><td>37.95</td><td>24.75</td><td>53.82</td><td>-9.54</td><td>-- PEAK</td></tr><tr><td>3 26780.00</td><td>49.90</td><td>88.20</td><td>-38.30</td><td>42.85</td><td>40.06</td><td>29.55</td><td>53.02</td><td>-9.54</td><td>220 57 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13390.00	49.46	74.00	-24.54	56.39	40.12	19.97	67.12	0.10	-- PEAK	2 20805.00	38.15	74.00	-35.85	38.81	37.95	24.75	53.82	-9.54	-- PEAK	3 26780.00	49.90	88.20	-38.30	42.85	40.06	29.55	53.02	-9.54	220 57 Peak	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 1m SHF_HORW_00841_240807 VERTICAL Mode : 34 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13390.00</td><td>49.53</td><td>74.00</td><td>-24.47</td><td>56.41</td><td>40.17</td><td>19.97</td><td>67.12</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 20805.00</td><td>37.60</td><td>74.00</td><td>-36.40</td><td>38.59</td><td>37.62</td><td>24.75</td><td>53.82</td><td>-9.54</td><td>-- PEAK</td></tr><tr><td>3 26780.00</td><td>47.83</td><td>88.20</td><td>-40.37</td><td>40.69</td><td>40.15</td><td>29.55</td><td>53.02</td><td>-9.54</td><td>100 55 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13390.00	49.53	74.00	-24.47	56.41	40.17	19.97	67.12	0.10	-- PEAK	2 20805.00	37.60	74.00	-36.40	38.59	37.62	24.75	53.82	-9.54	-- PEAK	3 26780.00	47.83	88.20	-40.37	40.69	40.15	29.55	53.02	-9.54	100 55 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 13390.00	49.46	74.00	-24.54	56.39	40.12	19.97	67.12	0.10	-- PEAK																																																																																																																	
2 20805.00	38.15	74.00	-35.85	38.81	37.95	24.75	53.82	-9.54	-- PEAK																																																																																																																	
3 26780.00	49.90	88.20	-38.30	42.85	40.06	29.55	53.02	-9.54	220 57 Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 13390.00	49.53	74.00	-24.47	56.41	40.17	19.97	67.12	0.10	-- PEAK																																																																																																																	
2 20805.00	37.60	74.00	-36.40	38.59	37.62	24.75	53.82	-9.54	-- PEAK																																																																																																																	
3 26780.00	47.83	88.20	-40.37	40.69	40.15	29.55	53.02	-9.54	100 55 Peak																																																																																																																	





Mode	34	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 34	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL Mode : 34
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 34	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 34





Mode	35																																													
	Band Edge																																													
	U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full RU_6855MHz																																													
ANT	E+F																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>113.71</td><td>-----</td><td>-----</td><td>94.47</td><td>35.85</td><td>14.01</td><td>30.62</td><td>0.00</td><td>300</td><td>326</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	113.71	-----	-----	94.47	35.85	14.01	30.62	0.00	300	326	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6855.00	113.71	-----	-----	94.47	35.85	14.01	30.62	0.00	300	326	PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>105.73</td><td>-----</td><td>-----</td><td>86.49</td><td>35.85</td><td>14.01</td><td>30.62</td><td>0.00</td><td>300</td><td>326</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	105.73	-----	-----	86.49	35.85	14.01	30.62	0.00	300	326	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6855.00	105.73	-----	-----	86.49	35.85	14.01	30.62	0.00	300	326	AVERAGE																																		







Mode	35																																													
	Band Edge																																													
	U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full RU_6855MHz																																													
ANT	E+F																																													
Pol.	Vertical	Fundamental																																												
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>114.93</td><td>-----</td><td>-----</td><td>95.61</td><td>35.94</td><td>13.99</td><td>30.61</td><td>0.00</td><td>200</td><td>49</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	114.93	-----	-----	95.61	35.94	13.99	30.61	0.00	200	49	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6855.00	114.93	-----	-----	95.61	35.94	13.99	30.61	0.00	200	49	PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6855.00</td><td>107.79</td><td>-----</td><td>-----</td><td>88.47</td><td>35.94</td><td>13.99</td><td>30.61</td><td>0.00</td><td>200</td><td>49</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6855.00	107.79	-----	-----	88.47	35.94	13.99	30.61	0.00	200	49	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6855.00	107.79	-----	-----	88.47	35.94	13.99	30.61	0.00	200	49	AVERAGE																																		





Mode	35																																																																																																																																																																							
	Harmonic																																																																																																																																																																							
	U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full RU_6855MHz																																																																																																																																																																							
ANT	E+F																																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																																	
Peak Avg																																																																																																																																																																								
	Site : 03CH02-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_00041_240807 HORIZONTAL Mode : 35						Site : 03CH02-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_00041_240807 VERTICAL Mode : 35																																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13710.00</td><td>50.19</td><td>88.20</td><td>-38.01</td><td>56.94</td><td>40.86</td><td>20.22</td><td>67.93</td><td>0.10</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 20565.00</td><td>42.48</td><td>74.00</td><td>-31.52</td><td>42.10</td><td>38.09</td><td>25.17</td><td>53.34</td><td>-9.54</td><td>100</td><td>48</td><td>PEAK</td></tr><tr><td>3 20565.00</td><td>33.88</td><td>54.00</td><td>-20.12</td><td>33.50</td><td>38.09</td><td>25.17</td><td>53.34</td><td>-9.54</td><td>100</td><td>48</td><td>Average</td></tr><tr><td>4 27420.00</td><td>45.83</td><td>88.20</td><td>-42.37</td><td>39.58</td><td>39.26</td><td>29.69</td><td>53.16</td><td>-9.54</td><td>215</td><td>25</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13710.00	50.19	88.20	-38.01	56.94	40.86	20.22	67.93	0.10	--	--	PEAK	2 20565.00	42.48	74.00	-31.52	42.10	38.09	25.17	53.34	-9.54	100	48	PEAK	3 20565.00	33.88	54.00	-20.12	33.50	38.09	25.17	53.34	-9.54	100	48	Average	4 27420.00	45.83	88.20	-42.37	39.58	39.26	29.69	53.16	-9.54	215	25	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13710.00</td><td>50.26</td><td>88.20</td><td>-37.94</td><td>56.97</td><td>40.90</td><td>20.22</td><td>67.93</td><td>0.10</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 20565.00</td><td>44.74</td><td>74.00</td><td>-29.26</td><td>44.63</td><td>37.82</td><td>25.17</td><td>53.34</td><td>-9.54</td><td>400</td><td>17</td><td>Peak</td></tr><tr><td>3 20565.00</td><td>33.36</td><td>54.00</td><td>-20.64</td><td>33.25</td><td>37.82</td><td>25.17</td><td>53.34</td><td>-9.54</td><td>400</td><td>17</td><td>Average</td></tr><tr><td>4 27420.00</td><td>45.58</td><td>88.20</td><td>-42.62</td><td>39.30</td><td>39.29</td><td>29.69</td><td>53.16</td><td>-9.54</td><td>100</td><td>53</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13710.00	50.26	88.20	-37.94	56.97	40.90	20.22	67.93	0.10	--	--	PEAK	2 20565.00	44.74	74.00	-29.26	44.63	37.82	25.17	53.34	-9.54	400	17	Peak	3 20565.00	33.36	54.00	-20.64	33.25	37.82	25.17	53.34	-9.54	400	17	Average	4 27420.00	45.58	88.20	-42.62	39.30	39.29	29.69	53.16	-9.54	100	53
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																														
1 13710.00	50.19	88.20	-38.01	56.94	40.86	20.22	67.93	0.10	--	--	PEAK																																																																																																																																																													
2 20565.00	42.48	74.00	-31.52	42.10	38.09	25.17	53.34	-9.54	100	48	PEAK																																																																																																																																																													
3 20565.00	33.88	54.00	-20.12	33.50	38.09	25.17	53.34	-9.54	100	48	Average																																																																																																																																																													
4 27420.00	45.83	88.20	-42.37	39.58	39.26	29.69	53.16	-9.54	215	25	Peak																																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																														
1 13710.00	50.26	88.20	-37.94	56.97	40.90	20.22	67.93	0.10	--	--	PEAK																																																																																																																																																													
2 20565.00	44.74	74.00	-29.26	44.63	37.82	25.17	53.34	-9.54	400	17	Peak																																																																																																																																																													
3 20565.00	33.36	54.00	-20.64	33.25	37.82	25.17	53.34	-9.54	400	17	Average																																																																																																																																																													
4 27420.00	45.58	88.20	-42.62	39.30	39.29	29.69	53.16	-9.54	100	53	Peak																																																																																																																																																													





Mode	35	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full RU_6855MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 35	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL Mode : 35
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 35	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 35



Mode	36																																													
	Band Edge																																													
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz																																													
ANT	E+F																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6565.00</td><td>114.31</td><td>-----</td><td>-----</td><td>95.40</td><td>35.57</td><td>13.76</td><td>30.42</td><td>0.00</td><td>300</td><td>327</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6565.00	114.31	-----	-----	95.40	35.57	13.76	30.42	0.00	300	327	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6565.00	114.31	-----	-----	95.40	35.57	13.76	30.42	0.00	300	327	PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6565.00</td><td>105.61</td><td>-----</td><td>-----</td><td>86.79</td><td>35.48</td><td>13.74</td><td>30.40</td><td>0.00</td><td>300</td><td>327</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6565.00	105.61	-----	-----	86.79	35.48	13.74	30.40	0.00	300	327	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6565.00	105.61	-----	-----	86.79	35.48	13.74	30.40	0.00	300	327	AVERAGE																																		



Mode	36																																											
	Band Edge																																											
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz																																											
ANT	E+F																																											
Pol.	Vertical	Fundamental																																										
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6565.00</td><td>114.02</td><td>-----</td><td>95.07</td><td>35.00</td><td>13.76</td><td>30.41</td><td>0.00</td><td>336</td><td>316 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6565.00	114.02	-----	95.07	35.00	13.76	30.41	0.00	336	316 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	6565.00	114.02	-----	95.07	35.00	13.76	30.41	0.00	336	316 PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6565.00</td><td>106.19</td><td>-----</td><td>87.24</td><td>35.00</td><td>13.76</td><td>30.41</td><td>0.00</td><td>336</td><td>316 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6565.00	106.19	-----	87.24	35.00	13.76	30.41	0.00	336	316 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	6565.00	106.19	-----	87.24	35.00	13.76	30.41	0.00	336	316 AVERAGE																																		