











Mode	36																																																																																																																																															
	Harmonic																																																																																																																																															
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz																																																																																																																																															
ANT	E+F																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																									
Peak Avg																																																																																																																																																
	Site : 03CH02-CA Condition: PEAK(UINII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 36						Site : 03CH02-CA Condition: PEAK(UINII)_6E 3m HORN_02140_250207 VERTICAL Mode : 36																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>50.66</td><td>88.20</td><td>-37.54</td><td>58.37</td><td>39.49</td><td>19.77</td><td>67.07</td><td>0.10</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19695.00</td><td>47.50</td><td>74.00</td><td>-26.50</td><td>48.59</td><td>37.95</td><td>24.53</td><td>54.03</td><td>-9.54</td><td>381</td><td>55 Peak</td></tr><tr><td>3</td><td>19695.00</td><td>36.92</td><td>54.00</td><td>-17.08</td><td>38.01</td><td>37.95</td><td>24.53</td><td>54.03</td><td>-9.54</td><td>381</td><td>55 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	50.66	88.20	-37.54	58.37	39.49	19.77	67.07	0.10	--	PEAK	2	19695.00	47.50	74.00	-26.50	48.59	37.95	24.53	54.03	-9.54	381	55 Peak	3	19695.00	36.92	54.00	-17.08	38.01	37.95	24.53	54.03	-9.54	381	55 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>50.08</td><td>88.20</td><td>-38.12</td><td>57.71</td><td>39.57</td><td>19.77</td><td>67.07</td><td>0.10</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19695.00</td><td>44.61</td><td>74.00</td><td>-29.39</td><td>45.82</td><td>37.83</td><td>24.53</td><td>54.03</td><td>-9.54</td><td>332</td><td>11 PEAK</td></tr><tr><td>3</td><td>19695.00</td><td>33.26</td><td>54.00</td><td>-20.74</td><td>34.47</td><td>37.83</td><td>24.53</td><td>54.03</td><td>-9.54</td><td>332</td><td>11 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	50.08	88.20	-38.12	57.71	39.57	19.77	67.07	0.10	--	PEAK	2	19695.00	44.61	74.00	-29.39	45.82	37.83	24.53	54.03	-9.54	332	11 PEAK	3	19695.00	33.26	54.00	-20.74	34.47	37.83	24.53	54.03	-9.54	332
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	13130.00	50.66	88.20	-37.54	58.37	39.49	19.77	67.07	0.10	--	PEAK																																																																																																																																					
2	19695.00	47.50	74.00	-26.50	48.59	37.95	24.53	54.03	-9.54	381	55 Peak																																																																																																																																					
3	19695.00	36.92	54.00	-17.08	38.01	37.95	24.53	54.03	-9.54	381	55 Average																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	13130.00	50.08	88.20	-38.12	57.71	39.57	19.77	67.07	0.10	--	PEAK																																																																																																																																					
2	19695.00	44.61	74.00	-29.39	45.82	37.83	24.53	54.03	-9.54	332	11 PEAK																																																																																																																																					
3	19695.00	33.26	54.00	-20.74	34.47	37.83	24.53	54.03	-9.54	332	11 Average																																																																																																																																					





Mode	36	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 36	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL Mode : 36
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 36	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 36





Mode	37																																																						
	Band Edge																																																						
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz																																																						
ANT	E+F																																																						
Pol.	Horizontal					Fundamental																																																	
Peak	Blank					 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6685.00</td><td>113.17</td><td>-----</td><td>-----</td><td>93.90</td><td>35.91</td><td>13.84</td><td>30.48</td><td>0.00</td><td>300</td><td>328</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6685.00	113.17	-----	-----	93.90	35.91	13.84	30.48	0.00	300	328	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6685.00	113.17	-----	-----	93.90	35.91	13.84	30.48	0.00	300	328	PEAK																																											
Avg	Blank					 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6685.00</td><td>104.90</td><td>-----</td><td>-----</td><td>85.59</td><td>35.95</td><td>13.85</td><td>30.49</td><td>0.00</td><td>300</td><td>328</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6685.00	104.90	-----	-----	85.59	35.95	13.85	30.49	0.00	300	328	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6685.00	104.90	-----	-----	85.59	35.95	13.85	30.49	0.00	300	328	AVERAGE																																											







Mode	37																																																					
	Band Edge																																																					
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz																																																					
ANT	E+F																																																					
Pol.	Vertical					Fundamental																																																
Peak	Blank					 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6685.00</td><td>112.54</td><td>-----</td><td>-----</td><td>93.21</td><td>35.97</td><td>13.85</td><td>30.49</td><td>0.00</td><td>400</td><td>319</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6685.00	112.54	-----	-----	93.21	35.97	13.85	30.49	0.00	400	319	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6685.00	112.54	-----	-----	93.21	35.97	13.85	30.49	0.00	400	319	PEAK																																										
Avg	Blank					 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6685.00</td><td>104.70</td><td>-----</td><td>-----</td><td>85.42</td><td>35.93</td><td>13.83</td><td>30.48</td><td>0.00</td><td>400</td><td>319</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6685.00	104.70	-----	-----	85.42	35.93	13.83	30.48	0.00	400	319	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6685.00	104.70	-----	-----	85.42	35.93	13.83	30.48	0.00	400	319	AVERAGE																																										





Mode	37																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz																																																																																																																																																																	
ANT	E+F																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																
Peak Avg	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 37 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13370.00</td><td>49.23</td><td>74.00</td><td>-24.77</td><td>56.23</td><td>40.05</td><td>19.95</td><td>67.10</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 13370.00</td><td>40.22</td><td>54.00</td><td>-13.78</td><td>47.22</td><td>40.05</td><td>19.95</td><td>67.10</td><td>0.10</td><td>-- Average</td></tr><tr><td>3 20055.00</td><td>38.14</td><td>74.00</td><td>-35.86</td><td>38.86</td><td>37.98</td><td>24.72</td><td>53.88</td><td>-9.54</td><td>-- PEAK</td></tr><tr><td>4 26756.00</td><td>46.46</td><td>88.20</td><td>-41.74</td><td>39.47</td><td>39.94</td><td>29.54</td><td>52.95</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>5 33708.00</td><td>47.80</td><td>88.20</td><td>-40.40</td><td>35.91</td><td>44.32</td><td>33.01</td><td>55.90</td><td>-9.54</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13370.00	49.23	74.00	-24.77	56.23	40.05	19.95	67.10	0.10	-- PEAK	2 13370.00	40.22	54.00	-13.78	47.22	40.05	19.95	67.10	0.10	-- Average	3 20055.00	38.14	74.00	-35.86	38.86	37.98	24.72	53.88	-9.54	-- PEAK	4 26756.00	46.46	88.20	-41.74	39.47	39.94	29.54	52.95	-9.54	-- Peak	5 33708.00	47.80	88.20	-40.40	35.91	44.32	33.01	55.90	-9.54	-- Peak	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 37 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13370.00</td><td>49.74</td><td>74.00</td><td>-24.26</td><td>56.69</td><td>40.10</td><td>19.95</td><td>67.10</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 13370.00</td><td>40.66</td><td>54.00</td><td>-13.34</td><td>47.61</td><td>40.10</td><td>19.95</td><td>67.10</td><td>0.10</td><td>-- Average</td></tr><tr><td>3 20055.00</td><td>37.18</td><td>74.00</td><td>-36.82</td><td>38.20</td><td>37.68</td><td>24.72</td><td>53.88</td><td>-9.54</td><td>-- PEAK</td></tr><tr><td>4 26734.00</td><td>44.48</td><td>88.20</td><td>-43.72</td><td>37.47</td><td>39.90</td><td>29.54</td><td>52.89</td><td>-9.54</td><td>-- Peak</td></tr><tr><td>5 33686.00</td><td>46.71</td><td>88.20</td><td>-41.49</td><td>35.69</td><td>43.50</td><td>33.00</td><td>55.94</td><td>-9.54</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13370.00	49.74	74.00	-24.26	56.69	40.10	19.95	67.10	0.10	-- PEAK	2 13370.00	40.66	54.00	-13.34	47.61	40.10	19.95	67.10	0.10	-- Average	3 20055.00	37.18	74.00	-36.82	38.20	37.68	24.72	53.88	-9.54	-- PEAK	4 26734.00	44.48	88.20	-43.72	37.47	39.90	29.54	52.89	-9.54	-- Peak	5 33686.00	46.71	88.20	-41.49	35.69	43.50	33.00	55.94	-9.54	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1 13370.00	49.23	74.00	-24.77	56.23	40.05	19.95	67.10	0.10	-- PEAK																																																																																																																																																									
2 13370.00	40.22	54.00	-13.78	47.22	40.05	19.95	67.10	0.10	-- Average																																																																																																																																																									
3 20055.00	38.14	74.00	-35.86	38.86	37.98	24.72	53.88	-9.54	-- PEAK																																																																																																																																																									
4 26756.00	46.46	88.20	-41.74	39.47	39.94	29.54	52.95	-9.54	-- Peak																																																																																																																																																									
5 33708.00	47.80	88.20	-40.40	35.91	44.32	33.01	55.90	-9.54	-- Peak																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1 13370.00	49.74	74.00	-24.26	56.69	40.10	19.95	67.10	0.10	-- PEAK																																																																																																																																																									
2 13370.00	40.66	54.00	-13.34	47.61	40.10	19.95	67.10	0.10	-- Average																																																																																																																																																									
3 20055.00	37.18	74.00	-36.82	38.20	37.68	24.72	53.88	-9.54	-- PEAK																																																																																																																																																									
4 26734.00	44.48	88.20	-43.72	37.47	39.90	29.54	52.89	-9.54	-- Peak																																																																																																																																																									
5 33686.00	46.71	88.20	-41.49	35.69	43.50	33.00	55.94	-9.54	-- Peak																																																																																																																																																									





Mode	37	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 37	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL Mode : 37
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 37	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 37





Mode	38																																													
	Band Edge																																													
	U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full RU_6845MHz																																													
ANT	E+F																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6845.00</td><td>111.76</td><td>-----</td><td>-----</td><td>92.51</td><td>35.89</td><td>13.95</td><td>30.59</td><td>0.00</td><td>300</td><td>330</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6845.00	111.76	-----	-----	92.51	35.89	13.95	30.59	0.00	300	330	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6845.00	111.76	-----	-----	92.51	35.89	13.95	30.59	0.00	300	330	PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6845.00</td><td>103.14</td><td>-----</td><td>-----</td><td>83.89</td><td>35.89</td><td>13.95</td><td>30.59</td><td>0.00</td><td>300</td><td>330</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6845.00	103.14	-----	-----	83.89	35.89	13.95	30.59	0.00	300	330	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6845.00	103.14	-----	-----	83.89	35.89	13.95	30.59	0.00	300	330	AVERAGE																																		







Mode	38																																												
	Band Edge																																												
	U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full RU_6845MHz																																												
ANT	E+F																																												
Pol.	Vertical	Fundamental																																											
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6845.00</td><td>113.58</td><td>-----</td><td>94.26</td><td>35.94</td><td>13.98</td><td>30.60</td><td>0.00</td><td>184</td><td>48</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6845.00	113.58	-----	94.26	35.94	13.98	30.60	0.00	184	48	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6845.00	113.58	-----	94.26	35.94	13.98	30.60	0.00	184	48	PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6845.00</td><td>105.73</td><td>-----</td><td>86.42</td><td>35.95</td><td>13.96</td><td>30.60</td><td>0.00</td><td>184</td><td>48</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6845.00	105.73	-----	86.42	35.95	13.96	30.60	0.00	184	48	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6845.00	105.73	-----	86.42	35.95	13.96	30.60	0.00	184	48	AVERAGE																																		





Mode	38																																																																													
	Harmonic																																																																													
	U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full RU_6845MHz																																																																													
ANT	E+F																																																																													
Pol.	Horizontal						Vertical																																																																							
Peak Avg																																																																														
	Site : 03CH02-CA																																																																													
	Condition: PEAK(UUNI)_6E 1m SHF_HORN_00841_240807 HORIZONTAL																																																																													
Mode : 38																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13690.00</td><td>49.57</td><td>88.20</td><td>-38.63</td><td>56.40</td><td>40.82</td><td>20.20</td><td>67.95</td><td>0.10</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 20535.00</td><td>39.00</td><td>74.00</td><td>-35.00</td><td>38.63</td><td>38.09</td><td>25.15</td><td>53.33</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3 27350.00</td><td>46.19</td><td>88.20</td><td>-42.01</td><td>39.99</td><td>39.28</td><td>29.67</td><td>53.21</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13690.00	49.57	88.20	-38.63	56.40	40.82	20.20	67.95	0.10	--	--	PEAK	2 20535.00	39.00	74.00	-35.00	38.63	38.09	25.15	53.33	-9.54	--	--	PEAK	3 27350.00	46.19	88.20	-42.01	39.99	39.28	29.67	53.21	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 13690.00	49.57	88.20	-38.63	56.40	40.82	20.20	67.95	0.10	--	--	PEAK																																																																			
2 20535.00	39.00	74.00	-35.00	38.63	38.09	25.15	53.33	-9.54	--	--	PEAK																																																																			
3 27350.00	46.19	88.20	-42.01	39.99	39.28	29.67	53.21	-9.54	--	--	Peak																																																																			
Site : 03CH02-CA																																																																														
Condition: PEAK(UUNI)_6E 1m SHF_HORN_00841_240807 VERTICAL																																																																														
Mode : 38																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13690.00</td><td>49.43</td><td>88.20</td><td>-38.77</td><td>56.22</td><td>40.86</td><td>20.20</td><td>67.95</td><td>0.10</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 20535.00</td><td>37.69</td><td>74.00</td><td>-36.31</td><td>37.62</td><td>37.79</td><td>25.15</td><td>53.33</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3 27394.00</td><td>43.01</td><td>88.20</td><td>-45.19</td><td>36.76</td><td>39.28</td><td>29.68</td><td>53.17</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13690.00	49.43	88.20	-38.77	56.22	40.86	20.20	67.95	0.10	--	--	PEAK	2 20535.00	37.69	74.00	-36.31	37.62	37.79	25.15	53.33	-9.54	--	--	PEAK	3 27394.00	43.01	88.20	-45.19	36.76	39.28	29.68	53.17	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 13690.00	49.43	88.20	-38.77	56.22	40.86	20.20	67.95	0.10	--	--	PEAK																																																																			
2 20535.00	37.69	74.00	-36.31	37.62	37.79	25.15	53.33	-9.54	--	--	PEAK																																																																			
3 27394.00	43.01	88.20	-45.19	36.76	39.28	29.68	53.17	-9.54	--	--	Peak																																																																			





Mode	38	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full RU_6845MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 38	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL Mode : 38
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 38	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 38





Mode	40																																													
	Band Edge																																													
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz																																													
ANT	E+F																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6625.00</td><td>109.44</td><td>-----</td><td>-----</td><td>90.30</td><td>35.79</td><td>13.80</td><td>30.45</td><td>0.00</td><td>300</td><td>326</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6625.00	109.44	-----	-----	90.30	35.79	13.80	30.45	0.00	300	326	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6625.00	109.44	-----	-----	90.30	35.79	13.80	30.45	0.00	300	326	PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6625.00</td><td>101.18</td><td>-----</td><td>-----</td><td>82.17</td><td>35.67</td><td>13.78</td><td>30.44</td><td>0.00</td><td>300</td><td>326</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6625.00	101.18	-----	-----	82.17	35.67	13.78	30.44	0.00	300	326	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6625.00	101.18	-----	-----	82.17	35.67	13.78	30.44	0.00	300	326	AVERAGE																																		







Mode	40																																																			
	Band Edge																																																			
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz																																																			
ANT	E+F																																																			
Pol.	Vertical	Fundamental																																																		
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>6625.00</td><td>111.64</td><td>-----</td><td>92.46</td><td>35.83</td><td>13.80</td><td>30.45</td><td>0.00</td><td>331</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>316 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	6625.00	111.64	-----	92.46	35.83	13.80	30.45	0.00	331										316 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																											
1	6625.00	111.64	-----	92.46	35.83	13.80	30.45	0.00	331																																											
									316 PEAK																																											
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>6625.00</td><td>102.63</td><td>-----</td><td>83.61</td><td>35.68</td><td>13.77</td><td>30.43</td><td>0.00</td><td>331</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>316 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	6625.00	102.63	-----	83.61	35.68	13.77	30.43	0.00	331										316 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																											
1	6625.00	102.63	-----	83.61	35.68	13.77	30.43	0.00	331																																											
									316 AVERAGE																																											





Mode	40																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz																																																																																																																									
ANT	E+F																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	 Site : 03CH02-CA Condition: PEAK(U-NII)_6E 1m SHF_HORW_00841_240807 HORIZONTAL Mode : 40 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13250.00</td><td>49.05</td><td>74.00 -24.95</td><td>56.54</td><td>39.63</td><td>19.86</td><td>67.08</td><td>0.10</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 13250.00</td><td>40.04</td><td>54.00 -13.96</td><td>47.53</td><td>39.63</td><td>19.86</td><td>67.08</td><td>0.10</td><td>--</td><td>-- Average</td></tr><tr><td>3 19875.00</td><td>38.80</td><td>74.00 -35.20</td><td>39.84</td><td>37.93</td><td>24.61</td><td>54.04</td><td>-9.54</td><td>--</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 13250.00	49.05	74.00 -24.95	56.54	39.63	19.86	67.08	0.10	--	-- PEAK	2 13250.00	40.04	54.00 -13.96	47.53	39.63	19.86	67.08	0.10	--	-- Average	3 19875.00	38.80	74.00 -35.20	39.84	37.93	24.61	54.04	-9.54	--	-- PEAK	 Site : 03CH02-CA Condition: PEAK(U-NII)_6E 1m SHF_HORW_00841_240807 VERTICAL Mode : 40 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13250.00</td><td>48.71</td><td>74.00 -25.29</td><td>56.13</td><td>39.70</td><td>19.86</td><td>67.08</td><td>0.10</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 13250.00</td><td>39.67</td><td>54.00 -14.33</td><td>47.09</td><td>39.70</td><td>19.86</td><td>67.08</td><td>0.10</td><td>--</td><td>-- Average</td></tr><tr><td>3 19875.00</td><td>36.66</td><td>74.00 -37.34</td><td>37.87</td><td>37.76</td><td>24.61</td><td>54.04</td><td>-9.54</td><td>--</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 13250.00	48.71	74.00 -25.29	56.13	39.70	19.86	67.08	0.10	--	-- PEAK	2 13250.00	39.67	54.00 -14.33	47.09	39.70	19.86	67.08	0.10	--	-- Average	3 19875.00	36.66	74.00 -37.34	37.87	37.76	24.61	54.04	-9.54	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1 13250.00	49.05	74.00 -24.95	56.54	39.63	19.86	67.08	0.10	--	-- PEAK																																																																																																																	
2 13250.00	40.04	54.00 -13.96	47.53	39.63	19.86	67.08	0.10	--	-- Average																																																																																																																	
3 19875.00	38.80	74.00 -35.20	39.84	37.93	24.61	54.04	-9.54	--	-- PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1 13250.00	48.71	74.00 -25.29	56.13	39.70	19.86	67.08	0.10	--	-- PEAK																																																																																																																	
2 13250.00	39.67	54.00 -14.33	47.09	39.70	19.86	67.08	0.10	--	-- Average																																																																																																																	
3 19875.00	36.66	74.00 -37.34	37.87	37.76	24.61	54.04	-9.54	--	-- PEAK																																																																																																																	





Mode	40	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 40	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL Mode : 40
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 40	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 40





Mode	41																																													
	Band Edge																																													
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz																																													
ANT	E+F																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6705.00</td><td>110.07</td><td>-----</td><td>-----</td><td>90.75</td><td>35.96</td><td>13.87</td><td>30.51</td><td>0.00</td><td>300</td><td>328</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6705.00	110.07	-----	-----	90.75	35.96	13.87	30.51	0.00	300	328	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6705.00	110.07	-----	-----	90.75	35.96	13.87	30.51	0.00	300	328	PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6705.00</td><td>101.90</td><td>-----</td><td>-----</td><td>82.59</td><td>35.95</td><td>13.85</td><td>30.49</td><td>0.00</td><td>300</td><td>328</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6705.00	101.90	-----	-----	82.59	35.95	13.85	30.49	0.00	300	328	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6705.00	101.90	-----	-----	82.59	35.95	13.85	30.49	0.00	300	328	AVERAGE																																		







Mode	41																																												
	Band Edge																																												
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz																																												
ANT	E+F																																												
Pol.	Vertical	Fundamental																																											
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6705.00</td><td>110.17</td><td>-----</td><td>90.84</td><td>35.98</td><td>13.87</td><td>30.52</td><td>0.00</td><td>338</td><td>319</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6705.00	110.17	-----	90.84	35.98	13.87	30.52	0.00	338	319	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6705.00	110.17	-----	90.84	35.98	13.87	30.52	0.00	338	319	PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6705.00</td><td>102.13</td><td>-----</td><td>82.82</td><td>35.95</td><td>13.84</td><td>30.48</td><td>0.00</td><td>338</td><td>319</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6705.00	102.13	-----	82.82	35.95	13.84	30.48	0.00	338	319	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6705.00	102.13	-----	82.82	35.95	13.84	30.48	0.00	338	319	AVERAGE																																		





Mode	41																																																																																																					
	Harmonic																																																																																																					
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz																																																																																																					
ANT	E+F																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	 Site : 03CH02-CA Condition: PEAK(UINII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 41 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13410.00</td><td>48.93</td><td>88.20</td><td>-39.27</td><td>55.78</td><td>40.20</td><td>19.99</td><td>67.14</td><td>0.10</td><td>-- -- PEAK</td></tr><tr><td>2 20115.00</td><td>36.89</td><td>74.00</td><td>-37.11</td><td>37.50</td><td>37.95</td><td>24.77</td><td>53.79</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13410.00	48.93	88.20	-39.27	55.78	40.20	19.99	67.14	0.10	-- -- PEAK	2 20115.00	36.89	74.00	-37.11	37.50	37.95	24.77	53.79	-9.54	-- -- PEAK	 Site : 03CH02-CA Condition: PEAK(UINII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 41 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13410.00</td><td>49.74</td><td>88.20</td><td>-38.46</td><td>56.55</td><td>40.24</td><td>19.99</td><td>67.14</td><td>0.10</td><td>-- -- PEAK</td></tr><tr><td>2 20115.00</td><td>37.44</td><td>74.00</td><td>-36.56</td><td>38.39</td><td>37.61</td><td>24.77</td><td>53.79</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13410.00	49.74	88.20	-38.46	56.55	40.24	19.99	67.14	0.10	-- -- PEAK	2 20115.00	37.44	74.00	-36.56	38.39	37.61	24.77	53.79	-9.54	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 13410.00	48.93	88.20	-39.27	55.78	40.20	19.99	67.14	0.10	-- -- PEAK																																																																																													
2 20115.00	36.89	74.00	-37.11	37.50	37.95	24.77	53.79	-9.54	-- -- PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 13410.00	49.74	88.20	-38.46	56.55	40.24	19.99	67.14	0.10	-- -- PEAK																																																																																													
2 20115.00	37.44	74.00	-36.56	38.39	37.61	24.77	53.79	-9.54	-- -- PEAK																																																																																													





Mode	41	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 41	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL Mode : 41
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 41	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 41





Mode	42																																													
	Band Edge																																													
	U-NII-7_6.525-6.875_802.11be EHT80_CH167_Full RU_6785MHz																																													
ANT	E+F																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6785.00</td><td>110.95</td><td>-----</td><td>-----</td><td>91.63</td><td>35.97</td><td>13.88</td><td>30.53</td><td>0.00</td><td>400</td><td>7</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6785.00	110.95	-----	-----	91.63	35.97	13.88	30.53	0.00	400	7	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6785.00	110.95	-----	-----	91.63	35.97	13.88	30.53	0.00	400	7	PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6785.00</td><td>101.06</td><td>-----</td><td>-----</td><td>81.74</td><td>35.97</td><td>13.88</td><td>30.53</td><td>0.00</td><td>400</td><td>7</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6785.00	101.06	-----	-----	81.74	35.97	13.88	30.53	0.00	400	7	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6785.00	101.06	-----	-----	81.74	35.97	13.88	30.53	0.00	400	7	AVERAGE																																		







Mode	42																																																					
	Band Edge																																																					
	U-NII-7_6.525-6.875_802.11be EHT80_CH167_Full RU_6785MHz																																																					
ANT	E+F																																																					
Pol.	Vertical					Fundamental																																																
Peak	Blank					 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6785.00</td><td>110.64</td><td>-----</td><td>-----</td><td>91.33</td><td>35.97</td><td>13.90</td><td>30.56</td><td>0.00</td><td>200</td><td>50</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6785.00	110.64	-----	-----	91.33	35.97	13.90	30.56	0.00	200	50	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6785.00	110.64	-----	-----	91.33	35.97	13.90	30.56	0.00	200	50	PEAK																																										
Avg	Blank					 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6785.00</td><td>101.96</td><td>-----</td><td>-----</td><td>82.61</td><td>35.99</td><td>13.89</td><td>30.53</td><td>0.00</td><td>200</td><td>50</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6785.00	101.96	-----	-----	82.61	35.99	13.89	30.53	0.00	200	50	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6785.00	101.96	-----	-----	82.61	35.99	13.89	30.53	0.00	200	50	AVERAGE																																										





Mode	42																																																																
	Harmonic																																																																
	U-NII-7_6.525-6.875_802.11be EHT80_CH167_Full RU_6785MHz																																																																
ANT	E+F																																																																
Pol.	Horizontal								Vertical																																																								
Peak Avg																																																																	
	Site : 03CH02-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 42																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13570.00</td><td>49.63</td><td>88.20</td><td>-38.57</td><td>56.16</td><td>40.71</td><td>20.11</td><td>67.45</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 20355.00</td><td>36.95</td><td>74.00</td><td>-37.05</td><td>37.16</td><td>37.98</td><td>24.99</td><td>53.64</td><td>-9.54</td><td>-- PEAK</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13570.00	49.63	88.20	-38.57	56.16	40.71	20.11	67.45	0.10	-- PEAK	2 20355.00	36.95	74.00	-37.05	37.16	37.98	24.99	53.64	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1 13570.00	49.63	88.20	-38.57	56.16	40.71	20.11	67.45	0.10	-- PEAK																																																								
2 20355.00	36.95	74.00	-37.05	37.16	37.98	24.99	53.64	-9.54	-- PEAK																																																								
Site : 03CH02-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 42																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13570.00</td><td>50.21</td><td>88.20</td><td>-37.99</td><td>56.73</td><td>40.72</td><td>20.11</td><td>67.45</td><td>0.10</td><td>-- PEAK</td></tr><tr><td>2 20355.00</td><td>36.48</td><td>74.00</td><td>-37.52</td><td>36.93</td><td>37.74</td><td>24.99</td><td>53.64</td><td>-9.54</td><td>-- PEAK</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13570.00	50.21	88.20	-37.99	56.73	40.72	20.11	67.45	0.10	-- PEAK	2 20355.00	36.48	74.00	-37.52	36.93	37.74	24.99	53.64	-9.54	-- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1 13570.00	50.21	88.20	-37.99	56.73	40.72	20.11	67.45	0.10	-- PEAK																																																								
2 20355.00	36.48	74.00	-37.52	36.93	37.74	24.99	53.64	-9.54	-- PEAK																																																								





Mode	42	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT80_CH167_Full RU_6785MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 42	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL Mode : 42
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 42	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 42





Mode	43																																												
	Band Edge																																												
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz																																												
ANT	E+F																																												
Pol.	Horizontal	Fundamental																																											
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6665.00</td><td>108.90</td><td>-----</td><td>89.74</td><td>35.81</td><td>13.81</td><td>30.46</td><td>0.00</td><td>291</td><td>330</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6665.00	108.90	-----	89.74	35.81	13.81	30.46	0.00	291	330	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6665.00	108.90	-----	89.74	35.81	13.81	30.46	0.00	291	330	PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6665.00</td><td>99.69</td><td>-----</td><td>80.68</td><td>35.67</td><td>13.78</td><td>30.44</td><td>0.00</td><td>291</td><td>330</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6665.00	99.69	-----	80.68	35.67	13.78	30.44	0.00	291	330	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	6665.00	99.69	-----	80.68	35.67	13.78	30.44	0.00	291	330	AVERAGE																																		







Mode	43																																																					
	Band Edge																																																					
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz																																																					
ANT	E+F																																																					
Pol.	Vertical					Fundamental																																																
Peak	Blank					 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6665.00</td><td>109.93</td><td>-----</td><td>-----</td><td>90.91</td><td>35.68</td><td>13.77</td><td>30.43</td><td>0.00</td><td>335</td><td>315 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6665.00	109.93	-----	-----	90.91	35.68	13.77	30.43	0.00	335	315 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6665.00	109.93	-----	-----	90.91	35.68	13.77	30.43	0.00	335	315 PEAK																																											
Avg	Blank					 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6665.00</td><td>100.22</td><td>-----</td><td>-----</td><td>81.20</td><td>35.68</td><td>13.77</td><td>30.43</td><td>0.00</td><td>335</td><td>315 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6665.00	100.22	-----	-----	81.20	35.68	13.77	30.43	0.00	335	315 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	6665.00	100.22	-----	-----	81.20	35.68	13.77	30.43	0.00	335	315 AVERAGE																																											





Mode	43																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz																																																																																																																									
ANT	E+F																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	 Site : 03CH02-CA Condition: PEAK(UUNI)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 43 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13330.00</td><td>49.50</td><td>74.00</td><td>-24.50</td><td>56.66</td><td>39.90</td><td>19.92</td><td>67.00</td><td>0.10</td><td>-- -- PEAK</td></tr><tr><td>2 13330.00</td><td>40.48</td><td>54.00</td><td>-13.52</td><td>47.64</td><td>39.90</td><td>19.92</td><td>67.00</td><td>0.10</td><td>-- -- Average</td></tr><tr><td>3 19995.00</td><td>36.57</td><td>74.00</td><td>-37.43</td><td>37.41</td><td>38.02</td><td>24.67</td><td>53.99</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13330.00	49.50	74.00	-24.50	56.66	39.90	19.92	67.00	0.10	-- -- PEAK	2 13330.00	40.48	54.00	-13.52	47.64	39.90	19.92	67.00	0.10	-- -- Average	3 19995.00	36.57	74.00	-37.43	37.41	38.02	24.67	53.99	-9.54	-- -- PEAK	 Site : 03CH02-CA Condition: PEAK(UUNI)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 43 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13330.00</td><td>48.95</td><td>74.00</td><td>-25.05</td><td>56.05</td><td>39.96</td><td>19.92</td><td>67.00</td><td>0.10</td><td>-- -- PEAK</td></tr><tr><td>2 13330.00</td><td>39.94</td><td>54.00</td><td>-14.06</td><td>47.04</td><td>39.96</td><td>19.92</td><td>67.00</td><td>0.10</td><td>-- -- Average</td></tr><tr><td>3 19995.00</td><td>36.86</td><td>74.00</td><td>-37.14</td><td>37.94</td><td>37.78</td><td>24.67</td><td>53.99</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13330.00	48.95	74.00	-25.05	56.05	39.96	19.92	67.00	0.10	-- -- PEAK	2 13330.00	39.94	54.00	-14.06	47.04	39.96	19.92	67.00	0.10	-- -- Average	3 19995.00	36.86	74.00	-37.14	37.94	37.78	24.67	53.99	-9.54	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13330.00	49.50	74.00	-24.50	56.66	39.90	19.92	67.00	0.10	-- -- PEAK																																																																																																																	
2 13330.00	40.48	54.00	-13.52	47.64	39.90	19.92	67.00	0.10	-- -- Average																																																																																																																	
3 19995.00	36.57	74.00	-37.43	37.41	38.02	24.67	53.99	-9.54	-- -- PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13330.00	48.95	74.00	-25.05	56.05	39.96	19.92	67.00	0.10	-- -- PEAK																																																																																																																	
2 13330.00	39.94	54.00	-14.06	47.04	39.96	19.92	67.00	0.10	-- -- Average																																																																																																																	
3 19995.00	36.86	74.00	-37.14	37.94	37.78	24.67	53.99	-9.54	-- -- PEAK																																																																																																																	





Mode	43	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 43	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL Mode : 43
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 43	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 43





Mode	44																																													
	Band Edge																																													
	U-NII-7_6.525-6.875_802.11be EHT320_CH127_Full RU_6585MHz																																													
ANT	E+F																																													
Pol.	Horizontal	Fundamental																																												
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6585.00</td><td>106.73</td><td>-----</td><td>-----</td><td>88.13</td><td>35.26</td><td>13.71</td><td>30.37</td><td>0.00</td><td>300</td><td>328</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6585.00	106.73	-----	-----	88.13	35.26	13.71	30.37	0.00	300	328	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6585.00	106.73	-----	-----	88.13	35.26	13.71	30.37	0.00	300	328	PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6585.00</td><td>98.12</td><td>-----</td><td>-----</td><td>79.82</td><td>34.98</td><td>13.66</td><td>30.34</td><td>0.00</td><td>300</td><td>328</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6585.00	98.12	-----	-----	79.82	34.98	13.66	30.34	0.00	300	328	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	6585.00	98.12	-----	-----	79.82	34.98	13.66	30.34	0.00	300	328	AVERAGE																																		







Mode	44																																											
	Band Edge																																											
	U-NII-7_6.525-6.875_802.11be EHT320_CH127_Full RU_6585MHz																																											
ANT	E+F																																											
Pol.	Vertical	Fundamental																																										
Peak	Blank	 Site : 03CH02-CA Condition: PEAK(UNII)_6E 3m HORN_02140_250207 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6585.00</td><td>107.50</td><td>-----</td><td>88.48</td><td>35.68</td><td>13.77</td><td>30.43</td><td>0.00</td><td>315</td><td>316 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6585.00	107.50	-----	88.48	35.68	13.77	30.43	0.00	315	316 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	6585.00	107.50	-----	88.48	35.68	13.77	30.43	0.00	315	316 PEAK																																		
Avg	Blank	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6585.00</td><td>97.81</td><td>-----</td><td>79.32</td><td>35.16</td><td>13.67</td><td>30.34</td><td>0.00</td><td>315</td><td>316 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6585.00	97.81	-----	79.32	35.16	13.67	30.34	0.00	315	316 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	6585.00	97.81	-----	79.32	35.16	13.67	30.34	0.00	315	316 AVERAGE																																		



Mode	44																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-7_6.525-6.875_802.11be EHT320_CH127_Full RU_6585MHz																																																																																																																												
ANT	E+F																																																																																																																												
Pol.	Horizontal					Vertical																																																																																																																							
Peak Avg																																																																																																																													
	Site : 03CH02-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 44										Site : 03CH02-CA Condition: PEAK(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 44																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13170.00</td><td>49.57</td><td>88.20</td><td>-38.63</td><td>57.22</td><td>39.53</td><td>19.00</td><td>67.00</td><td>0.10</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 19755.00</td><td>37.32</td><td>74.00</td><td>-36.68</td><td>38.46</td><td>37.87</td><td>24.56</td><td>54.03</td><td>-9.54</td><td>--</td><td>-- PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13170.00	49.57	88.20	-38.63	57.22	39.53	19.00	67.00	0.10	--	-- PEAK	2 19755.00	37.32	74.00	-36.68	38.46	37.87	24.56	54.03	-9.54	--	-- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13170.00</td><td>49.44</td><td>88.20</td><td>-38.76</td><td>57.02</td><td>39.60</td><td>19.00</td><td>67.00</td><td>0.10</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 19755.00</td><td>37.22</td><td>74.00</td><td>-36.78</td><td>38.49</td><td>37.74</td><td>24.56</td><td>54.03</td><td>-9.54</td><td>--</td><td>-- PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13170.00	49.44	88.20	-38.76	57.02	39.60	19.00	67.00	0.10	--	-- PEAK	2 19755.00	37.22	74.00	-36.78	38.49	37.74	24.56	54.03	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1 13170.00	49.57	88.20	-38.63	57.22	39.53	19.00	67.00	0.10	--	-- PEAK																																																																																																																			
2 19755.00	37.32	74.00	-36.68	38.46	37.87	24.56	54.03	-9.54	--	-- PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1 13170.00	49.44	88.20	-38.76	57.02	39.60	19.00	67.00	0.10	--	-- PEAK																																																																																																																			
2 19755.00	37.22	74.00	-36.78	38.49	37.74	24.56	54.03	-9.54	--	-- PEAK																																																																																																																			



Mode	44	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT320_CH127_Full RU_6585MHz	
ANT	E+F	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 HORIZONTAL Mode : 44	 Site : 03CH02-CA Condition: AVG(UNII)_6E 3m HORN_02140_250207 VERTICAL Mode : 44
	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 HORIZONTAL Mode : 44	 Site : 03CH02-CA Condition: AVG(UNII)_6E 1m SHF_HORN_00841_240807 VERTICAL Mode : 44




Mode	45																																																																																																																																																																																																																																	
	LF																																																																																																																																																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																																																																																																																																																	
ANT	E+F																																																																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																
QP/ Peak	Site : 03CH02-CA Condition: QP 3m LF_HORN_50392_240813 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>86.26</td><td>25.55</td><td>40.00</td><td>-14.45</td><td>42.14</td><td>14.18</td><td>1.52</td><td>32.45</td><td>0.16</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>162.89</td><td>30.77</td><td>43.50</td><td>-12.73</td><td>44.86</td><td>16.17</td><td>2.12</td><td>32.45</td><td>0.07</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>217.21</td><td>27.18</td><td>46.00</td><td>-18.82</td><td>42.13</td><td>14.93</td><td>2.44</td><td>32.43</td><td>0.11</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>500.45</td><td>32.56</td><td>46.00</td><td>-13.44</td><td>37.41</td><td>23.83</td><td>3.74</td><td>32.60</td><td>0.18</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>749.74</td><td>30.86</td><td>46.00</td><td>-15.14</td><td>30.51</td><td>28.04</td><td>4.53</td><td>32.44</td><td>0.22</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>955.38</td><td>32.36</td><td>46.00</td><td>-13.64</td><td>27.31</td><td>30.78</td><td>5.13</td><td>31.22</td><td>0.36</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	cm	deg		1	86.26	25.55	40.00	-14.45	42.14	14.18	1.52	32.45	0.16	--	--	--	Peak	2	162.89	30.77	43.50	-12.73	44.86	16.17	2.12	32.45	0.07	--	--	--	Peak	3	217.21	27.18	46.00	-18.82	42.13	14.93	2.44	32.43	0.11	--	--	--	Peak	4	500.45	32.56	46.00	-13.44	37.41	23.83	3.74	32.60	0.18	--	--	--	Peak	5	749.74	30.86	46.00	-15.14	30.51	28.04	4.53	32.44	0.22	--	--	--	Peak	6	955.38	32.36	46.00	-13.64	27.31	30.78	5.13	31.22	0.36	--	--	--	Peak	Site : 03CH02-CA Condition: QP 3m LF_HORN_50392_240813 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>46.49</td><td>31.40</td><td>40.00</td><td>-8.60</td><td>46.64</td><td>16.03</td><td>1.12</td><td>32.46</td><td>0.07</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>161.92</td><td>29.09</td><td>43.50</td><td>-14.41</td><td>43.00</td><td>16.28</td><td>2.11</td><td>32.45</td><td>0.07</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>216.24</td><td>24.21</td><td>46.00</td><td>-21.79</td><td>39.22</td><td>14.87</td><td>2.44</td><td>32.43</td><td>0.11</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>500.45</td><td>29.35</td><td>46.00</td><td>-16.65</td><td>34.20</td><td>23.83</td><td>3.74</td><td>32.60</td><td>0.18</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>751.68</td><td>35.41</td><td>46.00</td><td>-10.59</td><td>34.98</td><td>28.10</td><td>4.54</td><td>32.43</td><td>0.22</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>935.98</td><td>33.53</td><td>46.00</td><td>-12.47</td><td>29.55</td><td>29.92</td><td>5.07</td><td>31.36</td><td>0.35</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	cm	deg		1	46.49	31.40	40.00	-8.60	46.64	16.03	1.12	32.46	0.07	--	--	--	Peak	2	161.92	29.09	43.50	-14.41	43.00	16.28	2.11	32.45	0.07	--	--	--	Peak	3	216.24	24.21	46.00	-21.79	39.22	14.87	2.44	32.43	0.11	--	--	--	Peak	4	500.45	29.35	46.00	-16.65	34.20	23.83	3.74	32.60	0.18	--	--	--	Peak	5	751.68	35.41	46.00	-10.59	34.98	28.10	4.54	32.43	0.22	--	--	--	Peak	6	935.98	33.53	46.00	-12.47	29.55	29.92	5.07	31.36	0.35	--	--	--	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																				
		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																					
1	86.26	25.55	40.00	-14.45	42.14	14.18	1.52	32.45	0.16	--	--	--	Peak																																																																																																																																																																																																																					
2	162.89	30.77	43.50	-12.73	44.86	16.17	2.12	32.45	0.07	--	--	--	Peak																																																																																																																																																																																																																					
3	217.21	27.18	46.00	-18.82	42.13	14.93	2.44	32.43	0.11	--	--	--	Peak																																																																																																																																																																																																																					
4	500.45	32.56	46.00	-13.44	37.41	23.83	3.74	32.60	0.18	--	--	--	Peak																																																																																																																																																																																																																					
5	749.74	30.86	46.00	-15.14	30.51	28.04	4.53	32.44	0.22	--	--	--	Peak																																																																																																																																																																																																																					
6	955.38	32.36	46.00	-13.64	27.31	30.78	5.13	31.22	0.36	--	--	--	Peak																																																																																																																																																																																																																					
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																						
1	46.49	31.40	40.00	-8.60	46.64	16.03	1.12	32.46	0.07	--	--	--	Peak																																																																																																																																																																																																																					
2	161.92	29.09	43.50	-14.41	43.00	16.28	2.11	32.45	0.07	--	--	--	Peak																																																																																																																																																																																																																					
3	216.24	24.21	46.00	-21.79	39.22	14.87	2.44	32.43	0.11	--	--	--	Peak																																																																																																																																																																																																																					
4	500.45	29.35	46.00	-16.65	34.20	23.83	3.74	32.60	0.18	--	--	--	Peak																																																																																																																																																																																																																					
5	751.68	35.41	46.00	-10.59	34.98	28.10	4.54	32.43	0.22	--	--	--	Peak																																																																																																																																																																																																																					
6	935.98	33.53	46.00	-12.47	29.55	29.92	5.07	31.36	0.35	--	--	--	Peak																																																																																																																																																																																																																					



Appendix C. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
E+F	802.11a	98.90	-	-	10Hz
E+F	5GHz 802.11be EHT20 Full RU	99.71	-	-	10Hz
E+F	5GHz 802.11be EHT40 Full RU	99.69	-	-	10Hz
E+F	5GHz 802.11be EHT80 Full RU	99.73	-	-	10Hz
E+F	5GHz 802.11be EHT160 Full RU	99.73	-	-	10Hz
E+F	5GHz 802.11be EHT320 Full RU	99.73	-	-	10Hz

MIMO <Ant. E+F>







6GHz 802.11be EHT40



6GHz 802.11be EHT80



6GHz 802.11be EHT160



6GHz 802.11be EHT320

