




MIMO <Ant. 2+4(2)>

EUT Mode


802.11be EHT320 Full RU

Plot on Channel 6105 MHz

Plot on Channel 6265 MHz



11:51:29 12.12.2024



11:55:46 12.12.2024


MIMO <Ant. 2+4(4)>

EUT Mode


802.11be EHT320 Full RU

Plot on Channel 6105 MHz

Plot on Channel 6265 MHz



11:47:34 12.12.2024



11:57:57 12.12.2024



Appendix B. AC Conducted Emission Test Results


Test Engineer :	Jin Peng	Temperature :	20.1~24.2℃
		Relative Humidity :	41.2~48.5%

EUT Information

Test Site Location : CO01-CA
 Project : 240528002
 Power: 120Vac/60Hz

Line

Full Spectrum



Final Result


Frequency (MHz)	QuasiPeak (dBμV)	CAverage (dBμV)	Limit (dBμV)	Margin (dB)	Line	Filter	Corr. (dB)
0.161250	---	31.78	55.40	23.62	L1	OFF	20.4
0.161250	50.48	---	65.40	14.92	L1	OFF	20.4
0.397500	---	45.57	47.91	2.34	L1	OFF	20.3
0.397500	51.97	---	57.91	5.94	L1	OFF	20.3
0.435750	---	33.72	47.14	13.42	L1	OFF	20.3
0.435750	41.71	---	57.14	15.43	L1	OFF	20.3
0.620250	---	28.12	46.00	17.88	L1	OFF	20.3
0.620250	35.16	---	56.00	20.84	L1	OFF	20.3
0.888000	---	30.23	46.00	15.77	L1	OFF	20.3
0.888000	35.57	---	56.00	20.43	L1	OFF	20.3
8.056500	---	33.10	50.00	16.90	L1	OFF	21.3
8.056500	38.79	---	60.00	21.21	L1	OFF	21.3

EUT Information

Test Site Location : CO01-CA
 Project 240528002
 Power: 120Vac/60Hz

Neutral

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBμV)	CAverage (dBμV)	Limit (dBμV)	Margin (dB)	Line	Filter	Corr. (dB)
0.152250	---	34.46	55.88	21.42	N	OFF	20.4
0.152250	51.35	---	65.88	14.53	N	OFF	20.4
0.397500	---	46.04	47.91	1.87	N	OFF	20.3
0.397500	52.31	---	57.91	5.60	N	OFF	20.3
0.442500	---	32.58	47.02	14.43	N	OFF	20.3
0.442500	41.96	---	57.02	15.05	N	OFF	20.3
0.618000	---	28.94	46.00	17.06	N	OFF	20.3
0.618000	35.92	---	56.00	20.08	N	OFF	20.3
0.917250	---	31.76	46.00	14.24	N	OFF	20.3
0.917250	36.73	---	56.00	19.27	N	OFF	20.3
7.950750	---	32.79	50.00	17.21	N	OFF	21.2
7.950750	38.47	---	60.00	21.53	N	OFF	21.2



Appendix C. Radiated Spurious Emission

Test Engineer :	Bill Chang, Fred Tseng and Jesse Fan	Temperature :	20.1~23.6°C
		Relative Humidity :	39.6~53.2%

Band 5 - 5925~6425MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
2+4		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 01 5955MHz		5922.86	76.52	-11.68	88.2	59.38	34.19	12.97	30.02	188	13	P	H
		5924.96	64.37	-3.83	68.2	47.23	34.19	12.97	30.02	188	13	A	H
	*	5955	121.29	-	-	104.09	34.21	13.02	30.03	188	13	P	H
	*	5955	114.6	-	-	97.4	34.21	13.02	30.03	188	13	A	H
		7713	52.04	-1.96	54	31.72	36.49	14.97	31.14	188	13	A	H
													H
		5924.96	75.95	-12.25	88.2	58.81	34.19	12.97	30.02	197	317	P	V
		5924.96	65.42	-2.78	68.2	48.28	34.19	12.97	30.02	197	317	A	V
	*	5955	122.86	-	-	105.66	34.21	13.02	30.03	197	317	P	V
	*	5955	116.09	-	-	98.89	34.21	13.02	30.03	197	317	A	V
		7391	52.12	-1.88	54	31.89	36.58	14.61	30.96	197	317	A	V
													V
802.11a CH 49 6195MHz	*	6195	121.71	-	-	104.27	34.24	13.35	30.15	193	22	P	H
	*	6195	112.7	-	-	95.26	34.24	13.35	30.15	193	22	A	H
		7713	50.83	-3.17	54	30.51	36.49	14.97	31.14	193	22	A	H
													H
													H
													H
	*	6195	121.94	-	-	104.5	34.24	13.35	30.15	177	324	P	V
	*	6195	113.85	-	-	96.41	34.24	13.35	30.15	177	324	A	V
		7713	50.75	-3.25	54	30.43	36.49	14.97	31.14	177	324	A	V
													V
													V
													V



802.11a CH 93 6415MHz	*	6415	123.78	-	-	105.69	34.78	13.62	30.31	187	22	P	H
	*	6415	115	-	-	96.91	34.78	13.62	30.31	187	22	A	H
		7748	50.82	-3.18	54	30.39	36.6	14.98	31.15	187	22	A	H
													H
													H
													H
	*	6415	121.8	-	-	103.71	34.78	13.62	30.31	184	327	P	V
	*	6415	113.43	-	-	95.34	34.78	13.62	30.31	184	327	A	V
		7741	50.8	-3.2	54	30.39	36.58	14.98	31.15	184	327	A	V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 2+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 01 5955MHz		11910	47.59	-26.41	74	57.07	38.91	19.02	67.41	-	-	P	H
		17865	56.5	-17.5	74	57.87	42.4	23.85	67.62	202	209	P	H
		17865	47.58	-6.42	54	48.95	42.4	23.85	67.62	202	209	A	H
		23820	47.5	-26.5	74	43.45	38.78	17.69	52.42	330	0	P	H
		23820	36.65	-17.35	54	32.6	38.78	17.69	52.42	330	0	A	H
													H
													H
													H
													H
													H
													H
													H
		11910	46.48	-27.52	74	55.96	38.91	19.02	67.41	-	-	P	V
		17865	56.36	-17.64	74	57.73	42.4	23.85	67.62	100	355	P	V
		17865	47.39	-6.61	54	48.76	42.4	23.85	67.62	100	355	A	V
		23820	45.88	-28.12	74	41.72	38.89	17.69	52.42	199	346	P	V
		23820	35.68	-18.32	54	31.52	38.89	17.69	52.42	199	346	A	V
													V
													V
													V
													V



WIFI Ant. 2+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 49 6195MHz		12150	47.31	-26.69	74	55.59	39.25	19.21	66.74	-	-	P	H
		18585	38.3	-35.7	74	38.99	38.13	14.76	53.58	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12150	47.65	-26.35	74	55.93	39.25	19.21	66.74	-	-	P	V
		18585	36.07	-37.93	74	36.68	38.21	14.76	53.58	-	-	P	V
													V
													V
													V
													V
													V
													V
													V

[illegible]



Band 5 5925~6425MHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI Ant. 2+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 01 5955MHz		5922.72	74.34	-13.86	88.2	57.2	34.19	12.97	30.02	178	17	P	H
		5924.96	63.6	-4.6	68.2	46.46	34.19	12.97	30.02	178	17	A	H
	*	5955	120.41	-	-	103.21	34.21	13.02	30.03	178	17	P	H
	*	5955	112.7	-	-	95.5	34.21	13.02	30.03	178	17	A	H
		7713	51.86	-2.14	54	31.54	36.49	14.97	31.14	178	17	A	H
													H
													V
		5923.7	75.61	-12.59	88.2	58.47	34.19	12.97	30.02	203	321	P	V
		5924.96	65.69	-2.51	68.2	48.55	34.19	12.97	30.02	203	321	A	V
	*	5955	122.74	-	-	105.54	34.21	13.02	30.03	203	321	P	V
	*	5955	114.72	-	-	97.52	34.21	13.02	30.03	203	321	A	V
802.11be EHT20 Full CH 49 6195MHz		7384	51.94	-2.06	54	31.71	36.59	14.6	30.96	203	321	A	V
	*	6195	121.97	-	-	104.53	34.24	13.35	30.15	197	27	P	H
	*	6195	112.57	-	-	95.13	34.24	13.35	30.15	197	27	A	H
		7391	50.85	-3.15	54	30.62	36.58	14.61	30.96	197	27	A	H
													H
													H
													H
	*	6195	122.63	-	-	105.19	34.24	13.35	30.15	172	324	P	V
	*	6195	113.06	-	-	95.62	34.24	13.35	30.15	172	324	A	V
		7391	50.84	-3.16	54	30.61	36.58	14.61	30.96	172	324	A	V
													V
													V
													V



802.11be EHT20 Full CH 93 6415MHz	*	6415	123.74	-	-	105.65	34.78	13.62	30.31	187	20	P	H
	*	6415	114.59	-	-	96.5	34.78	13.62	30.31	187	20	A	H
		7384	50.82	-3.18	54	30.59	36.59	14.6	30.96	187	20	A	H
													H
													H
													H
	*	6415	123.96	-	-	105.87	34.78	13.62	30.31	183	328	P	V
	*	6415	113	-	-	94.91	34.78	13.62	30.31	183	328	A	V
		7720	51.14	-2.86	54	30.8	36.51	14.97	31.14	183	328	A	V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT20 Full (Harmonic @ 3m)

WIFI Ant. 2+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 01 5955MHz		11910	46.65	-27.35	74	56.13	38.91	19.02	67.41	-	-	P	H
		17865	54.27	-19.73	74	55.64	42.4	23.85	67.62	198	306	P	H
		17865	47.64	-6.36	54	49.01	42.4	23.85	67.62	198	306	A	H
		23820	46.04	-27.96	74	41.99	38.78	17.69	52.42	199	338	P	H
		23820	36.86	-17.14	54	32.81	38.78	17.69	52.42	199	338	A	H
													H
													H
													H
													H
													H
													H
													H
													H
		11910	47.12	-26.88	74	56.6	38.91	19.02	67.41	-	-	P	V
		17865	53.64	-20.36	74	55.01	42.4	23.85	67.62	100	340	P	V
		17865	47.27	-6.73	54	48.64	42.4	23.85	67.62	100	340	A	V
		23820	43.86	-30.14	74	39.7	38.89	17.69	52.42	252	356	P	V
		23820	34.25	-19.75	54	30.09	38.89	17.69	52.42	252	356	A	V
													V
													V
													V
													V
													V
													V
													V

[illegible]

[illegible]



Band 5 5925~6425MHz

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 2+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 03 5965MHz		5922.02	75.69	-12.51	88.2	58.55	34.19	12.97	30.02	189	25	P	H
		5924.96	66.5	-1.7	68.2	49.36	34.19	12.97	30.02	189	25	A	H
	*	5965	118	-	-	100.8	34.2	13.04	30.04	189	25	P	H
	*	5965	109.87	-	-	92.67	34.2	13.04	30.04	189	25	A	H
		7699	51.81	-2.19	54	31.53	36.45	14.96	31.13	189	25	A	H
													H
		5922.02	75.89	-12.31	88.2	58.75	34.19	12.97	30.02	204	331	P	V
		5924.96	66.82	-1.38	68.2	49.68	34.19	12.97	30.02	204	331	A	V
	*	5965	118.01	-	-	100.81	34.2	13.04	30.04	204	331	P	V
	*	5965	110.32	-	-	93.12	34.2	13.04	30.04	204	331	A	V
		7384	51.79	-2.21	54	31.56	36.59	14.6	30.96	204	331	A	V
													V
802.11be EHT40 Full CH 51 6205MHz	*	6205	119.82	-	-	102.36	34.25	13.36	30.15	197	31	P	H
	*	6205	109.57	-	-	92.11	34.25	13.36	30.15	197	31	A	H
		7720	50.9	-3.1	54	30.56	36.51	14.97	31.14	197	31	A	H
													H
													H
													H
	*	6205	119.59	-	-	102.13	34.25	13.36	30.15	180	322	P	V
	*	6205	110.49	-	-	93.03	34.25	13.36	30.15	180	322	A	V
		7391	50.92	-3.08	54	30.69	36.58	14.61	30.96	180	322	A	V
													V
													V
													V



802.11be EHT40 Full CH 91 6405MHz	*	6405	121.99	-	-	103.94	34.74	13.61	30.3	168	27	P	H
	*	6405	111.75	-	-	93.7	34.74	13.61	30.3	168	27	A	H
		7734	50.92	-3.08	54	30.52	36.56	14.98	31.14	168	27	A	H
													H
													H
													H
	*	6405	119.18	-	-	101.13	34.74	13.61	30.3	192	325	P	V
	*	6405	109.65	-	-	91.6	34.74	13.61	30.3	192	325	A	V
		7713	50.84	-3.16	54	30.52	36.49	14.97	31.14	192	325	A	V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT40 Full (Harmonic @ 3m)

WIFI Ant. 2+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 03 5965MHz		11930	46.37	-27.63	74	55.72	38.94	19.03	67.32	-	-	P	H
		17895	57.79	-16.21	74	58.83	42.73	23.88	67.65	100	147	P	H
		17895	47.73	-6.27	54	48.77	42.73	23.88	67.65	100	147	A	H
		23860	44.24	-29.76	74	40.17	38.75	17.72	52.4	296	355	P	H
		23860	34.8	-19.2	54	30.73	38.75	17.72	52.4	296	355	A	H
													H
													H
													H
													H
													H
													H
													H
													H
		11930	45.98	-28.02	74	55.33	38.94	19.03	67.32	-	-	P	V
		17895	57.69	-16.31	74	58.73	42.73	23.88	67.65	176	358	P	V
		17895	47.66	-6.34	54	48.7	42.73	23.88	67.65	176	358	A	V
		23860	46.94	-27.06	74	42.75	38.87	17.72	52.4	251	2	P	V
		23860	36.32	-17.68	54	32.13	38.87	17.72	52.4	251	2	A	V
													V
													V
													V
													V
													V
													V
													V
													V

[illegible]



WIFI Ant. 2+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 91 6405MHz		12810	48.14	-40.06	88.2	56.29	39.67	19.73	67.55	-	-	P	H
		19215	36.69	-37.31	74	37.31	37.91	15.14	53.67	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12810	48.85	-39.35	88.2	57	39.67	19.73	67.55	-	-	P	V
		19215	37.12	-36.88	74	37.74	37.91	15.14	53.67	-	-	P	V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.													



Band 5 5925~6425MHz

WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI Ant. 2+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 07 5985MHz		5908.84	76.84	-11.36	88.2	59.72	34.18	12.95	30.01	195	10	P	H
		5922.76	66.33	-1.87	68.2	49.19	34.19	12.97	30.02	195	10	A	H
	*	5985	115.44	-	-	98.23	34.19	13.07	30.05	195	10	P	H
	*	5985	107.03	-	-	89.82	34.19	13.07	30.05	195	10	A	H
		7384	51.46	-2.54	54	31.23	36.59	14.6	30.96	195	10	A	H
													H
		5920.52	75.97	-12.23	88.2	58.84	34.19	12.96	30.02	205	320	P	V
		5918.44	68.09	-0.11	68.2	50.96	34.19	12.96	30.02	205	320	A	V
	*	5985	115.57	-	-	98.36	34.19	13.07	30.05	205	320	P	V
	*	5985	107.63	-	-	90.42	34.19	13.07	30.05	205	320	A	V
		7720	51.41	-2.59	54	31.07	36.51	14.97	31.14	205	320	A	V
													V
802.11be EHT80 Full CH 55 6225MHz	*	6225	118.62	-	-	101.12	34.29	13.38	30.17	178	27	P	H
	*	6225	108.13	-	-	90.63	34.29	13.38	30.17	178	27	A	H
		7734	50.93	-3.07	54	30.53	36.56	14.98	31.14	178	27	A	H
													H
													H
													H
	*	6225	118.05	-	-	100.55	34.29	13.38	30.17	176	321	P	V
	*	6225	107.37	-	-	89.87	34.29	13.38	30.17	176	321	A	V
		7748	50.94	-3.06	54	30.51	36.6	14.98	31.15	176	321	A	V
													V
													V
													V



802.11be EHT80 Full CH 87 6385MHz	*	6385	119.33	-	-	101.36	34.67	13.59	30.29	163	26	P	H
	*	6385	108.52	-	-	90.55	34.67	13.59	30.29	163	26	A	H
		7727	51	-3	54	30.64	36.53	14.97	31.14	163	26	A	H
													H
													H
													H
	*	6385	116.73	-	-	98.76	34.67	13.59	30.29	186	326	P	V
	*	6385	107.47	-	-	89.5	34.67	13.59	30.29	186	326	A	V
		7384	50.9	-3.1	54	30.67	36.59	14.6	30.96	186	326	A	V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 5 5925~6425MHz

WIFI 802.11be EHT80 Full (Harmonic @ 3m)

[illegible]



WIFI Ant. 2+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 55 6225MHz		12450	50.63	-23.37	74	58.99	38.92	19.45	66.73	202	69	P	H
		12450	41.41	-12.59	54	49.77	38.92	19.45	66.73	202	69	A	H
		18675	37.08	-36.92	74	37.69	38.08	14.84	53.53	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12450	50.5	-23.5	74	58.86	38.92	19.45	66.73	158	359	P	V
		12450	41.32	-12.68	54	49.68	38.92	19.45	66.73	158	359	A	V
		18675	36.77	-37.23	74	37.3	38.16	14.84	53.53	-	-	P	V
													V
													V
													V
													V
													V
													V

[illegible]



Band 5 5925~6425MHz

WIFI 802.11be EHT160 Full (Band Edge @ 3m)

WIFI Ant. 2+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 15 6025MHz		5925	73.67	-14.53	88.2	56.53	34.19	12.97	30.02	196	10	P	H
		5925	65.12	-3.08	68.2	47.98	34.19	12.97	30.02	196	10	A	H
	*	6025	113.16	-	-	95.91	34.15	13.17	30.07	196	10	P	H
	*	6025	103.33	-	-	86.08	34.15	13.17	30.07	196	10	A	H
		7741	50.43	-3.57	54	30.02	36.58	14.98	31.15	196	10	A	H
													H
		5920.36	72.09	-16.11	88.2	54.96	34.19	12.96	30.02	208	318	P	V
		5920.04	63.74	-4.46	68.2	46.61	34.19	12.96	30.02	208	318	A	V
	*	6025	113.24	-	-	95.99	34.15	13.17	30.07	208	318	P	V
	*	6025	103.1	-	-	85.85	34.15	13.17	30.07	208	318	A	V
		7734	50.32	-3.68	54	29.92	36.56	14.98	31.14	208	318	A	V
													V
802.11be EHT160 Full CH 47 6185MHz	*	6185	114.58	-	-	97.15	34.22	13.35	30.14	180	31	P	H
	*	6185	104.78	-	-	87.35	34.22	13.35	30.14	180	31	A	H
		7713	50.89	-3.11	54	30.57	36.49	14.97	31.14	180	31	A	H
													H
													H
													H
	*	6185	115.47	-	-	98.04	34.22	13.35	30.14	180	325	P	V
	*	6185	104.73	-	-	87.3	34.22	13.35	30.14	180	325	A	V
		7398	50.8	-3.2	54	30.58	36.57	14.62	30.97	180	325	A	V
													V
													V
													V



802.11be EHT160 Full CH 79 6345MHz	*	6345	116.35	-	-	98.53	34.55	13.53	30.26	183	23	P	H
	*	6345	105.84	-	-	88.02	34.55	13.53	30.26	183	23	A	H
		7748	50.9	-3.1	54	30.47	36.6	14.98	31.15	183	23	A	H
													H
													H
													H
	*	6345	115.36	-	-	97.54	34.55	13.53	30.26	181	326	P	V
	*	6345	105.22	-	-	87.4	34.55	13.53	30.26	181	326	A	V
		7391	50.94	-3.06	54	30.71	36.58	14.61	30.96	181	326	A	V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 2+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 15 6025MHz		12050	50.78	-23.22	74	59.36	39.12	19.13	66.83	100	13	P	H
		12050	40.39	-13.61	54	48.97	39.12	19.13	66.83	100	13	A	H
		18075	35.87	-38.13	74	36.97	37.8	14.29	53.19	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12050	50.5	-23.5	74	59.08	39.12	19.13	66.83	163	357	P	V
		12050	40.14	-13.86	54	48.72	39.12	19.13	66.83	163	357	A	V
		18075	36.84	-37.16	74	37.83	37.91	14.29	53.19	-	-	P	V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 2+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 47 6185MHz		12370	47.12	-26.88	74	55.59	39.01	19.38	66.86	-	-	P	H
		18555	36.59	-37.41	74	37.27	38.14	14.73	53.55	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
802.11be EHT160 Full CH 47 6185MHz		12370	47.94	-26.06	74	56.41	39.01	19.38	66.86	-	-	P	V
		18555	36.25	-37.75	74	36.81	38.26	14.73	53.55	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 2+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 79 6345MHz		12690	51.16	-22.84	74	58.61	39.3	19.64	66.39	100	211	P	H
		12690	41.55	-12.45	54	49	39.3	19.64	66.39	100	211	A	H
		19035	36.75	-37.25	74	37.2	38.06	15.14	53.65	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12690	51.63	-22.37	74	59.08	39.3	19.64	66.39	100	312	P	V
		12690	41.67	-12.33	54	49.12	39.3	19.64	66.39	100	312	A	V
		19035	37.36	-36.64	74	37.8	38.07	15.14	53.65	-	-	P	V
													V
													V
													V
													V
													V
													V
												V	
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



Band 5 5925~6425MHz

WIFI 802.11be EHT320 Full (Band Edge @ 3m)

WIFI Ant. 2+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Full CH 31 6105MHz		5924.52	71.9	-16.3	88.2	54.56	34.19	13.17	30.02	199	8	P	H
		5925	63.58	-4.62	68.2	46.24	34.19	13.17	30.02	199	8	A	H
	*	6105	110.43	-	-	93.07	34.09	13.38	30.11	199	8	P	H
	*	6105	100.24	-	-	82.88	34.09	13.38	30.11	199	8	A	H
		7734	50.3	-3.7	54	29.87	36.56	15.01	31.14	199	8	A	H
													H
		5913	72.32	-15.88	88.2	55	34.18	13.16	30.02	204	319	P	V
		5921.32	62.89	-5.31	68.2	45.55	34.19	13.17	30.02	204	319	A	V
	*	6105	111.15	-	-	93.79	34.09	13.38	30.11	204	319	P	V
	*	6105	100.51	-	-	83.15	34.09	13.38	30.11	204	319	A	V
		7706	50.26	-3.74	54	29.94	36.47	14.98	31.13	204	319	A	V
													V
802.11be EHT320 Full CH 63 6265MHz	*	6265	114.36	-	-	96.6	34.37	13.58	30.19	180	27	P	H
	*	6265	103.53	-	-	85.77	34.37	13.58	30.19	180	27	A	H
		7426	51	-3	54	30.8	36.46	14.73	30.99	180	27	A	H
													H
													H
													H
	*	6145	113.32	-	-	95.85	34.17	13.43	30.13	184	325	P	V
	*	6341	102.87	-	-	84.9	34.54	13.68	30.25	184	325	A	V
		7727	50.91	-3.09	54	30.52	36.53	15	31.14	184	325	A	V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11be EHT320 Full (Harmonic @ 3m)

WIFI Ant. 2+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT320 Full CH 31 6105MHz		12210	50.75	-23.25	74	58.93	39.28	19.26	66.72	100	273	P	H
		12210	40.26	-13.74	54	48.44	39.28	19.26	66.72	100	273	A	H
		18315	37.47	-36.53	74	38.36	37.91	14.51	53.31	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12210	50.75	-23.25	74	58.93	39.28	19.26	66.72	100	273	P	V
		12210	40.26	-13.74	54	48.44	39.28	19.26	66.72	100	273	A	V
		18315	37.47	-36.53	74	38.36	37.91	14.51	53.31	-	-	P	V
													V
													V
													V
													V
													V
													V

[illegible]



Band 7 - 6525~6875MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
2+4		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 117 6535MHz	*	6535	122.77	-	-	104.08	35.36	13.71	30.38	180	28	P	H
	*	6535	114.51	-	-	95.82	35.36	13.71	30.38	180	28	A	H
		7720	50.96	-3.04	54	30.62	36.51	14.97	31.14	180	28	A	H
													H
													H
													H
	*	6535	121.67	-	-	102.98	35.36	13.71	30.38	187	330	P	V
	*	6535	112.46	-	-	93.77	35.36	13.71	30.38	187	330	A	V
		7727	51.08	-2.92	54	30.72	36.53	14.97	31.14	187	330	A	V
													V
													V
													V
802.11a CH 149 6695MHz	*	6695	123.41	-	-	104.09	35.93	13.88	30.49	179	23	P	H
	*	6695	114.9	-	-	95.58	35.93	13.88	30.49	179	23	A	H
		7734	51.12	-2.88	54	30.72	36.56	14.98	31.14	179	23	A	H
													H
													H
													H
	*	6695	122.61	-	-	103.29	35.93	13.88	30.49	179	332	P	V
	*	6695	113.68	-	-	94.36	35.93	13.88	30.49	179	332	A	V
		7384	51.14	-2.86	54	30.91	36.59	14.6	30.96	179	332	A	V
													V
													V
													V



802.11a CH 181 6855MHz	*	6855	120.31	-	-	101.01	35.88	14.03	30.61	199	16	P	H
	*	6855	111.27	-	-	91.97	35.88	14.03	30.61	199	16	A	H
		7734	50.27	-3.73	54	29.87	36.56	14.98	31.14	199	16	A	H
		7152.18	60.8	-27.4	88.2	40.57	36.7	14.34	30.81	199	16	P	H
		7155.3	50.53	-17.67	68.2	30.29	36.71	14.35	30.82	199	16	A	H
													H
	*	6855	113.5	-	-	94.2	35.88	14.03	30.61	252	3	P	V
	*	6855	104.32	-	-	85.02	35.88	14.03	30.61	252	3	A	V
		7720	50.35	-3.65	54	30.01	36.51	14.97	31.14	252	3	A	V
		7242.27	59.56	-28.64	88.2	39.12	36.89	14.44	30.89	252	3	P	V
		7161.54	49.43	-18.77	68.2	29.17	36.73	14.35	30.82	252	3	A	V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 7 - 6525~6875MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 2+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 117 6535MHz		13070	47.31	-40.89	88.2	54.66	39.73	19.97	67.05	-	-	P	H
		19605	37.13	-36.87	74	38.14	37.86	15.13	54	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13070	47.43	-40.77	88.2	54.78	39.73	19.97	67.05	-	-	P	V
		19605	37.89	-36.11	74	39.01	37.75	15.13	54	-	-	P	V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 2+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 149 6695MHz		13390	49.71	-24.29	74	56.24	40.38	20.21	67.12	115	230	P	H
		13390	40.81	-13.19	54	47.34	40.38	20.21	67.12	115	230	A	H
		20085	37.16	-36.84	74	37.8	37.95	15.23	53.82	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13390	48.85	-25.15	74	55.38	40.38	20.21	67.12	201	124	P	V
		13390	40.44	-13.56	54	46.97	40.38	20.21	67.12	201	124	A	V
		20085	36.16	-37.84	74	37.13	37.62	15.23	53.82	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V

[illegible]



Band 7 - 6525~6875MHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI Ant. 2+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 117 6535MHz	*	6535	124.53	-	-	105.84	35.36	13.71	30.38	165	18	P	H
	*	6535	114.69	-	-	96	35.36	13.71	30.38	165	18	A	H
		7398	50.96	-3.04	54	30.74	36.57	14.62	30.97	165	18	A	H
													H
													H
													H
	*	6535	121.7	-	-	103.01	35.36	13.71	30.38	189	331	P	V
	*	6535	112.12	-	-	93.43	35.36	13.71	30.38	189	331	A	V
		7713	51.21	-2.79	54	30.89	36.49	14.97	31.14	189	331	A	V
													V
													V
													V
802.11be EHT20 Full CH 149 6695MHz	*	6695	126.26	-	-	106.94	35.93	13.88	30.49	183	25	P	H
	*	6695	114.15	-	-	94.83	35.93	13.88	30.49	183	25	A	H
		7384	51.08	-2.92	54	30.85	36.59	14.6	30.96	183	25	A	H
													H
													H
													H
	*	6695	122.37	-	-	103.05	35.93	13.88	30.49	194	336	P	V
	*	6695	113.06	-	-	93.74	35.93	13.88	30.49	194	336	A	V
		7370	51.04	-2.96	54	30.78	36.62	14.59	30.95	194	336	A	V
													V
													V
													V



802.11be EHT20 Full CH 181 6855MHz	*	6855	120.7	-	-	101.4	35.88	14.03	30.61	194	35	P	H
	*	6855	111.65	-	-	92.35	35.88	14.03	30.61	194	35	A	H
		7741	50.59	-3.41	54	30.18	36.58	14.98	31.15	194	35	P	H
		7161.15	59.76	-28.44	88.2	39.5	36.73	14.35	30.82	194	35	P	H
		7166.22	50.57	-17.63	68.2	30.3	36.74	14.36	30.83	194	35	A	H
													H
	*	6855	120.42	-	-	101.12	35.88	14.03	30.61	189	4	P	V
	*	6855	111.01	-	-	91.71	35.88	14.03	30.61	189	4	P	V
		7750	50.57	-3.43	54	30.12	36.61	14.99	31.15	189	4	P	V
		7139.7	59.83	-28.37	88.2	39.66	36.64	14.33	30.8	189	4	P	V
		7160.37	49.88	-18.32	68.2	29.63	36.72	14.35	30.82	189	4	A	V
													V
	Remark 1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 7 - 6525~6875MHz

WIFI 802.11be EHT20 Full (Harmonic @ 3m)

[illegible]



WIFI Ant. 2+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 149 6695MHz		13390	49.85	-24.15	74	56.38	40.38	20.21	67.12	225	165	P	H
		13390	40.64	-13.36	54	47.17	40.38	20.21	67.12	225	165	A	H
		20085	36.88	-37.12	74	37.52	37.95	15.23	53.82	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13390	50.51	-23.49	74	57.04	40.38	20.21	67.12	175	222	P	V
		13390	41.86	-12.14	54	48.39	40.38	20.21	67.12	175	222	A	V
		20085	37.75	-36.25	74	38.72	37.62	15.23	53.82	-	-	P	V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 2+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 181 6855MHz		13710	52.35	-35.85	88.2	59.12	40.74	20.42	67.93	-	-	P	H
		20565	36.79	-37.21	74	36.22	38.09	15.82	53.34	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13710	52.08	-36.12	88.2	58.85	40.74	20.42	67.93	-	-	P	V
		20565	35.91	-38.09	74	35.61	37.82	15.82	53.34	-	-	P	V
													V
													V
													V
													V
													V
													V
												V	
												V	
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



Band 7 - 6525~6875MHz

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 2+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 123 6565MHz	*	6565	120.64	-	-	101.75	35.55	13.74	30.4	174	15	P	H
	*	6565	111.12	-	-	92.23	35.55	13.74	30.4	174	15	A	H
		7720	51.1	-2.9	54	30.76	36.51	14.97	31.14	174	15	A	H
													H
													H
													H
	*	6565	119.34	-	-	100.45	35.55	13.74	30.4	179	332	P	V
	*	6565	109.64	-	-	90.75	35.55	13.74	30.4	179	332	A	V
		7384	51.04	-2.96	54	30.81	36.59	14.6	30.96	179	332	A	V
													V
													V
													V
802.11be EHT40 Full CH 147 6685MHz	*	6685	120.33	-	-	101	35.94	13.87	30.48	168	26	P	H
	*	6685	110.75	-	-	91.42	35.94	13.87	30.48	168	26	A	H
		7398	50.92	-3.08	54	30.7	36.57	14.62	30.97	168	26	A	H
													H
													H
													H
	*	6685	120.57	-	-	101.24	35.94	13.87	30.48	175	331	P	V
	*	6685	109.83	-	-	90.5	35.94	13.87	30.48	175	331	A	V
		7727	51.04	-2.96	54	30.68	36.53	14.97	31.14	175	331	A	V
													V
													V
													V



802.11be EHT40 Full CH 179 6845MHz	*	6845	121.21	-	-	101.92	35.89	14.01	30.61	180	24	P	H
	*	6845	110.26	-	-	90.97	35.89	14.01	30.61	180	24	P	H
		7741	50.99	-3.01	54	30.58	36.58	14.98	31.15	180	24	A	H
		7149.84	60.37	-27.83	88.2	40.15	36.69	14.34	30.81	180	24	P	H
		7135.02	51.03	-17.17	68.2	30.88	36.62	14.33	30.8	180	24	A	H
													H
	*	6845	120.57	-	-	101.28	35.89	14.01	30.61	183	332	P	V
	*	6845	110.44	-	-	91.15	35.89	14.01	30.61	183	332	P	V
		7748	50.75	-3.25	54	30.32	36.6	14.98	31.15	183	332	A	V
		7206.39	60.09	-28.11	88.2	39.71	36.85	14.4	30.87	183	332	P	V
		7133.85	50.13	-18.07	68.2	29.99	36.62	14.32	30.8	183	332	A	V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 7 - 6525~6875MHz
WIFI 802.11be EHT40 Full (Harmonic @ 3m)

[illegible]



WIFI Ant. 2+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 147 6685MHz		13370	48.9	-25.1	74	55.55	40.28	20.17	67.1	201	251	P	H
		13370	38.48	-15.52	54	45.13	40.28	20.17	67.1	201	251	A	H
		20055	35.7	-38.3	74	36.4	37.98	15.2	53.88	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13370	49.5	-24.5	74	56.15	40.28	20.17	67.1	195	221	P	V
		13370	39.06	-14.94	54	45.71	40.28	20.17	67.1	195	221	A	V
		20055	35.52	-38.48	74	36.52	37.68	15.2	53.88	-	-	P	V
													V
													V
													V
													V
													V
													V



WIFI Ant. 2+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 179 6845MHz		13690	49.63	-38.57	88.2	56.4	40.77	20.41	67.95	-	-	P	H
		20535	36.4	-37.6	74	35.86	38.09	15.78	53.33	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13690	48.62	-39.58	88.2	55.39	40.77	20.41	67.95	-	-	P	V
		20535	35.4	-38.6	74	35.16	37.79	15.78	53.33	-	-	P	V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



Band 7 - 6525~6875MHz

WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI Ant. 2+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 135 6625MHz	*	6625	116.92	-	-	97.67	35.89	13.81	30.45	188	24	P	H
	*	6625	108.68	-	-	89.43	35.89	13.81	30.45	188	24	A	H
		7741	52.15	-1.85	54	31.74	36.58	14.98	31.15	188	24	A	H
													H
													H
													H
	*	6625	116.29	-	-	97.04	35.89	13.81	30.45	180	332	P	V
	*	6625	107.93	-	-	88.68	35.89	13.81	30.45	180	332	A	V
		7398	52.06	-1.94	54	31.84	36.57	14.62	30.97	180	332	A	V
													V
													V
													V
802.11be EHT80 Full CH 151 6705MHz	*	6705	119.94	-	-	100.6	35.94	13.89	30.49	177	22	P	H
	*	6705	109.89	-	-	90.55	35.94	13.89	30.49	177	22	A	H
		7741	52.23	-1.77	54	31.82	36.58	14.98	31.15	177	22	A	H
													H
													H
													H
	*	6705	118.56	-	-	99.22	35.94	13.89	30.49	186	333	P	V
	*	6705	108.7	-	-	89.36	35.94	13.89	30.49	186	333	A	V
		7734	52.15	-1.85	54	31.75	36.56	14.98	31.14	186	333	A	V
													V
													V
													V



802.11be EHT80 Full CH 167 6785MHz	*	6785	118.51	-	-	99.22	35.94	13.92	30.57	176	18	P	H
	*	6785	107.92	-	-	88.63	35.94	13.92	30.57	176	18	P	H
		7713	50.85	-3.15	54	30.53	36.49	14.97	31.14	176	18	A	H
		7196.64	61.36	-26.84	88.2	40.99	36.84	14.39	30.86	176	18	P	H
		7125	51.59	-16.61	68.2	31.49	36.57	14.32	30.79	176	18	A	H
													H
	*	6785	118.61	-	-	99.32	35.94	13.92	30.57	175	330	P	V
	*	6785	107.6	-	-	88.31	35.94	13.92	30.57	175	330	P	V
		7363	50.91	-3.09	54	30.65	36.63	14.58	30.95	175	330	A	V
		7172.07	60.55	-27.65	88.2	40.26	36.76	14.36	30.83	175	330	P	V
		7125.66	50.09	-18.11	68.2	29.98	36.58	14.32	30.79	175	330	A	V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 7 - 6525~6875MHz
WIFI 802.11be EHT80 Full (Harmonic @ 3m)

[illegible]



WIFI Ant. 2+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 151 6705MHz		13410	49.03	-39.17	88.2	55.52	40.45	20.2	67.14	-	-	P	H
		20115	36.6	-37.4	74	37.17	37.95	15.27	53.79	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13410	50.74	-37.46	88.2	57.23	40.45	20.2	67.14	-	-	P	V
		20115	36.56	-37.44	74	37.47	37.61	15.27	53.79	-	-	P	V
													V
													V
													V
													V
													V
													V
													V

[illegible]



Band 7 - 6525~6875MHz

WIFI 802.11be EHT160 Full (Band Edge @ 3m)

WIFI Ant. 2+4	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 143 6665MHz	*	6665	116.58	-	-	97.24	35.96	13.85	30.47	186	8	P	H
	*	6665	104.64	-	-	85.3	35.96	13.85	30.47	186	8	P	H
		7734	50.8	-3.2	54	30.4	36.56	14.98	31.14	186	8	A	H
		7154.52	60.88	-27.32	88.2	40.64	36.71	14.34	30.81	186	8	P	H
		7133.07	50.57	-17.63	68.2	30.44	36.61	14.32	30.8	186	8	A	H
													H
	*	6665	114.41	-	-	95.07	35.96	13.85	30.47	177	332	P	V
	*	6665	103.72	-	-	84.38	35.96	13.85	30.47	177	332	P	V
		7727	50.81	-3.19	54	30.45	36.53	14.97	31.14	177	332	A	V
		7170.9	60.35	-27.85	88.2	40.06	36.76	14.36	30.83	177	332	P	V
		7158.03	50.05	-18.15	68.2	29.8	36.72	14.35	30.82	177	332	A	V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 7 - 6525~6875MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

[illegible]

Emission below 1GHz

WIFI 802.11be EHT80 Full (LF @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
2+4		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT80 Full LF		30.47	22.8	-17.2	40	29.7	24.56	0.99	32.45	-	-	P	H
		131.05	33.78	-9.72	43.5	46.6	17.64	1.97	32.43	-	-	P	H
		374.98	30.04	-15.96	46	38.28	20.93	3.35	32.52	-	-	P	H
		622.246	28.7	-17.3	46	31.09	25.91	4.33	32.63	-	-	P	H
		850.201	35.51	-10.49	46	33.22	28.98	5.29	31.98	-	-	P	H
		952.906	34.74	-11.26	46	29.83	30.68	5.47	31.24	-	-	P	H
													H
													H
													H
													H
													H
													H
		30.47	28.29	-11.71	40	35.19	24.56	0.99	32.45	-	-	P	V
		168.18	33.96	-9.54	43.5	48.37	15.8	2.23	32.44	-	-	P	V
		249.96	30.3	-15.7	46	41.79	18.19	2.75	32.43	-	-	P	V
		622.747	30.25	-15.75	46	32.61	25.94	4.33	32.63	-	-	P	V
		850.201	34.88	-11.12	46	32.59	28.98	5.29	31.98	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found.												
	2. All results are PASS against limit line.												
	3. The emission position marked as “-” means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only.												



Note symbol

*	Fundamental Frequency which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency.
!	Test result is Margin line.
P/A	P eak or A verage
H/V	H orizontal or V ertical



A calculation example for radiated spurious emission is shown as below:

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
2+4		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a		5925	55.45	-32.75	88.2	54.51	32.22	4.58	35.86	103	308	P	H
CH 01													
5955MHz		5925	43.54	-24.66	68.2	42.6	32.22	4.58	35.86	103	308	A	H

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
3. Margin(dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 5925MHz:

1. Level(dBμV/m)
 = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
 = 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)
 = 55.45 (dBμV/m)
2. Margin(dB)
 = Level(dBμV/m) – Limit Line(dBμV/m)
 = 55.45(dBμV/m) – 74(dBμV/m)
 = -32.75(dB)

For Average Limit @ 5925MHz:

1. Level(dBμV/m)
 = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
 = 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)
 = 43.54 (dBμV/m)
2. Margin(dB) = Level(dBμV/m) – Limit Line(dBμV/m)
 = 43.54(dBμV/m) – 54(dBμV/m)
 = -24.66(dB)

Both peak and average measured complies with the limit line, so test result is “PASS”.



Appendix D. Radiated Spurious Emission Plots





Test Engineer :	Bill Chang, Fred Tseng and Jesse Fan	Temperature :	20.1~23.6°C
		Relative Humidity :	39.6~53.2%

Note symbol

-L	Low channel location
-R	High channel location







Band 5 - 5925~6425MHz
WIFI 802.11a (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11a CH01 5955MHz	
2+4	Horizontal	Fundamental
Peak	 Site : 03CH02-CA Condition : PEAK_BE(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL Date: 12-04-2024	 Site : 03CH02-CA Condition : PEAK(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL Date: 12-04-2024
Avg.	 Site : 03CH02-CA Condition : AVG_BE(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL Date: 12-04-2024	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL Date: 12-04-2024



WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11a CH01 5955MHz	
2+4	Vertical	Fundamental
Peak	Site : 03CH02-CA Condition : PEAK_BE(UNIT1)_6E 3m HORN_02140_240129 VERTICAL :	Site : 03CH02-CA Condition : PEAK(UNIT1)_6E 3m HORN_02140_240129 VERTICAL :
Avg.	Site : 03CH02-CA Condition : AVG_BE(UNIT1)_6E 3m HORN_02140_240129 VERTICAL :	Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL :







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11a CH49 6195MHz	
2+4	Horizontal	Vertical
Peak	 Site : 03CH02-CA Condition : PEAK(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto	 Site : 03CH02-CA Condition : PEAK(UNIT1)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto
	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto



WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11a CH93 6415MHz	
2+4	Horizontal	Vertical
Peak	Site : 03CH02-CA Condition : PEAK(UNIT1)_SE 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto	Site : 03CH02-CA Condition : PEAK(UNIT1)_SE 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto
	Site : 03CH02-CA Condition : AVG(UNIT1)_SE 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto	Site : 03CH02-CA Condition : AVG(UNIT1)_SE 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto
Avg.		

Band 5 5925~6425MHz
WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH01 5955MHz	
2+4	Horizontal	Fundamental
Peak	 Site : 03CH02-CA Condition : PEAK_BE(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL Date: 12-04-2024	 Site : 03CH02-CA Condition : PEAK(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL Date: 12-04-2024
Avg.	 Site : 03CH02-CA Condition : AVG_BE(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL Date: 12-04-2024	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL Date: 12-04-2024



WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH01 5955MHz	
2+4	Vertical	Fundamental
Peak	Site : 03CH02-CA Condition : PEAK_BE(UNIT1)_6E 3m HORN_02140_240129 VERTICAL :	Site : 03CH02-CA Condition : PEAK(UNIT1)_6E 3m HORN_02140_240129 VERTICAL :
	Site : 03CH02-CA Condition : AVG_BE(UNIT1)_6E 3m HORN_02140_240129 VERTICAL :	Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL :






WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH49 6195MHz	
2+4	Horizontal	Vertical
Peak	Horizontal Peak Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a sharp peak at approximately 6195 MHz, reaching a level of about 130 dBV/m. The background noise floor is around 40 dBV/m. The plot is labeled 'PEAK(UNI)_6E'. Site : 03CH02-CA Condition : PEAK(UNI)_6E 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto	Vertical Peak Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a sharp peak at approximately 6195 MHz, reaching a level of about 130 dBV/m. The background noise floor is around 40 dBV/m. The plot is labeled 'PEAK(UNI)_6E'. Site : 03CH02-CA Condition : PEAK(UNI)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto
	Horizontal Avg. Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a sharp peak at approximately 6195 MHz, reaching a level of about 130 dBV/m. The background noise floor is around 40 dBV/m. The plot is labeled 'AVG(UNI)_6E'. Site : 03CH02-CA Condition : AVG(UNI)_6E 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto	Vertical Avg. Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a sharp peak at approximately 6195 MHz, reaching a level of about 130 dBV/m. The background noise floor is around 40 dBV/m. The plot is labeled 'AVG(UNI)_6E'. Site : 03CH02-CA Condition : AVG(UNI)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto
Avg.		







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH93 6415MHz	
2+4	Horizontal	Vertical
Peak	Horizontal Peak Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a blue line for the spectrum and a red line for the peak level. A sharp peak is visible at approximately 6415 MHz, reaching a level of about 130 dBV/m. The background noise floor is around 40-50 dBV/m. The plot is dated 12-04-2024. Site : 03CH02-CA Condition : PEAK(UNIT1)_SE 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto	Vertical Peak Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a blue line for the spectrum and a red line for the peak level. A sharp peak is visible at approximately 6415 MHz, reaching a level of about 130 dBV/m. The background noise floor is around 40-50 dBV/m. The plot is dated 12-04-2024. Site : 03CH02-CA Condition : PEAK(UNIT1)_SE 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto
	Horizontal Avg. Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a blue line for the average spectrum and a red line for the average level. A sharp peak is visible at approximately 6415 MHz, reaching a level of about 130 dBV/m. The background noise floor is around 40-50 dBV/m. The plot is dated 12-04-2024. Site : 03CH02-CA Condition : AVG(UNIT1)_SE 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto	Vertical Avg. Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a blue line for the average spectrum and a red line for the average level. A sharp peak is visible at approximately 6415 MHz, reaching a level of about 130 dBV/m. The background noise floor is around 40-50 dBV/m. The plot is dated 12-04-2024. Site : 03CH02-CA Condition : AVG(UNIT1)_SE 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto
Avg.		



Band 5 5925~6425MHz
WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT40 Full CH03 5965MHz	
2+4	Horizontal	Fundamental
Peak	 Site : 03CH02-CA Condition : PEAK_BE(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto	 Site : 03CH02-CA Condition : PEAK(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto
Avg.	 Site : 03CH02-CA Condition : AVG_BE(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto



WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT40 Full CH03 5965MHz	
2+4	Vertical	Fundamental
Peak	 Site : 03CH02-CA Condition : PEAK_BE(UNIT1)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto	 Site : 03CH02-CA Condition : PEAK(UNIT1)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto
	 Site : 03CH02-CA Condition : AVG_BE(UNIT1)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT40 Full CH51 6205MHz	
2+4	Horizontal	Vertical
Peak	Horizontal Peak Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a series of peaks across the frequency range, with a prominent peak at approximately 6205 MHz. The Y-axis ranges from 10.0 to 140.0 dBV/m, and the X-axis ranges from 1000 to 8000 MHz. The plot is dated 12-04-2024. Site : 03CH02-CA Condition : PEAK(UNIT1)_SE 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto	Vertical Peak Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a series of peaks across the frequency range, with a prominent peak at approximately 6205 MHz. The Y-axis ranges from 10.0 to 140.0 dBV/m, and the X-axis ranges from 1000 to 8000 MHz. The plot is dated 12-04-2024. Site : 03CH02-CA Condition : PEAK(UNIT1)_SE 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto
	Horizontal Avg. Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a series of peaks across the frequency range, with a prominent peak at approximately 6205 MHz. The Y-axis ranges from 10.0 to 140.0 dBV/m, and the X-axis ranges from 1000 to 8000 MHz. The plot is dated 12-04-2024. Site : 03CH02-CA Condition : AVG(UNIT1)_SE 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto	Vertical Avg. Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a series of peaks across the frequency range, with a prominent peak at approximately 6205 MHz. The Y-axis ranges from 10.0 to 140.0 dBV/m, and the X-axis ranges from 1000 to 8000 MHz. The plot is dated 12-04-2024. Site : 03CH02-CA Condition : AVG(UNIT1)_SE 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto
Avg.		



WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT40 Full CH91 6405MHz	
2+4	Horizontal	Vertical
Peak	Horizontal Peak Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a blue line representing the spectrum and a red line representing the peak level. A sharp peak is visible at approximately 6405 MHz, reaching a level of about 120 dBV/m. The background noise floor is around 40 dBV/m. The plot includes a date stamp 'Date: 12-04-2024' and a label 'PEAK(UNI)_6E'. Site : 03CH02-CA Condition : PEAK(UNI)_6E 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto	Vertical Peak Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a blue line representing the spectrum and a red line representing the peak level. A sharp peak is visible at approximately 6405 MHz, reaching a level of about 120 dBV/m. The background noise floor is around 40 dBV/m. The plot includes a date stamp 'Date: 12-04-2024' and a label 'PEAK(UNI)_6E'. Site : 03CH02-CA Condition : PEAK(UNI)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto
	Horizontal Avg Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a blue line representing the average spectrum and a red line representing the average level. A sharp peak is visible at approximately 6405 MHz, reaching a level of about 120 dBV/m. The background noise floor is around 40 dBV/m. The plot includes a date stamp 'Date: 12-04-2024' and a label 'AVG(UNI)_6E'. Site : 03CH02-CA Condition : AVG(UNI)_6E 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto	Vertical Avg Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a blue line representing the average spectrum and a red line representing the average level. A sharp peak is visible at approximately 6405 MHz, reaching a level of about 120 dBV/m. The background noise floor is around 40 dBV/m. The plot includes a date stamp 'Date: 12-04-2024' and a label 'AVG(UNI)_6E'. Site : 03CH02-CA Condition : AVG(UNI)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto
Avg		

Band 5 5925~6425MHz
WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT80 Full CH07 5985MHz	
2+4	Horizontal	Fundamental
Peak	 Site : 03CH02-CA Condition : PEAK_BE(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto	 Site : 03CH02-CA Condition : PEAK(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto
Avg.	 Site : 03CH02-CA Condition : AVG_BE(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto



WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT80 Full CH07 5985MHz	
2+4	Vertical	Fundamental
Peak	Site : 03CH02-CA Condition : PEAK_BE(UNIT1)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto	Site : 03CH02-CA Condition : PEAK(UNIT1)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto
Avg.	Site : 03CH02-CA Condition : AVG_BE(UNIT1)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto	Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT80 Full CH55 6225MHz	
2+4	Horizontal	Vertical
Peak	Horizontal Peak Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a sharp peak at approximately 6225 MHz, reaching a level of about 120 dBV/m. The background noise floor is around 40 dBV/m. The plot is labeled 'PEAK(UNI)_6E'. Site : 03CH02-CA Condition : PEAK(UNI)_6E 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto	Vertical Peak Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a sharp peak at approximately 6225 MHz, reaching a level of about 120 dBV/m. The background noise floor is around 40 dBV/m. The plot is labeled 'PEAK(UNI)_6E'. Site : 03CH02-CA Condition : PEAK(UNI)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto
	Horizontal Avg. Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a sharp peak at approximately 6225 MHz, reaching a level of about 120 dBV/m. The background noise floor is around 40 dBV/m. The plot is labeled 'AVG(UNI)_6E'. Site : 03CH02-CA Condition : AVG(UNI)_6E 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:0.300kHz SMT:Auto	Vertical Avg. Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a sharp peak at approximately 6225 MHz, reaching a level of about 120 dBV/m. The background noise floor is around 40 dBV/m. The plot is labeled 'AVG(UNI)_6E'. Site : 03CH02-CA Condition : AVG(UNI)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:0.300kHz SMT:Auto
Avg.		







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT80 Full CH87 6385MHz	
2+4	Horizontal	Vertical
Peak	Horizontal Peak Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a blue line representing the spectrum and a red line representing the peak level. A significant peak is visible around 6385 MHz, labeled 'PEAK(UNI)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBV/m. Site : 03CH02-CA Condition : PEAK(UNI)_6E 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto	Vertical Peak Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a blue line representing the spectrum and a red line representing the peak level. A significant peak is visible around 6385 MHz, labeled 'PEAK(UNI)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBV/m. Site : 03CH02-CA Condition : PEAK(UNI)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto
	Horizontal Avg. Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a blue line representing the average spectrum and a red line representing the average level. A significant peak is visible around 6385 MHz, labeled 'AVG(UNI)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBV/m. Site : 03CH02-CA Condition : AVG(UNI)_6E 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:0.300kHz SMT:Auto	Vertical Avg. Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a blue line representing the average spectrum and a red line representing the average level. A significant peak is visible around 6385 MHz, labeled 'AVG(UNI)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBV/m. Site : 03CH02-CA Condition : AVG(UNI)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:0.300kHz SMT:Auto

Band 5 5925~6425MHz
WIFI 802.11be EHT160 Full (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT160 Full CH15 6025MHz	
2+4	Horizontal	Fundamental
Peak	 Site : 03CH02-CA Condition : PEAK_BE(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto	 Site : 03CH02-CA Condition : PEAK(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto
	 Site : 03CH02-CA Condition : AVG_BE(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto



WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT160 Full CH15 6025MHz	
2+4	Vertical	Fundamental
Peak	 Site : 03CH02-CA Condition : PEAK_BE(UNIT1)_6E 3m HORN_02140_240129 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto	 Site : 03CH02-CA Condition : PEAK(UNIT1)_6E 3m HORN_02140_240129 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto
Avg.	 Site : 03CH02-CA Condition : AVG_BE(UNIT1)_6E 3m HORN_02140_240129 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT160 Full CH47 6185MHz	
2+4	Horizontal	Vertical
Peak	Horizontal Peak Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a blue line representing the spectrum and a red line representing the peak level. A significant peak is visible around 6185 MHz, labeled 'PEAK(UNIT)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBV/m. Site : 03CH02-CA Condition : PEAK(UNIT)_6E 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto	Vertical Peak Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a blue line representing the spectrum and a red line representing the peak level. A significant peak is visible around 6185 MHz, labeled 'PEAK(UNIT)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBV/m. Site : 03CH02-CA Condition : PEAK(UNIT)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto
	Horizontal Avg. Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a blue line representing the average spectrum and a red line representing the average level. A significant peak is visible around 6185 MHz, labeled 'AVG(UNIT)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBV/m. Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto	Vertical Avg. Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a blue line representing the average spectrum and a red line representing the average level. A significant peak is visible around 6185 MHz, labeled 'AVG(UNIT)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBV/m. Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT160 Full CH79 6345MHz	
2+4	Horizontal	Vertical
Peak	Horizontal Peak Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a blue line representing the spectrum and a red line representing the peak level. A significant peak is visible around 6345 MHz, reaching approximately 110 dBV/m. The background noise floor is around 40 dBV/m. The plot includes a red label 'PEAK(UNI)_6E' and a date 'Date: 12-05-2024'. Below the plot, the site and condition are listed: Site: 03CH02-CA, Condition: PEAK(UNI)_6E 3m HORN_02140_240129 HORIZONTAL, RBW:1000.000kHz, VBW:3000.000kHz, SMT:Auto.	Vertical Peak Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a blue line representing the spectrum and a red line representing the peak level. A significant peak is visible around 6345 MHz, reaching approximately 110 dBV/m. The background noise floor is around 40 dBV/m. The plot includes a red label 'PEAK(UNI)_6E' and a date 'Date: 12-05-2024'. Below the plot, the site and condition are listed: Site: 03CH02-CA, Condition: PEAK(UNI)_6E 3m HORN_02140_240129 VERTICAL, RBW:1000.000kHz, VBW:3000.000kHz, SMT:Auto.
	Horizontal Avg. Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a blue line representing the average spectrum and a red line representing the average level. A significant peak is visible around 6345 MHz, reaching approximately 110 dBV/m. The background noise floor is around 40 dBV/m. The plot includes a red label 'AVG(UNI)_6E' and a date 'Date: 12-05-2024'. Below the plot, the site and condition are listed: Site: 03CH02-CA, Condition: AVG(UNI)_6E 3m HORN_02140_240129 HORIZONTAL, RBW:1000.000kHz, VBW:0.010kHz, SMT:Auto.	Vertical Avg. Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a blue line representing the average spectrum and a red line representing the average level. A significant peak is visible around 6345 MHz, reaching approximately 110 dBV/m. The background noise floor is around 40 dBV/m. The plot includes a red label 'AVG(UNI)_6E' and a date 'Date: 12-05-2024'. Below the plot, the site and condition are listed: Site: 03CH02-CA, Condition: AVG(UNI)_6E 3m HORN_02140_240129 VERTICAL, RBW:1000.000kHz, VBW:0.010kHz, SMT:Auto.
Avg.		

Band 5 5925~6425MHz
WIFI 802.11be EHT320 Full (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT320 Full CH31 6105MHz	
2+4	Horizontal	Fundamental
Peak	 Site : 03CH02-CA Condition : PEAK_BE(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto	 Site : 03CH02-CA Condition : PEAK(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto
Avg.	 Site : 03CH02-CA Condition : AVG_BE(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto



WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT320 Full CH31 6105MHz	
2+4	Vertical	Fundamental
Peak	 Site : 03CH02-CA Condition : PEAK_BE(UNIT1)_6E 3m HORN_02140_240129 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SMT:Auto	 Site : 03CH02-CA Condition : PEAK(UNIT1)_6E 3m HORN_02140_240129 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SMT:Auto
	 Site : 03CH02-CA Condition : AVG_BE(UNIT1)_6E 3m HORN_02140_240129 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SMT:Auto	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL : RBW:1000.000KHz VBW:0.300KHz SMT:Auto
Avg.		







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11be EHT320 Full CH63 6265MHz	
2+4	Horizontal	Vertical
Peak	Site : 03CH02-CA Condition : PEAK(UN11)_6E 3m HORN_02140_240129 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto	Site : 03CH02-CA Condition : PEAK(UN11)_6E 3m HORN_02140_240129 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto
	Site : 03CH02-CA Condition : AVG(UN11)_6E 3m HORN_02140_240129 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto	Site : 03CH02-CA Condition : AVG(UN11)_6E 3m HORN_02140_240129 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto





Band 5 - 5925~6425MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH01 5955MHz	
2+4	Horizontal	Vertical
Peak Avg.	Site : 03CH02-CA Condition : PEAK(UNIT)_6E 1m SHF_HORN_841_240807 HORIZONTAL	Site : 03CH02-CA Condition : PEAK(UNIT)_6E 1m SHF_HORN_841_240807 VERTICAL







WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH01 5955MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL :
	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_841_240807 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_841_240807 VERTICAL :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH49 6195MHz	
2+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH02-CA Condition : PEAK(UNIT)_GE 1m SHF_HORN_841_248807 HORIZONTAL :	 Site : 03CH02-CA Condition : PEAK(UNIT)_GE 1m SHF_HORN_841_248807 VERTICAL :







	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH49 6195MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL :
	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_841_240807 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_841_240807 VERTICAL :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH93 6415MHz	
2+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH02-CA Condition : PEAK(UNIT)_GE 1m SHF_HORN_841_240007 HORIZONTAL :	 Site : 03CH02-CA Condition : PEAK(UNIT)_GE 1m SHF_HORN_841_240007 VERTICAL :







WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH93 6415MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL :
	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_841_240807 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_841_240807 VERTICAL :





Band 5 5925~6425MHz
WIFI 802.11be EHT20 Full (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH01 5955MHz	
2+4	Horizontal	Vertical
Peak Avg.	 Site : 83CH82-CA Condition : PEAK(UNIT)_6E 1m SHF_HORN_841_248887 HORIZONTAL :	 Site : 83CH82-CA Condition : PEAK(UNIT)_6E 1m SHF_HORN_841_248887 VERTICAL :



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH01 5955MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL :
38.6G ~40G Avg	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_841_240807 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_841_240807 VERTICAL :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH49 6195MHz	
2+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH02-CA Condition : PEAK(UNIT)_GE 1m SHF_HORN_841_240007 HORIZONTAL :	 Site : 03CH02-CA Condition : PEAK(UNIT)_GE 1m SHF_HORN_841_240007 VERTICAL :







WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH49 6195MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 HORIZONTAL :	Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 VERTICAL :
	Site : 03CH02-CA Condition : AVG(UNIT)_6E 1m SHF_HORN_041_240807 HORIZONTAL :	Site : 03CH02-CA Condition : AVG(UNIT)_6E 1m SHF_HORN_041_240807 VERTICAL :



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH93 6415MHz	
2+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH02-CA Condition : PEAK(UNIT)_GE 1m SHF_HORN_841_240007 HORIZONTAL :	 Site : 03CH02-CA Condition : PEAK(UNIT)_GE 1m SHF_HORN_841_240007 VERTICAL :







WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH93 6415MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL :
	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_041_240807 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_041_240807 VERTICAL :





Band 5 5925~6425MHz
WIFI 802.11be EHT40 Full (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH03 5965MHz	
2+4	Horizontal	Vertical
Peak Avg.		







WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH03 5965MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL :
38.6G ~40G Avg	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_041_240807 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_041_240807 VERTICAL :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH51 6205MHz	
2+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH02-CA Condition : PEAK(UNIT)_6E 1m SHF_HORN_841_240007 HORIZONTAL :	 Site : 03CH02-CA Condition : PEAK(UNIT)_6E 1m SHF_HORN_841_240007 VERTICAL :







WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH51 6205MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 VERTICAL :
	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 1m SHF_HORN_041_240807 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 1m SHF_HORN_041_240807 VERTICAL :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH91 6405MHz	
2+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH02-CA Condition : PEAK(UNIT)_6E 1m SHF_HORN_841_240007 HORIZONTAL :	 Site : 03CH02-CA Condition : PEAK(UNIT)_6E 1m SHF_HORN_841_240007 VERTICAL :







WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH91 6405MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 VERTICAL :
38.6G ~40G Avg	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 1m SHF_HORN_041_240807 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 1m SHF_HORN_041_240807 VERTICAL :





Band 5 5925~6425MHz
WIFI 802.11be EHT80 Full (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH07 5985MHz	
2+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH02-CA Condition : PEAK(UNIT)_6E 1m SHF_HORN_841_240807 HORIZONTAL :	 Site : 03CH02-CA Condition : PEAK(UNIT)_6E 1m SHF_HORN_841_240807 VERTICAL :







WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH07 5985MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 VERTICAL :
38.6G ~40G Avg	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 1m SHF_HORN_041_240807 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 1m SHF_HORN_041_240807 VERTICAL :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH55 6225MHz	
2+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH02-CA Condition : PEAK(UNIT)_GE 1m SHF_HORN_841_240007 HORIZONTAL :	 Site : 03CH02-CA Condition : PEAK(UNIT)_GE 1m SHF_HORN_841_240007 VERTICAL :







WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH55 6225MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL :
	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_041_240807 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_041_240807 VERTICAL :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH87 6385MHz	
2+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH02-CA Condition : PEAK(UNIT)_GE 1m SHF_HORN_841_240007 HORIZONTAL :	 Site : 03CH02-CA Condition : PEAK(UNIT)_GE 1m SHF_HORN_841_240007 VERTICAL :







WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH87 6385MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL :
38.6G ~40G Avg	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_041_240807 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_041_240807 VERTICAL :



Band 5 5925~6425MHz
WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH15 6025MHz	
2+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH82-CA Condition : PEAK(UNIT)_6E 1m SHF_HORN_841_248887 HORIZONTAL	 Site : 03CH82-CA Condition : PEAK(UNIT)_6E 1m SHF_HORN_841_248887 VERTICAL







WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH15 6025MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 VERTICAL :
	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 1m SHF_HORN_041_240807 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 1m SHF_HORN_041_240807 VERTICAL :
38.6G ~40G Avg		





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH47 6185MHz	
2+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH02-CA Condition : PEAK(UNIT)_GE 1m SHF_HORN_841_240007 HORIZONTAL	 Site : 03CH02-CA Condition : PEAK(UNIT)_GE 1m SHF_HORN_841_240007 VERTICAL







WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH47 6185MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL :
38.6G ~40G Avg	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_041_240807 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_041_240807 VERTICAL :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH79 6345MHz	
2+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH02-CA Condition : PEAK(AVG)_6E 1m SHF_HORN_841_240007 HORIZONTAL :	 Site : 03CH02-CA Condition : PEAK(AVG)_6E 1m SHF_HORN_841_240007 VERTICAL :







WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH79 6345MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 VERTICAL :
38.6G ~40G Avg	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 1m SHF_HORN_041_240807 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 1m SHF_HORN_041_240807 VERTICAL :



Band 5 5925~6425MHz
WIFI 802.11be EHT320 Full (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT320 Full CH31 6105MHz	
2+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH02-CA Condition : PEAK(UNIT)_6E 1m SHF_HORN_841_240807 HORIZONTAL	 Site : 03CH02-CA Condition : PEAK(UNIT)_6E 1m SHF_HORN_841_240807 VERTICAL







WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT320 Full CH31 6105MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 VERTICAL :
	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 1m SHF_HORN_041_240807 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 1m SHF_HORN_041_240807 VERTICAL :







WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT320 Full CH63 6265MHz	
2+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH02-CA Condition : PEAK(UNIT)_6E 1m SHF_HORNL_841_248887 HORIZONTAL :	 Site : 03CH02-CA Condition : PEAK(UNIT)_6E 1m SHF_HORNL_841_248887 VERTICAL :







WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11be EHT320 Full CH63 6265MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 VERTICAL :
38.6G ~40G Avg	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 1m SHF_HORN_041_240807 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 1m SHF_HORN_041_240807 VERTICAL :

Band 7 - 6525~6875MHz
WIFI 802.11a (Band Edge @ 3m)

WIFI	Band 7 6525~6875MHz Band Edge @ 3m	
ANT	802.11a CH117 6535MHz	
2+4	Horizontal	Vertical
Peak	 Site : 03CH02-CA Condition : PEAK(UN11)_6E 3m HORN_02140_240129 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SMT:Auto	 Site : 03CH02-CA Condition : PEAK(UN11)_6E 3m HORN_02140_240129 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SMT:Auto
Avg	 Site : 03CH02-CA Condition : AVG(UN11)_6E 3m HORN_02140_240129 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SMT:Auto	 Site : 03CH02-CA Condition : AVG(UN11)_6E 3m HORN_02140_240129 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SMT:Auto







WIFI	Band 7 6525~6875MHz Band Edge @ 3m	
ANT	802.11a CH149 6695MHz	
2+4	Horizontal	Vertical
Peak	 Site : 03CH02-CA Condition : PEAK(UNIT1)_SE 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto	 Site : 03CH02-CA Condition : PEAK(UNIT1)_SE 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto
	 Site : 03CH02-CA Condition : AVG(UNIT1)_SE 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto	 Site : 03CH02-CA Condition : AVG(UNIT1)_SE 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto
Avg.		



WIFI	Band 7 6525~6875MHz Band Edge @ 3m	
ANT	802.11a CH181 6855MHz	
2+4	Horizontal	Vertical
Peak	Horizontal Peak Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a red line for the peak level and a blue line for the average level. A significant peak is visible at approximately 6855 MHz, labeled 'PEAK(UNI)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBV/m. Site : 03CH02-CA Condition : PEAK(UNI)_6E 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto	Vertical Peak Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a red line for the peak level and a blue line for the average level. A significant peak is visible at approximately 6855 MHz, labeled 'PEAK(UNI)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBV/m. Site : 03CH02-CA Condition : PEAK(UNI)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto
	Horizontal Average Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a red line for the average level and a blue line for the peak level. A significant peak is visible at approximately 6855 MHz, labeled 'AVG(UNI)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBV/m. Site : 03CH02-CA Condition : AVG(UNI)_6E 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto	Vertical Average Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a red line for the average level and a blue line for the peak level. A significant peak is visible at approximately 6855 MHz, labeled 'AVG(UNI)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBV/m. Site : 03CH02-CA Condition : AVG(UNI)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto

Band 7 6525~6875MHz
WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI	Band 7 6525~6875MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH117 6535MHz	
2+4	Horizontal	Vertical
Peak	 Site : 03CH02-CA Condition : PEAK(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto	 Site : 03CH02-CA Condition : PEAK(UNIT1)_6E 3m HORN_02140_240129 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto
	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto
Avg		







WIFI	Band 7 6525~6875MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH149 6695MHz	
2+4	Horizontal	Vertical
Peak	Horizontal Peak Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a red line for the peak level and a blue line for the noise floor. A significant peak is visible at approximately 6695 MHz, labeled 'PEAK(UNIT)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBV/m. Site : 03CH02-CA Condition : PEAK(UNIT)_6E 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto	Vertical Peak Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a red line for the peak level and a blue line for the noise floor. A significant peak is visible at approximately 6695 MHz, labeled 'PEAK(UNIT)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBV/m. Site : 03CH02-CA Condition : PEAK(UNIT)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto
	Horizontal Avg Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a red line for the average level and a blue line for the noise floor. A significant peak is visible at approximately 6695 MHz, labeled 'AVG(UNIT)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBV/m. Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto	Vertical Avg Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a red line for the average level and a blue line for the noise floor. A significant peak is visible at approximately 6695 MHz, labeled 'AVG(UNIT)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBV/m. Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto







WIFI	Band 7 6525~6875MHz Band Edge @ 3m	
ANT	802.11be EHT20 Full CH181 6855MHz	
2+4	Horizontal	Vertical
Peak	Horizontal Peak Spectrum Plot showing Level (dBμV/m) vs Frequency (MHz). The plot displays a red line for the peak signal and a blue line for the noise floor. A significant peak is visible at approximately 6855 MHz, labeled 'PEAK(UN1)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBμV/m. Site : 03CH02-CA Condition : PEAK(UN1)_6E 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto	Vertical Peak Spectrum Plot showing Level (dBμV/m) vs Frequency (MHz). The plot displays a red line for the peak signal and a blue line for the noise floor. A significant peak is visible at approximately 6855 MHz, labeled 'PEAK(UN1)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBμV/m. Site : 03CH02-CA Condition : PEAK(UN1)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto
	Horizontal Avg Spectrum Plot showing Level (dBμV/m) vs Frequency (MHz). The plot displays a red line for the average signal and a blue line for the noise floor. A significant peak is visible at approximately 6855 MHz, labeled 'AVG(UN1)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBμV/m. Site : 03CH02-CA Condition : AVG(UN1)_6E 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto	Vertical Avg Spectrum Plot showing Level (dBμV/m) vs Frequency (MHz). The plot displays a red line for the average signal and a blue line for the noise floor. A significant peak is visible at approximately 6855 MHz, labeled 'AVG(UN1)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBμV/m. Site : 03CH02-CA Condition : AVG(UN1)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto
Avg		

Band 7 6525~6875MHz
WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI	Band 7 6525~6875MHz Band Edge @ 3m	
ANT	802.11be EHT40 Full CH123 6565MHz	
2+4	Horizontal	Vertical
Peak	 Site : 03CH02-CA Condition : PEAK(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SMT:Auto	 Site : 03CH02-CA Condition : PEAK(UNIT1)_6E 3m HORN_02140_240129 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SMT:Auto
	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SMT:Auto	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SMT:Auto
Avg		







WIFI	Band 7 6525~6875MHz Band Edge @ 3m	
ANT	802.11be EHT40 Full CH147 6685MHz	
2+4	Horizontal	Vertical
Peak	 Site : 03CH02-CA Condition : PEAK(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto	 Site : 03CH02-CA Condition : PEAK(UNIT1)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto
	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto
Avg		



WIFI	Band 7 6525~6875MHz Band Edge @ 3m	
ANT	802.11be EHT40 Full CH179 6845MHz	
2+4	Horizontal	Vertical
Peak	Horizontal Peak Spectrum Plot showing Level (dBμV/m) vs Frequency (MHz). The plot displays a red line for the peak level and a blue line for the noise floor. A significant peak is visible at approximately 6845 MHz, labeled 'PEAK(UNII)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBμV/m. Site : 03CH02-CA Condition : PEAK(UNII)_6E 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto	Vertical Peak Spectrum Plot showing Level (dBμV/m) vs Frequency (MHz). The plot displays a red line for the peak level and a blue line for the noise floor. A significant peak is visible at approximately 6845 MHz, labeled 'PEAK(UNII)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBμV/m. Site : 03CH02-CA Condition : PEAK(UNII)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto
	Horizontal Avg Spectrum Plot showing Level (dBμV/m) vs Frequency (MHz). The plot displays a red line for the average level and a blue line for the noise floor. A significant peak is visible at approximately 6845 MHz, labeled 'AVG(UNII)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBμV/m. Site : 03CH02-CA Condition : AVG(UNII)_6E 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto	Vertical Avg Spectrum Plot showing Level (dBμV/m) vs Frequency (MHz). The plot displays a red line for the average level and a blue line for the noise floor. A significant peak is visible at approximately 6845 MHz, labeled 'AVG(UNII)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBμV/m. Site : 03CH02-CA Condition : AVG(UNII)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:0.010kHz SMT:Auto



Band 7 6525~6875MHz
WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI	Band 7 6525~6875MHz Band Edge @ 3m	
ANT	802.11be EHT80 Full CH135 6625MHz	
2+4	Horizontal	Vertical
Peak	 Site : 03CH02-CA Condition : PEAK(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto	 Site : 03CH02-CA Condition : PEAK(UNIT1)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto
	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:0.300kHz SMT:Auto	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:0.300kHz SMT:Auto
Avg		







WIFI	Band 7 6525~6875MHz Band Edge @ 3m	
ANT	802.11be EHT80 Full CH151 6705MHz	
2+4	Horizontal	Vertical
Peak	Horizontal Peak Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a red line for the peak level and a blue line for the noise floor. A significant peak is visible at approximately 6705 MHz, labeled 'PEAK(UNIT)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBV/m. Site : 03CH02-CA Condition : PEAK(UNIT)_6E 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto	Vertical Peak Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a red line for the peak level and a blue line for the noise floor. A significant peak is visible at approximately 6705 MHz, labeled 'PEAK(UNIT)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBV/m. Site : 03CH02-CA Condition : PEAK(UNIT)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto
	Horizontal Avg Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a red line for the average level and a blue line for the noise floor. A significant peak is visible at approximately 6705 MHz, labeled 'AVG(UNIT)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBV/m. Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:0.300kHz SMT:Auto	Vertical Avg Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a red line for the average level and a blue line for the noise floor. A significant peak is visible at approximately 6705 MHz, labeled 'AVG(UNIT)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBV/m. Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:0.300kHz SMT:Auto
Avg		



WIFI	Band 7 6525~6875MHz Band Edge @ 3m	
ANT	802.11be EHT80 Full CH167 6785MHz	
2+4	Horizontal	Vertical
Peak	Horizontal Peak Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a red line for the peak level and a blue line for the noise floor. A significant peak is visible at approximately 6785 MHz, labeled 'PEAK(UNII)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBV/m. Site : 03CH02-CA Condition : PEAK(UNII)_6E 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto	Vertical Peak Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a red line for the peak level and a blue line for the noise floor. A significant peak is visible at approximately 6785 MHz, labeled 'PEAK(UNII)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBV/m. Site : 03CH02-CA Condition : PEAK(UNII)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto
	Horizontal Avg Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a red line for the average level and a blue line for the noise floor. A significant peak is visible at approximately 6785 MHz, labeled 'AVG(UNII)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBV/m. Site : 03CH02-CA Condition : AVG(UNII)_6E 3m HORN_02140_240129 HORIZONTAL RBW:1000.000kHz VBW:0.300kHz SMT:Auto	Vertical Avg Spectrum Plot showing Level (dBV/m) vs Frequency (MHz). The plot displays a red line for the average level and a blue line for the noise floor. A significant peak is visible at approximately 6785 MHz, labeled 'AVG(UNII)_6E'. The x-axis ranges from 1000 to 8000 MHz, and the y-axis ranges from 10.0 to 140.0 dBV/m. Site : 03CH02-CA Condition : AVG(UNII)_6E 3m HORN_02140_240129 VERTICAL RBW:1000.000kHz VBW:0.300kHz SMT:Auto



Band 7 6525~6875MHz
WIFI 802.11be EHT160 Full (Band Edge @ 3m)





WIFI	Band 7 6525~6875MHz Band Edge @ 3m	
ANT	802.11be EHT160 Full CH143 6665MHz	
2+4	Horizontal	Vertical
Peak	 Site : 03CH02-CA Condition : PEAK(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SMT:Auto	 Site : 03CH02-CA Condition : PEAK(UNIT1)_6E 3m HORN_02140_240129 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SMT:Auto
Avg	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SMT:Auto	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SMT:Auto





Band 7 - 6525~6875MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11a CH117 6535MHz	
2+4	Horizontal	Vertical
Peak Avg.	Level (dBV/m) Date: 12-06-2024 Frequency (MHz) Site : 03CH02-CA Condition : PEAK(UNIT)_GE 3m HORN_02140_240129 HORIZONTAL	Level (dBV/m) Date: 12-06-2024 Frequency (MHz) Site : 03CH02-CA Condition : PEAK(UNIT)_GE 3m HORN_02140_240129 VERTICAL







WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11a CH117 6535MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL :
	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_041_240807 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_041_240807 VERTICAL :





WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11a CH149 6695MHz	
2+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH02-CA Condition : PEAK(UNIT)_GE 3m HORN_02140_240129 HORIZONTAL	 Site : 03CH02-CA Condition : PEAK(UNIT)_GE 3m HORN_02140_240129 VERTICAL







WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11a CH149 6695MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL :
38.6G ~40G Avg	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_041_240807 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_041_240807 VERTICAL :





WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11a CH181 6855MHz	
2+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH02-CA Condition : PEAK(UNIT)_GE 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : PEAK(UNIT)_GE 3m HORN_02140_240129 VERTICAL :







WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11a CH181 6855MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL :
	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_041_240807 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_041_240807 VERTICAL :





Band 7 6525~6875MHz
WIFI 802.11be EHT20 Full (Harmonic @ 3m)

WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH117 6535MHz	
2+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH02-CA Condition : PEAK(UNIT)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : PEAK(UNIT)_6E 3m HORN_02140_240129 VERTICAL :







WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH117 6535MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL :
38.6G ~40G Avg	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_041_240807 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_041_240807 VERTICAL :





WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH149 6695MHz	
2+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH02-CA Condition : PEAK(UNIT)_GE 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : PEAK(UNIT)_GE 3m HORN_02140_240129 VERTICAL :







WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH149 6695MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 VERTICAL :
	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 1m SHF_HORN_041_240807 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 1m SHF_HORN_041_240807 VERTICAL :





WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH181 6855MHz	
2+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH02-CA Condition : PEAK(UNIT)_GE 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : PEAK(UNIT)_GE 3m HORN_02140_240129 VERTICAL :







WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT20 Full CH181 6855MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 VERTICAL :
	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 1m SHF_HORN_041_240807 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT)_6E 1m SHF_HORN_041_240807 VERTICAL :





Band 7 6525~6875MHz
WIFI 802.11be EHT40 Full (Harmonic @ 3m)

WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH123 6565MHz	
2+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH02-CA Condition : PEAK(UNIT)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : PEAK(UNIT)_6E 3m HORN_02140_240129 VERTICAL :



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH123 6565MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL :
38.6G ~40G Avg	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_041_240807 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_041_240807 VERTICAL :





WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH147 6685MHz	
2+4	Horizontal	Vertical
Peak Avg.		







WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH147 6685MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	Level (dBμV/m) Date: 12-10-2024 Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 HORIZONTAL :	Level (dBμV/m) Date: 12-10-2024 Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 VERTICAL :
	Level (dBμV/m) Date: 12-12-2024 Site : 03CH02-CA Condition : AVG(UNIT)_6E 1m SHF_HORN_041_240807 HORIZONTAL :	Level (dBμV/m) Date: 12-12-2024 Site : 03CH02-CA Condition : AVG(UNIT)_6E 1m SHF_HORN_041_240807 VERTICAL :





WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH179 6845MHz	
2+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH02-CA Condition : PEAK(UNIT)_GE 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : PEAK(UNIT)_GE 3m HORN_02140_240129 VERTICAL :



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT40 Full CH179 6845MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL :
38.6G ~40G Avg	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_041_240807 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_041_240807 VERTICAL :



Band 7 6525~6875MHz
WIFI 802.11be EHT80 Full (Harmonic @ 3m)

WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH135 6625MHz	
2+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH82-CA Condition : PEAK(UNIT)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH82-CA Condition : PEAK(UNIT)_6E 3m HORN_02140_240129 VERTICAL :







WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH135 6625MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	Level (dBμV/m) Date: 12-10-2024 Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 HORIZONTAL :	Level (dBμV/m) Date: 12-10-2024 Site : 03CH02-CA Condition : AVG(UNIT)_6E 3m HORN_02140_240129 VERTICAL :
	Level (dBμV/m) Date: 12-12-2024 Site : 03CH02-CA Condition : AVG(UNIT)_6E 1m SHF_HORN_041_240807 HORIZONTAL :	Level (dBμV/m) Date: 12-12-2024 Site : 03CH02-CA Condition : AVG(UNIT)_6E 1m SHF_HORN_041_240807 VERTICAL :





WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH151 6705MHz	
2+4	Horizontal	Vertical
Peak Avg.	Level (dBV/m) Date: 12-10-2024 Site : 03CH02-CA Condition : PEAK(UNIT)_GE 3m HORN_02140_240129 HORIZONTAL	Level (dBV/m) Date: 12-10-2024 Site : 03CH02-CA Condition : PEAK(UNIT)_GE 3m HORN_02140_240129 VERTICAL







WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH151 6705MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL :
	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_041_240807 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_041_240807 VERTICAL :





WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH167 6785MHz	
2+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH02-CA Condition : PEAK(UNIT)_GE 3m HORN_02140_240129 HORIZONTAL	 Site : 03CH02-CA Condition : PEAK(UNIT)_GE 3m HORN_02140_240129 VERTICAL







WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT80 Full CH167 6785MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL :
	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_041_240807 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_041_240807 VERTICAL :



Band 7 6525~6875MHz
WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH143 6665MHz	
2+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH82-CA Condition : PEAK(UNIT)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH82-CA Condition : PEAK(UNIT)_6E 3m HORN_02140_240129 VERTICAL :



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11be EHT160 Full CH143 6665MHz	
2+4	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 3m HORN_02140_240129 VERTICAL :
38.6G ~40G Avg	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_041_240807 HORIZONTAL :	 Site : 03CH02-CA Condition : AVG(UNIT1)_6E 1m SHF_HORN_041_240807 VERTICAL :



Emission below 1GHz
6GHz WIFI 802.11be EHT80 Full (LF)


WIFI	6GHz WIFI	
ANT	802.11be EHT80 Full LF	
2+4	Horizontal	Vertical
QP / Peak	Level (dBV/m) Date: 12-20-2024 Frequency (MHz) Site : 03CH02-CA Condition : QP 3m BILOG_50392_240813_L HORIZONTAL	Level (dBV/m) Date: 12-20-2024 Frequency (MHz) Site : 03CH02-CA Condition : QP 3m BILOG_50392_240813_L VERTICAL



Appendix E. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
2+4	802.11a	99.25	-	-	10Hz
2+4	6GHz 802.11be EHT20 Full RU	98.20	-	-	10Hz
2+4	6GHz 802.11be EHT40 Full RU	98.02	-	-	10Hz
2+4	6GHz 802.11be EHT80 Full RU	97.85	5460	0.18	300Hz
2+4	6GHz 802.11be EHT160 Full RU	98.77	-	-	10Hz
2+4	6GHz 802.11be EHT320 Full RU	98.38	-	-	10Hz

MIMO <Ant. 2+4>







6GHz 802.11be EHT40



6GHz 802.11be EHT80



6GHz 802.11be EHT160



6GHz 802.11be EHT320

