



<20MHz / 5500MHz>

(Detection = Y, No Detection = N)						
Trial Number	Type 1	Type 2	Type 3	Type 4	Type 5	Type 6
1	Y	Y	Y	Y	Y	Y
2	Y	Y	Y	Y	Y	Y
3	Y	Y	Y	Y	Y	Y
4	Y	Y	Y	Y	Y	Y
5	Y	Y	Y	Y	Y	Y
6	Y	Y	Y	Y	Y	Y
7	Y	Y	Y	Y	Y	Y
8	Y	Y	Y	Y	Y	Y
9	Y	Y	Y	Y	Y	Y
10	Y	Y	Y	Y	Y	Y
11	Y	Y	Y	Y	Y	Y
12	Y	Y	Y	Y	Y	Y
13	Y	Y	Y	Y	Y	Y
14	Y	Y	Y	Y	Y	Y
15	Y	Y	Y	Y	Y	Y
16	Y	Y	Y	Y	Y	Y
17	Y	Y	Y	Y	Y	Y
18	Y	Y	Y	Y	Y	Y
19	Y	Y	Y	Y	Y	Y
20	Y	Y	Y	Y	Y	Y
21	Y	Y	Y	Y	Y	Y
22	Y	Y	Y	Y	Y	Y
23	Y	Y	Y	Y	Y	Y
24	Y	Y	Y	Y	Y	Y
25	Y	Y	Y	Y	Y	Y
26	Y	Y	Y	Y	Y	Y
27	Y	Y	Y	Y	Y	Y
28	Y	Y	Y	Y	Y	Y
29	Y	Y	Y	Y	Y	Y
30	Y	Y	Y	Y	Y	Y
Trial of Detection	30/30	30/30	30/30	30/30	30/30	30/30
Probability (%)	100%	100%	100%	100%	100%	100%
Limit (%)	>= 60%	>= 60%	>= 60%	>= 60%	>= 80%	>= 70%
Average Probability of Radar Type 1~4 (%)			100% (>=80%)			



<40MHz / 5510MHz>

(Detection = Y, No Detection = N)						
Trial Number	Type 1	Type 2	Type 3	Type 4	Type 5	Type 6
1	Y	Y	Y	Y	Y	Y
2	Y	Y	Y	Y	Y	Y
3	Y	Y	Y	Y	Y	Y
4	Y	Y	Y	Y	Y	Y
5	Y	Y	Y	Y	Y	Y
6	Y	Y	Y	Y	Y	Y
7	Y	Y	Y	Y	Y	Y
8	Y	Y	Y	Y	Y	Y
9	Y	Y	Y	Y	Y	Y
10	Y	Y	Y	Y	Y	Y
11	Y	Y	Y	Y	Y	Y
12	Y	Y	Y	Y	Y	Y
13	Y	Y	Y	Y	Y	Y
14	Y	Y	Y	Y	Y	Y
15	Y	Y	Y	Y	Y	Y
16	Y	Y	Y	Y	Y	Y
17	Y	Y	Y	Y	Y	Y
18	Y	Y	Y	Y	Y	Y
19	Y	Y	Y	Y	Y	Y
20	Y	Y	Y	Y	Y	Y
21	Y	Y	Y	Y	Y	Y
22	Y	Y	Y	Y	Y	Y
23	Y	Y	Y	Y	Y	Y
24	Y	Y	Y	Y	Y	Y
25	Y	Y	Y	Y	Y	Y
26	Y	Y	Y	Y	Y	Y
27	Y	Y	Y	Y	Y	Y
28	Y	Y	Y	Y	Y	Y
29	Y	Y	Y	Y	Y	Y
30	Y	Y	Y	Y	Y	Y
Trial of Detection	30/30	30/30	30/30	30/30	30/30	30/30
Probability (%)	100%	100%	100%	100%	100%	100%
Limit (%)	>= 60%	>= 60%	>= 60%	>= 60%	>= 80%	>= 70%
Average Probability of Radar Type 1~4 (%)			100% (>=80%)			



<80MHz / 5530MHz>

(Detection = Y, No Detection = N)						
Trial Number	Type 1	Type 2	Type 3	Type 4	Type 5	Type 6
1	Y	Y	Y	Y	Y	Y
2	Y	Y	Y	Y	Y	Y
3	Y	Y	Y	Y	Y	Y
4	Y	Y	Y	Y	Y	Y
5	Y	Y	Y	Y	Y	Y
6	Y	Y	Y	Y	Y	Y
7	Y	Y	Y	Y	Y	Y
8	Y	Y	Y	Y	Y	Y
9	Y	Y	Y	Y	Y	Y
10	Y	Y	Y	Y	Y	Y
11	Y	Y	Y	Y	Y	Y
12	Y	Y	Y	Y	Y	Y
13	Y	Y	Y	Y	Y	Y
14	Y	Y	Y	Y	Y	Y
15	Y	Y	Y	Y	Y	Y
16	Y	Y	Y	Y	Y	Y
17	Y	Y	Y	Y	Y	Y
18	Y	Y	Y	Y	Y	Y
19	Y	Y	Y	Y	Y	Y
20	Y	Y	Y	Y	Y	Y
21	Y	Y	Y	Y	Y	Y
22	Y	Y	Y	Y	Y	Y
23	Y	Y	Y	Y	Y	Y
24	Y	Y	Y	Y	Y	Y
25	Y	Y	Y	Y	Y	Y
26	Y	Y	Y	Y	Y	Y
27	Y	Y	Y	Y	Y	Y
28	Y	Y	Y	Y	Y	Y
29	Y	Y	Y	Y	Y	Y
30	Y	Y	Y	Y	Y	Y
Trial of Detection	30/30	30/30	30/30	30/30	30/30	30/30
Probability (%)	100%	100%	100%	100%	100%	100%
Limit (%)	>= 60%	>= 60%	>= 60%	>= 60%	>= 80%	>= 70%
Average Probability of Radar Type 1~4 (%)			100% (>=80%)			



<160MHz / 5570MHz>

(Detection = Y, No Detection = N)						
Trial Number	Type 1	Type 2	Type 3	Type 4	Type 5	Type 6
1	Y	Y	Y	Y	Y	Y
2	Y	Y	Y	Y	Y	Y
3	Y	Y	Y	Y	Y	Y
4	Y	Y	Y	Y	Y	Y
5	Y	Y	Y	Y	Y	Y
6	Y	Y	Y	Y	Y	Y
7	Y	Y	Y	Y	Y	Y
8	Y	Y	Y	Y	Y	Y
9	Y	Y	Y	Y	Y	Y
10	Y	Y	Y	Y	Y	Y
11	Y	Y	Y	Y	Y	Y
12	Y	Y	Y	Y	Y	Y
13	Y	Y	Y	Y	Y	Y
14	Y	Y	Y	Y	Y	Y
15	Y	Y	Y	Y	Y	Y
16	Y	Y	Y	Y	Y	Y
17	Y	Y	Y	Y	Y	Y
18	Y	Y	Y	Y	Y	Y
19	Y	Y	Y	Y	Y	Y
20	Y	Y	Y	Y	Y	Y
21	Y	Y	Y	Y	Y	Y
22	Y	Y	Y	Y	Y	Y
23	Y	Y	Y	Y	Y	Y
24	Y	Y	Y	Y	Y	Y
25	Y	Y	Y	Y	Y	Y
26	Y	Y	Y	Y	Y	Y
27	Y	Y	Y	Y	Y	Y
28	Y	Y	Y	Y	Y	Y
29	Y	Y	Y	Y	Y	Y
30	Y	Y	Y	Y	Y	Y
Trial of Detection	30/30	30/30	30/30	30/30	30/30	30/30
Probability (%)	100%	100%	100%	100%	100%	100%
Limit (%)	>= 60%	>= 60%	>= 60%	>= 60%	>= 80%	>= 70%
Average Probability of Radar Type 1~4 (%)			100% (>=80%)			

**2x2 Ant. Mode:**

<160MHz / 5250MHz> (Radar injected on 5290MHz)

(Detection = Y, No Detection = N)						
Trial Number	Type 1	Type 2	Type 3	Type 4	Type 5	Type 6
1	Y	Y	Y	Y	Y	Y
2	Y	Y	Y	Y	Y	Y
3	Y	Y	Y	Y	Y	Y
4	Y	Y	Y	Y	Y	Y
5	Y	Y	Y	Y	Y	Y
6	Y	Y	Y	Y	Y	Y
7	Y	Y	Y	Y	Y	Y
8	Y	Y	Y	Y	Y	Y
9	Y	Y	Y	Y	Y	Y
10	Y	Y	Y	Y	Y	Y
11	Y	Y	Y	Y	Y	Y
12	Y	Y	Y	Y	Y	Y
13	Y	Y	Y	Y	Y	Y
14	Y	Y	Y	Y	Y	Y
15	Y	Y	Y	Y	Y	Y
16	Y	Y	Y	Y	Y	Y
17	Y	Y	Y	Y	Y	Y
18	Y	Y	Y	Y	Y	Y
19	Y	Y	Y	Y	Y	Y
20	Y	Y	Y	Y	Y	Y
21	Y	Y	Y	Y	Y	Y
22	Y	Y	Y	Y	Y	Y
23	Y	Y	Y	Y	Y	Y
24	Y	Y	Y	Y	Y	Y
25	Y	Y	Y	Y	Y	Y
26	Y	Y	Y	Y	Y	Y
27	Y	N	Y	Y	Y	Y
28	Y	Y	Y	Y	Y	Y
29	Y	Y	Y	Y	Y	Y
30	Y	Y	Y	Y	Y	Y
Trial of Detection	30/30	29/30	30/30	30/30	30/30	30/30
Probability (%)	100%	96.67%	100%	100%	100%	100%
Limit (%)	>= 60%	>= 60%	>= 60%	>= 60%	>= 80%	>= 70%
Average Probability of Radar Type 1~4 (%)			99.17% (>=80%)			

<160MHz / 5570MHz>

(Detection = Y, No Detection = N)						
Trial Number	Type 1	Type 2	Type 3	Type 4	Type 5	Type 6
1	Y	Y	Y	Y	Y	Y
2	Y	Y	Y	N	Y	Y
3	Y	Y	Y	Y	Y	Y
4	Y	Y	Y	Y	Y	Y
5	Y	Y	Y	Y	Y	Y
6	Y	Y	Y	Y	Y	Y
7	Y	Y	Y	Y	Y	Y
8	Y	Y	Y	Y	Y	Y
9	Y	Y	Y	Y	Y	Y
10	Y	Y	Y	Y	Y	Y
11	Y	Y	Y	Y	Y	Y
12	Y	Y	Y	Y	Y	Y
13	Y	Y	Y	Y	Y	Y
14	Y	Y	Y	Y	Y	Y
15	Y	Y	Y	Y	Y	Y
16	Y	Y	Y	Y	Y	Y
17	Y	Y	Y	Y	Y	Y
18	Y	Y	Y	Y	Y	Y
19	Y	Y	Y	Y	Y	Y
20	Y	Y	Y	Y	Y	Y
21	Y	Y	Y	Y	Y	Y
22	Y	Y	Y	Y	Y	Y
23	Y	Y	Y	Y	Y	Y
24	Y	Y	Y	Y	Y	Y
25	Y	Y	Y	Y	Y	Y
26	Y	Y	Y	Y	Y	Y
27	Y	Y	Y	Y	Y	Y
28	Y	Y	Y	Y	Y	Y
29	Y	Y	Y	Y	Y	Y
30	Y	Y	Y	Y	Y	Y
Trial of Detection	30/30	30/30	30/30	29/30	30/30	30/30
Probability (%)	100%	100%	100%	96.67%	100%	100%
Limit (%)	>= 60%	>= 60%	>= 60%	>= 60%	>= 80%	>= 70%
Average Probability of Radar Type 1~4 (%)			99.17% (>=80%)			



4 List of Measuring Equipment

Instrument	Brand Name	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
RF Vector Generator	Keysight	N5182B	MY57300963	9KHz~6GHz	Mar. 26, 2024	Oct. 14, 2024~ Oct. 16, 2024	Mar. 25, 2025	DFS (DFS01-CA)
Frequency Extender for EXG or MXG	Keysight	N5182BX07	MY59360230	9kHz~7.2GHz	Mar. 26, 2024	Oct. 14, 2024~ Oct. 16, 2024	Mar. 25, 2025	DFS (DFS01-CA)
EXA Signal Analyzer	Keysight	N9010A	MY56070412	10Hz~7GHz	Nov. 30, 2023	Oct. 14, 2024~ Oct. 16, 2024	Nov. 29, 2024	DFS (DFS01-CA)
Manual Step Attenuator	Keysight	8496B	MY42151805	N/A	Feb. 22, 2024	Oct. 14, 2024~ Oct. 16, 2024	Feb. 21, 2025	DFS (DFS01-CA)
Manual Step Attenuator	Keysight	8494B	MY42158324	N/A	Feb. 22, 2024	Oct. 14, 2024~ Oct. 16, 2024	Feb. 21, 2025	DFS (DFS01-CA)
4-Way Power Divider	Woken	0120A0405800 1M	DDTB6SW3A7	0.5~8GHz	Calibration from System	Oct. 14, 2024~ Oct. 16, 2024	Calibration from System	DFS (DFS01-CA)
4-Way Power Divider	Woken	0120A0405800 1M	DDTB6SW3G2	0.5~8GHz	Calibration from System	Oct. 14, 2024~ Oct. 16, 2024	Calibration from System	DFS (DFS01-CA)
Hygrometer	Testo	608-H1	45142588	Temperature & Humidity	Aug. 14, 2024	Oct. 14, 2024~ Oct. 16, 2024	Aug. 13, 2025	DFS (DFS01-CA)

DFS Radar Parameters
FCC Radar Type 1
Channel 50 Bandwidth 160MHz

Trial #	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency (Pulses Per Second)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	19	1138.95	878	Yes
2	20	1113.59	898	Yes
3	23	326.16	3066	Yes
4	17	1193.32	838	Yes
5	10	1432.66	698	Yes
6	4	1730.10	578	Yes
7	3	1792.11	558	Yes
8	12	1355.01	738	Yes
9	7	1567.40	638	Yes
10	15	1253.13	798	Yes
11	1	1930.50	518	Yes
12	14	1285.35	778	Yes
13	9	1474.93	678	Yes
14	22	1066.10	938	Yes
15	21	1089.32	918	Yes
16		384.02	2604	Yes
17		343.05	2915	Yes
18		1512.86	661	Yes
19		909.92	1099	Yes
20		414.08	2415	Yes
21		339.90	2942	Yes
22		409.17	2444	Yes
23		361.14	2769	Yes
24		1398.60	715	Yes
25		677.51	1476	Yes
26		337.15	2966	Yes
27		612.00	1634	Yes
28		1742.16	574	Yes
29		372.72	2683	Yes
30		1798.56	556	Yes

DFS Radar Parameters
FCC Radar Type 2
Channel 50 Bandwidth 160MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	26	2.90	175	Yes
2	25	2.40	180	Yes
3	26	3.20	186	Yes
4	29	5.00	158	Yes
5	23	1.00	191	Yes
6	27	3.80	227	Yes
7	24	1.90	169	Yes
8	24	1.60	168	Yes
9	25	2.70	230	Yes
10	24	1.70	200	Yes
11	25	2.30	167	Yes
12	23	1.40	166	Yes
13	27	3.90	156	Yes
14	23	1.00	222	Yes
15	28	4.00	197	Yes
16	25	2.20	215	Yes
17	23	1.40	224	Yes
18	27	3.70	218	Yes
19	23	1.50	223	Yes
20	29	4.80	190	Yes
21	26	3.20	213	Yes
22	27	3.50	152	Yes
23	25	2.40	179	Yes
24	24	2.10	192	Yes
25	23	1.30	157	Yes
26	27	3.90	165	Yes
27	28	4.00	176	No
28	29	4.90	204	Yes
29	27	3.50	225	Yes
30	28	3.90	154	Yes

DFS Radar Parameters
FCC Radar Type 3
Channel 50 Bandwidth 160MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	17	7.90	412	Yes
2	17	7.40	414	Yes
3	17	8.20	267	Yes
4	18	10.00	351	Yes
5	16	6.00	493	Yes
6	18	8.80	367	Yes
7	16	6.90	375	Yes
8	16	6.60	273	Yes
9	17	7.70	259	Yes
10	16	6.70	417	Yes
11	17	7.30	202	Yes
12	16	6.40	257	Yes
13	18	8.90	492	Yes
14	16	6.00	407	Yes
15	18	9.00	239	Yes
16	16	7.20	235	Yes
17	16	6.40	290	Yes
18	18	8.70	231	Yes
19	16	6.50	394	Yes
20	18	9.80	337	Yes
21	17	8.20	336	Yes
22	17	8.50	331	Yes
23	17	7.40	415	Yes
24	16	7.10	242	Yes
25	16	6.30	470	Yes
26	18	8.90	416	Yes
27	18	9.00	490	Yes
28	18	9.90	458	Yes
29	17	8.50	253	Yes
30	18	8.90	435	Yes

DFS Radar Parameters
FCC Radar Type 4
Channel 50 Bandwidth 160MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	14	15.20	412	Yes
2	13	14.10	414	Yes
3	14	15.90	267	Yes
4	16	20.00	351	Yes
5	12	11.10	493	Yes
6	15	17.20	367	Yes
7	13	13.10	375	Yes
8	12	12.30	273	Yes
9	14	14.80	259	Yes
10	12	12.70	417	Yes
11	13	14.00	202	Yes
12	12	12.00	257	Yes
13	15	17.40	492	Yes
14	12	11.00	407	Yes
15	15	17.80	239	Yes
16	13	13.60	235	Yes
17	12	11.90	290	Yes
18	15	17.10	231	Yes
19	12	12.10	394	Yes
20	16	19.50	337	Yes
21	14	15.90	336	Yes
22	15	16.60	331	Yes
23	13	14.30	415	Yes
24	13	13.40	242	Yes
25	12	11.70	470	Yes
26	15	17.40	416	Yes
27	15	17.60	490	Yes
28	16	19.80	458	Yes
29	15	16.70	253	Yes
30	15	17.50	435	Yes

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			1			Detection (Yes/No)
Number of Bursts in Trial:			14			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	73.3	12	1924	-	604303
2	2	67.2	12	1623	-	811536
3	2	77.1	12	1185	-	165096
4	3	99.5	12	1489	1641	371416
5	1	50.6	12	-	-	580420
6	3	84.6	12	1253	1846	785165
7	1	61.7	12	-	-	139715
8	1	57.5	12	-	-	347006
9	2	71.3	12	1380	-	553976
10	1	59.3	12	-	-	762173
11	2	66.8	12	1571	-	113852
12	1	55.5	12	-	-	321451
13	3	85.4	12	1475	1398	527300
14	1	50.4	12	-	-	736380
15						
16						
17						
18						
19						
20						

Trial Number:			2			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	87.7	10	1256	1849	102961
2	1	64.7	10	-	-	345624
3	1	55.3	10	-	-	587900
4	3	83.8	10	1670	1244	827416
5	1	56.3	10	-	-	73530
6	3	97.1	10	1608	1069	314860
7	2	77.4	10	1821	-	556858
8	2	81	10	1544	-	799008
9	2	68.1	10	1738	-	43606
10	1	63.4	10	-	-	285942
11	1	53.8	10	-	-	528237
12	3	85.7	10	1813	1698	767733
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			3			Detection (Yes/No)
Number of Bursts in Trial:			15			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	86.8	13	1726	1685	11018
2	3	98.6	13	1020	1651	204087
3	2	81.4	13	1702	-	397605
4	3	85.8	13	1225	1432	590163
5	2	76.7	13	1895	-	783917
6	2	77.4	13	1435	-	180490
7	1	52.5	13	-	-	374764
8	2	70.5	13	1602	-	566997
9	3	85.5	13	1576	1898	758647
10	3	85.4	13	1389	1274	156484
11	3	98.9	13	1426	1739	349235
12	2	71	13	1590	-	543246
13	3	99.7	13	1135	1560	735346
14	3	85.5	13	1407	1669	132711
15	3	97.5	13	1903	1595	325432
16						
17						
18						
19						
20						

Trial Number:			4			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	71.5	20	1928	-	388568
2	1	63.8	20	-	-	535530
3	1	51	20	-	-	81987
4	2	76.2	20	1582	-	226298
5	3	88.2	20	1904	1714	369825
6	1	66.1	20	-	-	517348
7	2	67.1	20	1478	-	63908
8	1	60.4	20	-	-	209189
9	1	62	20	-	-	354409
10	1	60.8	20	-	-	499833
11	3	86.5	20	1415	1296	45997
12	2	77.6	20	1983	-	190646
13	1	53.3	20	-	-	336221
14	1	61.4	20	-	-	481938
15	3	92.3	20	1003	1357	28174
16	3	99.1	20	1750	1356	172657
17	1	63.6	20	-	-	318859
18	3	95.6	20	1937	1007	461197
19	1	64.9	20	-	-	10409
20	3	97.8	20	1467	1947	154567

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			5			Detection (Yes/No)
Number of Bursts in Trial:			8			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	63.2	5	-	-	752755
2	2	76.2	5	1436	-	1115094
3	3	85.5	5	1365	1130	1477689
4	2	82.7	5	1438	-	344356
5	3	89.5	5	1245	1373	707009
6	1	53	5	-	-	1071711
7	1	64.9	5	-	-	1435161
8	1	64.9	5	-	-	299875
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			6			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	52.3	16	-	-	331551
2	1	65.9	16	-	-	512757
3	3	84.3	16	1154	1358	691974
4	3	84.1	16	1766	1543	126861
5	2	70.8	16	1474	-	308277
6	3	99.6	16	1950	1369	488613
7	1	55.9	16	-	-	672493
8	2	67.2	16	1302	-	104902
9	2	67	16	1981	-	285781
10	3	87.3	16	1875	1642	465967
11	1	65.7	16	-	-	649336
12	2	69.6	16	1364	-	82583
13	2	69.7	16	1764	-	263612
14	3	88.1	16	1719	1843	443617
15	2	69.3	16	1402	-	626596
16	2	75	16	1876	-	60222
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			7			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	90.2	8	1587	1989	350913
2	3	99.8	8	1297	1471	614926
3	3	99.2	8	1218	1922	877618
4	1	59.1	8	-	-	55330
5	3	93.2	8	1372	1838	318643
6	3	86.4	8	1996	1142	581856
7	3	85.2	8	1611	1159	846231
8	2	75.5	8	1536	-	22779
9	3	84.7	8	1945	1755	286037
10	3	87.7	8	1823	1829	549315
11	3	84.2	8	1134	1345	813428
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			8			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	95.3	7	1288	1908	1316809
2	2	78.3	7	1452	-	310714
3	2	68.4	7	1784	-	633353
4	3	86.8	7	1972	1046	954804
5	3	85.2	7	1731	1817	1276482
6	1	51.1	7	-	-	271361
7	1	52.1	7	-	-	594491
8	1	58.1	7	-	-	917332
9	3	96.2	7	1506	1634	1237536
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			9			Detection (Yes/No)
Number of Bursts in Trial:			13			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	76.5	11	1681	-	159923
2	1	52.3	11	-	-	383627
3	1	56.7	11	-	-	607112
4	1	53.7	11	-	-	830875
5	1	55.4	11	-	-	132610
6	2	75.1	11	1650	-	355616
7	2	82	11	1198	-	579044
8	2	76.4	11	1084	-	801836
9	2	79.9	11	1237	-	104956
10	3	95.4	11	1929	1473	327519
11	2	78.1	11	1442	-	551067
12	2	75.2	11	1810	-	774551
13	1	56.8	11	-	-	77625
14						
15						
16						
17						
18						
19						
20						

Trial Number:			10			Detection (Yes/No)
Number of Bursts in Trial:			10			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	60.5	7	-	-	391525
2	3	92.5	7	1399	1630	680592
3	3	89.7	7	1183	1040	970982
4	1	53.8	7	-	-	65132
5	1	55.7	7	-	-	355668
6	2	71.7	7	1319	-	645796
7	1	65.9	7	-	-	937057
8	2	80.7	7	1455	-	29284
9	1	58.8	7	-	-	319946
10	3	99.5	7	1460	1275	609436
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			11			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5254			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83.1	10	1045	-	750269
2	1	65.4	10	-	-	993190
3	1	60.6	10	-	-	236771
4	3	89	10	1226	1499	477816
5	3	98.7	10	1674	1562	719094
6	1	50.4	10	-	-	963027
7	2	80.6	10	1749	-	206586
8	2	68.4	10	1769	-	448451
9	2	67.5	10	1022	-	690250
10	2	80	10	1818	-	931437
11	2	73.1	10	1352	-	176860
12	3	98.5	10	1558	1289	418167
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			12			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5252			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	87.9	6	1668	1678	880051
2	3	93.1	6	1468	1883	1202325
3	3	95.5	6	1978	1049	196045
4	1	53.6	6	-	-	519354
5	2	68.1	6	1724	-	841339
6	1	54.3	6	-	-	1165856
7	1	58.8	6	-	-	156656
8	3	95.6	6	1392	1325	478592
9	3	89.4	6	1050	1549	801263
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			13			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5256			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	59.6	16	-	-	595311
2	1	59	16	-	-	61850
3	3	88.4	16	1090	1107	232086
4	2	67.7	16	1361	-	402951
5	2	75.9	16	1598	-	573309
6	3	97.2	16	1203	1804	40593
7	2	81.3	16	1464	-	211287
8	3	95.5	16	1801	1160	381089
9	2	80.5	16	1696	-	551807
10	3	92.2	16	1066	1326	19660
11	1	65.4	16	-	-	190496
12	2	67.7	16	1429	-	360475
13	1	52.9	16	-	-	532241
14	2	73.6	16	1870	-	701220
15	3	88.4	16	1979	1397	168776
16	3	94.9	16	1529	1935	338881
17	3	86.2	16	1588	1772	508991
18						
19						
20						

Trial Number:			14			Detection (Yes/No)
Number of Bursts in Trial:			8			
Chirp Center Frequency:			5252			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83.3	5	1103	-	1450341
2	2	75.9	5	1532	-	315565
3	3	99.4	5	1974	1292	677938
4	2	76.9	5	1760	-	1041626
5	1	60.6	5	-	-	1406463
6	3	95.2	5	1816	1824	270452
7	3	83.8	5	1911	1278	633275
8	1	62	5	-	-	997753
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			15			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5257			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µsec)	Pulse 2-to-3 Spacing (µsec)	Starting Location Within Interval (µsec)
1	1	54.6	17	-	-	639565
2	3	96.7	17	1065	1710	106025
3	1	58.4	17	-	-	277380
4	1	52.1	17	-	-	448363
5	1	53.6	17	-	-	618899
6	1	61.6	17	-	-	85399
7	2	71.9	17	1676	-	255398
8	1	63.2	17	-	-	427030
9	1	60	17	-	-	597917
10	2	73.5	17	1428	-	64197
11	1	56.4	17	-	-	234978
12	2	72.2	17	1396	-	404904
13	2	71.2	17	1191	-	576074
14	2	72.8	17	1194	-	43189
15	1	53.3	17	-	-	214005
16	3	99.3	17	1709	1148	383203
17	2	73	17	1756	-	554519
18						
19						
20						

Trial Number:			16			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5254			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µsec)	Pulse 2-to-3 Spacing (µsec)	Starting Location Within Interval (µsec)
1	3	87	9	1479	1601	34277
2	3	87.8	9	1742	1828	297625
3	1	57.6	9	-	-	562960
4	2	80.8	9	1967	-	825621
5	3	85	9	1454	1286	1815
6	2	69.4	9	1157	-	265852
7	1	57	9	-	-	530213
8	1	58.8	9	-	-	794833
9	2	81.9	9	1164	-	1057404
10	2	71.1	9	1221	-	233149
11	2	82.9	9	1363	-	497092
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			17			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5252			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	96.3	6	1931	1096	929081
2	1	62.5	6	-	-	1254370
3	3	99	6	1342	1792	245118
4	1	63.8	6	-	-	568725
5	1	54.6	6	-	-	891456
6	1	55.6	6	-	-	1214587
7	2	71.3	6	1808	-	205663
8	1	50.5	6	-	-	528975
9	2	72.8	6	1298	-	851018
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			18			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5256			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	93.3	15	1079	1385	658486
2	2	76.8	15	1878	-	93136
3	2	80.6	15	1338	-	274515
4	3	93.6	15	1086	1379	454917
5	1	54.4	15	-	-	637750
6	3	92.9	15	1837	1832	70674
7	1	50	15	-	-	252661
8	2	82	15	1120	-	433227
9	2	72.7	15	1054	-	614676
10	1	65	15	-	-	48622
11	1	60.5	15	-	-	230210
12	2	72.6	15	1291	-	411159
13	1	50	15	-	-	592914
14	1	53.8	15	-	-	26268
15	2	73.6	15	1835	-	207217
16	1	57.4	15	-	-	389570
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			19			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5253			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	76.1	7	1880	-	1013979
2	2	81.3	7	1537	-	6926
3	2	69.7	7	1853	-	329543
4	2	77.2	7	1857	-	651855
5	1	51.3	7	-	-	976126
6	3	93.4	7	1162	1812	1296540
7	2	71.8	7	1513	-	289906
8	3	90.6	7	1902	1767	611609
9	3	89	7	1109	1718	934400
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			20			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5258			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	66.9	20	1284	-	564206
2	3	97.6	20	1351	1193	112005
3	2	74.6	20	1324	-	256993
4	3	92.7	20	1618	1362	401036
5	2	67.5	20	1770	-	546338
6	1	65.5	20	-	-	94569
7	1	51.4	20	-	-	239885
8	1	52.8	20	-	-	384750
9	2	76.4	20	1230	-	529106
10	2	79.7	20	1124	-	76550
11	1	60.2	20	-	-	221770
12	1	57.2	20	-	-	366942
13	1	64.1	20	-	-	512414
14	2	76.3	20	1014	-	58805
15	3	92.1	20	1689	1341	202941
16	2	69.3	20	1856	-	348376
17	2	75.1	20	1805	-	492682
18	3	86.1	20	1294	1105	40840
19	2	66.9	20	1807	-	185456
20	1	60.5	20	-	-	331496

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			21			Detection (Yes/No)
Number of Bursts in Trial:			15			
Chirp Center Frequency:			5325			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	60.3	13	-	-	635986
2	3	96.3	13	1781	1412	30701
3	1	58.6	13	-	-	224465
4	2	75.3	13	1192	-	417600
5	1	56.4	13	-	-	611678
6	2	78.6	13	1866	-	6966
7	2	74.4	13	1188	-	200470
8	1	51.6	13	-	-	394467
9	2	73.3	13	1317	-	586741
10	2	71.4	13	1677	-	780117
11	3	100	13	1328	1315	176273
12	1	55	13	-	-	370310
13	3	90.1	13	1039	1170	562750
14	1	54.6	13	-	-	757983
15	3	87.5	13	1394	1796	152304
16						
17						
18						
19						
20						

Trial Number:			22			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5324			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	95.4	14	1285	1825	323565
2	2	75.5	14	1887	-	504871
3	3	89.4	14	1640	1663	684664
4	1	55.1	14	-	-	120992
5	3	99.5	14	1359	1155	301709
6	1	59.1	14	-	-	483915
7	2	69.7	14	1646	-	664566
8	2	73.6	14	1980	-	98338
9	2	74.1	14	1487	-	279508
10	1	63.4	14	-	-	461579
11	1	50.1	14	-	-	643429
12	1	62	14	-	-	76281
13	1	54.9	14	-	-	257657
14	2	77.6	14	1491	-	438613
15	1	57.9	14	-	-	620563
16	2	76.3	14	1942	-	53769
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			23			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5326			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	57.2	10	-	-	314089
2	1	54.8	10	-	-	556206
3	2	80	10	1568	-	796954
4	2	78.6	10	1920	-	41999
5	2	70.7	10	1938	-	283844
6	3	89	10	1596	1037	524820
7	3	99.3	10	1524	1759	765910
8	3	86.3	10	1017	1686	12233
9	3	89	10	1031	1158	253888
10	3	91.2	10	1833	1476	494982
11	3	99.9	10	1573	1867	736549
12	2	79.5	10	1465	-	979091
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			24			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5326			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	54.9	9	-	-	245073
2	2	79.8	9	1879	-	508601
3	1	55.2	9	-	-	773740
4	2	67.2	9	1839	-	1035838
5	1	59.4	9	-	-	212579
6	3	88.8	9	1116	1712	475640
7	3	96.8	9	1811	1976	738539
8	3	93.8	9	1343	1858	1002594
9	3	85.8	9	1612	1422	179454
10	2	81	9	1672	-	443505
11	2	67.5	9	1382	-	707500
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			25			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5328			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	51.4	6	-	-	1188992
2	3	90.6	6	1607	1330	179886
3	2	72.7	6	1340	-	502817
4	3	84.5	6	1622	1737	824412
5	1	61.9	6	-	-	1149421
6	1	56.2	6	-	-	140409
7	1	66.6	6	-	-	463364
8	2	69.4	6	1076	-	785741
9	2	74	6	1666	-	1108145
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			26			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5324			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	65.4	16	-	-	53208
2	3	95.2	16	1633	1348	223201
3	3	92.7	16	1510	1787	393159
4	1	50.1	16	-	-	565604
5	1	60	16	-	-	32166
6	2	76.1	16	1184	-	202596
7	2	66.8	16	1368	-	373362
8	1	56.3	16	-	-	544834
9	2	76.2	16	1448	-	11115
10	1	53	16	-	-	182041
11	1	66.2	16	-	-	352982
12	1	58.2	16	-	-	523391
13	1	59.2	16	-	-	694563
14	3	90.3	16	1505	1520	160317
15	2	68.6	16	1567	-	331210
16	3	94.4	16	1112	1988	500538
17	1	58.2	16	-	-	673746
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			27			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5324			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83	16	1457	-	139609
2	1	52.5	16	-	-	310919
3	1	66.1	16	-	-	481757
4	2	80.9	16	1063	-	651646
5	1	64.1	16	-	-	118924
6	3	90.6	16	1195	1959	288508
7	2	76.2	16	1854	-	459416
8	3	87.4	16	1617	1282	628855
9	2	78.6	16	1240	-	97671
10	3	88	16	2000	1447	267237
11	3	98.1	16	1535	1168	437513
12	1	54.5	16	-	-	609904
13	3	87.4	16	1070	1360	76492
14	2	80	16	1958	-	246736
15	2	72.3	16	1480	-	417484
16	2	71.8	16	1235	-	588107
17	2	75.8	16	1632	-	55619
18						
19						
20						

Trial Number:			28			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5322			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	64.1	20	-	-	192579
2	1	59.8	20	-	-	337557
3	3	87.1	20	1347	1300	480410
4	1	55	20	-	-	29452
5	1	57.1	20	-	-	174741
6	3	83.4	20	1907	1001	318469
7	2	72	20	1680	-	463237
8	3	90.4	20	1423	1822	11521
9	2	67.5	20	1068	-	156452
10	2	82.7	20	1434	-	301170
11	1	64.8	20	-	-	447255
12	1	59.2	20	-	-	592368
13	3	92.2	20	1311	1923	138102
14	1	50.3	20	-	-	284099
15	1	54	20	-	-	428816
16	3	90.2	20	1930	1189	571275
17	1	53.6	20	-	-	120893
18	2	73.2	20	1780	-	265158
19	1	64	20	-	-	411039
20	1	53.2	20	-	-	556210

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			29			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5324			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µsec)	Pulse 2-to-3 Spacing (µsec)	Starting Location Within Interval (µsec)
1	3	93.2	15	1234	1083	128611
2	1	51.2	15	-	-	310657
3	1	54.6	15	-	-	492134
4	1	66.5	15	-	-	673231
5	1	62.8	15	-	-	106530
6	2	81.5	15	1906	-	287373
7	3	88.1	15	1861	1865	467565
8	2	68.7	15	1409	-	650347
9	1	51.8	15	-	-	84245
10	3	88.9	15	1762	1057	264592
11	2	73.1	15	1527	-	446309
12	3	93.9	15	1546	1547	626152
13	3	86.5	15	1243	1583	61630
14	3	83.5	15	1486	1092	242521
15	2	76.1	15	1277	-	423917
16	1	58.7	15	-	-	606617
17						
18						
19						
20						

Trial Number:			30			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5324			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µsec)	Pulse 2-to-3 Spacing (µsec)	Starting Location Within Interval (µsec)
1	1	57.2	16	-	-	37161
2	1	53.1	16	-	-	207877
3	2	75.9	16	1009	-	378148
4	2	69.2	16	1886	-	547878
5	3	94.2	16	1263	1207	16065
6	3	90.6	16	1688	1329	186228
7	3	96.6	16	1321	1600	356548
8	1	57.8	16	-	-	528879
9	1	61.4	16	-	-	699812
10	2	78.1	16	1416	-	165584
11	3	86.4	16	1206	1077	335693
12	3	87.6	16	1542	1884	505111
13	3	94	16	1873	1268	675247
14	1	64.4	16	-	-	144832
15	3	83.7	16	1143	1262	314605
16	1	56.7	16	-	-	486645
17	1	58.3	16	-	-	657603
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 1
Channel 106 Bandwidth 80MHz

Trial #	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency (Pulses Per Second)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	19	1138.95	878	Yes
2	20	1113.59	898	Yes
3	23	326.16	3066	Yes
4	17	1193.32	838	Yes
5	10	1432.66	698	Yes
6	4	1730.10	578	Yes
7	3	1792.11	558	Yes
8	12	1355.01	738	Yes
9	7	1567.40	638	Yes
10	15	1253.13	798	Yes
11	1	1930.50	518	Yes
12	14	1285.35	778	Yes
13	9	1474.93	678	Yes
14	22	1066.10	938	Yes
15	21	1089.32	918	Yes
16		384.02	2604	Yes
17		343.05	2915	Yes
18		1512.86	661	Yes
19		909.92	1099	Yes
20		414.08	2415	Yes
21		339.90	2942	Yes
22		409.17	2444	Yes
23		361.14	2769	Yes
24		1398.60	715	Yes
25		677.51	1476	Yes
26		337.15	2966	Yes
27		612.00	1634	Yes
28		1742.16	574	Yes
29		372.72	2683	Yes
30		1798.56	556	Yes

DFS Radar Parameters
FCC Radar Type 2
Channel 106 Bandwidth 80MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	26	2.90	175	Yes
2	25	2.40	180	Yes
3	26	3.20	186	Yes
4	29	5.00	158	Yes
5	23	1.00	191	Yes
6	27	3.80	227	Yes
7	24	1.90	169	Yes
8	24	1.60	168	Yes
9	25	2.70	230	Yes
10	24	1.70	200	Yes
11	25	2.30	167	Yes
12	23	1.40	166	Yes
13	27	3.90	156	Yes
14	23	1.00	222	Yes
15	28	4.00	197	Yes
16	25	2.20	215	Yes
17	23	1.40	224	Yes
18	27	3.70	218	Yes
19	23	1.50	223	Yes
20	29	4.80	190	Yes
21	26	3.20	213	Yes
22	27	3.50	152	Yes
23	25	2.40	179	Yes
24	24	2.10	192	Yes
25	23	1.30	157	Yes
26	27	3.90	165	Yes
27	28	4.00	176	Yes
28	29	4.90	204	Yes
29	27	3.50	225	Yes
30	28	3.90	154	Yes

DFS Radar Parameters
FCC Radar Type 3
Channel 106 Bandwidth 80MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	17	7.90	412	Yes
2	17	7.40	414	Yes
3	17	8.20	267	Yes
4	18	10.00	351	Yes
5	16	6.00	493	Yes
6	18	8.80	367	Yes
7	16	6.90	375	Yes
8	16	6.60	273	Yes
9	17	7.70	259	Yes
10	16	6.70	417	Yes
11	17	7.30	202	Yes
12	16	6.40	257	Yes
13	18	8.90	492	Yes
14	16	6.00	407	Yes
15	18	9.00	239	Yes
16	16	7.20	235	Yes
17	16	6.40	290	Yes
18	18	8.70	231	Yes
19	16	6.50	394	Yes
20	18	9.80	337	Yes
21	17	8.20	336	Yes
22	17	8.50	331	Yes
23	17	7.40	415	Yes
24	16	7.10	242	Yes
25	16	6.30	470	Yes
26	18	8.90	416	Yes
27	18	9.00	490	Yes
28	18	9.90	458	Yes
29	17	8.50	253	No
30	18	8.90	435	Yes

DFS Radar Parameters
FCC Radar Type 4
Channel 106 Bandwidth 80MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	14	15.20	412	Yes
2	13	14.10	414	Yes
3	14	15.90	267	Yes
4	16	20.00	351	Yes
5	12	11.10	493	Yes
6	15	17.20	367	Yes
7	13	13.10	375	Yes
8	12	12.30	273	Yes
9	14	14.80	259	Yes
10	12	12.70	417	Yes
11	13	14.00	202	Yes
12	12	12.00	257	Yes
13	15	17.40	492	Yes
14	12	11.00	407	Yes
15	15	17.80	239	Yes
16	13	13.60	235	Yes
17	12	11.90	290	Yes
18	15	17.10	231	Yes
19	12	12.10	394	Yes
20	16	19.50	337	Yes
21	14	15.90	336	Yes
22	15	16.60	331	Yes
23	13	14.30	415	Yes
24	13	13.40	242	Yes
25	12	11.70	470	Yes
26	15	17.40	416	Yes
27	15	17.60	490	Yes
28	16	19.80	458	Yes
29	15	16.70	253	Yes
30	15	17.50	435	Yes

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			1			Detection (Yes/No)
Number of Bursts in Trial:			14			
Chirp Center Frequency:			5530			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	73.3	12	1924	-	604303
2	2	67.2	12	1623	-	811536
3	2	77.1	12	1185	-	165096
4	3	99.5	12	1489	1641	371416
5	1	50.6	12	-	-	580420
6	3	84.6	12	1253	1846	785165
7	1	61.7	12	-	-	139715
8	1	57.5	12	-	-	347006
9	2	71.3	12	1380	-	553976
10	1	59.3	12	-	-	762173
11	2	66.8	12	1571	-	113852
12	1	55.5	12	-	-	321451
13	3	85.4	12	1475	1398	527300
14	1	50.4	12	-	-	736380
15						
16						
17						
18						
19						
20						

Trial Number:			2			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5530			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	87.7	10	1256	1849	102961
2	1	64.7	10	-	-	345624
3	1	55.3	10	-	-	587900
4	3	83.8	10	1670	1244	827416
5	1	56.3	10	-	-	73530
6	3	97.1	10	1608	1069	314860
7	2	77.4	10	1821	-	556858
8	2	81	10	1544	-	799008
9	2	68.1	10	1738	-	43606
10	1	63.4	10	-	-	285942
11	1	53.8	10	-	-	528237
12	3	85.7	10	1813	1698	767733
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			3			Detection (Yes/No)
Number of Bursts in Trial:			15			
Chirp Center Frequency:			5530			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	86.8	13	1726	1685	11018
2	3	98.6	13	1020	1651	204087
3	2	81.4	13	1702	-	397605
4	3	85.8	13	1225	1432	590163
5	2	76.7	13	1895	-	783917
6	2	77.4	13	1435	-	180490
7	1	52.5	13	-	-	374764
8	2	70.5	13	1602	-	566997
9	3	85.5	13	1576	1898	758647
10	3	85.4	13	1389	1274	156484
11	3	98.9	13	1426	1739	349235
12	2	71	13	1590	-	543246
13	3	99.7	13	1135	1560	735346
14	3	85.5	13	1407	1669	132711
15	3	97.5	13	1903	1595	325432
16						
17						
18						
19						
20						

Trial Number:			4			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5530			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	71.5	20	1928	-	388568
2	1	63.8	20	-	-	535530
3	1	51	20	-	-	81987
4	2	76.2	20	1582	-	226298
5	3	88.2	20	1904	1714	369825
6	1	66.1	20	-	-	517348
7	2	67.1	20	1478	-	63908
8	1	60.4	20	-	-	209189
9	1	62	20	-	-	354409
10	1	60.8	20	-	-	499833
11	3	86.5	20	1415	1296	45997
12	2	77.6	20	1983	-	190646
13	1	53.3	20	-	-	336221
14	1	61.4	20	-	-	481938
15	3	92.3	20	1003	1357	28174
16	3	99.1	20	1750	1356	172657
17	1	63.6	20	-	-	318859
18	3	95.6	20	1937	1007	461197
19	1	64.9	20	-	-	10409
20	3	97.8	20	1467	1947	154567

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			5			Detection (Yes/No)
Number of Bursts in Trial:			8			
Chirp Center Frequency:			5530			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	63.2	5	-	-	752755
2	2	76.2	5	1436	-	1115094
3	3	85.5	5	1365	1130	1477689
4	2	82.7	5	1438	-	344356
5	3	89.5	5	1245	1373	707009
6	1	53	5	-	-	1071711
7	1	64.9	5	-	-	1435161
8	1	64.9	5	-	-	299875
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			6			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5530			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	52.3	16	-	-	331551
2	1	65.9	16	-	-	512757
3	3	84.3	16	1154	1358	691974
4	3	84.1	16	1766	1543	126861
5	2	70.8	16	1474	-	308277
6	3	99.6	16	1950	1369	488613
7	1	55.9	16	-	-	672493
8	2	67.2	16	1302	-	104902
9	2	67	16	1981	-	285781
10	3	87.3	16	1875	1642	465967
11	1	65.7	16	-	-	649336
12	2	69.6	16	1364	-	82583
13	2	69.7	16	1764	-	263612
14	3	88.1	16	1719	1843	443617
15	2	69.3	16	1402	-	626596
16	2	75	16	1876	-	60222
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			7			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5530			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	90.2	8	1587	1989	350913
2	3	99.8	8	1297	1471	614926
3	3	99.2	8	1218	1922	877618
4	1	59.1	8	-	-	55330
5	3	93.2	8	1372	1838	318643
6	3	86.4	8	1996	1142	581856
7	3	85.2	8	1611	1159	846231
8	2	75.5	8	1536	-	22779
9	3	84.7	8	1945	1755	286037
10	3	87.7	8	1823	1829	549315
11	3	84.2	8	1134	1345	813428
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			8			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5530			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	95.3	7	1288	1908	1316809
2	2	78.3	7	1452	-	310714
3	2	68.4	7	1784	-	633353
4	3	86.8	7	1972	1046	954804
5	3	85.2	7	1731	1817	1276482
6	1	51.1	7	-	-	271361
7	1	52.1	7	-	-	594491
8	1	58.1	7	-	-	917332
9	3	96.2	7	1506	1634	1237536
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			9			Detection (Yes/No)
Number of Bursts in Trial:			13			
Chirp Center Frequency:			5530			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	76.5	11	1681	-	159923
2	1	52.3	11	-	-	383627
3	1	56.7	11	-	-	607112
4	1	53.7	11	-	-	830875
5	1	55.4	11	-	-	132610
6	2	75.1	11	1650	-	355616
7	2	82	11	1198	-	579044
8	2	76.4	11	1084	-	801836
9	2	79.9	11	1237	-	104956
10	3	95.4	11	1929	1473	327519
11	2	78.1	11	1442	-	551067
12	2	75.2	11	1810	-	774551
13	1	56.8	11	-	-	77625
14						
15						
16						
17						
18						
19						
20						

Trial Number:			10			Detection (Yes/No)
Number of Bursts in Trial:			10			
Chirp Center Frequency:			5530			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	60.5	7	-	-	391525
2	3	92.5	7	1399	1630	680592
3	3	89.7	7	1183	1040	970982
4	1	53.8	7	-	-	65132
5	1	55.7	7	-	-	355668
6	2	71.7	7	1319	-	645796
7	1	65.9	7	-	-	937057
8	2	80.7	7	1455	-	29284
9	1	58.8	7	-	-	319946
10	3	99.5	7	1460	1275	609436
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			11			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5496			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83.1	10	1045	-	750269
2	1	65.4	10	-	-	993190
3	1	60.6	10	-	-	236771
4	3	89	10	1226	1499	477816
5	3	98.7	10	1674	1562	719094
6	1	50.4	10	-	-	963027
7	2	80.6	10	1749	-	206586
8	2	68.4	10	1769	-	448451
9	2	67.5	10	1022	-	690250
10	2	80	10	1818	-	931437
11	2	73.1	10	1352	-	176860
12	3	98.5	10	1558	1289	418167
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			12			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5494			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	87.9	6	1668	1678	880051
2	3	93.1	6	1468	1883	1202325
3	3	95.5	6	1978	1049	196045
4	1	53.6	6	-	-	519354
5	2	68.1	6	1724	-	841339
6	1	54.3	6	-	-	1165856
7	1	58.8	6	-	-	156656
8	3	95.6	6	1392	1325	478592
9	3	89.4	6	1050	1549	801263
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			13			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5498			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	59.6	16	-	-	595311
2	1	59	16	-	-	61850
3	3	88.4	16	1090	1107	232086
4	2	67.7	16	1361	-	402951
5	2	75.9	16	1598	-	573309
6	3	97.2	16	1203	1804	40593
7	2	81.3	16	1464	-	211287
8	3	95.5	16	1801	1160	381089
9	2	80.5	16	1696	-	551807
10	3	92.2	16	1066	1326	19660
11	1	65.4	16	-	-	190496
12	2	67.7	16	1429	-	360475
13	1	52.9	16	-	-	532241
14	2	73.6	16	1870	-	701220
15	3	88.4	16	1979	1397	168776
16	3	94.9	16	1529	1935	338881
17	3	86.2	16	1588	1772	508991
18						
19						
20						

Trial Number:			14			Detection (Yes/No)
Number of Bursts in Trial:			8			
Chirp Center Frequency:			5494			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83.3	5	1103	-	1450341
2	2	75.9	5	1532	-	315565
3	3	99.4	5	1974	1292	677938
4	2	76.9	5	1760	-	1041626
5	1	60.6	5	-	-	1406463
6	3	95.2	5	1816	1824	270452
7	3	83.8	5	1911	1278	633275
8	1	62	5	-	-	997753
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			15			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5498			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	54.6	17	-	-	639565
2	3	96.7	17	1065	1710	106025
3	1	58.4	17	-	-	277380
4	1	52.1	17	-	-	448363
5	1	53.6	17	-	-	618899
6	1	61.6	17	-	-	85399
7	2	71.9	17	1676	-	255398
8	1	63.2	17	-	-	427030
9	1	60	17	-	-	597917
10	2	73.5	17	1428	-	64197
11	1	56.4	17	-	-	234978
12	2	72.2	17	1396	-	404904
13	2	71.2	17	1191	-	576074
14	2	72.8	17	1194	-	43189
15	1	53.3	17	-	-	214005
16	3	99.3	17	1709	1148	383203
17	2	73	17	1756	-	554519
18						
19						
20						

Trial Number:			16			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5495			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	87	9	1479	1601	34277
2	3	87.8	9	1742	1828	297625
3	1	57.6	9	-	-	562960
4	2	80.8	9	1967	-	825621
5	3	85	9	1454	1286	1815
6	2	69.4	9	1157	-	265852
7	1	57	9	-	-	530213
8	1	58.8	9	-	-	794833
9	2	81.9	9	1164	-	1057404
10	2	71.1	9	1221	-	233149
11	2	82.9	9	1363	-	497092
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			17			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5494			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	96.3	6	1931	1096	929081
2	1	62.5	6	-	-	1254370
3	3	99	6	1342	1792	245118
4	1	63.8	6	-	-	568725
5	1	54.6	6	-	-	891456
6	1	55.6	6	-	-	1214587
7	2	71.3	6	1808	-	205663
8	1	50.5	6	-	-	528975
9	2	72.8	6	1298	-	851018
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			18			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5498			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	93.3	15	1079	1385	658486
2	2	76.8	15	1878	-	93136
3	2	80.6	15	1338	-	274515
4	3	93.6	15	1086	1379	454917
5	1	54.4	15	-	-	637750
6	3	92.9	15	1837	1832	70674
7	1	50	15	-	-	252661
8	2	82	15	1120	-	433227
9	2	72.7	15	1054	-	614676
10	1	65	15	-	-	48622
11	1	60.5	15	-	-	230210
12	2	72.6	15	1291	-	411159
13	1	50	15	-	-	592914
14	1	53.8	15	-	-	26268
15	2	73.6	15	1835	-	207217
16	1	57.4	15	-	-	389570
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			19			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5494			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	76.1	7	1880	-	1013979
2	2	81.3	7	1537	-	6926
3	2	69.7	7	1853	-	329543
4	2	77.2	7	1857	-	651855
5	1	51.3	7	-	-	976126
6	3	93.4	7	1162	1812	1296540
7	2	71.8	7	1513	-	289906
8	3	90.6	7	1902	1767	611609
9	3	89	7	1109	1718	934400
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			20			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5500			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	66.9	20	1284	-	564206
2	3	97.6	20	1351	1193	112005
3	2	74.6	20	1324	-	256993
4	3	92.7	20	1618	1362	401036
5	2	67.5	20	1770	-	546338
6	1	65.5	20	-	-	94569
7	1	51.4	20	-	-	239885
8	1	52.8	20	-	-	384750
9	2	76.4	20	1230	-	529106
10	2	79.7	20	1124	-	76550
11	1	60.2	20	-	-	221770
12	1	57.2	20	-	-	366942
13	1	64.1	20	-	-	512414
14	2	76.3	20	1014	-	58805
15	3	92.1	20	1689	1341	202941
16	2	69.3	20	1856	-	348376
17	2	75.1	20	1805	-	492682
18	3	86.1	20	1294	1105	40840
19	2	66.9	20	1807	-	185456
20	1	60.5	20	-	-	331496

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			21			Detection (Yes/No)
Number of Bursts in Trial:			15			
Chirp Center Frequency:			5563			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	60.3	13	-	-	635986
2	3	96.3	13	1781	1412	30701
3	1	58.6	13	-	-	224465
4	2	75.3	13	1192	-	417600
5	1	56.4	13	-	-	611678
6	2	78.6	13	1866	-	6966
7	2	74.4	13	1188	-	200470
8	1	51.6	13	-	-	394467
9	2	73.3	13	1317	-	586741
10	2	71.4	13	1677	-	780117
11	3	100	13	1328	1315	176273
12	1	55	13	-	-	370310
13	3	90.1	13	1039	1170	562750
14	1	54.6	13	-	-	757983
15	3	87.5	13	1394	1796	152304
16						
17						
18						
19						
20						

Trial Number:			22			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5563			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	95.4	14	1285	1825	323565
2	2	75.5	14	1887	-	504871
3	3	89.4	14	1640	1663	684664
4	1	55.1	14	-	-	120992
5	3	99.5	14	1359	1155	301709
6	1	59.1	14	-	-	483915
7	2	69.7	14	1646	-	664566
8	2	73.6	14	1980	-	98338
9	2	74.1	14	1487	-	279508
10	1	63.4	14	-	-	461579
11	1	50.1	14	-	-	643429
12	1	62	14	-	-	76281
13	1	54.9	14	-	-	257657
14	2	77.6	14	1491	-	438613
15	1	57.9	14	-	-	620563
16	2	76.3	14	1942	-	53769
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			23			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5564			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	57.2	10	-	-	314089
2	1	54.8	10	-	-	556206
3	2	80	10	1568	-	796954
4	2	78.6	10	1920	-	41999
5	2	70.7	10	1938	-	283844
6	3	89	10	1596	1037	524820
7	3	99.3	10	1524	1759	765910
8	3	86.3	10	1017	1686	12233
9	3	89	10	1031	1158	253888
10	3	91.2	10	1833	1476	494982
11	3	99.9	10	1573	1867	736549
12	2	79.5	10	1465	-	979091
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			24			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5565			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	54.9	9	-	-	245073
2	2	79.8	9	1879	-	508601
3	1	55.2	9	-	-	773740
4	2	67.2	9	1839	-	1035838
5	1	59.4	9	-	-	212579
6	3	88.8	9	1116	1712	475640
7	3	96.8	9	1811	1976	738539
8	3	93.8	9	1343	1858	1002594
9	3	85.8	9	1612	1422	179454
10	2	81	9	1672	-	443505
11	2	67.5	9	1382	-	707500
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			25			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5566			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	51.4	6	-	-	1188992
2	3	90.6	6	1607	1330	179886
3	2	72.7	6	1340	-	502817
4	3	84.5	6	1622	1737	824412
5	1	61.9	6	-	-	1149421
6	1	56.2	6	-	-	140409
7	1	66.6	6	-	-	463364
8	2	69.4	6	1076	-	785741
9	2	74	6	1666	-	1108145
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			26			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5562			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	65.4	16	-	-	53208
2	3	95.2	16	1633	1348	223201
3	3	92.7	16	1510	1787	393159
4	1	50.1	16	-	-	565604
5	1	60	16	-	-	32166
6	2	76.1	16	1184	-	202596
7	2	66.8	16	1368	-	373362
8	1	56.3	16	-	-	544834
9	2	76.2	16	1448	-	11115
10	1	53	16	-	-	182041
11	1	66.2	16	-	-	352982
12	1	58.2	16	-	-	523391
13	1	59.2	16	-	-	694563
14	3	90.3	16	1505	1520	160317
15	2	68.6	16	1567	-	331210
16	3	94.4	16	1112	1988	500538
17	1	58.2	16	-	-	673746
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			27			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5562			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83	16	1457	-	139609
2	1	52.5	16	-	-	310919
3	1	66.1	16	-	-	481757
4	2	80.9	16	1063	-	651646
5	1	64.1	16	-	-	118924
6	3	90.6	16	1195	1959	288508
7	2	76.2	16	1854	-	459416
8	3	87.4	16	1617	1282	628855
9	2	78.6	16	1240	-	97671
10	3	88	16	2000	1447	267237
11	3	98.1	16	1535	1168	437513
12	1	54.5	16	-	-	609904
13	3	87.4	16	1070	1360	76492
14	2	80	16	1958	-	246736
15	2	72.3	16	1480	-	417484
16	2	71.8	16	1235	-	588107
17	2	75.8	16	1632	-	55619
18						
19						
20						

Trial Number:			28			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5560			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	64.1	20	-	-	192579
2	1	59.8	20	-	-	337557
3	3	87.1	20	1347	1300	480410
4	1	55	20	-	-	29452
5	1	57.1	20	-	-	174741
6	3	83.4	20	1907	1001	318469
7	2	72	20	1680	-	463237
8	3	90.4	20	1423	1822	11521
9	2	67.5	20	1068	-	156452
10	2	82.7	20	1434	-	301170
11	1	64.8	20	-	-	447255
12	1	59.2	20	-	-	592368
13	3	92.2	20	1311	1923	138102
14	1	50.3	20	-	-	284099
15	1	54	20	-	-	428816
16	3	90.2	20	1930	1189	571275
17	1	53.6	20	-	-	120893
18	2	73.2	20	1780	-	265158
19	1	64	20	-	-	411039
20	1	53.2	20	-	-	556210

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			29			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5562			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	93.2	15	1234	1083	128611
2	1	51.2	15	-	-	310657
3	1	54.6	15	-	-	492134
4	1	66.5	15	-	-	673231
5	1	62.8	15	-	-	106530
6	2	81.5	15	1906	-	287373
7	3	88.1	15	1861	1865	467565
8	2	68.7	15	1409	-	650347
9	1	51.8	15	-	-	84245
10	3	88.9	15	1762	1057	264592
11	2	73.1	15	1527	-	446309
12	3	93.9	15	1546	1547	626152
13	3	86.5	15	1243	1583	61630
14	3	83.5	15	1486	1092	242521
15	2	76.1	15	1277	-	423917
16	1	58.7	15	-	-	606617
17						
18						
19						
20						

Trial Number:			30			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5562			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	57.2	16	-	-	37161
2	1	53.1	16	-	-	207877
3	2	75.9	16	1009	-	378148
4	2	69.2	16	1886	-	547878
5	3	94.2	16	1263	1207	16065
6	3	90.6	16	1688	1329	186228
7	3	96.6	16	1321	1600	356548
8	1	57.8	16	-	-	528879
9	1	61.4	16	-	-	699812
10	2	78.1	16	1416	-	165584
11	3	86.4	16	1206	1077	335693
12	3	87.6	16	1542	1884	505111
13	3	94	16	1873	1268	675247
14	1	64.4	16	-	-	144832
15	3	83.7	16	1143	1262	314605
16	1	56.7	16	-	-	486645
17	1	58.3	16	-	-	657603
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 1
Channel 114 Bandwidth 160MHz

Trial #	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency (Pulses Per Second)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	19	1138.95	878	Yes
2	20	1113.59	898	Yes
3	23	326.16	3066	Yes
4	17	1193.32	838	Yes
5	10	1432.66	698	Yes
6	4	1730.10	578	Yes
7	3	1792.11	558	Yes
8	12	1355.01	738	Yes
9	7	1567.40	638	Yes
10	15	1253.13	798	Yes
11	1	1930.50	518	Yes
12	14	1285.35	778	Yes
13	9	1474.93	678	Yes
14	22	1066.10	938	Yes
15	21	1089.32	918	Yes
16		384.02	2604	Yes
17		343.05	2915	Yes
18		1512.86	661	Yes
19		909.92	1099	Yes
20		414.08	2415	Yes
21		339.90	2942	Yes
22		409.17	2444	Yes
23		361.14	2769	Yes
24		1398.60	715	Yes
25		677.51	1476	Yes
26		337.15	2966	Yes
27		612.00	1634	Yes
28		1742.16	574	Yes
29		372.72	2683	Yes
30		1798.56	556	Yes

DFS Radar Parameters
FCC Radar Type 2
Channel 114 Bandwidth 160MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	26	2.90	175	Yes
2	25	2.40	180	Yes
3	26	3.20	186	Yes
4	29	5.00	158	Yes
5	23	1.00	191	Yes
6	27	3.80	227	Yes
7	24	1.90	169	Yes
8	24	1.60	168	Yes
9	25	2.70	230	Yes
10	24	1.70	200	Yes
11	25	2.30	167	Yes
12	23	1.40	166	Yes
13	27	3.90	156	Yes
14	23	1.00	222	Yes
15	28	4.00	197	Yes
16	25	2.20	215	Yes
17	23	1.40	224	Yes
18	27	3.70	218	Yes
19	23	1.50	223	Yes
20	29	4.80	190	Yes
21	26	3.20	213	Yes
22	27	3.50	152	Yes
23	25	2.40	179	Yes
24	24	2.10	192	Yes
25	23	1.30	157	Yes
26	27	3.90	165	Yes
27	28	4.00	176	Yes
28	29	4.90	204	Yes
29	27	3.50	225	Yes
30	28	3.90	154	Yes

DFS Radar Parameters
FCC Radar Type 3
Channel 114 Bandwidth 160MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	17	7.90	412	Yes
2	17	7.40	414	Yes
3	17	8.20	267	Yes
4	18	10.00	351	Yes
5	16	6.00	493	Yes
6	18	8.80	367	Yes
7	16	6.90	375	Yes
8	16	6.60	273	Yes
9	17	7.70	259	Yes
10	16	6.70	417	Yes
11	17	7.30	202	Yes
12	16	6.40	257	Yes
13	18	8.90	492	Yes
14	16	6.00	407	Yes
15	18	9.00	239	Yes
16	16	7.20	235	Yes
17	16	6.40	290	Yes
18	18	8.70	231	Yes
19	16	6.50	394	Yes
20	18	9.80	337	Yes
21	17	8.20	336	Yes
22	17	8.50	331	Yes
23	17	7.40	415	Yes
24	16	7.10	242	Yes
25	16	6.30	470	Yes
26	18	8.90	416	Yes
27	18	9.00	490	Yes
28	18	9.90	458	Yes
29	17	8.50	253	Yes
30	18	8.90	435	Yes

DFS Radar Parameters
FCC Radar Type 4
Channel 114 Bandwidth 160MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	14	15.20	412	Yes
2	13	14.10	414	No
3	14	15.90	267	Yes
4	16	20.00	351	Yes
5	12	11.10	493	Yes
6	15	17.20	367	Yes
7	13	13.10	375	Yes
8	12	12.30	273	Yes
9	14	14.80	259	Yes
10	12	12.70	417	Yes
11	13	14.00	202	Yes
12	12	12.00	257	Yes
13	15	17.40	492	Yes
14	12	11.00	407	Yes
15	15	17.80	239	Yes
16	13	13.60	235	Yes
17	12	11.90	290	Yes
18	15	17.10	231	Yes
19	12	12.10	394	Yes
20	16	19.50	337	Yes
21	14	15.90	336	Yes
22	15	16.60	331	Yes
23	13	14.30	415	Yes
24	13	13.40	242	Yes
25	12	11.70	470	Yes
26	15	17.40	416	Yes
27	15	17.60	490	Yes
28	16	19.80	458	Yes
29	15	16.70	253	Yes
30	15	17.50	435	Yes

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			1			Detection (Yes/No)
Number of Bursts in Trial:			14			
Chirp Center Frequency:			5570			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	73.3	12	1924	-	604303
2	2	67.2	12	1623	-	811536
3	2	77.1	12	1185	-	165096
4	3	99.5	12	1489	1641	371416
5	1	50.6	12	-	-	580420
6	3	84.6	12	1253	1846	785165
7	1	61.7	12	-	-	139715
8	1	57.5	12	-	-	347006
9	2	71.3	12	1380	-	553976
10	1	59.3	12	-	-	762173
11	2	66.8	12	1571	-	113852
12	1	55.5	12	-	-	321451
13	3	85.4	12	1475	1398	527300
14	1	50.4	12	-	-	736380
15						
16						
17						
18						
19						
20						

Trial Number:			2			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5570			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	87.7	10	1256	1849	102961
2	1	64.7	10	-	-	345624
3	1	55.3	10	-	-	587900
4	3	83.8	10	1670	1244	827416
5	1	56.3	10	-	-	73530
6	3	97.1	10	1608	1069	314860
7	2	77.4	10	1821	-	556858
8	2	81	10	1544	-	799008
9	2	68.1	10	1738	-	43606
10	1	63.4	10	-	-	285942
11	1	53.8	10	-	-	528237
12	3	85.7	10	1813	1698	767733
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			3			Detection (Yes/No)
Number of Bursts in Trial:			15			
Chirp Center Frequency:			5570			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µsec)	Pulse 2-to-3 Spacing (µsec)	Starting Location Within Interval (µsec)
1	3	86.8	13	1726	1685	11018
2	3	98.6	13	1020	1651	204087
3	2	81.4	13	1702	-	397605
4	3	85.8	13	1225	1432	590163
5	2	76.7	13	1895	-	783917
6	2	77.4	13	1435	-	180490
7	1	52.5	13	-	-	374764
8	2	70.5	13	1602	-	566997
9	3	85.5	13	1576	1898	758647
10	3	85.4	13	1389	1274	156484
11	3	98.9	13	1426	1739	349235
12	2	71	13	1590	-	543246
13	3	99.7	13	1135	1560	735346
14	3	85.5	13	1407	1669	132711
15	3	97.5	13	1903	1595	325432
16						
17						
18						
19						
20						

Trial Number:			4			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5570			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µsec)	Pulse 2-to-3 Spacing (µsec)	Starting Location Within Interval (µsec)
1	2	71.5	20	1928	-	388568
2	1	63.8	20	-	-	535530
3	1	51	20	-	-	81987
4	2	76.2	20	1582	-	226298
5	3	88.2	20	1904	1714	369825
6	1	66.1	20	-	-	517348
7	2	67.1	20	1478	-	63908
8	1	60.4	20	-	-	209189
9	1	62	20	-	-	354409
10	1	60.8	20	-	-	499833
11	3	86.5	20	1415	1296	45997
12	2	77.6	20	1983	-	190646
13	1	53.3	20	-	-	336221
14	1	61.4	20	-	-	481938
15	3	92.3	20	1003	1357	28174
16	3	99.1	20	1750	1356	172657
17	1	63.6	20	-	-	318859
18	3	95.6	20	1937	1007	461197
19	1	64.9	20	-	-	10409
20	3	97.8	20	1467	1947	154567

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			5			Detection (Yes/No)
Number of Bursts in Trial:			8			
Chirp Center Frequency:			5570			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	63.2	5	-	-	752755
2	2	76.2	5	1436	-	1115094
3	3	85.5	5	1365	1130	1477689
4	2	82.7	5	1438	-	344356
5	3	89.5	5	1245	1373	707009
6	1	53	5	-	-	1071711
7	1	64.9	5	-	-	1435161
8	1	64.9	5	-	-	299875
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			6			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5570			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	52.3	16	-	-	331551
2	1	65.9	16	-	-	512757
3	3	84.3	16	1154	1358	691974
4	3	84.1	16	1766	1543	126861
5	2	70.8	16	1474	-	308277
6	3	99.6	16	1950	1369	488613
7	1	55.9	16	-	-	672493
8	2	67.2	16	1302	-	104902
9	2	67	16	1981	-	285781
10	3	87.3	16	1875	1642	465967
11	1	65.7	16	-	-	649336
12	2	69.6	16	1364	-	82583
13	2	69.7	16	1764	-	263612
14	3	88.1	16	1719	1843	443617
15	2	69.3	16	1402	-	626596
16	2	75	16	1876	-	60222
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			7			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5570			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	90.2	8	1587	1989	350913
2	3	99.8	8	1297	1471	614926
3	3	99.2	8	1218	1922	877618
4	1	59.1	8	-	-	55330
5	3	93.2	8	1372	1838	318643
6	3	86.4	8	1996	1142	581856
7	3	85.2	8	1611	1159	846231
8	2	75.5	8	1536	-	22779
9	3	84.7	8	1945	1755	286037
10	3	87.7	8	1823	1829	549315
11	3	84.2	8	1134	1345	813428
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			8			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5570			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	95.3	7	1288	1908	1316809
2	2	78.3	7	1452	-	310714
3	2	68.4	7	1784	-	633353
4	3	86.8	7	1972	1046	954804
5	3	85.2	7	1731	1817	1276482
6	1	51.1	7	-	-	271361
7	1	52.1	7	-	-	594491
8	1	58.1	7	-	-	917332
9	3	96.2	7	1506	1634	1237536
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			9			Detection (Yes/No)
Number of Bursts in Trial:			13			
Chirp Center Frequency:			5570			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	76.5	11	1681	-	159923
2	1	52.3	11	-	-	383627
3	1	56.7	11	-	-	607112
4	1	53.7	11	-	-	830875
5	1	55.4	11	-	-	132610
6	2	75.1	11	1650	-	355616
7	2	82	11	1198	-	579044
8	2	76.4	11	1084	-	801836
9	2	79.9	11	1237	-	104956
10	3	95.4	11	1929	1473	327519
11	2	78.1	11	1442	-	551067
12	2	75.2	11	1810	-	774551
13	1	56.8	11	-	-	77625
14						
15						
16						
17						
18						
19						
20						

Trial Number:			10			Detection (Yes/No)
Number of Bursts in Trial:			10			
Chirp Center Frequency:			5570			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	60.5	7	-	-	391525
2	3	92.5	7	1399	1630	680592
3	3	89.7	7	1183	1040	970982
4	1	53.8	7	-	-	65132
5	1	55.7	7	-	-	355668
6	2	71.7	7	1319	-	645796
7	1	65.9	7	-	-	937057
8	2	80.7	7	1455	-	29284
9	1	58.8	7	-	-	319946
10	3	99.5	7	1460	1275	609436
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			11			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5496			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83.1	10	1045	-	750269
2	1	65.4	10	-	-	993190
3	1	60.6	10	-	-	236771
4	3	89	10	1226	1499	477816
5	3	98.7	10	1674	1562	719094
6	1	50.4	10	-	-	963027
7	2	80.6	10	1749	-	206586
8	2	68.4	10	1769	-	448451
9	2	67.5	10	1022	-	690250
10	2	80	10	1818	-	931437
11	2	73.1	10	1352	-	176860
12	3	98.5	10	1558	1289	418167
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			12			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5494			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	87.9	6	1668	1678	880051
2	3	93.1	6	1468	1883	1202325
3	3	95.5	6	1978	1049	196045
4	1	53.6	6	-	-	519354
5	2	68.1	6	1724	-	841339
6	1	54.3	6	-	-	1165856
7	1	58.8	6	-	-	156656
8	3	95.6	6	1392	1325	478592
9	3	89.4	6	1050	1549	801263
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			13			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5498			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	59.6	16	-	-	595311
2	1	59	16	-	-	61850
3	3	88.4	16	1090	1107	232086
4	2	67.7	16	1361	-	402951
5	2	75.9	16	1598	-	573309
6	3	97.2	16	1203	1804	40593
7	2	81.3	16	1464	-	211287
8	3	95.5	16	1801	1160	381089
9	2	80.5	16	1696	-	551807
10	3	92.2	16	1066	1326	19660
11	1	65.4	16	-	-	190496
12	2	67.7	16	1429	-	360475
13	1	52.9	16	-	-	532241
14	2	73.6	16	1870	-	701220
15	3	88.4	16	1979	1397	168776
16	3	94.9	16	1529	1935	338881
17	3	86.2	16	1588	1772	508991
18						
19						
20						

Trial Number:			14			Detection (Yes/No)
Number of Bursts in Trial:			8			
Chirp Center Frequency:			5494			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83.3	5	1103	-	1450341
2	2	75.9	5	1532	-	315565
3	3	99.4	5	1974	1292	677938
4	2	76.9	5	1760	-	1041626
5	1	60.6	5	-	-	1406463
6	3	95.2	5	1816	1824	270452
7	3	83.8	5	1911	1278	633275
8	1	62	5	-	-	997753
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			15			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5499			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µsec)	Pulse 2-to-3 Spacing (µsec)	Starting Location Within Interval (µsec)
1	1	54.6	17	-	-	639565
2	3	96.7	17	1065	1710	106025
3	1	58.4	17	-	-	277380
4	1	52.1	17	-	-	448363
5	1	53.6	17	-	-	618899
6	1	61.6	17	-	-	85399
7	2	71.9	17	1676	-	255398
8	1	63.2	17	-	-	427030
9	1	60	17	-	-	597917
10	2	73.5	17	1428	-	64197
11	1	56.4	17	-	-	234978
12	2	72.2	17	1396	-	404904
13	2	71.2	17	1191	-	576074
14	2	72.8	17	1194	-	43189
15	1	53.3	17	-	-	214005
16	3	99.3	17	1709	1148	383203
17	2	73	17	1756	-	554519
18						
19						
20						

Trial Number:			16			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5496			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µsec)	Pulse 2-to-3 Spacing (µsec)	Starting Location Within Interval (µsec)
1	3	87	9	1479	1601	34277
2	3	87.8	9	1742	1828	297625
3	1	57.6	9	-	-	562960
4	2	80.8	9	1967	-	825621
5	3	85	9	1454	1286	1815
6	2	69.4	9	1157	-	265852
7	1	57	9	-	-	530213
8	1	58.8	9	-	-	794833
9	2	81.9	9	1164	-	1057404
10	2	71.1	9	1221	-	233149
11	2	82.9	9	1363	-	497092
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			17			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5494			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	96.3	6	1931	1096	929081
2	1	62.5	6	-	-	1254370
3	3	99	6	1342	1792	245118
4	1	63.8	6	-	-	568725
5	1	54.6	6	-	-	891456
6	1	55.6	6	-	-	1214587
7	2	71.3	6	1808	-	205663
8	1	50.5	6	-	-	528975
9	2	72.8	6	1298	-	851018
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			18			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5498			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	93.3	15	1079	1385	658486
2	2	76.8	15	1878	-	93136
3	2	80.6	15	1338	-	274515
4	3	93.6	15	1086	1379	454917
5	1	54.4	15	-	-	637750
6	3	92.9	15	1837	1832	70674
7	1	50	15	-	-	252661
8	2	82	15	1120	-	433227
9	2	72.7	15	1054	-	614676
10	1	65	15	-	-	48622
11	1	60.5	15	-	-	230210
12	2	72.6	15	1291	-	411159
13	1	50	15	-	-	592914
14	1	53.8	15	-	-	26268
15	2	73.6	15	1835	-	207217
16	1	57.4	15	-	-	389570
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			19			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5495			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	76.1	7	1880	-	1013979
2	2	81.3	7	1537	-	6926
3	2	69.7	7	1853	-	329543
4	2	77.2	7	1857	-	651855
5	1	51.3	7	-	-	976126
6	3	93.4	7	1162	1812	1296540
7	2	71.8	7	1513	-	289906
8	3	90.6	7	1902	1767	611609
9	3	89	7	1109	1718	934400
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			20			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5500			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	66.9	20	1284	-	564206
2	3	97.6	20	1351	1193	112005
3	2	74.6	20	1324	-	256993
4	3	92.7	20	1618	1362	401036
5	2	67.5	20	1770	-	546338
6	1	65.5	20	-	-	94569
7	1	51.4	20	-	-	239885
8	1	52.8	20	-	-	384750
9	2	76.4	20	1230	-	529106
10	2	79.7	20	1124	-	76550
11	1	60.2	20	-	-	221770
12	1	57.2	20	-	-	366942
13	1	64.1	20	-	-	512414
14	2	76.3	20	1014	-	58805
15	3	92.1	20	1689	1341	202941
16	2	69.3	20	1856	-	348376
17	2	75.1	20	1805	-	492682
18	3	86.1	20	1294	1105	40840
19	2	66.9	20	1807	-	185456
20	1	60.5	20	-	-	331496

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			21			Detection (Yes/No)
Number of Bursts in Trial:			15			
Chirp Center Frequency:			5643			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	60.3	13	-	-	635986
2	3	96.3	13	1781	1412	30701
3	1	58.6	13	-	-	224465
4	2	75.3	13	1192	-	417600
5	1	56.4	13	-	-	611678
6	2	78.6	13	1866	-	6966
7	2	74.4	13	1188	-	200470
8	1	51.6	13	-	-	394467
9	2	73.3	13	1317	-	586741
10	2	71.4	13	1677	-	780117
11	3	100	13	1328	1315	176273
12	1	55	13	-	-	370310
13	3	90.1	13	1039	1170	562750
14	1	54.6	13	-	-	757983
15	3	87.5	13	1394	1796	152304
16						
17						
18						
19						
20						

Trial Number:			22			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5642			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	95.4	14	1285	1825	323565
2	2	75.5	14	1887	-	504871
3	3	89.4	14	1640	1663	684664
4	1	55.1	14	-	-	120992
5	3	99.5	14	1359	1155	301709
6	1	59.1	14	-	-	483915
7	2	69.7	14	1646	-	664566
8	2	73.6	14	1980	-	98338
9	2	74.1	14	1487	-	279508
10	1	63.4	14	-	-	461579
11	1	50.1	14	-	-	643429
12	1	62	14	-	-	76281
13	1	54.9	14	-	-	257657
14	2	77.6	14	1491	-	438613
15	1	57.9	14	-	-	620563
16	2	76.3	14	1942	-	53769
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			23			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5644			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	57.2	10	-	-	314089
2	1	54.8	10	-	-	556206
3	2	80	10	1568	-	796954
4	2	78.6	10	1920	-	41999
5	2	70.7	10	1938	-	283844
6	3	89	10	1596	1037	524820
7	3	99.3	10	1524	1759	765910
8	3	86.3	10	1017	1686	12233
9	3	89	10	1031	1158	253888
10	3	91.2	10	1833	1476	494982
11	3	99.9	10	1573	1867	736549
12	2	79.5	10	1465	-	979091
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			24			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5644			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	54.9	9	-	-	245073
2	2	79.8	9	1879	-	508601
3	1	55.2	9	-	-	773740
4	2	67.2	9	1839	-	1035838
5	1	59.4	9	-	-	212579
6	3	88.8	9	1116	1712	475640
7	3	96.8	9	1811	1976	738539
8	3	93.8	9	1343	1858	1002594
9	3	85.8	9	1612	1422	179454
10	2	81	9	1672	-	443505
11	2	67.5	9	1382	-	707500
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			25			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5646			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	51.4	6	-	-	1188992
2	3	90.6	6	1607	1330	179886
3	2	72.7	6	1340	-	502817
4	3	84.5	6	1622	1737	824412
5	1	61.9	6	-	-	1149421
6	1	56.2	6	-	-	140409
7	1	66.6	6	-	-	463364
8	2	69.4	6	1076	-	785741
9	2	74	6	1666	-	1108145
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			26			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5642			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	65.4	16	-	-	53208
2	3	95.2	16	1633	1348	223201
3	3	92.7	16	1510	1787	393159
4	1	50.1	16	-	-	565604
5	1	60	16	-	-	32166
6	2	76.1	16	1184	-	202596
7	2	66.8	16	1368	-	373362
8	1	56.3	16	-	-	544834
9	2	76.2	16	1448	-	11115
10	1	53	16	-	-	182041
11	1	66.2	16	-	-	352982
12	1	58.2	16	-	-	523391
13	1	59.2	16	-	-	694563
14	3	90.3	16	1505	1520	160317
15	2	68.6	16	1567	-	331210
16	3	94.4	16	1112	1988	500538
17	1	58.2	16	-	-	673746
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			27			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5642			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83	16	1457	-	139609
2	1	52.5	16	-	-	310919
3	1	66.1	16	-	-	481757
4	2	80.9	16	1063	-	651646
5	1	64.1	16	-	-	118924
6	3	90.6	16	1195	1959	288508
7	2	76.2	16	1854	-	459416
8	3	87.4	16	1617	1282	628855
9	2	78.6	16	1240	-	97671
10	3	88	16	2000	1447	267237
11	3	98.1	16	1535	1168	437513
12	1	54.5	16	-	-	609904
13	3	87.4	16	1070	1360	76492
14	2	80	16	1958	-	246736
15	2	72.3	16	1480	-	417484
16	2	71.8	16	1235	-	588107
17	2	75.8	16	1632	-	55619
18						
19						
20						

Trial Number:			28			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5640			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	64.1	20	-	-	192579
2	1	59.8	20	-	-	337557
3	3	87.1	20	1347	1300	480410
4	1	55	20	-	-	29452
5	1	57.1	20	-	-	174741
6	3	83.4	20	1907	1001	318469
7	2	72	20	1680	-	463237
8	3	90.4	20	1423	1822	11521
9	2	67.5	20	1068	-	156452
10	2	82.7	20	1434	-	301170
11	1	64.8	20	-	-	447255
12	1	59.2	20	-	-	592368
13	3	92.2	20	1311	1923	138102
14	1	50.3	20	-	-	284099
15	1	54	20	-	-	428816
16	3	90.2	20	1930	1189	571275
17	1	53.6	20	-	-	120893
18	2	73.2	20	1780	-	265158
19	1	64	20	-	-	411039
20	1	53.2	20	-	-	556210

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			29			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5642			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	93.2	15	1234	1083	128611
2	1	51.2	15	-	-	310657
3	1	54.6	15	-	-	492134
4	1	66.5	15	-	-	673231
5	1	62.8	15	-	-	106530
6	2	81.5	15	1906	-	287373
7	3	88.1	15	1861	1865	467565
8	2	68.7	15	1409	-	650347
9	1	51.8	15	-	-	84245
10	3	88.9	15	1762	1057	264592
11	2	73.1	15	1527	-	446309
12	3	93.9	15	1546	1547	626152
13	3	86.5	15	1243	1583	61630
14	3	83.5	15	1486	1092	242521
15	2	76.1	15	1277	-	423917
16	1	58.7	15	-	-	606617
17						
18						
19						
20						

Trial Number:			30			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5642			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	57.2	16	-	-	37161
2	1	53.1	16	-	-	207877
3	2	75.9	16	1009	-	378148
4	2	69.2	16	1886	-	547878
5	3	94.2	16	1263	1207	16065
6	3	90.6	16	1688	1329	186228
7	3	96.6	16	1321	1600	356548
8	1	57.8	16	-	-	528879
9	1	61.4	16	-	-	699812
10	2	78.1	16	1416	-	165584
11	3	86.4	16	1206	1077	335693
12	3	87.6	16	1542	1884	505111
13	3	94	16	1873	1268	675247
14	1	64.4	16	-	-	144832
15	3	83.7	16	1143	1262	314605
16	1	56.7	16	-	-	486645
17	1	58.3	16	-	-	657603
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 1
Channel 60 Bandwidth 20MHz

Trial #	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency (Pulses Per Second)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	19	1138.95	878	Yes
2	20	1113.59	898	Yes
3	23	326.16	3066	Yes
4	17	1193.32	838	Yes
5	10	1432.66	698	Yes
6	4	1730.10	578	Yes
7	3	1792.11	558	Yes
8	12	1355.01	738	Yes
9	7	1567.40	638	Yes
10	15	1253.13	798	Yes
11	1	1930.50	518	Yes
12	14	1285.35	778	Yes
13	9	1474.93	678	Yes
14	22	1066.10	938	Yes
15	21	1089.32	918	Yes
16		384.02	2604	Yes
17		343.05	2915	Yes
18		1512.86	661	Yes
19		909.92	1099	Yes
20		414.08	2415	Yes
21		339.90	2942	Yes
22		409.17	2444	Yes
23		361.14	2769	Yes
24		1398.60	715	Yes
25		677.51	1476	Yes
26		337.15	2966	Yes
27		612.00	1634	Yes
28		1742.16	574	Yes
29		372.72	2683	Yes
30		1798.56	556	Yes

DFS Radar Parameters
FCC Radar Type 2
Channel 60 Bandwidth 20MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	26	2.90	175	Yes
2	25	2.40	180	Yes
3	26	3.20	186	Yes
4	29	5.00	158	Yes
5	23	1.00	191	Yes
6	27	3.80	227	Yes
7	24	1.90	169	Yes
8	24	1.60	168	Yes
9	25	2.70	230	Yes
10	24	1.70	200	Yes
11	25	2.30	167	Yes
12	23	1.40	166	Yes
13	27	3.90	156	Yes
14	23	1.00	222	Yes
15	28	4.00	197	Yes
16	25	2.20	215	Yes
17	23	1.40	224	Yes
18	27	3.70	218	Yes
19	23	1.50	223	Yes
20	29	4.80	190	Yes
21	26	3.20	213	Yes
22	27	3.50	152	Yes
23	25	2.40	179	Yes
24	24	2.10	192	Yes
25	23	1.30	157	Yes
26	27	3.90	165	Yes
27	28	4.00	176	Yes
28	29	4.90	204	Yes
29	27	3.50	225	Yes
30	28	3.90	154	Yes

DFS Radar Parameters
FCC Radar Type 3
Channel 60 Bandwidth 20MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	17	7.90	412	Yes
2	17	7.40	414	Yes
3	17	8.20	267	Yes
4	18	10.00	351	Yes
5	16	6.00	493	Yes
6	18	8.80	367	Yes
7	16	6.90	375	Yes
8	16	6.60	273	Yes
9	17	7.70	259	Yes
10	16	6.70	417	Yes
11	17	7.30	202	Yes
12	16	6.40	257	Yes
13	18	8.90	492	Yes
14	16	6.00	407	Yes
15	18	9.00	239	Yes
16	16	7.20	235	Yes
17	16	6.40	290	Yes
18	18	8.70	231	Yes
19	16	6.50	394	Yes
20	18	9.80	337	Yes
21	17	8.20	336	Yes
22	17	8.50	331	Yes
23	17	7.40	415	Yes
24	16	7.10	242	Yes
25	16	6.30	470	No
26	18	8.90	416	Yes
27	18	9.00	490	Yes
28	18	9.90	458	Yes
29	17	8.50	253	Yes
30	18	8.90	435	Yes

DFS Radar Parameters
FCC Radar Type 4
Channel 60 Bandwidth 20MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	14	15.20	412	Yes
2	13	14.10	414	Yes
3	14	15.90	267	Yes
4	16	20.00	351	Yes
5	12	11.10	493	Yes
6	15	17.20	367	Yes
7	13	13.10	375	Yes
8	12	12.30	273	Yes
9	14	14.80	259	Yes
10	12	12.70	417	Yes
11	13	14.00	202	Yes
12	12	12.00	257	Yes
13	15	17.40	492	Yes
14	12	11.00	407	Yes
15	15	17.80	239	Yes
16	13	13.60	235	Yes
17	12	11.90	290	Yes
18	15	17.10	231	Yes
19	12	12.10	394	Yes
20	16	19.50	337	Yes
21	14	15.90	336	Yes
22	15	16.60	331	Yes
23	13	14.30	415	Yes
24	13	13.40	242	Yes
25	12	11.70	470	Yes
26	15	17.40	416	Yes
27	15	17.60	490	Yes
28	16	19.80	458	Yes
29	15	16.70	253	Yes
30	15	17.50	435	Yes

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:			1			Detection (Yes/No)
Number of Bursts in Trial:			14			
Chirp Center Frequency:			5300			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	73.3	12	1924	-	604303
2	2	67.2	12	1623	-	811536
3	2	77.1	12	1185	-	165096
4	3	99.5	12	1489	1641	371416
5	1	50.6	12	-	-	580420
6	3	84.6	12	1253	1846	785165
7	1	61.7	12	-	-	139715
8	1	57.5	12	-	-	347006
9	2	71.3	12	1380	-	553976
10	1	59.3	12	-	-	762173
11	2	66.8	12	1571	-	113852
12	1	55.5	12	-	-	321451
13	3	85.4	12	1475	1398	527300
14	1	50.4	12	-	-	736380
15						
16						
17						
18						
19						
20						

Trial Number:			2			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5300			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	87.7	10	1256	1849	102961
2	1	64.7	10	-	-	345624
3	1	55.3	10	-	-	587900
4	3	83.8	10	1670	1244	827416
5	1	56.3	10	-	-	73530
6	3	97.1	10	1608	1069	314860
7	2	77.4	10	1821	-	556858
8	2	81	10	1544	-	799008
9	2	68.1	10	1738	-	43606
10	1	63.4	10	-	-	285942
11	1	53.8	10	-	-	528237
12	3	85.7	10	1813	1698	767733
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:			3			Detection (Yes/No)
Number of Bursts in Trial:			15			
Chirp Center Frequency:			5300			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µsec)	Pulse 2-to-3 Spacing (µsec)	Starting Location Within Interval (µsec)
1	3	86.8	13	1726	1685	11018
2	3	98.6	13	1020	1651	204087
3	2	81.4	13	1702	-	397605
4	3	85.8	13	1225	1432	590163
5	2	76.7	13	1895	-	783917
6	2	77.4	13	1435	-	180490
7	1	52.5	13	-	-	374764
8	2	70.5	13	1602	-	566997
9	3	85.5	13	1576	1898	758647
10	3	85.4	13	1389	1274	156484
11	3	98.9	13	1426	1739	349235
12	2	71	13	1590	-	543246
13	3	99.7	13	1135	1560	735346
14	3	85.5	13	1407	1669	132711
15	3	97.5	13	1903	1595	325432
16						
17						
18						
19						
20						

Trial Number:			4			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5300			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µsec)	Pulse 2-to-3 Spacing (µsec)	Starting Location Within Interval (µsec)
1	2	71.5	20	1928	-	388568
2	1	63.8	20	-	-	535530
3	1	51	20	-	-	81987
4	2	76.2	20	1582	-	226298
5	3	88.2	20	1904	1714	369825
6	1	66.1	20	-	-	517348
7	2	67.1	20	1478	-	63908
8	1	60.4	20	-	-	209189
9	1	62	20	-	-	354409
10	1	60.8	20	-	-	499833
11	3	86.5	20	1415	1296	45997
12	2	77.6	20	1983	-	190646
13	1	53.3	20	-	-	336221
14	1	61.4	20	-	-	481938
15	3	92.3	20	1003	1357	28174
16	3	99.1	20	1750	1356	172657
17	1	63.6	20	-	-	318859
18	3	95.6	20	1937	1007	461197
19	1	64.9	20	-	-	10409
20	3	97.8	20	1467	1947	154567

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:			5			Detection (Yes/No)
Number of Bursts in Trial:			8			
Chirp Center Frequency:			5300			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	63.2	5	-	-	752755
2	2	76.2	5	1436	-	1115094
3	3	85.5	5	1365	1130	1477689
4	2	82.7	5	1438	-	344356
5	3	89.5	5	1245	1373	707009
6	1	53	5	-	-	1071711
7	1	64.9	5	-	-	1435161
8	1	64.9	5	-	-	299875
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			6			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5300			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	52.3	16	-	-	331551
2	1	65.9	16	-	-	512757
3	3	84.3	16	1154	1358	691974
4	3	84.1	16	1766	1543	126861
5	2	70.8	16	1474	-	308277
6	3	99.6	16	1950	1369	488613
7	1	55.9	16	-	-	672493
8	2	67.2	16	1302	-	104902
9	2	67	16	1981	-	285781
10	3	87.3	16	1875	1642	465967
11	1	65.7	16	-	-	649336
12	2	69.6	16	1364	-	82583
13	2	69.7	16	1764	-	263612
14	3	88.1	16	1719	1843	443617
15	2	69.3	16	1402	-	626596
16	2	75	16	1876	-	60222
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:			7			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5300			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	90.2	8	1587	1989	350913
2	3	99.8	8	1297	1471	614926
3	3	99.2	8	1218	1922	877618
4	1	59.1	8	-	-	55330
5	3	93.2	8	1372	1838	318643
6	3	86.4	8	1996	1142	581856
7	3	85.2	8	1611	1159	846231
8	2	75.5	8	1536	-	22779
9	3	84.7	8	1945	1755	286037
10	3	87.7	8	1823	1829	549315
11	3	84.2	8	1134	1345	813428
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			8			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5300			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	95.3	7	1288	1908	1316809
2	2	78.3	7	1452	-	310714
3	2	68.4	7	1784	-	633353
4	3	86.8	7	1972	1046	954804
5	3	85.2	7	1731	1817	1276482
6	1	51.1	7	-	-	271361
7	1	52.1	7	-	-	594491
8	1	58.1	7	-	-	917332
9	3	96.2	7	1506	1634	1237536
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:			9			Detection (Yes/No)
Number of Bursts in Trial:			13			
Chirp Center Frequency:			5300			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	76.5	11	1681	-	159923
2	1	52.3	11	-	-	383627
3	1	56.7	11	-	-	607112
4	1	53.7	11	-	-	830875
5	1	55.4	11	-	-	132610
6	2	75.1	11	1650	-	355616
7	2	82	11	1198	-	579044
8	2	76.4	11	1084	-	801836
9	2	79.9	11	1237	-	104956
10	3	95.4	11	1929	1473	327519
11	2	78.1	11	1442	-	551067
12	2	75.2	11	1810	-	774551
13	1	56.8	11	-	-	77625
14						
15						
16						
17						
18						
19						
20						

Trial Number:			10			Detection (Yes/No)
Number of Bursts in Trial:			10			
Chirp Center Frequency:			5300			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	60.5	7	-	-	391525
2	3	92.5	7	1399	1630	680592
3	3	89.7	7	1183	1040	970982
4	1	53.8	7	-	-	65132
5	1	55.7	7	-	-	355668
6	2	71.7	7	1319	-	645796
7	1	65.9	7	-	-	937057
8	2	80.7	7	1455	-	29284
9	1	58.8	7	-	-	319946
10	3	99.5	7	1460	1275	609436
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:			11			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5294			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83.1	10	1045	-	750269
2	1	65.4	10	-	-	993190
3	1	60.6	10	-	-	236771
4	3	89	10	1226	1499	477816
5	3	98.7	10	1674	1562	719094
6	1	50.4	10	-	-	963027
7	2	80.6	10	1749	-	206586
8	2	68.4	10	1769	-	448451
9	2	67.5	10	1022	-	690250
10	2	80	10	1818	-	931437
11	2	73.1	10	1352	-	176860
12	3	98.5	10	1558	1289	418167
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			12			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5293			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	87.9	6	1668	1678	880051
2	3	93.1	6	1468	1883	1202325
3	3	95.5	6	1978	1049	196045
4	1	53.6	6	-	-	519354
5	2	68.1	6	1724	-	841339
6	1	54.3	6	-	-	1165856
7	1	58.8	6	-	-	156656
8	3	95.6	6	1392	1325	478592
9	3	89.4	6	1050	1549	801263
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:			13			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5297			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	59.6	16	-	-	595311
2	1	59	16	-	-	61850
3	3	88.4	16	1090	1107	232086
4	2	67.7	16	1361	-	402951
5	2	75.9	16	1598	-	573309
6	3	97.2	16	1203	1804	40593
7	2	81.3	16	1464	-	211287
8	3	95.5	16	1801	1160	381089
9	2	80.5	16	1696	-	551807
10	3	92.2	16	1066	1326	19660
11	1	65.4	16	-	-	190496
12	2	67.7	16	1429	-	360475
13	1	52.9	16	-	-	532241
14	2	73.6	16	1870	-	701220
15	3	88.4	16	1979	1397	168776
16	3	94.9	16	1529	1935	338881
17	3	86.2	16	1588	1772	508991
18						
19						
20						

Trial Number:			14			Detection (Yes/No)
Number of Bursts in Trial:			8			
Chirp Center Frequency:			5292			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83.3	5	1103	-	1450341
2	2	75.9	5	1532	-	315565
3	3	99.4	5	1974	1292	677938
4	2	76.9	5	1760	-	1041626
5	1	60.6	5	-	-	1406463
6	3	95.2	5	1816	1824	270452
7	3	83.8	5	1911	1278	633275
8	1	62	5	-	-	997753
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:			15			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5297			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	54.6	17	-	-	639565
2	3	96.7	17	1065	1710	106025
3	1	58.4	17	-	-	277380
4	1	52.1	17	-	-	448363
5	1	53.6	17	-	-	618899
6	1	61.6	17	-	-	85399
7	2	71.9	17	1676	-	255398
8	1	63.2	17	-	-	427030
9	1	60	17	-	-	597917
10	2	73.5	17	1428	-	64197
11	1	56.4	17	-	-	234978
12	2	72.2	17	1396	-	404904
13	2	71.2	17	1191	-	576074
14	2	72.8	17	1194	-	43189
15	1	53.3	17	-	-	214005
16	3	99.3	17	1709	1148	383203
17	2	73	17	1756	-	554519
18						
19						
20						

Trial Number:			16			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5294			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	87	9	1479	1601	34277
2	3	87.8	9	1742	1828	297625
3	1	57.6	9	-	-	562960
4	2	80.8	9	1967	-	825621
5	3	85	9	1454	1286	1815
6	2	69.4	9	1157	-	265852
7	1	57	9	-	-	530213
8	1	58.8	9	-	-	794833
9	2	81.9	9	1164	-	1057404
10	2	71.1	9	1221	-	233149
11	2	82.9	9	1363	-	497092
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:			17			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5293			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	96.3	6	1931	1096	929081
2	1	62.5	6	-	-	1254370
3	3	99	6	1342	1792	245118
4	1	63.8	6	-	-	568725
5	1	54.6	6	-	-	891456
6	1	55.6	6	-	-	1214587
7	2	71.3	6	1808	-	205663
8	1	50.5	6	-	-	528975
9	2	72.8	6	1298	-	851018
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			18			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5296			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	93.3	15	1079	1385	658486
2	2	76.8	15	1878	-	93136
3	2	80.6	15	1338	-	274515
4	3	93.6	15	1086	1379	454917
5	1	54.4	15	-	-	637750
6	3	92.9	15	1837	1832	70674
7	1	50	15	-	-	252661
8	2	82	15	1120	-	433227
9	2	72.7	15	1054	-	614676
10	1	65	15	-	-	48622
11	1	60.5	15	-	-	230210
12	2	72.6	15	1291	-	411159
13	1	50	15	-	-	592914
14	1	53.8	15	-	-	26268
15	2	73.6	15	1835	-	207217
16	1	57.4	15	-	-	389570
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:			19			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5293			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	76.1	7	1880	-	1013979
2	2	81.3	7	1537	-	6926
3	2	69.7	7	1853	-	329543
4	2	77.2	7	1857	-	651855
5	1	51.3	7	-	-	976126
6	3	93.4	7	1162	1812	1296540
7	2	71.8	7	1513	-	289906
8	3	90.6	7	1902	1767	611609
9	3	89	7	1109	1718	934400
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			20			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5298			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	66.9	20	1284	-	564206
2	3	97.6	20	1351	1193	112005
3	2	74.6	20	1324	-	256993
4	3	92.7	20	1618	1362	401036
5	2	67.5	20	1770	-	546338
6	1	65.5	20	-	-	94569
7	1	51.4	20	-	-	239885
8	1	52.8	20	-	-	384750
9	2	76.4	20	1230	-	529106
10	2	79.7	20	1124	-	76550
11	1	60.2	20	-	-	221770
12	1	57.2	20	-	-	366942
13	1	64.1	20	-	-	512414
14	2	76.3	20	1014	-	58805
15	3	92.1	20	1689	1341	202941
16	2	69.3	20	1856	-	348376
17	2	75.1	20	1805	-	492682
18	3	86.1	20	1294	1105	40840
19	2	66.9	20	1807	-	185456
20	1	60.5	20	-	-	331496

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:			21			Detection (Yes/No)
Number of Bursts in Trial:			15			
Chirp Center Frequency:			5305			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	60.3	13	-	-	635986
2	3	96.3	13	1781	1412	30701
3	1	58.6	13	-	-	224465
4	2	75.3	13	1192	-	417600
5	1	56.4	13	-	-	611678
6	2	78.6	13	1866	-	6966
7	2	74.4	13	1188	-	200470
8	1	51.6	13	-	-	394467
9	2	73.3	13	1317	-	586741
10	2	71.4	13	1677	-	780117
11	3	100	13	1328	1315	176273
12	1	55	13	-	-	370310
13	3	90.1	13	1039	1170	562750
14	1	54.6	13	-	-	757983
15	3	87.5	13	1394	1796	152304
16						
17						
18						
19						
20						

Trial Number:			22			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5304			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	95.4	14	1285	1825	323565
2	2	75.5	14	1887	-	504871
3	3	89.4	14	1640	1663	684664
4	1	55.1	14	-	-	120992
5	3	99.5	14	1359	1155	301709
6	1	59.1	14	-	-	483915
7	2	69.7	14	1646	-	664566
8	2	73.6	14	1980	-	98338
9	2	74.1	14	1487	-	279508
10	1	63.4	14	-	-	461579
11	1	50.1	14	-	-	643429
12	1	62	14	-	-	76281
13	1	54.9	14	-	-	257657
14	2	77.6	14	1491	-	438613
15	1	57.9	14	-	-	620563
16	2	76.3	14	1942	-	53769
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:			23			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5306			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	57.2	10	-	-	314089
2	1	54.8	10	-	-	556206
3	2	80	10	1568	-	796954
4	2	78.6	10	1920	-	41999
5	2	70.7	10	1938	-	283844
6	3	89	10	1596	1037	524820
7	3	99.3	10	1524	1759	765910
8	3	86.3	10	1017	1686	12233
9	3	89	10	1031	1158	253888
10	3	91.2	10	1833	1476	494982
11	3	99.9	10	1573	1867	736549
12	2	79.5	10	1465	-	979091
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			24			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5306			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	54.9	9	-	-	245073
2	2	79.8	9	1879	-	508601
3	1	55.2	9	-	-	773740
4	2	67.2	9	1839	-	1035838
5	1	59.4	9	-	-	212579
6	3	88.8	9	1116	1712	475640
7	3	96.8	9	1811	1976	738539
8	3	93.8	9	1343	1858	1002594
9	3	85.8	9	1612	1422	179454
10	2	81	9	1672	-	443505
11	2	67.5	9	1382	-	707500
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:			25			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5307			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	51.4	6	-	-	1188992
2	3	90.6	6	1607	1330	179886
3	2	72.7	6	1340	-	502817
4	3	84.5	6	1622	1737	824412
5	1	61.9	6	-	-	1149421
6	1	56.2	6	-	-	140409
7	1	66.6	6	-	-	463364
8	2	69.4	6	1076	-	785741
9	2	74	6	1666	-	1108145
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			26			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5303			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	65.4	16	-	-	53208
2	3	95.2	16	1633	1348	223201
3	3	92.7	16	1510	1787	393159
4	1	50.1	16	-	-	565604
5	1	60	16	-	-	32166
6	2	76.1	16	1184	-	202596
7	2	66.8	16	1368	-	373362
8	1	56.3	16	-	-	544834
9	2	76.2	16	1448	-	11115
10	1	53	16	-	-	182041
11	1	66.2	16	-	-	352982
12	1	58.2	16	-	-	523391
13	1	59.2	16	-	-	694563
14	3	90.3	16	1505	1520	160317
15	2	68.6	16	1567	-	331210
16	3	94.4	16	1112	1988	500538
17	1	58.2	16	-	-	673746
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:			27			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5303			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83	16	1457	-	139609
2	1	52.5	16	-	-	310919
3	1	66.1	16	-	-	481757
4	2	80.9	16	1063	-	651646
5	1	64.1	16	-	-	118924
6	3	90.6	16	1195	1959	288508
7	2	76.2	16	1854	-	459416
8	3	87.4	16	1617	1282	628855
9	2	78.6	16	1240	-	97671
10	3	88	16	2000	1447	267237
11	3	98.1	16	1535	1168	437513
12	1	54.5	16	-	-	609904
13	3	87.4	16	1070	1360	76492
14	2	80	16	1958	-	246736
15	2	72.3	16	1480	-	417484
16	2	71.8	16	1235	-	588107
17	2	75.8	16	1632	-	55619
18						
19						
20						

Trial Number:			28			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5302			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	64.1	20	-	-	192579
2	1	59.8	20	-	-	337557
3	3	87.1	20	1347	1300	480410
4	1	55	20	-	-	29452
5	1	57.1	20	-	-	174741
6	3	83.4	20	1907	1001	318469
7	2	72	20	1680	-	463237
8	3	90.4	20	1423	1822	11521
9	2	67.5	20	1068	-	156452
10	2	82.7	20	1434	-	301170
11	1	64.8	20	-	-	447255
12	1	59.2	20	-	-	592368
13	3	92.2	20	1311	1923	138102
14	1	50.3	20	-	-	284099
15	1	54	20	-	-	428816
16	3	90.2	20	1930	1189	571275
17	1	53.6	20	-	-	120893
18	2	73.2	20	1780	-	265158
19	1	64	20	-	-	411039
20	1	53.2	20	-	-	556210

DFS Radar Parameters
FCC Radar Type 5
Channel 60 Bandwidth 20MHz

Trial Number:			29			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5304			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	93.2	15	1234	1083	128611
2	1	51.2	15	-	-	310657
3	1	54.6	15	-	-	492134
4	1	66.5	15	-	-	673231
5	1	62.8	15	-	-	106530
6	2	81.5	15	1906	-	287373
7	3	88.1	15	1861	1865	467565
8	2	68.7	15	1409	-	650347
9	1	51.8	15	-	-	84245
10	3	88.9	15	1762	1057	264592
11	2	73.1	15	1527	-	446309
12	3	93.9	15	1546	1547	626152
13	3	86.5	15	1243	1583	61630
14	3	83.5	15	1486	1092	242521
15	2	76.1	15	1277	-	423917
16	1	58.7	15	-	-	606617
17						
18						
19						
20						

Trial Number:			30			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5303			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	57.2	16	-	-	37161
2	1	53.1	16	-	-	207877
3	2	75.9	16	1009	-	378148
4	2	69.2	16	1886	-	547878
5	3	94.2	16	1263	1207	16065
6	3	90.6	16	1688	1329	186228
7	3	96.6	16	1321	1600	356548
8	1	57.8	16	-	-	528879
9	1	61.4	16	-	-	699812
10	2	78.1	16	1416	-	165584
11	3	86.4	16	1206	1077	335693
12	3	87.6	16	1542	1884	505111
13	3	94	16	1873	1268	675247
14	1	64.4	16	-	-	144832
15	3	83.7	16	1143	1262	314605
16	1	56.7	16	-	-	486645
17	1	58.3	16	-	-	657603
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 1
Channel 62 Bandwidth 40MHz

Trial #	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency (Pulses Per Second)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	19	1138.95	878	Yes
2	20	1113.59	898	Yes
3	23	326.16	3066	Yes
4	17	1193.32	838	Yes
5	10	1432.66	698	Yes
6	4	1730.10	578	Yes
7	3	1792.11	558	Yes
8	12	1355.01	738	Yes
9	7	1567.40	638	Yes
10	15	1253.13	798	Yes
11	1	1930.50	518	Yes
12	14	1285.35	778	Yes
13	9	1474.93	678	Yes
14	22	1066.10	938	Yes
15	21	1089.32	918	Yes
16		384.02	2604	Yes
17		343.05	2915	Yes
18		1512.86	661	Yes
19		909.92	1099	Yes
20		414.08	2415	Yes
21		339.90	2942	Yes
22		409.17	2444	Yes
23		361.14	2769	Yes
24		1398.60	715	Yes
25		677.51	1476	Yes
26		337.15	2966	Yes
27		612.00	1634	Yes
28		1742.16	574	Yes
29		372.72	2683	Yes
30		1798.56	556	Yes

DFS Radar Parameters
FCC Radar Type 2
Channel 62 Bandwidth 40MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	26	2.90	175	Yes
2	25	2.40	180	Yes
3	26	3.20	186	Yes
4	29	5.00	158	Yes
5	23	1.00	191	Yes
6	27	3.80	227	Yes
7	24	1.90	169	Yes
8	24	1.60	168	Yes
9	25	2.70	230	Yes
10	24	1.70	200	Yes
11	25	2.30	167	Yes
12	23	1.40	166	Yes
13	27	3.90	156	Yes
14	23	1.00	222	Yes
15	28	4.00	197	Yes
16	25	2.20	215	Yes
17	23	1.40	224	Yes
18	27	3.70	218	Yes
19	23	1.50	223	Yes
20	29	4.80	190	Yes
21	26	3.20	213	Yes
22	27	3.50	152	Yes
23	25	2.40	179	Yes
24	24	2.10	192	Yes
25	23	1.30	157	Yes
26	27	3.90	165	Yes
27	28	4.00	176	Yes
28	29	4.90	204	Yes
29	27	3.50	225	Yes
30	28	3.90	154	Yes

DFS Radar Parameters
FCC Radar Type 3
Channel 62 Bandwidth 40MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	17	7.90	412	Yes
2	17	7.40	414	Yes
3	17	8.20	267	Yes
4	18	10.00	351	Yes
5	16	6.00	493	Yes
6	18	8.80	367	Yes
7	16	6.90	375	Yes
8	16	6.60	273	Yes
9	17	7.70	259	Yes
10	16	6.70	417	Yes
11	17	7.30	202	Yes
12	16	6.40	257	Yes
13	18	8.90	492	Yes
14	16	6.00	407	Yes
15	18	9.00	239	Yes
16	16	7.20	235	Yes
17	16	6.40	290	Yes
18	18	8.70	231	Yes
19	16	6.50	394	Yes
20	18	9.80	337	Yes
21	17	8.20	336	Yes
22	17	8.50	331	Yes
23	17	7.40	415	Yes
24	16	7.10	242	Yes
25	16	6.30	470	Yes
26	18	8.90	416	Yes
27	18	9.00	490	Yes
28	18	9.90	458	Yes
29	17	8.50	253	Yes
30	18	8.90	435	Yes

DFS Radar Parameters
FCC Radar Type 4
Channel 62 Bandwidth 40MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	14	15.20	412	Yes
2	13	14.10	414	Yes
3	14	15.90	267	Yes
4	16	20.00	351	Yes
5	12	11.10	493	Yes
6	15	17.20	367	Yes
7	13	13.10	375	Yes
8	12	12.30	273	Yes
9	14	14.80	259	Yes
10	12	12.70	417	Yes
11	13	14.00	202	Yes
12	12	12.00	257	Yes
13	15	17.40	492	Yes
14	12	11.00	407	Yes
15	15	17.80	239	Yes
16	13	13.60	235	Yes
17	12	11.90	290	Yes
18	15	17.10	231	Yes
19	12	12.10	394	Yes
20	16	19.50	337	Yes
21	14	15.90	336	Yes
22	15	16.60	331	Yes
23	13	14.30	415	Yes
24	13	13.40	242	Yes
25	12	11.70	470	Yes
26	15	17.40	416	Yes
27	15	17.60	490	Yes
28	16	19.80	458	Yes
29	15	16.70	253	Yes
30	15	17.50	435	Yes

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:			1			Detection (Yes/No)
Number of Bursts in Trial:			14			
Chirp Center Frequency:			5310			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	73.3	12	1924	-	604303
2	2	67.2	12	1623	-	811536
3	2	77.1	12	1185	-	165096
4	3	99.5	12	1489	1641	371416
5	1	50.6	12	-	-	580420
6	3	84.6	12	1253	1846	785165
7	1	61.7	12	-	-	139715
8	1	57.5	12	-	-	347006
9	2	71.3	12	1380	-	553976
10	1	59.3	12	-	-	762173
11	2	66.8	12	1571	-	113852
12	1	55.5	12	-	-	321451
13	3	85.4	12	1475	1398	527300
14	1	50.4	12	-	-	736380
15						
16						
17						
18						
19						
20						

Trial Number:			2			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5310			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	87.7	10	1256	1849	102961
2	1	64.7	10	-	-	345624
3	1	55.3	10	-	-	587900
4	3	83.8	10	1670	1244	827416
5	1	56.3	10	-	-	73530
6	3	97.1	10	1608	1069	314860
7	2	77.4	10	1821	-	556858
8	2	81	10	1544	-	799008
9	2	68.1	10	1738	-	43606
10	1	63.4	10	-	-	285942
11	1	53.8	10	-	-	528237
12	3	85.7	10	1813	1698	767733
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:			3			Detection (Yes/No)
Number of Bursts in Trial:			15			
Chirp Center Frequency:			5310			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µsec)	Pulse 2-to-3 Spacing (µsec)	Starting Location Within Interval (µsec)
1	3	86.8	13	1726	1685	11018
2	3	98.6	13	1020	1651	204087
3	2	81.4	13	1702	-	397605
4	3	85.8	13	1225	1432	590163
5	2	76.7	13	1895	-	783917
6	2	77.4	13	1435	-	180490
7	1	52.5	13	-	-	374764
8	2	70.5	13	1602	-	566997
9	3	85.5	13	1576	1898	758647
10	3	85.4	13	1389	1274	156484
11	3	98.9	13	1426	1739	349235
12	2	71	13	1590	-	543246
13	3	99.7	13	1135	1560	735346
14	3	85.5	13	1407	1669	132711
15	3	97.5	13	1903	1595	325432
16						
17						
18						
19						
20						

Trial Number:			4			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5310			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µsec)	Pulse 2-to-3 Spacing (µsec)	Starting Location Within Interval (µsec)
1	2	71.5	20	1928	-	388568
2	1	63.8	20	-	-	535530
3	1	51	20	-	-	81987
4	2	76.2	20	1582	-	226298
5	3	88.2	20	1904	1714	369825
6	1	66.1	20	-	-	517348
7	2	67.1	20	1478	-	63908
8	1	60.4	20	-	-	209189
9	1	62	20	-	-	354409
10	1	60.8	20	-	-	499833
11	3	86.5	20	1415	1296	45997
12	2	77.6	20	1983	-	190646
13	1	53.3	20	-	-	336221
14	1	61.4	20	-	-	481938
15	3	92.3	20	1003	1357	28174
16	3	99.1	20	1750	1356	172657
17	1	63.6	20	-	-	318859
18	3	95.6	20	1937	1007	461197
19	1	64.9	20	-	-	10409
20	3	97.8	20	1467	1947	154567

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:			5			Detection (Yes/No)
Number of Bursts in Trial:			8			
Chirp Center Frequency:			5310			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	63.2	5	-	-	752755
2	2	76.2	5	1436	-	1115094
3	3	85.5	5	1365	1130	1477689
4	2	82.7	5	1438	-	344356
5	3	89.5	5	1245	1373	707009
6	1	53	5	-	-	1071711
7	1	64.9	5	-	-	1435161
8	1	64.9	5	-	-	299875
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			6			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5310			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	52.3	16	-	-	331551
2	1	65.9	16	-	-	512757
3	3	84.3	16	1154	1358	691974
4	3	84.1	16	1766	1543	126861
5	2	70.8	16	1474	-	308277
6	3	99.6	16	1950	1369	488613
7	1	55.9	16	-	-	672493
8	2	67.2	16	1302	-	104902
9	2	67	16	1981	-	285781
10	3	87.3	16	1875	1642	465967
11	1	65.7	16	-	-	649336
12	2	69.6	16	1364	-	82583
13	2	69.7	16	1764	-	263612
14	3	88.1	16	1719	1843	443617
15	2	69.3	16	1402	-	626596
16	2	75	16	1876	-	60222
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:			7			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5310			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	90.2	8	1587	1989	350913
2	3	99.8	8	1297	1471	614926
3	3	99.2	8	1218	1922	877618
4	1	59.1	8	-	-	55330
5	3	93.2	8	1372	1838	318643
6	3	86.4	8	1996	1142	581856
7	3	85.2	8	1611	1159	846231
8	2	75.5	8	1536	-	22779
9	3	84.7	8	1945	1755	286037
10	3	87.7	8	1823	1829	549315
11	3	84.2	8	1134	1345	813428
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			8			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5310			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	95.3	7	1288	1908	1316809
2	2	78.3	7	1452	-	310714
3	2	68.4	7	1784	-	633353
4	3	86.8	7	1972	1046	954804
5	3	85.2	7	1731	1817	1276482
6	1	51.1	7	-	-	271361
7	1	52.1	7	-	-	594491
8	1	58.1	7	-	-	917332
9	3	96.2	7	1506	1634	1237536
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:			9			Detection (Yes/No)
Number of Bursts in Trial:			13			
Chirp Center Frequency:			5310			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	76.5	11	1681	-	159923
2	1	52.3	11	-	-	383627
3	1	56.7	11	-	-	607112
4	1	53.7	11	-	-	830875
5	1	55.4	11	-	-	132610
6	2	75.1	11	1650	-	355616
7	2	82	11	1198	-	579044
8	2	76.4	11	1084	-	801836
9	2	79.9	11	1237	-	104956
10	3	95.4	11	1929	1473	327519
11	2	78.1	11	1442	-	551067
12	2	75.2	11	1810	-	774551
13	1	56.8	11	-	-	77625
14						
15						
16						
17						
18						
19						
20						

Trial Number:			10			Detection (Yes/No)
Number of Bursts in Trial:			10			
Chirp Center Frequency:			5310			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	60.5	7	-	-	391525
2	3	92.5	7	1399	1630	680592
3	3	89.7	7	1183	1040	970982
4	1	53.8	7	-	-	65132
5	1	55.7	7	-	-	355668
6	2	71.7	7	1319	-	645796
7	1	65.9	7	-	-	937057
8	2	80.7	7	1455	-	29284
9	1	58.8	7	-	-	319946
10	3	99.5	7	1460	1275	609436
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:			11			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5295			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83.1	10	1045	-	750269
2	1	65.4	10	-	-	993190
3	1	60.6	10	-	-	236771
4	3	89	10	1226	1499	477816
5	3	98.7	10	1674	1562	719094
6	1	50.4	10	-	-	963027
7	2	80.6	10	1749	-	206586
8	2	68.4	10	1769	-	448451
9	2	67.5	10	1022	-	690250
10	2	80	10	1818	-	931437
11	2	73.1	10	1352	-	176860
12	3	98.5	10	1558	1289	418167
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			12			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5293			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	87.9	6	1668	1678	880051
2	3	93.1	6	1468	1883	1202325
3	3	95.5	6	1978	1049	196045
4	1	53.6	6	-	-	519354
5	2	68.1	6	1724	-	841339
6	1	54.3	6	-	-	1165856
7	1	58.8	6	-	-	156656
8	3	95.6	6	1392	1325	478592
9	3	89.4	6	1050	1549	801263
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:			13			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5297			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	59.6	16	-	-	595311
2	1	59	16	-	-	61850
3	3	88.4	16	1090	1107	232086
4	2	67.7	16	1361	-	402951
5	2	75.9	16	1598	-	573309
6	3	97.2	16	1203	1804	40593
7	2	81.3	16	1464	-	211287
8	3	95.5	16	1801	1160	381089
9	2	80.5	16	1696	-	551807
10	3	92.2	16	1066	1326	19660
11	1	65.4	16	-	-	190496
12	2	67.7	16	1429	-	360475
13	1	52.9	16	-	-	532241
14	2	73.6	16	1870	-	701220
15	3	88.4	16	1979	1397	168776
16	3	94.9	16	1529	1935	338881
17	3	86.2	16	1588	1772	508991
18						
19						
20						

Trial Number:			14			Detection (Yes/No)
Number of Bursts in Trial:			8			
Chirp Center Frequency:			5293			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83.3	5	1103	-	1450341
2	2	75.9	5	1532	-	315565
3	3	99.4	5	1974	1292	677938
4	2	76.9	5	1760	-	1041626
5	1	60.6	5	-	-	1406463
6	3	95.2	5	1816	1824	270452
7	3	83.8	5	1911	1278	633275
8	1	62	5	-	-	997753
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:			15			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5298			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µsec)	Pulse 2-to-3 Spacing (µsec)	Starting Location Within Interval (µsec)
1	1	54.6	17	-	-	639565
2	3	96.7	17	1065	1710	106025
3	1	58.4	17	-	-	277380
4	1	52.1	17	-	-	448363
5	1	53.6	17	-	-	618899
6	1	61.6	17	-	-	85399
7	2	71.9	17	1676	-	255398
8	1	63.2	17	-	-	427030
9	1	60	17	-	-	597917
10	2	73.5	17	1428	-	64197
11	1	56.4	17	-	-	234978
12	2	72.2	17	1396	-	404904
13	2	71.2	17	1191	-	576074
14	2	72.8	17	1194	-	43189
15	1	53.3	17	-	-	214005
16	3	99.3	17	1709	1148	383203
17	2	73	17	1756	-	554519
18						
19						
20						

Trial Number:			16			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5294			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µsec)	Pulse 2-to-3 Spacing (µsec)	Starting Location Within Interval (µsec)
1	3	87	9	1479	1601	34277
2	3	87.8	9	1742	1828	297625
3	1	57.6	9	-	-	562960
4	2	80.8	9	1967	-	825621
5	3	85	9	1454	1286	1815
6	2	69.4	9	1157	-	265852
7	1	57	9	-	-	530213
8	1	58.8	9	-	-	794833
9	2	81.9	9	1164	-	1057404
10	2	71.1	9	1221	-	233149
11	2	82.9	9	1363	-	497092
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:			17			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5293			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	96.3	6	1931	1096	929081
2	1	62.5	6	-	-	1254370
3	3	99	6	1342	1792	245118
4	1	63.8	6	-	-	568725
5	1	54.6	6	-	-	891456
6	1	55.6	6	-	-	1214587
7	2	71.3	6	1808	-	205663
8	1	50.5	6	-	-	528975
9	2	72.8	6	1298	-	851018
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			18			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5297			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	93.3	15	1079	1385	658486
2	2	76.8	15	1878	-	93136
3	2	80.6	15	1338	-	274515
4	3	93.6	15	1086	1379	454917
5	1	54.4	15	-	-	637750
6	3	92.9	15	1837	1832	70674
7	1	50	15	-	-	252661
8	2	82	15	1120	-	433227
9	2	72.7	15	1054	-	614676
10	1	65	15	-	-	48622
11	1	60.5	15	-	-	230210
12	2	72.6	15	1291	-	411159
13	1	50	15	-	-	592914
14	1	53.8	15	-	-	26268
15	2	73.6	15	1835	-	207217
16	1	57.4	15	-	-	389570
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:			19			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5294			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	76.1	7	1880	-	1013979
2	2	81.3	7	1537	-	6926
3	2	69.7	7	1853	-	329543
4	2	77.2	7	1857	-	651855
5	1	51.3	7	-	-	976126
6	3	93.4	7	1162	1812	1296540
7	2	71.8	7	1513	-	289906
8	3	90.6	7	1902	1767	611609
9	3	89	7	1109	1718	934400
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			20			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5299			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	66.9	20	1284	-	564206
2	3	97.6	20	1351	1193	112005
3	2	74.6	20	1324	-	256993
4	3	92.7	20	1618	1362	401036
5	2	67.5	20	1770	-	546338
6	1	65.5	20	-	-	94569
7	1	51.4	20	-	-	239885
8	1	52.8	20	-	-	384750
9	2	76.4	20	1230	-	529106
10	2	79.7	20	1124	-	76550
11	1	60.2	20	-	-	221770
12	1	57.2	20	-	-	366942
13	1	64.1	20	-	-	512414
14	2	76.3	20	1014	-	58805
15	3	92.1	20	1689	1341	202941
16	2	69.3	20	1856	-	348376
17	2	75.1	20	1805	-	492682
18	3	86.1	20	1294	1105	40840
19	2	66.9	20	1807	-	185456
20	1	60.5	20	-	-	331496

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:			21			Detection (Yes/No)
Number of Bursts in Trial:			15			
Chirp Center Frequency:			5324			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	60.3	13	-	-	635986
2	3	96.3	13	1781	1412	30701
3	1	58.6	13	-	-	224465
4	2	75.3	13	1192	-	417600
5	1	56.4	13	-	-	611678
6	2	78.6	13	1866	-	6966
7	2	74.4	13	1188	-	200470
8	1	51.6	13	-	-	394467
9	2	73.3	13	1317	-	586741
10	2	71.4	13	1677	-	780117
11	3	100	13	1328	1315	176273
12	1	55	13	-	-	370310
13	3	90.1	13	1039	1170	562750
14	1	54.6	13	-	-	757983
15	3	87.5	13	1394	1796	152304
16						
17						
18						
19						
20						

Trial Number:			22			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5324			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	95.4	14	1285	1825	323565
2	2	75.5	14	1887	-	504871
3	3	89.4	14	1640	1663	684664
4	1	55.1	14	-	-	120992
5	3	99.5	14	1359	1155	301709
6	1	59.1	14	-	-	483915
7	2	69.7	14	1646	-	664566
8	2	73.6	14	1980	-	98338
9	2	74.1	14	1487	-	279508
10	1	63.4	14	-	-	461579
11	1	50.1	14	-	-	643429
12	1	62	14	-	-	76281
13	1	54.9	14	-	-	257657
14	2	77.6	14	1491	-	438613
15	1	57.9	14	-	-	620563
16	2	76.3	14	1942	-	53769
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:			23			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5325			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	57.2	10	-	-	314089
2	1	54.8	10	-	-	556206
3	2	80	10	1568	-	796954
4	2	78.6	10	1920	-	41999
5	2	70.7	10	1938	-	283844
6	3	89	10	1596	1037	524820
7	3	99.3	10	1524	1759	765910
8	3	86.3	10	1017	1686	12233
9	3	89	10	1031	1158	253888
10	3	91.2	10	1833	1476	494982
11	3	99.9	10	1573	1867	736549
12	2	79.5	10	1465	-	979091
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			24			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5326			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	54.9	9	-	-	245073
2	2	79.8	9	1879	-	508601
3	1	55.2	9	-	-	773740
4	2	67.2	9	1839	-	1035838
5	1	59.4	9	-	-	212579
6	3	88.8	9	1116	1712	475640
7	3	96.8	9	1811	1976	738539
8	3	93.8	9	1343	1858	1002594
9	3	85.8	9	1612	1422	179454
10	2	81	9	1672	-	443505
11	2	67.5	9	1382	-	707500
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:			25			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5327			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	51.4	6	-	-	1188992
2	3	90.6	6	1607	1330	179886
3	2	72.7	6	1340	-	502817
4	3	84.5	6	1622	1737	824412
5	1	61.9	6	-	-	1149421
6	1	56.2	6	-	-	140409
7	1	66.6	6	-	-	463364
8	2	69.4	6	1076	-	785741
9	2	74	6	1666	-	1108145
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			26			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5323			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	65.4	16	-	-	53208
2	3	95.2	16	1633	1348	223201
3	3	92.7	16	1510	1787	393159
4	1	50.1	16	-	-	565604
5	1	60	16	-	-	32166
6	2	76.1	16	1184	-	202596
7	2	66.8	16	1368	-	373362
8	1	56.3	16	-	-	544834
9	2	76.2	16	1448	-	11115
10	1	53	16	-	-	182041
11	1	66.2	16	-	-	352982
12	1	58.2	16	-	-	523391
13	1	59.2	16	-	-	694563
14	3	90.3	16	1505	1520	160317
15	2	68.6	16	1567	-	331210
16	3	94.4	16	1112	1988	500538
17	1	58.2	16	-	-	673746
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:			27			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5323			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83	16	1457	-	139609
2	1	52.5	16	-	-	310919
3	1	66.1	16	-	-	481757
4	2	80.9	16	1063	-	651646
5	1	64.1	16	-	-	118924
6	3	90.6	16	1195	1959	288508
7	2	76.2	16	1854	-	459416
8	3	87.4	16	1617	1282	628855
9	2	78.6	16	1240	-	97671
10	3	88	16	2000	1447	267237
11	3	98.1	16	1535	1168	437513
12	1	54.5	16	-	-	609904
13	3	87.4	16	1070	1360	76492
14	2	80	16	1958	-	246736
15	2	72.3	16	1480	-	417484
16	2	71.8	16	1235	-	588107
17	2	75.8	16	1632	-	55619
18						
19						
20						

Trial Number:			28			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5321			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	64.1	20	-	-	192579
2	1	59.8	20	-	-	337557
3	3	87.1	20	1347	1300	480410
4	1	55	20	-	-	29452
5	1	57.1	20	-	-	174741
6	3	83.4	20	1907	1001	318469
7	2	72	20	1680	-	463237
8	3	90.4	20	1423	1822	11521
9	2	67.5	20	1068	-	156452
10	2	82.7	20	1434	-	301170
11	1	64.8	20	-	-	447255
12	1	59.2	20	-	-	592368
13	3	92.2	20	1311	1923	138102
14	1	50.3	20	-	-	284099
15	1	54	20	-	-	428816
16	3	90.2	20	1930	1189	571275
17	1	53.6	20	-	-	120893
18	2	73.2	20	1780	-	265158
19	1	64	20	-	-	411039
20	1	53.2	20	-	-	556210

DFS Radar Parameters
FCC Radar Type 5
Channel 62 Bandwidth 40MHz

Trial Number:			29			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5323			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	93.2	15	1234	1083	128611
2	1	51.2	15	-	-	310657
3	1	54.6	15	-	-	492134
4	1	66.5	15	-	-	673231
5	1	62.8	15	-	-	106530
6	2	81.5	15	1906	-	287373
7	3	88.1	15	1861	1865	467565
8	2	68.7	15	1409	-	650347
9	1	51.8	15	-	-	84245
10	3	88.9	15	1762	1057	264592
11	2	73.1	15	1527	-	446309
12	3	93.9	15	1546	1547	626152
13	3	86.5	15	1243	1583	61630
14	3	83.5	15	1486	1092	242521
15	2	76.1	15	1277	-	423917
16	1	58.7	15	-	-	606617
17						
18						
19						
20						

Trial Number:			30			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5323			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	57.2	16	-	-	37161
2	1	53.1	16	-	-	207877
3	2	75.9	16	1009	-	378148
4	2	69.2	16	1886	-	547878
5	3	94.2	16	1263	1207	16065
6	3	90.6	16	1688	1329	186228
7	3	96.6	16	1321	1600	356548
8	1	57.8	16	-	-	528879
9	1	61.4	16	-	-	699812
10	2	78.1	16	1416	-	165584
11	3	86.4	16	1206	1077	335693
12	3	87.6	16	1542	1884	505111
13	3	94	16	1873	1268	675247
14	1	64.4	16	-	-	144832
15	3	83.7	16	1143	1262	314605
16	1	56.7	16	-	-	486645
17	1	58.3	16	-	-	657603
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 1
Channel 58 Bandwidth 80MHz

Trial #	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency (Pulses Per Second)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	19	1138.95	878	Yes
2	20	1113.59	898	Yes
3	23	326.16	3066	Yes
4	17	1193.32	838	Yes
5	10	1432.66	698	Yes
6	4	1730.10	578	Yes
7	3	1792.11	558	Yes
8	12	1355.01	738	Yes
9	7	1567.40	638	Yes
10	15	1253.13	798	Yes
11	1	1930.50	518	Yes
12	14	1285.35	778	Yes
13	9	1474.93	678	Yes
14	22	1066.10	938	Yes
15	21	1089.32	918	Yes
16		384.02	2604	Yes
17		343.05	2915	Yes
18		1512.86	661	Yes
19		909.92	1099	Yes
20		414.08	2415	Yes
21		339.90	2942	Yes
22		409.17	2444	Yes
23		361.14	2769	Yes
24		1398.60	715	Yes
25		677.51	1476	Yes
26		337.15	2966	Yes
27		612.00	1634	Yes
28		1742.16	574	Yes
29		372.72	2683	Yes
30		1798.56	556	Yes

DFS Radar Parameters
FCC Radar Type 2
Channel 58 Bandwidth 80MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	26	2.90	175	Yes
2	25	2.40	180	Yes
3	26	3.20	186	Yes
4	29	5.00	158	Yes
5	23	1.00	191	Yes
6	27	3.80	227	Yes
7	24	1.90	169	Yes
8	24	1.60	168	Yes
9	25	2.70	230	Yes
10	24	1.70	200	Yes
11	25	2.30	167	Yes
12	23	1.40	166	Yes
13	27	3.90	156	Yes
14	23	1.00	222	Yes
15	28	4.00	197	Yes
16	25	2.20	215	Yes
17	23	1.40	224	Yes
18	27	3.70	218	Yes
19	23	1.50	223	Yes
20	29	4.80	190	Yes
21	26	3.20	213	Yes
22	27	3.50	152	Yes
23	25	2.40	179	Yes
24	24	2.10	192	Yes
25	23	1.30	157	Yes
26	27	3.90	165	Yes
27	28	4.00	176	Yes
28	29	4.90	204	Yes
29	27	3.50	225	Yes
30	28	3.90	154	Yes

DFS Radar Parameters
FCC Radar Type 3
Channel 58 Bandwidth 80MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	17	7.90	412	Yes
2	17	7.40	414	Yes
3	17	8.20	267	Yes
4	18	10.00	351	Yes
5	16	6.00	493	Yes
6	18	8.80	367	Yes
7	16	6.90	375	Yes
8	16	6.60	273	Yes
9	17	7.70	259	Yes
10	16	6.70	417	Yes
11	17	7.30	202	Yes
12	16	6.40	257	Yes
13	18	8.90	492	Yes
14	16	6.00	407	Yes
15	18	9.00	239	Yes
16	16	7.20	235	Yes
17	16	6.40	290	Yes
18	18	8.70	231	Yes
19	16	6.50	394	Yes
20	18	9.80	337	Yes
21	17	8.20	336	Yes
22	17	8.50	331	Yes
23	17	7.40	415	Yes
24	16	7.10	242	Yes
25	16	6.30	470	Yes
26	18	8.90	416	Yes
27	18	9.00	490	Yes
28	18	9.90	458	Yes
29	17	8.50	253	Yes
30	18	8.90	435	Yes

DFS Radar Parameters
FCC Radar Type 4
Channel 58 Bandwidth 80MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	14	15.20	412	Yes
2	13	14.10	414	Yes
3	14	15.90	267	Yes
4	16	20.00	351	Yes
5	12	11.10	493	Yes
6	15	17.20	367	Yes
7	13	13.10	375	Yes
8	12	12.30	273	Yes
9	14	14.80	259	Yes
10	12	12.70	417	Yes
11	13	14.00	202	Yes
12	12	12.00	257	Yes
13	15	17.40	492	Yes
14	12	11.00	407	Yes
15	15	17.80	239	Yes
16	13	13.60	235	Yes
17	12	11.90	290	Yes
18	15	17.10	231	Yes
19	12	12.10	394	No
20	16	19.50	337	Yes
21	14	15.90	336	Yes
22	15	16.60	331	Yes
23	13	14.30	415	Yes
24	13	13.40	242	Yes
25	12	11.70	470	Yes
26	15	17.40	416	Yes
27	15	17.60	490	Yes
28	16	19.80	458	Yes
29	15	16.70	253	Yes
30	15	17.50	435	Yes

DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz

Trial Number:			1			Detection (Yes/No)
Number of Bursts in Trial:			14			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	73.3	12	1924	-	604303
2	2	67.2	12	1623	-	811536
3	2	77.1	12	1185	-	165096
4	3	99.5	12	1489	1641	371416
5	1	50.6	12	-	-	580420
6	3	84.6	12	1253	1846	785165
7	1	61.7	12	-	-	139715
8	1	57.5	12	-	-	347006
9	2	71.3	12	1380	-	553976
10	1	59.3	12	-	-	762173
11	2	66.8	12	1571	-	113852
12	1	55.5	12	-	-	321451
13	3	85.4	12	1475	1398	527300
14	1	50.4	12	-	-	736380
15						
16						
17						
18						
19						
20						

Trial Number:			2			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	87.7	10	1256	1849	102961
2	1	64.7	10	-	-	345624
3	1	55.3	10	-	-	587900
4	3	83.8	10	1670	1244	827416
5	1	56.3	10	-	-	73530
6	3	97.1	10	1608	1069	314860
7	2	77.4	10	1821	-	556858
8	2	81	10	1544	-	799008
9	2	68.1	10	1738	-	43606
10	1	63.4	10	-	-	285942
11	1	53.8	10	-	-	528237
12	3	85.7	10	1813	1698	767733
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz

Trial Number:			3			Detection (Yes/No)
Number of Bursts in Trial:			15			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µsec)	Pulse 2-to-3 Spacing (µsec)	Starting Location Within Interval (µsec)
1	3	86.8	13	1726	1685	11018
2	3	98.6	13	1020	1651	204087
3	2	81.4	13	1702	-	397605
4	3	85.8	13	1225	1432	590163
5	2	76.7	13	1895	-	783917
6	2	77.4	13	1435	-	180490
7	1	52.5	13	-	-	374764
8	2	70.5	13	1602	-	566997
9	3	85.5	13	1576	1898	758647
10	3	85.4	13	1389	1274	156484
11	3	98.9	13	1426	1739	349235
12	2	71	13	1590	-	543246
13	3	99.7	13	1135	1560	735346
14	3	85.5	13	1407	1669	132711
15	3	97.5	13	1903	1595	325432
16						
17						
18						
19						
20						

Trial Number:			4			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µsec)	Pulse 2-to-3 Spacing (µsec)	Starting Location Within Interval (µsec)
1	2	71.5	20	1928	-	388568
2	1	63.8	20	-	-	535530
3	1	51	20	-	-	81987
4	2	76.2	20	1582	-	226298
5	3	88.2	20	1904	1714	369825
6	1	66.1	20	-	-	517348
7	2	67.1	20	1478	-	63908
8	1	60.4	20	-	-	209189
9	1	62	20	-	-	354409
10	1	60.8	20	-	-	499833
11	3	86.5	20	1415	1296	45997
12	2	77.6	20	1983	-	190646
13	1	53.3	20	-	-	336221
14	1	61.4	20	-	-	481938
15	3	92.3	20	1003	1357	28174
16	3	99.1	20	1750	1356	172657
17	1	63.6	20	-	-	318859
18	3	95.6	20	1937	1007	461197
19	1	64.9	20	-	-	10409
20	3	97.8	20	1467	1947	154567

DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz

Trial Number:			5			Detection (Yes/No)
Number of Bursts in Trial:			8			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	63.2	5	-	-	752755
2	2	76.2	5	1436	-	1115094
3	3	85.5	5	1365	1130	1477689
4	2	82.7	5	1438	-	344356
5	3	89.5	5	1245	1373	707009
6	1	53	5	-	-	1071711
7	1	64.9	5	-	-	1435161
8	1	64.9	5	-	-	299875
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			6			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	52.3	16	-	-	331551
2	1	65.9	16	-	-	512757
3	3	84.3	16	1154	1358	691974
4	3	84.1	16	1766	1543	126861
5	2	70.8	16	1474	-	308277
6	3	99.6	16	1950	1369	488613
7	1	55.9	16	-	-	672493
8	2	67.2	16	1302	-	104902
9	2	67	16	1981	-	285781
10	3	87.3	16	1875	1642	465967
11	1	65.7	16	-	-	649336
12	2	69.6	16	1364	-	82583
13	2	69.7	16	1764	-	263612
14	3	88.1	16	1719	1843	443617
15	2	69.3	16	1402	-	626596
16	2	75	16	1876	-	60222
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz

Trial Number:			7			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	90.2	8	1587	1989	350913
2	3	99.8	8	1297	1471	614926
3	3	99.2	8	1218	1922	877618
4	1	59.1	8	-	-	55330
5	3	93.2	8	1372	1838	318643
6	3	86.4	8	1996	1142	581856
7	3	85.2	8	1611	1159	846231
8	2	75.5	8	1536	-	22779
9	3	84.7	8	1945	1755	286037
10	3	87.7	8	1823	1829	549315
11	3	84.2	8	1134	1345	813428
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			8			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	95.3	7	1288	1908	1316809
2	2	78.3	7	1452	-	310714
3	2	68.4	7	1784	-	633353
4	3	86.8	7	1972	1046	954804
5	3	85.2	7	1731	1817	1276482
6	1	51.1	7	-	-	271361
7	1	52.1	7	-	-	594491
8	1	58.1	7	-	-	917332
9	3	96.2	7	1506	1634	1237536
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz

Trial Number:			9			Detection (Yes/No)
Number of Bursts in Trial:			13			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	76.5	11	1681	-	159923
2	1	52.3	11	-	-	383627
3	1	56.7	11	-	-	607112
4	1	53.7	11	-	-	830875
5	1	55.4	11	-	-	132610
6	2	75.1	11	1650	-	355616
7	2	82	11	1198	-	579044
8	2	76.4	11	1084	-	801836
9	2	79.9	11	1237	-	104956
10	3	95.4	11	1929	1473	327519
11	2	78.1	11	1442	-	551067
12	2	75.2	11	1810	-	774551
13	1	56.8	11	-	-	77625
14						
15						
16						
17						
18						
19						
20						

Trial Number:			10			Detection (Yes/No)
Number of Bursts in Trial:			10			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	60.5	7	-	-	391525
2	3	92.5	7	1399	1630	680592
3	3	89.7	7	1183	1040	970982
4	1	53.8	7	-	-	65132
5	1	55.7	7	-	-	355668
6	2	71.7	7	1319	-	645796
7	1	65.9	7	-	-	937057
8	2	80.7	7	1455	-	29284
9	1	58.8	7	-	-	319946
10	3	99.5	7	1460	1275	609436
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz

Trial Number:			11			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5255			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83.1	10	1045	-	750269
2	1	65.4	10	-	-	993190
3	1	60.6	10	-	-	236771
4	3	89	10	1226	1499	477816
5	3	98.7	10	1674	1562	719094
6	1	50.4	10	-	-	963027
7	2	80.6	10	1749	-	206586
8	2	68.4	10	1769	-	448451
9	2	67.5	10	1022	-	690250
10	2	80	10	1818	-	931437
11	2	73.1	10	1352	-	176860
12	3	98.5	10	1558	1289	418167
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			12			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5254			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	87.9	6	1668	1678	880051
2	3	93.1	6	1468	1883	1202325
3	3	95.5	6	1978	1049	196045
4	1	53.6	6	-	-	519354
5	2	68.1	6	1724	-	841339
6	1	54.3	6	-	-	1165856
7	1	58.8	6	-	-	156656
8	3	95.6	6	1392	1325	478592
9	3	89.4	6	1050	1549	801263
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz

Trial Number:			13			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5258			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	59.6	16	-	-	595311
2	1	59	16	-	-	61850
3	3	88.4	16	1090	1107	232086
4	2	67.7	16	1361	-	402951
5	2	75.9	16	1598	-	573309
6	3	97.2	16	1203	1804	40593
7	2	81.3	16	1464	-	211287
8	3	95.5	16	1801	1160	381089
9	2	80.5	16	1696	-	551807
10	3	92.2	16	1066	1326	19660
11	1	65.4	16	-	-	190496
12	2	67.7	16	1429	-	360475
13	1	52.9	16	-	-	532241
14	2	73.6	16	1870	-	701220
15	3	88.4	16	1979	1397	168776
16	3	94.9	16	1529	1935	338881
17	3	86.2	16	1588	1772	508991
18						
19						
20						

Trial Number:			14			Detection (Yes/No)
Number of Bursts in Trial:			8			
Chirp Center Frequency:			5253			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83.3	5	1103	-	1450341
2	2	75.9	5	1532	-	315565
3	3	99.4	5	1974	1292	677938
4	2	76.9	5	1760	-	1041626
5	1	60.6	5	-	-	1406463
6	3	95.2	5	1816	1824	270452
7	3	83.8	5	1911	1278	633275
8	1	62	5	-	-	997753
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz

Trial Number:			15			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5258			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	54.6	17	-	-	639565
2	3	96.7	17	1065	1710	106025
3	1	58.4	17	-	-	277380
4	1	52.1	17	-	-	448363
5	1	53.6	17	-	-	618899
6	1	61.6	17	-	-	85399
7	2	71.9	17	1676	-	255398
8	1	63.2	17	-	-	427030
9	1	60	17	-	-	597917
10	2	73.5	17	1428	-	64197
11	1	56.4	17	-	-	234978
12	2	72.2	17	1396	-	404904
13	2	71.2	17	1191	-	576074
14	2	72.8	17	1194	-	43189
15	1	53.3	17	-	-	214005
16	3	99.3	17	1709	1148	383203
17	2	73	17	1756	-	554519
18						
19						
20						

Trial Number:			16			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5255			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	87	9	1479	1601	34277
2	3	87.8	9	1742	1828	297625
3	1	57.6	9	-	-	562960
4	2	80.8	9	1967	-	825621
5	3	85	9	1454	1286	1815
6	2	69.4	9	1157	-	265852
7	1	57	9	-	-	530213
8	1	58.8	9	-	-	794833
9	2	81.9	9	1164	-	1057404
10	2	71.1	9	1221	-	233149
11	2	82.9	9	1363	-	497092
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz

Trial Number:			17			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5254			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	96.3	6	1931	1096	929081
2	1	62.5	6	-	-	1254370
3	3	99	6	1342	1792	245118
4	1	63.8	6	-	-	568725
5	1	54.6	6	-	-	891456
6	1	55.6	6	-	-	1214587
7	2	71.3	6	1808	-	205663
8	1	50.5	6	-	-	528975
9	2	72.8	6	1298	-	851018
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			18			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5257			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	93.3	15	1079	1385	658486
2	2	76.8	15	1878	-	93136
3	2	80.6	15	1338	-	274515
4	3	93.6	15	1086	1379	454917
5	1	54.4	15	-	-	637750
6	3	92.9	15	1837	1832	70674
7	1	50	15	-	-	252661
8	2	82	15	1120	-	433227
9	2	72.7	15	1054	-	614676
10	1	65	15	-	-	48622
11	1	60.5	15	-	-	230210
12	2	72.6	15	1291	-	411159
13	1	50	15	-	-	592914
14	1	53.8	15	-	-	26268
15	2	73.6	15	1835	-	207217
16	1	57.4	15	-	-	389570
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz

Trial Number:			19			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5254			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	76.1	7	1880	-	1013979
2	2	81.3	7	1537	-	6926
3	2	69.7	7	1853	-	329543
4	2	77.2	7	1857	-	651855
5	1	51.3	7	-	-	976126
6	3	93.4	7	1162	1812	1296540
7	2	71.8	7	1513	-	289906
8	3	90.6	7	1902	1767	611609
9	3	89	7	1109	1718	934400
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			20			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5259			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	66.9	20	1284	-	564206
2	3	97.6	20	1351	1193	112005
3	2	74.6	20	1324	-	256993
4	3	92.7	20	1618	1362	401036
5	2	67.5	20	1770	-	546338
6	1	65.5	20	-	-	94569
7	1	51.4	20	-	-	239885
8	1	52.8	20	-	-	384750
9	2	76.4	20	1230	-	529106
10	2	79.7	20	1124	-	76550
11	1	60.2	20	-	-	221770
12	1	57.2	20	-	-	366942
13	1	64.1	20	-	-	512414
14	2	76.3	20	1014	-	58805
15	3	92.1	20	1689	1341	202941
16	2	69.3	20	1856	-	348376
17	2	75.1	20	1805	-	492682
18	3	86.1	20	1294	1105	40840
19	2	66.9	20	1807	-	185456
20	1	60.5	20	-	-	331496

DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz

Trial Number:			21			Detection (Yes/No)
Number of Bursts in Trial:			15			
Chirp Center Frequency:			5323			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	60.3	13	-	-	635986
2	3	96.3	13	1781	1412	30701
3	1	58.6	13	-	-	224465
4	2	75.3	13	1192	-	417600
5	1	56.4	13	-	-	611678
6	2	78.6	13	1866	-	6966
7	2	74.4	13	1188	-	200470
8	1	51.6	13	-	-	394467
9	2	73.3	13	1317	-	586741
10	2	71.4	13	1677	-	780117
11	3	100	13	1328	1315	176273
12	1	55	13	-	-	370310
13	3	90.1	13	1039	1170	562750
14	1	54.6	13	-	-	757983
15	3	87.5	13	1394	1796	152304
16						
17						
18						
19						
20						

Trial Number:			22			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5323			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	95.4	14	1285	1825	323565
2	2	75.5	14	1887	-	504871
3	3	89.4	14	1640	1663	684664
4	1	55.1	14	-	-	120992
5	3	99.5	14	1359	1155	301709
6	1	59.1	14	-	-	483915
7	2	69.7	14	1646	-	664566
8	2	73.6	14	1980	-	98338
9	2	74.1	14	1487	-	279508
10	1	63.4	14	-	-	461579
11	1	50.1	14	-	-	643429
12	1	62	14	-	-	76281
13	1	54.9	14	-	-	257657
14	2	77.6	14	1491	-	438613
15	1	57.9	14	-	-	620563
16	2	76.3	14	1942	-	53769
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz

Trial Number:			23			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5325			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	57.2	10	-	-	314089
2	1	54.8	10	-	-	556206
3	2	80	10	1568	-	796954
4	2	78.6	10	1920	-	41999
5	2	70.7	10	1938	-	283844
6	3	89	10	1596	1037	524820
7	3	99.3	10	1524	1759	765910
8	3	86.3	10	1017	1686	12233
9	3	89	10	1031	1158	253888
10	3	91.2	10	1833	1476	494982
11	3	99.9	10	1573	1867	736549
12	2	79.5	10	1465	-	979091
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			24			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5325			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	54.9	9	-	-	245073
2	2	79.8	9	1879	-	508601
3	1	55.2	9	-	-	773740
4	2	67.2	9	1839	-	1035838
5	1	59.4	9	-	-	212579
6	3	88.8	9	1116	1712	475640
7	3	96.8	9	1811	1976	738539
8	3	93.8	9	1343	1858	1002594
9	3	85.8	9	1612	1422	179454
10	2	81	9	1672	-	443505
11	2	67.5	9	1382	-	707500
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz

Trial Number:			25			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5326			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	51.4	6	-	-	1188992
2	3	90.6	6	1607	1330	179886
3	2	72.7	6	1340	-	502817
4	3	84.5	6	1622	1737	824412
5	1	61.9	6	-	-	1149421
6	1	56.2	6	-	-	140409
7	1	66.6	6	-	-	463364
8	2	69.4	6	1076	-	785741
9	2	74	6	1666	-	1108145
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			26			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5322			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	65.4	16	-	-	53208
2	3	95.2	16	1633	1348	223201
3	3	92.7	16	1510	1787	393159
4	1	50.1	16	-	-	565604
5	1	60	16	-	-	32166
6	2	76.1	16	1184	-	202596
7	2	66.8	16	1368	-	373362
8	1	56.3	16	-	-	544834
9	2	76.2	16	1448	-	11115
10	1	53	16	-	-	182041
11	1	66.2	16	-	-	352982
12	1	58.2	16	-	-	523391
13	1	59.2	16	-	-	694563
14	3	90.3	16	1505	1520	160317
15	2	68.6	16	1567	-	331210
16	3	94.4	16	1112	1988	500538
17	1	58.2	16	-	-	673746
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz

Trial Number:			27			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5322			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83	16	1457	-	139609
2	1	52.5	16	-	-	310919
3	1	66.1	16	-	-	481757
4	2	80.9	16	1063	-	651646
5	1	64.1	16	-	-	118924
6	3	90.6	16	1195	1959	288508
7	2	76.2	16	1854	-	459416
8	3	87.4	16	1617	1282	628855
9	2	78.6	16	1240	-	97671
10	3	88	16	2000	1447	267237
11	3	98.1	16	1535	1168	437513
12	1	54.5	16	-	-	609904
13	3	87.4	16	1070	1360	76492
14	2	80	16	1958	-	246736
15	2	72.3	16	1480	-	417484
16	2	71.8	16	1235	-	588107
17	2	75.8	16	1632	-	55619
18						
19						
20						

Trial Number:			28			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5321			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	64.1	20	-	-	192579
2	1	59.8	20	-	-	337557
3	3	87.1	20	1347	1300	480410
4	1	55	20	-	-	29452
5	1	57.1	20	-	-	174741
6	3	83.4	20	1907	1001	318469
7	2	72	20	1680	-	463237
8	3	90.4	20	1423	1822	11521
9	2	67.5	20	1068	-	156452
10	2	82.7	20	1434	-	301170
11	1	64.8	20	-	-	447255
12	1	59.2	20	-	-	592368
13	3	92.2	20	1311	1923	138102
14	1	50.3	20	-	-	284099
15	1	54	20	-	-	428816
16	3	90.2	20	1930	1189	571275
17	1	53.6	20	-	-	120893
18	2	73.2	20	1780	-	265158
19	1	64	20	-	-	411039
20	1	53.2	20	-	-	556210

DFS Radar Parameters
FCC Radar Type 5
Channel 58 Bandwidth 80MHz

Trial Number:			29			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5323			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	93.2	15	1234	1083	128611
2	1	51.2	15	-	-	310657
3	1	54.6	15	-	-	492134
4	1	66.5	15	-	-	673231
5	1	62.8	15	-	-	106530
6	2	81.5	15	1906	-	287373
7	3	88.1	15	1861	1865	467565
8	2	68.7	15	1409	-	650347
9	1	51.8	15	-	-	84245
10	3	88.9	15	1762	1057	264592
11	2	73.1	15	1527	-	446309
12	3	93.9	15	1546	1547	626152
13	3	86.5	15	1243	1583	61630
14	3	83.5	15	1486	1092	242521
15	2	76.1	15	1277	-	423917
16	1	58.7	15	-	-	606617
17						
18						
19						
20						

Trial Number:			30			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5322			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	57.2	16	-	-	37161
2	1	53.1	16	-	-	207877
3	2	75.9	16	1009	-	378148
4	2	69.2	16	1886	-	547878
5	3	94.2	16	1263	1207	16065
6	3	90.6	16	1688	1329	186228
7	3	96.6	16	1321	1600	356548
8	1	57.8	16	-	-	528879
9	1	61.4	16	-	-	699812
10	2	78.1	16	1416	-	165584
11	3	86.4	16	1206	1077	335693
12	3	87.6	16	1542	1884	505111
13	3	94	16	1873	1268	675247
14	1	64.4	16	-	-	144832
15	3	83.7	16	1143	1262	314605
16	1	56.7	16	-	-	486645
17	1	58.3	16	-	-	657603
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 1
Channel 50 Bandwidth 160MHz

Trial #	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency (Pulses Per Second)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	19	1138.95	878	Yes
2	20	1113.59	898	Yes
3	23	326.16	3066	Yes
4	17	1193.32	838	Yes
5	10	1432.66	698	Yes
6	4	1730.10	578	Yes
7	3	1792.11	558	Yes
8	12	1355.01	738	Yes
9	7	1567.40	638	Yes
10	15	1253.13	798	Yes
11	1	1930.50	518	Yes
12	14	1285.35	778	Yes
13	9	1474.93	678	Yes
14	22	1066.10	938	Yes
15	21	1089.32	918	Yes
16		384.02	2604	Yes
17		343.05	2915	Yes
18		1512.86	661	Yes
19		909.92	1099	Yes
20		414.08	2415	Yes
21		339.90	2942	Yes
22		409.17	2444	Yes
23		361.14	2769	Yes
24		1398.60	715	Yes
25		677.51	1476	Yes
26		337.15	2966	Yes
27		612.00	1634	Yes
28		1742.16	574	Yes
29		372.72	2683	Yes
30		1798.56	556	Yes

DFS Radar Parameters
FCC Radar Type 2
Channel 50 Bandwidth 160MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	26	2.90	175	No
2	25	2.40	180	Yes
3	26	3.20	186	Yes
4	29	5.00	158	Yes
5	23	1.00	191	Yes
6	27	3.80	227	Yes
7	24	1.90	169	Yes
8	24	1.60	168	Yes
9	25	2.70	230	Yes
10	24	1.70	200	Yes
11	25	2.30	167	Yes
12	23	1.40	166	Yes
13	27	3.90	156	Yes
14	23	1.00	222	Yes
15	28	4.00	197	Yes
16	25	2.20	215	Yes
17	23	1.40	224	Yes
18	27	3.70	218	Yes
19	23	1.50	223	Yes
20	29	4.80	190	Yes
21	26	3.20	213	Yes
22	27	3.50	152	Yes
23	25	2.40	179	Yes
24	24	2.10	192	Yes
25	23	1.30	157	Yes
26	27	3.90	165	Yes
27	28	4.00	176	Yes
28	29	4.90	204	Yes
29	27	3.50	225	Yes
30	28	3.90	154	Yes

DFS Radar Parameters
FCC Radar Type 3
Channel 50 Bandwidth 160MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	17	7.90	412	Yes
2	17	7.40	414	Yes
3	17	8.20	267	Yes
4	18	10.00	351	Yes
5	16	6.00	493	Yes
6	18	8.80	367	Yes
7	16	6.90	375	Yes
8	16	6.60	273	Yes
9	17	7.70	259	Yes
10	16	6.70	417	Yes
11	17	7.30	202	Yes
12	16	6.40	257	Yes
13	18	8.90	492	Yes
14	16	6.00	407	Yes
15	18	9.00	239	Yes
16	16	7.20	235	Yes
17	16	6.40	290	Yes
18	18	8.70	231	Yes
19	16	6.50	394	Yes
20	18	9.80	337	Yes
21	17	8.20	336	Yes
22	17	8.50	331	Yes
23	17	7.40	415	Yes
24	16	7.10	242	Yes
25	16	6.30	470	Yes
26	18	8.90	416	Yes
27	18	9.00	490	Yes
28	18	9.90	458	Yes
29	17	8.50	253	Yes
30	18	8.90	435	Yes

DFS Radar Parameters
FCC Radar Type 4
Channel 50 Bandwidth 160MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	14	15.20	412	Yes
2	13	14.10	414	Yes
3	14	15.90	267	Yes
4	16	20.00	351	Yes
5	12	11.10	493	Yes
6	15	17.20	367	Yes
7	13	13.10	375	Yes
8	12	12.30	273	Yes
9	14	14.80	259	Yes
10	12	12.70	417	Yes
11	13	14.00	202	Yes
12	12	12.00	257	Yes
13	15	17.40	492	Yes
14	12	11.00	407	Yes
15	15	17.80	239	Yes
16	13	13.60	235	Yes
17	12	11.90	290	Yes
18	15	17.10	231	Yes
19	12	12.10	394	Yes
20	16	19.50	337	Yes
21	14	15.90	336	Yes
22	15	16.60	331	Yes
23	13	14.30	415	Yes
24	13	13.40	242	Yes
25	12	11.70	470	Yes
26	15	17.40	416	Yes
27	15	17.60	490	Yes
28	16	19.80	458	Yes
29	15	16.70	253	Yes
30	15	17.50	435	Yes

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			1			Detection (Yes/No)
Number of Bursts in Trial:			14			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	73.3	12	1924	-	604303
2	2	67.2	12	1623	-	811536
3	2	77.1	12	1185	-	165096
4	3	99.5	12	1489	1641	371416
5	1	50.6	12	-	-	580420
6	3	84.6	12	1253	1846	785165
7	1	61.7	12	-	-	139715
8	1	57.5	12	-	-	347006
9	2	71.3	12	1380	-	553976
10	1	59.3	12	-	-	762173
11	2	66.8	12	1571	-	113852
12	1	55.5	12	-	-	321451
13	3	85.4	12	1475	1398	527300
14	1	50.4	12	-	-	736380
15						
16						
17						
18						
19						
20						

Trial Number:			2			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	87.7	10	1256	1849	102961
2	1	64.7	10	-	-	345624
3	1	55.3	10	-	-	587900
4	3	83.8	10	1670	1244	827416
5	1	56.3	10	-	-	73530
6	3	97.1	10	1608	1069	314860
7	2	77.4	10	1821	-	556858
8	2	81	10	1544	-	799008
9	2	68.1	10	1738	-	43606
10	1	63.4	10	-	-	285942
11	1	53.8	10	-	-	528237
12	3	85.7	10	1813	1698	767733
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			3			Detection (Yes/No)
Number of Bursts in Trial:			15			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	86.8	13	1726	1685	11018
2	3	98.6	13	1020	1651	204087
3	2	81.4	13	1702	-	397605
4	3	85.8	13	1225	1432	590163
5	2	76.7	13	1895	-	783917
6	2	77.4	13	1435	-	180490
7	1	52.5	13	-	-	374764
8	2	70.5	13	1602	-	566997
9	3	85.5	13	1576	1898	758647
10	3	85.4	13	1389	1274	156484
11	3	98.9	13	1426	1739	349235
12	2	71	13	1590	-	543246
13	3	99.7	13	1135	1560	735346
14	3	85.5	13	1407	1669	132711
15	3	97.5	13	1903	1595	325432
16						
17						
18						
19						
20						

Trial Number:			4			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µsec)	Pulse 2-to-3 Spacing (µsec)	Starting Location Within Interval (µsec)
1	2	71.5	20	1928	-	388568
2	1	63.8	20	-	-	535530
3	1	51	20	-	-	81987
4	2	76.2	20	1582	-	226298
5	3	88.2	20	1904	1714	369825
6	1	66.1	20	-	-	517348
7	2	67.1	20	1478	-	63908
8	1	60.4	20	-	-	209189
9	1	62	20	-	-	354409
10	1	60.8	20	-	-	499833
11	3	86.5	20	1415	1296	45997
12	2	77.6	20	1983	-	190646
13	1	53.3	20	-	-	336221
14	1	61.4	20	-	-	481938
15	3	92.3	20	1003	1357	28174
16	3	99.1	20	1750	1356	172657
17	1	63.6	20	-	-	318859
18	3	95.6	20	1937	1007	461197
19	1	64.9	20	-	-	10409
20	3	97.8	20	1467	1947	154567

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			5			Detection (Yes/No)
Number of Bursts in Trial:			8			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	63.2	5	-	-	752755
2	2	76.2	5	1436	-	1115094
3	3	85.5	5	1365	1130	1477689
4	2	82.7	5	1438	-	344356
5	3	89.5	5	1245	1373	707009
6	1	53	5	-	-	1071711
7	1	64.9	5	-	-	1435161
8	1	64.9	5	-	-	299875
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			6			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	52.3	16	-	-	331551
2	1	65.9	16	-	-	512757
3	3	84.3	16	1154	1358	691974
4	3	84.1	16	1766	1543	126861
5	2	70.8	16	1474	-	308277
6	3	99.6	16	1950	1369	488613
7	1	55.9	16	-	-	672493
8	2	67.2	16	1302	-	104902
9	2	67	16	1981	-	285781
10	3	87.3	16	1875	1642	465967
11	1	65.7	16	-	-	649336
12	2	69.6	16	1364	-	82583
13	2	69.7	16	1764	-	263612
14	3	88.1	16	1719	1843	443617
15	2	69.3	16	1402	-	626596
16	2	75	16	1876	-	60222
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			7			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	90.2	8	1587	1989	350913
2	3	99.8	8	1297	1471	614926
3	3	99.2	8	1218	1922	877618
4	1	59.1	8	-	-	55330
5	3	93.2	8	1372	1838	318643
6	3	86.4	8	1996	1142	581856
7	3	85.2	8	1611	1159	846231
8	2	75.5	8	1536	-	22779
9	3	84.7	8	1945	1755	286037
10	3	87.7	8	1823	1829	549315
11	3	84.2	8	1134	1345	813428
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			8			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	95.3	7	1288	1908	1316809
2	2	78.3	7	1452	-	310714
3	2	68.4	7	1784	-	633353
4	3	86.8	7	1972	1046	954804
5	3	85.2	7	1731	1817	1276482
6	1	51.1	7	-	-	271361
7	1	52.1	7	-	-	594491
8	1	58.1	7	-	-	917332
9	3	96.2	7	1506	1634	1237536
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			9			Detection (Yes/No)
Number of Bursts in Trial:			13			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	76.5	11	1681	-	159923
2	1	52.3	11	-	-	383627
3	1	56.7	11	-	-	607112
4	1	53.7	11	-	-	830875
5	1	55.4	11	-	-	132610
6	2	75.1	11	1650	-	355616
7	2	82	11	1198	-	579044
8	2	76.4	11	1084	-	801836
9	2	79.9	11	1237	-	104956
10	3	95.4	11	1929	1473	327519
11	2	78.1	11	1442	-	551067
12	2	75.2	11	1810	-	774551
13	1	56.8	11	-	-	77625
14						
15						
16						
17						
18						
19						
20						

Trial Number:			10			Detection (Yes/No)
Number of Bursts in Trial:			10			
Chirp Center Frequency:			5290			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	60.5	7	-	-	391525
2	3	92.5	7	1399	1630	680592
3	3	89.7	7	1183	1040	970982
4	1	53.8	7	-	-	65132
5	1	55.7	7	-	-	355668
6	2	71.7	7	1319	-	645796
7	1	65.9	7	-	-	937057
8	2	80.7	7	1455	-	29284
9	1	58.8	7	-	-	319946
10	3	99.5	7	1460	1275	609436
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			11			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5254			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83.1	10	1045	-	750269
2	1	65.4	10	-	-	993190
3	1	60.6	10	-	-	236771
4	3	89	10	1226	1499	477816
5	3	98.7	10	1674	1562	719094
6	1	50.4	10	-	-	963027
7	2	80.6	10	1749	-	206586
8	2	68.4	10	1769	-	448451
9	2	67.5	10	1022	-	690250
10	2	80	10	1818	-	931437
11	2	73.1	10	1352	-	176860
12	3	98.5	10	1558	1289	418167
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			12			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5252			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	87.9	6	1668	1678	880051
2	3	93.1	6	1468	1883	1202325
3	3	95.5	6	1978	1049	196045
4	1	53.6	6	-	-	519354
5	2	68.1	6	1724	-	841339
6	1	54.3	6	-	-	1165856
7	1	58.8	6	-	-	156656
8	3	95.6	6	1392	1325	478592
9	3	89.4	6	1050	1549	801263
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			13			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5256			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	59.6	16	-	-	595311
2	1	59	16	-	-	61850
3	3	88.4	16	1090	1107	232086
4	2	67.7	16	1361	-	402951
5	2	75.9	16	1598	-	573309
6	3	97.2	16	1203	1804	40593
7	2	81.3	16	1464	-	211287
8	3	95.5	16	1801	1160	381089
9	2	80.5	16	1696	-	551807
10	3	92.2	16	1066	1326	19660
11	1	65.4	16	-	-	190496
12	2	67.7	16	1429	-	360475
13	1	52.9	16	-	-	532241
14	2	73.6	16	1870	-	701220
15	3	88.4	16	1979	1397	168776
16	3	94.9	16	1529	1935	338881
17	3	86.2	16	1588	1772	508991
18						
19						
20						

Trial Number:			14			Detection (Yes/No)
Number of Bursts in Trial:			8			
Chirp Center Frequency:			5252			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83.3	5	1103	-	1450341
2	2	75.9	5	1532	-	315565
3	3	99.4	5	1974	1292	677938
4	2	76.9	5	1760	-	1041626
5	1	60.6	5	-	-	1406463
6	3	95.2	5	1816	1824	270452
7	3	83.8	5	1911	1278	633275
8	1	62	5	-	-	997753
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			15			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5257			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	54.6	17	-	-	639565
2	3	96.7	17	1065	1710	106025
3	1	58.4	17	-	-	277380
4	1	52.1	17	-	-	448363
5	1	53.6	17	-	-	618899
6	1	61.6	17	-	-	85399
7	2	71.9	17	1676	-	255398
8	1	63.2	17	-	-	427030
9	1	60	17	-	-	597917
10	2	73.5	17	1428	-	64197
11	1	56.4	17	-	-	234978
12	2	72.2	17	1396	-	404904
13	2	71.2	17	1191	-	576074
14	2	72.8	17	1194	-	43189
15	1	53.3	17	-	-	214005
16	3	99.3	17	1709	1148	383203
17	2	73	17	1756	-	554519
18						
19						
20						

Trial Number:			16			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5254			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	87	9	1479	1601	34277
2	3	87.8	9	1742	1828	297625
3	1	57.6	9	-	-	562960
4	2	80.8	9	1967	-	825621
5	3	85	9	1454	1286	1815
6	2	69.4	9	1157	-	265852
7	1	57	9	-	-	530213
8	1	58.8	9	-	-	794833
9	2	81.9	9	1164	-	1057404
10	2	71.1	9	1221	-	233149
11	2	82.9	9	1363	-	497092
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			17			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5252			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	96.3	6	1931	1096	929081
2	1	62.5	6	-	-	1254370
3	3	99	6	1342	1792	245118
4	1	63.8	6	-	-	568725
5	1	54.6	6	-	-	891456
6	1	55.6	6	-	-	1214587
7	2	71.3	6	1808	-	205663
8	1	50.5	6	-	-	528975
9	2	72.8	6	1298	-	851018
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			18			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5256			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	93.3	15	1079	1385	658486
2	2	76.8	15	1878	-	93136
3	2	80.6	15	1338	-	274515
4	3	93.6	15	1086	1379	454917
5	1	54.4	15	-	-	637750
6	3	92.9	15	1837	1832	70674
7	1	50	15	-	-	252661
8	2	82	15	1120	-	433227
9	2	72.7	15	1054	-	614676
10	1	65	15	-	-	48622
11	1	60.5	15	-	-	230210
12	2	72.6	15	1291	-	411159
13	1	50	15	-	-	592914
14	1	53.8	15	-	-	26268
15	2	73.6	15	1835	-	207217
16	1	57.4	15	-	-	389570
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			19			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5253			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	76.1	7	1880	-	1013979
2	2	81.3	7	1537	-	6926
3	2	69.7	7	1853	-	329543
4	2	77.2	7	1857	-	651855
5	1	51.3	7	-	-	976126
6	3	93.4	7	1162	1812	1296540
7	2	71.8	7	1513	-	289906
8	3	90.6	7	1902	1767	611609
9	3	89	7	1109	1718	934400
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			20			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5258			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	66.9	20	1284	-	564206
2	3	97.6	20	1351	1193	112005
3	2	74.6	20	1324	-	256993
4	3	92.7	20	1618	1362	401036
5	2	67.5	20	1770	-	546338
6	1	65.5	20	-	-	94569
7	1	51.4	20	-	-	239885
8	1	52.8	20	-	-	384750
9	2	76.4	20	1230	-	529106
10	2	79.7	20	1124	-	76550
11	1	60.2	20	-	-	221770
12	1	57.2	20	-	-	366942
13	1	64.1	20	-	-	512414
14	2	76.3	20	1014	-	58805
15	3	92.1	20	1689	1341	202941
16	2	69.3	20	1856	-	348376
17	2	75.1	20	1805	-	492682
18	3	86.1	20	1294	1105	40840
19	2	66.9	20	1807	-	185456
20	1	60.5	20	-	-	331496

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			21			Detection (Yes/No)
Number of Bursts in Trial:			15			
Chirp Center Frequency:			5325			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	60.3	13	-	-	635986
2	3	96.3	13	1781	1412	30701
3	1	58.6	13	-	-	224465
4	2	75.3	13	1192	-	417600
5	1	56.4	13	-	-	611678
6	2	78.6	13	1866	-	6966
7	2	74.4	13	1188	-	200470
8	1	51.6	13	-	-	394467
9	2	73.3	13	1317	-	586741
10	2	71.4	13	1677	-	780117
11	3	100	13	1328	1315	176273
12	1	55	13	-	-	370310
13	3	90.1	13	1039	1170	562750
14	1	54.6	13	-	-	757983
15	3	87.5	13	1394	1796	152304
16						
17						
18						
19						
20						

Trial Number:			22			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5324			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	95.4	14	1285	1825	323565
2	2	75.5	14	1887	-	504871
3	3	89.4	14	1640	1663	684664
4	1	55.1	14	-	-	120992
5	3	99.5	14	1359	1155	301709
6	1	59.1	14	-	-	483915
7	2	69.7	14	1646	-	664566
8	2	73.6	14	1980	-	98338
9	2	74.1	14	1487	-	279508
10	1	63.4	14	-	-	461579
11	1	50.1	14	-	-	643429
12	1	62	14	-	-	76281
13	1	54.9	14	-	-	257657
14	2	77.6	14	1491	-	438613
15	1	57.9	14	-	-	620563
16	2	76.3	14	1942	-	53769
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			23			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5326			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	57.2	10	-	-	314089
2	1	54.8	10	-	-	556206
3	2	80	10	1568	-	796954
4	2	78.6	10	1920	-	41999
5	2	70.7	10	1938	-	283844
6	3	89	10	1596	1037	524820
7	3	99.3	10	1524	1759	765910
8	3	86.3	10	1017	1686	12233
9	3	89	10	1031	1158	253888
10	3	91.2	10	1833	1476	494982
11	3	99.9	10	1573	1867	736549
12	2	79.5	10	1465	-	979091
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			24			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5326			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	54.9	9	-	-	245073
2	2	79.8	9	1879	-	508601
3	1	55.2	9	-	-	773740
4	2	67.2	9	1839	-	1035838
5	1	59.4	9	-	-	212579
6	3	88.8	9	1116	1712	475640
7	3	96.8	9	1811	1976	738539
8	3	93.8	9	1343	1858	1002594
9	3	85.8	9	1612	1422	179454
10	2	81	9	1672	-	443505
11	2	67.5	9	1382	-	707500
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			25			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5328			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	51.4	6	-	-	1188992
2	3	90.6	6	1607	1330	179886
3	2	72.7	6	1340	-	502817
4	3	84.5	6	1622	1737	824412
5	1	61.9	6	-	-	1149421
6	1	56.2	6	-	-	140409
7	1	66.6	6	-	-	463364
8	2	69.4	6	1076	-	785741
9	2	74	6	1666	-	1108145
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			26			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5324			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	65.4	16	-	-	53208
2	3	95.2	16	1633	1348	223201
3	3	92.7	16	1510	1787	393159
4	1	50.1	16	-	-	565604
5	1	60	16	-	-	32166
6	2	76.1	16	1184	-	202596
7	2	66.8	16	1368	-	373362
8	1	56.3	16	-	-	544834
9	2	76.2	16	1448	-	11115
10	1	53	16	-	-	182041
11	1	66.2	16	-	-	352982
12	1	58.2	16	-	-	523391
13	1	59.2	16	-	-	694563
14	3	90.3	16	1505	1520	160317
15	2	68.6	16	1567	-	331210
16	3	94.4	16	1112	1988	500538
17	1	58.2	16	-	-	673746
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			27			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5324			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83	16	1457	-	139609
2	1	52.5	16	-	-	310919
3	1	66.1	16	-	-	481757
4	2	80.9	16	1063	-	651646
5	1	64.1	16	-	-	118924
6	3	90.6	16	1195	1959	288508
7	2	76.2	16	1854	-	459416
8	3	87.4	16	1617	1282	628855
9	2	78.6	16	1240	-	97671
10	3	88	16	2000	1447	267237
11	3	98.1	16	1535	1168	437513
12	1	54.5	16	-	-	609904
13	3	87.4	16	1070	1360	76492
14	2	80	16	1958	-	246736
15	2	72.3	16	1480	-	417484
16	2	71.8	16	1235	-	588107
17	2	75.8	16	1632	-	55619
18						
19						
20						

Trial Number:			28			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5322			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	64.1	20	-	-	192579
2	1	59.8	20	-	-	337557
3	3	87.1	20	1347	1300	480410
4	1	55	20	-	-	29452
5	1	57.1	20	-	-	174741
6	3	83.4	20	1907	1001	318469
7	2	72	20	1680	-	463237
8	3	90.4	20	1423	1822	11521
9	2	67.5	20	1068	-	156452
10	2	82.7	20	1434	-	301170
11	1	64.8	20	-	-	447255
12	1	59.2	20	-	-	592368
13	3	92.2	20	1311	1923	138102
14	1	50.3	20	-	-	284099
15	1	54	20	-	-	428816
16	3	90.2	20	1930	1189	571275
17	1	53.6	20	-	-	120893
18	2	73.2	20	1780	-	265158
19	1	64	20	-	-	411039
20	1	53.2	20	-	-	556210

DFS Radar Parameters
FCC Radar Type 5
Channel 50 Bandwidth 160MHz

Trial Number:			29			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5324			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	93.2	15	1234	1083	128611
2	1	51.2	15	-	-	310657
3	1	54.6	15	-	-	492134
4	1	66.5	15	-	-	673231
5	1	62.8	15	-	-	106530
6	2	81.5	15	1906	-	287373
7	3	88.1	15	1861	1865	467565
8	2	68.7	15	1409	-	650347
9	1	51.8	15	-	-	84245
10	3	88.9	15	1762	1057	264592
11	2	73.1	15	1527	-	446309
12	3	93.9	15	1546	1547	626152
13	3	86.5	15	1243	1583	61630
14	3	83.5	15	1486	1092	242521
15	2	76.1	15	1277	-	423917
16	1	58.7	15	-	-	606617
17						
18						
19						
20						

Trial Number:			30			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5324			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	57.2	16	-	-	37161
2	1	53.1	16	-	-	207877
3	2	75.9	16	1009	-	378148
4	2	69.2	16	1886	-	547878
5	3	94.2	16	1263	1207	16065
6	3	90.6	16	1688	1329	186228
7	3	96.6	16	1321	1600	356548
8	1	57.8	16	-	-	528879
9	1	61.4	16	-	-	699812
10	2	78.1	16	1416	-	165584
11	3	86.4	16	1206	1077	335693
12	3	87.6	16	1542	1884	505111
13	3	94	16	1873	1268	675247
14	1	64.4	16	-	-	144832
15	3	83.7	16	1143	1262	314605
16	1	56.7	16	-	-	486645
17	1	58.3	16	-	-	657603
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 1
Channel 100 Bandwidth 20MHz

Trial #	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency (Pulses Per Second)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	19	1138.95	878	Yes
2	20	1113.59	898	Yes
3	23	326.16	3066	Yes
4	17	1193.32	838	Yes
5	10	1432.66	698	Yes
6	4	1730.10	578	Yes
7	3	1792.11	558	Yes
8	12	1355.01	738	Yes
9	7	1567.40	638	Yes
10	15	1253.13	798	Yes
11	1	1930.50	518	Yes
12	14	1285.35	778	Yes
13	9	1474.93	678	Yes
14	22	1066.10	938	Yes
15	21	1089.32	918	Yes
16		384.02	2604	Yes
17		343.05	2915	Yes
18		1512.86	661	Yes
19		909.92	1099	Yes
20		414.08	2415	Yes
21		339.90	2942	Yes
22		409.17	2444	Yes
23		361.14	2769	Yes
24		1398.60	715	Yes
25		677.51	1476	Yes
26		337.15	2966	Yes
27		612.00	1634	Yes
28		1742.16	574	Yes
29		372.72	2683	Yes
30		1798.56	556	Yes

DFS Radar Parameters
FCC Radar Type 2
Channel 100 Bandwidth 20MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	26	2.90	175	Yes
2	25	2.40	180	Yes
3	26	3.20	186	Yes
4	29	5.00	158	Yes
5	23	1.00	191	Yes
6	27	3.80	227	Yes
7	24	1.90	169	Yes
8	24	1.60	168	Yes
9	25	2.70	230	Yes
10	24	1.70	200	Yes
11	25	2.30	167	Yes
12	23	1.40	166	Yes
13	27	3.90	156	Yes
14	23	1.00	222	Yes
15	28	4.00	197	Yes
16	25	2.20	215	Yes
17	23	1.40	224	Yes
18	27	3.70	218	Yes
19	23	1.50	223	Yes
20	29	4.80	190	Yes
21	26	3.20	213	Yes
22	27	3.50	152	Yes
23	25	2.40	179	Yes
24	24	2.10	192	Yes
25	23	1.30	157	Yes
26	27	3.90	165	Yes
27	28	4.00	176	Yes
28	29	4.90	204	Yes
29	27	3.50	225	Yes
30	28	3.90	154	Yes

DFS Radar Parameters
FCC Radar Type 3
Channel 100 Bandwidth 20MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	17	7.90	412	Yes
2	17	7.40	414	Yes
3	17	8.20	267	Yes
4	18	10.00	351	Yes
5	16	6.00	493	Yes
6	18	8.80	367	Yes
7	16	6.90	375	Yes
8	16	6.60	273	Yes
9	17	7.70	259	Yes
10	16	6.70	417	Yes
11	17	7.30	202	Yes
12	16	6.40	257	Yes
13	18	8.90	492	Yes
14	16	6.00	407	Yes
15	18	9.00	239	Yes
16	16	7.20	235	Yes
17	16	6.40	290	Yes
18	18	8.70	231	Yes
19	16	6.50	394	Yes
20	18	9.80	337	Yes
21	17	8.20	336	Yes
22	17	8.50	331	Yes
23	17	7.40	415	Yes
24	16	7.10	242	Yes
25	16	6.30	470	Yes
26	18	8.90	416	Yes
27	18	9.00	490	Yes
28	18	9.90	458	Yes
29	17	8.50	253	Yes
30	18	8.90	435	Yes

DFS Radar Parameters
FCC Radar Type 4
Channel 100 Bandwidth 20MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	14	15.20	412	Yes
2	13	14.10	414	Yes
3	14	15.90	267	Yes
4	16	20.00	351	Yes
5	12	11.10	493	Yes
6	15	17.20	367	Yes
7	13	13.10	375	Yes
8	12	12.30	273	Yes
9	14	14.80	259	Yes
10	12	12.70	417	Yes
11	13	14.00	202	Yes
12	12	12.00	257	Yes
13	15	17.40	492	Yes
14	12	11.00	407	Yes
15	15	17.80	239	Yes
16	13	13.60	235	Yes
17	12	11.90	290	Yes
18	15	17.10	231	Yes
19	12	12.10	394	Yes
20	16	19.50	337	Yes
21	14	15.90	336	Yes
22	15	16.60	331	Yes
23	13	14.30	415	Yes
24	13	13.40	242	Yes
25	12	11.70	470	Yes
26	15	17.40	416	Yes
27	15	17.60	490	Yes
28	16	19.80	458	Yes
29	15	16.70	253	Yes
30	15	17.50	435	Yes

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:			1			Detection (Yes/No)
Number of Bursts in Trial:			14			
Chirp Center Frequency:			5500			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	73.3	12	1924	-	604303
2	2	67.2	12	1623	-	811536
3	2	77.1	12	1185	-	165096
4	3	99.5	12	1489	1641	371416
5	1	50.6	12	-	-	580420
6	3	84.6	12	1253	1846	785165
7	1	61.7	12	-	-	139715
8	1	57.5	12	-	-	347006
9	2	71.3	12	1380	-	553976
10	1	59.3	12	-	-	762173
11	2	66.8	12	1571	-	113852
12	1	55.5	12	-	-	321451
13	3	85.4	12	1475	1398	527300
14	1	50.4	12	-	-	736380
15						
16						
17						
18						
19						
20						

Trial Number:			2			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5500			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	87.7	10	1256	1849	102961
2	1	64.7	10	-	-	345624
3	1	55.3	10	-	-	587900
4	3	83.8	10	1670	1244	827416
5	1	56.3	10	-	-	73530
6	3	97.1	10	1608	1069	314860
7	2	77.4	10	1821	-	556858
8	2	81	10	1544	-	799008
9	2	68.1	10	1738	-	43606
10	1	63.4	10	-	-	285942
11	1	53.8	10	-	-	528237
12	3	85.7	10	1813	1698	767733
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:			3			Detection (Yes/No)
Number of Bursts in Trial:			15			
Chirp Center Frequency:			5500			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µsec)	Pulse 2-to-3 Spacing (µsec)	Starting Location Within Interval (µsec)
1	3	86.8	13	1726	1685	11018
2	3	98.6	13	1020	1651	204087
3	2	81.4	13	1702	-	397605
4	3	85.8	13	1225	1432	590163
5	2	76.7	13	1895	-	783917
6	2	77.4	13	1435	-	180490
7	1	52.5	13	-	-	374764
8	2	70.5	13	1602	-	566997
9	3	85.5	13	1576	1898	758647
10	3	85.4	13	1389	1274	156484
11	3	98.9	13	1426	1739	349235
12	2	71	13	1590	-	543246
13	3	99.7	13	1135	1560	735346
14	3	85.5	13	1407	1669	132711
15	3	97.5	13	1903	1595	325432
16						
17						
18						
19						
20						

Trial Number:			4			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5500			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µsec)	Pulse 2-to-3 Spacing (µsec)	Starting Location Within Interval (µsec)
1	2	71.5	20	1928	-	388568
2	1	63.8	20	-	-	535530
3	1	51	20	-	-	81987
4	2	76.2	20	1582	-	226298
5	3	88.2	20	1904	1714	369825
6	1	66.1	20	-	-	517348
7	2	67.1	20	1478	-	63908
8	1	60.4	20	-	-	209189
9	1	62	20	-	-	354409
10	1	60.8	20	-	-	499833
11	3	86.5	20	1415	1296	45997
12	2	77.6	20	1983	-	190646
13	1	53.3	20	-	-	336221
14	1	61.4	20	-	-	481938
15	3	92.3	20	1003	1357	28174
16	3	99.1	20	1750	1356	172657
17	1	63.6	20	-	-	318859
18	3	95.6	20	1937	1007	461197
19	1	64.9	20	-	-	10409
20	3	97.8	20	1467	1947	154567

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:			5			Detection (Yes/No)
Number of Bursts in Trial:			8			
Chirp Center Frequency:			5500			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	63.2	5	-	-	752755
2	2	76.2	5	1436	-	1115094
3	3	85.5	5	1365	1130	1477689
4	2	82.7	5	1438	-	344356
5	3	89.5	5	1245	1373	707009
6	1	53	5	-	-	1071711
7	1	64.9	5	-	-	1435161
8	1	64.9	5	-	-	299875
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			6			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5500			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	52.3	16	-	-	331551
2	1	65.9	16	-	-	512757
3	3	84.3	16	1154	1358	691974
4	3	84.1	16	1766	1543	126861
5	2	70.8	16	1474	-	308277
6	3	99.6	16	1950	1369	488613
7	1	55.9	16	-	-	672493
8	2	67.2	16	1302	-	104902
9	2	67	16	1981	-	285781
10	3	87.3	16	1875	1642	465967
11	1	65.7	16	-	-	649336
12	2	69.6	16	1364	-	82583
13	2	69.7	16	1764	-	263612
14	3	88.1	16	1719	1843	443617
15	2	69.3	16	1402	-	626596
16	2	75	16	1876	-	60222
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:			7			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5500			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	90.2	8	1587	1989	350913
2	3	99.8	8	1297	1471	614926
3	3	99.2	8	1218	1922	877618
4	1	59.1	8	-	-	55330
5	3	93.2	8	1372	1838	318643
6	3	86.4	8	1996	1142	581856
7	3	85.2	8	1611	1159	846231
8	2	75.5	8	1536	-	22779
9	3	84.7	8	1945	1755	286037
10	3	87.7	8	1823	1829	549315
11	3	84.2	8	1134	1345	813428
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			8			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5500			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	95.3	7	1288	1908	1316809
2	2	78.3	7	1452	-	310714
3	2	68.4	7	1784	-	633353
4	3	86.8	7	1972	1046	954804
5	3	85.2	7	1731	1817	1276482
6	1	51.1	7	-	-	271361
7	1	52.1	7	-	-	594491
8	1	58.1	7	-	-	917332
9	3	96.2	7	1506	1634	1237536
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:			9			Detection (Yes/No)
Number of Bursts in Trial:			13			
Chirp Center Frequency:			5500			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	76.5	11	1681	-	159923
2	1	52.3	11	-	-	383627
3	1	56.7	11	-	-	607112
4	1	53.7	11	-	-	830875
5	1	55.4	11	-	-	132610
6	2	75.1	11	1650	-	355616
7	2	82	11	1198	-	579044
8	2	76.4	11	1084	-	801836
9	2	79.9	11	1237	-	104956
10	3	95.4	11	1929	1473	327519
11	2	78.1	11	1442	-	551067
12	2	75.2	11	1810	-	774551
13	1	56.8	11	-	-	77625
14						
15						
16						
17						
18						
19						
20						

Trial Number:			10			Detection (Yes/No)
Number of Bursts in Trial:			10			
Chirp Center Frequency:			5500			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	60.5	7	-	-	391525
2	3	92.5	7	1399	1630	680592
3	3	89.7	7	1183	1040	970982
4	1	53.8	7	-	-	65132
5	1	55.7	7	-	-	355668
6	2	71.7	7	1319	-	645796
7	1	65.9	7	-	-	937057
8	2	80.7	7	1455	-	29284
9	1	58.8	7	-	-	319946
10	3	99.5	7	1460	1275	609436
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:			11			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5494			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83.1	10	1045	-	750269
2	1	65.4	10	-	-	993190
3	1	60.6	10	-	-	236771
4	3	89	10	1226	1499	477816
5	3	98.7	10	1674	1562	719094
6	1	50.4	10	-	-	963027
7	2	80.6	10	1749	-	206586
8	2	68.4	10	1769	-	448451
9	2	67.5	10	1022	-	690250
10	2	80	10	1818	-	931437
11	2	73.1	10	1352	-	176860
12	3	98.5	10	1558	1289	418167
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			12			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5493			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	87.9	6	1668	1678	880051
2	3	93.1	6	1468	1883	1202325
3	3	95.5	6	1978	1049	196045
4	1	53.6	6	-	-	519354
5	2	68.1	6	1724	-	841339
6	1	54.3	6	-	-	1165856
7	1	58.8	6	-	-	156656
8	3	95.6	6	1392	1325	478592
9	3	89.4	6	1050	1549	801263
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:			13			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5497			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	59.6	16	-	-	595311
2	1	59	16	-	-	61850
3	3	88.4	16	1090	1107	232086
4	2	67.7	16	1361	-	402951
5	2	75.9	16	1598	-	573309
6	3	97.2	16	1203	1804	40593
7	2	81.3	16	1464	-	211287
8	3	95.5	16	1801	1160	381089
9	2	80.5	16	1696	-	551807
10	3	92.2	16	1066	1326	19660
11	1	65.4	16	-	-	190496
12	2	67.7	16	1429	-	360475
13	1	52.9	16	-	-	532241
14	2	73.6	16	1870	-	701220
15	3	88.4	16	1979	1397	168776
16	3	94.9	16	1529	1935	338881
17	3	86.2	16	1588	1772	508991
18						
19						
20						

Trial Number:			14			Detection (Yes/No)
Number of Bursts in Trial:			8			
Chirp Center Frequency:			5492			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83.3	5	1103	-	1450341
2	2	75.9	5	1532	-	315565
3	3	99.4	5	1974	1292	677938
4	2	76.9	5	1760	-	1041626
5	1	60.6	5	-	-	1406463
6	3	95.2	5	1816	1824	270452
7	3	83.8	5	1911	1278	633275
8	1	62	5	-	-	997753
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:			15			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5497			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µsec)	Pulse 2-to-3 Spacing (µsec)	Starting Location Within Interval (µsec)
1	1	54.6	17	-	-	639565
2	3	96.7	17	1065	1710	106025
3	1	58.4	17	-	-	277380
4	1	52.1	17	-	-	448363
5	1	53.6	17	-	-	618899
6	1	61.6	17	-	-	85399
7	2	71.9	17	1676	-	255398
8	1	63.2	17	-	-	427030
9	1	60	17	-	-	597917
10	2	73.5	17	1428	-	64197
11	1	56.4	17	-	-	234978
12	2	72.2	17	1396	-	404904
13	2	71.2	17	1191	-	576074
14	2	72.8	17	1194	-	43189
15	1	53.3	17	-	-	214005
16	3	99.3	17	1709	1148	383203
17	2	73	17	1756	-	554519
18						
19						
20						

Trial Number:			16			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5494			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µsec)	Pulse 2-to-3 Spacing (µsec)	Starting Location Within Interval (µsec)
1	3	87	9	1479	1601	34277
2	3	87.8	9	1742	1828	297625
3	1	57.6	9	-	-	562960
4	2	80.8	9	1967	-	825621
5	3	85	9	1454	1286	1815
6	2	69.4	9	1157	-	265852
7	1	57	9	-	-	530213
8	1	58.8	9	-	-	794833
9	2	81.9	9	1164	-	1057404
10	2	71.1	9	1221	-	233149
11	2	82.9	9	1363	-	497092
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:			17			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5493			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	96.3	6	1931	1096	929081
2	1	62.5	6	-	-	1254370
3	3	99	6	1342	1792	245118
4	1	63.8	6	-	-	568725
5	1	54.6	6	-	-	891456
6	1	55.6	6	-	-	1214587
7	2	71.3	6	1808	-	205663
8	1	50.5	6	-	-	528975
9	2	72.8	6	1298	-	851018
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			18			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5496			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	93.3	15	1079	1385	658486
2	2	76.8	15	1878	-	93136
3	2	80.6	15	1338	-	274515
4	3	93.6	15	1086	1379	454917
5	1	54.4	15	-	-	637750
6	3	92.9	15	1837	1832	70674
7	1	50	15	-	-	252661
8	2	82	15	1120	-	433227
9	2	72.7	15	1054	-	614676
10	1	65	15	-	-	48622
11	1	60.5	15	-	-	230210
12	2	72.6	15	1291	-	411159
13	1	50	15	-	-	592914
14	1	53.8	15	-	-	26268
15	2	73.6	15	1835	-	207217
16	1	57.4	15	-	-	389570
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:			19			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5493			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	76.1	7	1880	-	1013979
2	2	81.3	7	1537	-	6926
3	2	69.7	7	1853	-	329543
4	2	77.2	7	1857	-	651855
5	1	51.3	7	-	-	976126
6	3	93.4	7	1162	1812	1296540
7	2	71.8	7	1513	-	289906
8	3	90.6	7	1902	1767	611609
9	3	89	7	1109	1718	934400
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			20			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5498			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	66.9	20	1284	-	564206
2	3	97.6	20	1351	1193	112005
3	2	74.6	20	1324	-	256993
4	3	92.7	20	1618	1362	401036
5	2	67.5	20	1770	-	546338
6	1	65.5	20	-	-	94569
7	1	51.4	20	-	-	239885
8	1	52.8	20	-	-	384750
9	2	76.4	20	1230	-	529106
10	2	79.7	20	1124	-	76550
11	1	60.2	20	-	-	221770
12	1	57.2	20	-	-	366942
13	1	64.1	20	-	-	512414
14	2	76.3	20	1014	-	58805
15	3	92.1	20	1689	1341	202941
16	2	69.3	20	1856	-	348376
17	2	75.1	20	1805	-	492682
18	3	86.1	20	1294	1105	40840
19	2	66.9	20	1807	-	185456
20	1	60.5	20	-	-	331496

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:			21			Detection (Yes/No)
Number of Bursts in Trial:			15			
Chirp Center Frequency:			5505			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	60.3	13	-	-	635986
2	3	96.3	13	1781	1412	30701
3	1	58.6	13	-	-	224465
4	2	75.3	13	1192	-	417600
5	1	56.4	13	-	-	611678
6	2	78.6	13	1866	-	6966
7	2	74.4	13	1188	-	200470
8	1	51.6	13	-	-	394467
9	2	73.3	13	1317	-	586741
10	2	71.4	13	1677	-	780117
11	3	100	13	1328	1315	176273
12	1	55	13	-	-	370310
13	3	90.1	13	1039	1170	562750
14	1	54.6	13	-	-	757983
15	3	87.5	13	1394	1796	152304
16						
17						
18						
19						
20						

Trial Number:			22			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5504			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	95.4	14	1285	1825	323565
2	2	75.5	14	1887	-	504871
3	3	89.4	14	1640	1663	684664
4	1	55.1	14	-	-	120992
5	3	99.5	14	1359	1155	301709
6	1	59.1	14	-	-	483915
7	2	69.7	14	1646	-	664566
8	2	73.6	14	1980	-	98338
9	2	74.1	14	1487	-	279508
10	1	63.4	14	-	-	461579
11	1	50.1	14	-	-	643429
12	1	62	14	-	-	76281
13	1	54.9	14	-	-	257657
14	2	77.6	14	1491	-	438613
15	1	57.9	14	-	-	620563
16	2	76.3	14	1942	-	53769
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:			23			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5506			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	57.2	10	-	-	314089
2	1	54.8	10	-	-	556206
3	2	80	10	1568	-	796954
4	2	78.6	10	1920	-	41999
5	2	70.7	10	1938	-	283844
6	3	89	10	1596	1037	524820
7	3	99.3	10	1524	1759	765910
8	3	86.3	10	1017	1686	12233
9	3	89	10	1031	1158	253888
10	3	91.2	10	1833	1476	494982
11	3	99.9	10	1573	1867	736549
12	2	79.5	10	1465	-	979091
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			24			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5506			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	54.9	9	-	-	245073
2	2	79.8	9	1879	-	508601
3	1	55.2	9	-	-	773740
4	2	67.2	9	1839	-	1035838
5	1	59.4	9	-	-	212579
6	3	88.8	9	1116	1712	475640
7	3	96.8	9	1811	1976	738539
8	3	93.8	9	1343	1858	1002594
9	3	85.8	9	1612	1422	179454
10	2	81	9	1672	-	443505
11	2	67.5	9	1382	-	707500
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:			25			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5507			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	51.4	6	-	-	1188992
2	3	90.6	6	1607	1330	179886
3	2	72.7	6	1340	-	502817
4	3	84.5	6	1622	1737	824412
5	1	61.9	6	-	-	1149421
6	1	56.2	6	-	-	140409
7	1	66.6	6	-	-	463364
8	2	69.4	6	1076	-	785741
9	2	74	6	1666	-	1108145
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			26			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5503			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	65.4	16	-	-	53208
2	3	95.2	16	1633	1348	223201
3	3	92.7	16	1510	1787	393159
4	1	50.1	16	-	-	565604
5	1	60	16	-	-	32166
6	2	76.1	16	1184	-	202596
7	2	66.8	16	1368	-	373362
8	1	56.3	16	-	-	544834
9	2	76.2	16	1448	-	11115
10	1	53	16	-	-	182041
11	1	66.2	16	-	-	352982
12	1	58.2	16	-	-	523391
13	1	59.2	16	-	-	694563
14	3	90.3	16	1505	1520	160317
15	2	68.6	16	1567	-	331210
16	3	94.4	16	1112	1988	500538
17	1	58.2	16	-	-	673746
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:			27			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5503			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83	16	1457	-	139609
2	1	52.5	16	-	-	310919
3	1	66.1	16	-	-	481757
4	2	80.9	16	1063	-	651646
5	1	64.1	16	-	-	118924
6	3	90.6	16	1195	1959	288508
7	2	76.2	16	1854	-	459416
8	3	87.4	16	1617	1282	628855
9	2	78.6	16	1240	-	97671
10	3	88	16	2000	1447	267237
11	3	98.1	16	1535	1168	437513
12	1	54.5	16	-	-	609904
13	3	87.4	16	1070	1360	76492
14	2	80	16	1958	-	246736
15	2	72.3	16	1480	-	417484
16	2	71.8	16	1235	-	588107
17	2	75.8	16	1632	-	55619
18						
19						
20						

Trial Number:			28			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5502			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	64.1	20	-	-	192579
2	1	59.8	20	-	-	337557
3	3	87.1	20	1347	1300	480410
4	1	55	20	-	-	29452
5	1	57.1	20	-	-	174741
6	3	83.4	20	1907	1001	318469
7	2	72	20	1680	-	463237
8	3	90.4	20	1423	1822	11521
9	2	67.5	20	1068	-	156452
10	2	82.7	20	1434	-	301170
11	1	64.8	20	-	-	447255
12	1	59.2	20	-	-	592368
13	3	92.2	20	1311	1923	138102
14	1	50.3	20	-	-	284099
15	1	54	20	-	-	428816
16	3	90.2	20	1930	1189	571275
17	1	53.6	20	-	-	120893
18	2	73.2	20	1780	-	265158
19	1	64	20	-	-	411039
20	1	53.2	20	-	-	556210

DFS Radar Parameters
FCC Radar Type 5
Channel 100 Bandwidth 20MHz

Trial Number:			29			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5504			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	93.2	15	1234	1083	128611
2	1	51.2	15	-	-	310657
3	1	54.6	15	-	-	492134
4	1	66.5	15	-	-	673231
5	1	62.8	15	-	-	106530
6	2	81.5	15	1906	-	287373
7	3	88.1	15	1861	1865	467565
8	2	68.7	15	1409	-	650347
9	1	51.8	15	-	-	84245
10	3	88.9	15	1762	1057	264592
11	2	73.1	15	1527	-	446309
12	3	93.9	15	1546	1547	626152
13	3	86.5	15	1243	1583	61630
14	3	83.5	15	1486	1092	242521
15	2	76.1	15	1277	-	423917
16	1	58.7	15	-	-	606617
17						
18						
19						
20						

Trial Number:			30			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5503			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	57.2	16	-	-	37161
2	1	53.1	16	-	-	207877
3	2	75.9	16	1009	-	378148
4	2	69.2	16	1886	-	547878
5	3	94.2	16	1263	1207	16065
6	3	90.6	16	1688	1329	186228
7	3	96.6	16	1321	1600	356548
8	1	57.8	16	-	-	528879
9	1	61.4	16	-	-	699812
10	2	78.1	16	1416	-	165584
11	3	86.4	16	1206	1077	335693
12	3	87.6	16	1542	1884	505111
13	3	94	16	1873	1268	675247
14	1	64.4	16	-	-	144832
15	3	83.7	16	1143	1262	314605
16	1	56.7	16	-	-	486645
17	1	58.3	16	-	-	657603
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 1
Channel 102 Bandwidth 40MHz

Trial #	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency (Pulses Per Second)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	19	1138.95	878	Yes
2	20	1113.59	898	Yes
3	23	326.16	3066	Yes
4	17	1193.32	838	Yes
5	10	1432.66	698	Yes
6	4	1730.10	578	Yes
7	3	1792.11	558	Yes
8	12	1355.01	738	Yes
9	7	1567.40	638	Yes
10	15	1253.13	798	Yes
11	1	1930.50	518	Yes
12	14	1285.35	778	Yes
13	9	1474.93	678	Yes
14	22	1066.10	938	Yes
15	21	1089.32	918	Yes
16		384.02	2604	Yes
17		343.05	2915	Yes
18		1512.86	661	Yes
19		909.92	1099	Yes
20		414.08	2415	Yes
21		339.90	2942	Yes
22		409.17	2444	Yes
23		361.14	2769	Yes
24		1398.60	715	Yes
25		677.51	1476	Yes
26		337.15	2966	Yes
27		612.00	1634	Yes
28		1742.16	574	Yes
29		372.72	2683	Yes
30		1798.56	556	Yes

DFS Radar Parameters
FCC Radar Type 2
Channel 102 Bandwidth 40MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	26	2.90	175	Yes
2	25	2.40	180	Yes
3	26	3.20	186	Yes
4	29	5.00	158	Yes
5	23	1.00	191	Yes
6	27	3.80	227	Yes
7	24	1.90	169	Yes
8	24	1.60	168	Yes
9	25	2.70	230	Yes
10	24	1.70	200	Yes
11	25	2.30	167	Yes
12	23	1.40	166	Yes
13	27	3.90	156	Yes
14	23	1.00	222	Yes
15	28	4.00	197	Yes
16	25	2.20	215	Yes
17	23	1.40	224	Yes
18	27	3.70	218	Yes
19	23	1.50	223	Yes
20	29	4.80	190	Yes
21	26	3.20	213	Yes
22	27	3.50	152	Yes
23	25	2.40	179	Yes
24	24	2.10	192	Yes
25	23	1.30	157	Yes
26	27	3.90	165	Yes
27	28	4.00	176	Yes
28	29	4.90	204	Yes
29	27	3.50	225	Yes
30	28	3.90	154	Yes

DFS Radar Parameters
FCC Radar Type 3
Channel 102 Bandwidth 40MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	17	7.90	412	Yes
2	17	7.40	414	Yes
3	17	8.20	267	Yes
4	18	10.00	351	Yes
5	16	6.00	493	Yes
6	18	8.80	367	Yes
7	16	6.90	375	Yes
8	16	6.60	273	Yes
9	17	7.70	259	Yes
10	16	6.70	417	Yes
11	17	7.30	202	Yes
12	16	6.40	257	Yes
13	18	8.90	492	Yes
14	16	6.00	407	Yes
15	18	9.00	239	Yes
16	16	7.20	235	Yes
17	16	6.40	290	Yes
18	18	8.70	231	Yes
19	16	6.50	394	Yes
20	18	9.80	337	Yes
21	17	8.20	336	Yes
22	17	8.50	331	Yes
23	17	7.40	415	Yes
24	16	7.10	242	Yes
25	16	6.30	470	Yes
26	18	8.90	416	Yes
27	18	9.00	490	Yes
28	18	9.90	458	Yes
29	17	8.50	253	Yes
30	18	8.90	435	Yes

DFS Radar Parameters
FCC Radar Type 4
Channel 102 Bandwidth 40MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	14	15.20	412	Yes
2	13	14.10	414	Yes
3	14	15.90	267	Yes
4	16	20.00	351	Yes
5	12	11.10	493	Yes
6	15	17.20	367	Yes
7	13	13.10	375	Yes
8	12	12.30	273	Yes
9	14	14.80	259	Yes
10	12	12.70	417	Yes
11	13	14.00	202	Yes
12	12	12.00	257	Yes
13	15	17.40	492	Yes
14	12	11.00	407	Yes
15	15	17.80	239	Yes
16	13	13.60	235	Yes
17	12	11.90	290	Yes
18	15	17.10	231	Yes
19	12	12.10	394	Yes
20	16	19.50	337	Yes
21	14	15.90	336	Yes
22	15	16.60	331	Yes
23	13	14.30	415	Yes
24	13	13.40	242	Yes
25	12	11.70	470	Yes
26	15	17.40	416	Yes
27	15	17.60	490	Yes
28	16	19.80	458	Yes
29	15	16.70	253	Yes
30	15	17.50	435	Yes

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:			1			Detection (Yes/No)
Number of Bursts in Trial:			14			
Chirp Center Frequency:			5510			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	73.3	12	1924	-	604303
2	2	67.2	12	1623	-	811536
3	2	77.1	12	1185	-	165096
4	3	99.5	12	1489	1641	371416
5	1	50.6	12	-	-	580420
6	3	84.6	12	1253	1846	785165
7	1	61.7	12	-	-	139715
8	1	57.5	12	-	-	347006
9	2	71.3	12	1380	-	553976
10	1	59.3	12	-	-	762173
11	2	66.8	12	1571	-	113852
12	1	55.5	12	-	-	321451
13	3	85.4	12	1475	1398	527300
14	1	50.4	12	-	-	736380
15						
16						
17						
18						
19						
20						

Trial Number:			2			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5510			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	87.7	10	1256	1849	102961
2	1	64.7	10	-	-	345624
3	1	55.3	10	-	-	587900
4	3	83.8	10	1670	1244	827416
5	1	56.3	10	-	-	73530
6	3	97.1	10	1608	1069	314860
7	2	77.4	10	1821	-	556858
8	2	81	10	1544	-	799008
9	2	68.1	10	1738	-	43606
10	1	63.4	10	-	-	285942
11	1	53.8	10	-	-	528237
12	3	85.7	10	1813	1698	767733
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:			3			Detection (Yes/No)
Number of Bursts in Trial:			15			
Chirp Center Frequency:			5510			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	86.8	13	1726	1685	11018
2	3	98.6	13	1020	1651	204087
3	2	81.4	13	1702	-	397605
4	3	85.8	13	1225	1432	590163
5	2	76.7	13	1895	-	783917
6	2	77.4	13	1435	-	180490
7	1	52.5	13	-	-	374764
8	2	70.5	13	1602	-	566997
9	3	85.5	13	1576	1898	758647
10	3	85.4	13	1389	1274	156484
11	3	98.9	13	1426	1739	349235
12	2	71	13	1590	-	543246
13	3	99.7	13	1135	1560	735346
14	3	85.5	13	1407	1669	132711
15	3	97.5	13	1903	1595	325432
16						
17						
18						
19						
20						

Trial Number:			4			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5510			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (µsec)	Pulse 2-to-3 Spacing (µsec)	Starting Location Within Interval (µsec)
1	2	71.5	20	1928	-	388568
2	1	63.8	20	-	-	535530
3	1	51	20	-	-	81987
4	2	76.2	20	1582	-	226298
5	3	88.2	20	1904	1714	369825
6	1	66.1	20	-	-	517348
7	2	67.1	20	1478	-	63908
8	1	60.4	20	-	-	209189
9	1	62	20	-	-	354409
10	1	60.8	20	-	-	499833
11	3	86.5	20	1415	1296	45997
12	2	77.6	20	1983	-	190646
13	1	53.3	20	-	-	336221
14	1	61.4	20	-	-	481938
15	3	92.3	20	1003	1357	28174
16	3	99.1	20	1750	1356	172657
17	1	63.6	20	-	-	318859
18	3	95.6	20	1937	1007	461197
19	1	64.9	20	-	-	10409
20	3	97.8	20	1467	1947	154567

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:			5			Detection (Yes/No)
Number of Bursts in Trial:			8			
Chirp Center Frequency:			5510			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	63.2	5	-	-	752755
2	2	76.2	5	1436	-	1115094
3	3	85.5	5	1365	1130	1477689
4	2	82.7	5	1438	-	344356
5	3	89.5	5	1245	1373	707009
6	1	53	5	-	-	1071711
7	1	64.9	5	-	-	1435161
8	1	64.9	5	-	-	299875
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			6			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5510			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	52.3	16	-	-	331551
2	1	65.9	16	-	-	512757
3	3	84.3	16	1154	1358	691974
4	3	84.1	16	1766	1543	126861
5	2	70.8	16	1474	-	308277
6	3	99.6	16	1950	1369	488613
7	1	55.9	16	-	-	672493
8	2	67.2	16	1302	-	104902
9	2	67	16	1981	-	285781
10	3	87.3	16	1875	1642	465967
11	1	65.7	16	-	-	649336
12	2	69.6	16	1364	-	82583
13	2	69.7	16	1764	-	263612
14	3	88.1	16	1719	1843	443617
15	2	69.3	16	1402	-	626596
16	2	75	16	1876	-	60222
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:			7			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5510			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	90.2	8	1587	1989	350913
2	3	99.8	8	1297	1471	614926
3	3	99.2	8	1218	1922	877618
4	1	59.1	8	-	-	55330
5	3	93.2	8	1372	1838	318643
6	3	86.4	8	1996	1142	581856
7	3	85.2	8	1611	1159	846231
8	2	75.5	8	1536	-	22779
9	3	84.7	8	1945	1755	286037
10	3	87.7	8	1823	1829	549315
11	3	84.2	8	1134	1345	813428
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			8			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5510			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	95.3	7	1288	1908	1316809
2	2	78.3	7	1452	-	310714
3	2	68.4	7	1784	-	633353
4	3	86.8	7	1972	1046	954804
5	3	85.2	7	1731	1817	1276482
6	1	51.1	7	-	-	271361
7	1	52.1	7	-	-	594491
8	1	58.1	7	-	-	917332
9	3	96.2	7	1506	1634	1237536
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:			9			Detection (Yes/No)
Number of Bursts in Trial:			13			
Chirp Center Frequency:			5510			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	76.5	11	1681	-	159923
2	1	52.3	11	-	-	383627
3	1	56.7	11	-	-	607112
4	1	53.7	11	-	-	830875
5	1	55.4	11	-	-	132610
6	2	75.1	11	1650	-	355616
7	2	82	11	1198	-	579044
8	2	76.4	11	1084	-	801836
9	2	79.9	11	1237	-	104956
10	3	95.4	11	1929	1473	327519
11	2	78.1	11	1442	-	551067
12	2	75.2	11	1810	-	774551
13	1	56.8	11	-	-	77625
14						
15						
16						
17						
18						
19						
20						

Trial Number:			10			Detection (Yes/No)
Number of Bursts in Trial:			10			
Chirp Center Frequency:			5510			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	60.5	7	-	-	391525
2	3	92.5	7	1399	1630	680592
3	3	89.7	7	1183	1040	970982
4	1	53.8	7	-	-	65132
5	1	55.7	7	-	-	355668
6	2	71.7	7	1319	-	645796
7	1	65.9	7	-	-	937057
8	2	80.7	7	1455	-	29284
9	1	58.8	7	-	-	319946
10	3	99.5	7	1460	1275	609436
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:			11			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5495			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83.1	10	1045	-	750269
2	1	65.4	10	-	-	993190
3	1	60.6	10	-	-	236771
4	3	89	10	1226	1499	477816
5	3	98.7	10	1674	1562	719094
6	1	50.4	10	-	-	963027
7	2	80.6	10	1749	-	206586
8	2	68.4	10	1769	-	448451
9	2	67.5	10	1022	-	690250
10	2	80	10	1818	-	931437
11	2	73.1	10	1352	-	176860
12	3	98.5	10	1558	1289	418167
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			12			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5493			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	87.9	6	1668	1678	880051
2	3	93.1	6	1468	1883	1202325
3	3	95.5	6	1978	1049	196045
4	1	53.6	6	-	-	519354
5	2	68.1	6	1724	-	841339
6	1	54.3	6	-	-	1165856
7	1	58.8	6	-	-	156656
8	3	95.6	6	1392	1325	478592
9	3	89.4	6	1050	1549	801263
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:			13			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5497			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	59.6	16	-	-	595311
2	1	59	16	-	-	61850
3	3	88.4	16	1090	1107	232086
4	2	67.7	16	1361	-	402951
5	2	75.9	16	1598	-	573309
6	3	97.2	16	1203	1804	40593
7	2	81.3	16	1464	-	211287
8	3	95.5	16	1801	1160	381089
9	2	80.5	16	1696	-	551807
10	3	92.2	16	1066	1326	19660
11	1	65.4	16	-	-	190496
12	2	67.7	16	1429	-	360475
13	1	52.9	16	-	-	532241
14	2	73.6	16	1870	-	701220
15	3	88.4	16	1979	1397	168776
16	3	94.9	16	1529	1935	338881
17	3	86.2	16	1588	1772	508991
18						
19						
20						

Trial Number:			14			Detection (Yes/No)
Number of Bursts in Trial:			8			
Chirp Center Frequency:			5493			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83.3	5	1103	-	1450341
2	2	75.9	5	1532	-	315565
3	3	99.4	5	1974	1292	677938
4	2	76.9	5	1760	-	1041626
5	1	60.6	5	-	-	1406463
6	3	95.2	5	1816	1824	270452
7	3	83.8	5	1911	1278	633275
8	1	62	5	-	-	997753
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:			15			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5498			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	54.6	17	-	-	639565
2	3	96.7	17	1065	1710	106025
3	1	58.4	17	-	-	277380
4	1	52.1	17	-	-	448363
5	1	53.6	17	-	-	618899
6	1	61.6	17	-	-	85399
7	2	71.9	17	1676	-	255398
8	1	63.2	17	-	-	427030
9	1	60	17	-	-	597917
10	2	73.5	17	1428	-	64197
11	1	56.4	17	-	-	234978
12	2	72.2	17	1396	-	404904
13	2	71.2	17	1191	-	576074
14	2	72.8	17	1194	-	43189
15	1	53.3	17	-	-	214005
16	3	99.3	17	1709	1148	383203
17	2	73	17	1756	-	554519
18						
19						
20						

Trial Number:			16			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5495			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	87	9	1479	1601	34277
2	3	87.8	9	1742	1828	297625
3	1	57.6	9	-	-	562960
4	2	80.8	9	1967	-	825621
5	3	85	9	1454	1286	1815
6	2	69.4	9	1157	-	265852
7	1	57	9	-	-	530213
8	1	58.8	9	-	-	794833
9	2	81.9	9	1164	-	1057404
10	2	71.1	9	1221	-	233149
11	2	82.9	9	1363	-	497092
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:			17			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5493			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	96.3	6	1931	1096	929081
2	1	62.5	6	-	-	1254370
3	3	99	6	1342	1792	245118
4	1	63.8	6	-	-	568725
5	1	54.6	6	-	-	891456
6	1	55.6	6	-	-	1214587
7	2	71.3	6	1808	-	205663
8	1	50.5	6	-	-	528975
9	2	72.8	6	1298	-	851018
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			18			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5497			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	93.3	15	1079	1385	658486
2	2	76.8	15	1878	-	93136
3	2	80.6	15	1338	-	274515
4	3	93.6	15	1086	1379	454917
5	1	54.4	15	-	-	637750
6	3	92.9	15	1837	1832	70674
7	1	50	15	-	-	252661
8	2	82	15	1120	-	433227
9	2	72.7	15	1054	-	614676
10	1	65	15	-	-	48622
11	1	60.5	15	-	-	230210
12	2	72.6	15	1291	-	411159
13	1	50	15	-	-	592914
14	1	53.8	15	-	-	26268
15	2	73.6	15	1835	-	207217
16	1	57.4	15	-	-	389570
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:			19			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5494			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	76.1	7	1880	-	1013979
2	2	81.3	7	1537	-	6926
3	2	69.7	7	1853	-	329543
4	2	77.2	7	1857	-	651855
5	1	51.3	7	-	-	976126
6	3	93.4	7	1162	1812	1296540
7	2	71.8	7	1513	-	289906
8	3	90.6	7	1902	1767	611609
9	3	89	7	1109	1718	934400
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			20			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5499			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	66.9	20	1284	-	564206
2	3	97.6	20	1351	1193	112005
3	2	74.6	20	1324	-	256993
4	3	92.7	20	1618	1362	401036
5	2	67.5	20	1770	-	546338
6	1	65.5	20	-	-	94569
7	1	51.4	20	-	-	239885
8	1	52.8	20	-	-	384750
9	2	76.4	20	1230	-	529106
10	2	79.7	20	1124	-	76550
11	1	60.2	20	-	-	221770
12	1	57.2	20	-	-	366942
13	1	64.1	20	-	-	512414
14	2	76.3	20	1014	-	58805
15	3	92.1	20	1689	1341	202941
16	2	69.3	20	1856	-	348376
17	2	75.1	20	1805	-	492682
18	3	86.1	20	1294	1105	40840
19	2	66.9	20	1807	-	185456
20	1	60.5	20	-	-	331496

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:			21			Detection (Yes/No)
Number of Bursts in Trial:			15			
Chirp Center Frequency:			5524			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	60.3	13	-	-	635986
2	3	96.3	13	1781	1412	30701
3	1	58.6	13	-	-	224465
4	2	75.3	13	1192	-	417600
5	1	56.4	13	-	-	611678
6	2	78.6	13	1866	-	6966
7	2	74.4	13	1188	-	200470
8	1	51.6	13	-	-	394467
9	2	73.3	13	1317	-	586741
10	2	71.4	13	1677	-	780117
11	3	100	13	1328	1315	176273
12	1	55	13	-	-	370310
13	3	90.1	13	1039	1170	562750
14	1	54.6	13	-	-	757983
15	3	87.5	13	1394	1796	152304
16						
17						
18						
19						
20						

Trial Number:			22			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5523			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	95.4	14	1285	1825	323565
2	2	75.5	14	1887	-	504871
3	3	89.4	14	1640	1663	684664
4	1	55.1	14	-	-	120992
5	3	99.5	14	1359	1155	301709
6	1	59.1	14	-	-	483915
7	2	69.7	14	1646	-	664566
8	2	73.6	14	1980	-	98338
9	2	74.1	14	1487	-	279508
10	1	63.4	14	-	-	461579
11	1	50.1	14	-	-	643429
12	1	62	14	-	-	76281
13	1	54.9	14	-	-	257657
14	2	77.6	14	1491	-	438613
15	1	57.9	14	-	-	620563
16	2	76.3	14	1942	-	53769
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:			23			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5525			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	57.2	10	-	-	314089
2	1	54.8	10	-	-	556206
3	2	80	10	1568	-	796954
4	2	78.6	10	1920	-	41999
5	2	70.7	10	1938	-	283844
6	3	89	10	1596	1037	524820
7	3	99.3	10	1524	1759	765910
8	3	86.3	10	1017	1686	12233
9	3	89	10	1031	1158	253888
10	3	91.2	10	1833	1476	494982
11	3	99.9	10	1573	1867	736549
12	2	79.5	10	1465	-	979091
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			24			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5525			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	54.9	9	-	-	245073
2	2	79.8	9	1879	-	508601
3	1	55.2	9	-	-	773740
4	2	67.2	9	1839	-	1035838
5	1	59.4	9	-	-	212579
6	3	88.8	9	1116	1712	475640
7	3	96.8	9	1811	1976	738539
8	3	93.8	9	1343	1858	1002594
9	3	85.8	9	1612	1422	179454
10	2	81	9	1672	-	443505
11	2	67.5	9	1382	-	707500
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:			25			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5527			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	51.4	6	-	-	1188992
2	3	90.6	6	1607	1330	179886
3	2	72.7	6	1340	-	502817
4	3	84.5	6	1622	1737	824412
5	1	61.9	6	-	-	1149421
6	1	56.2	6	-	-	140409
7	1	66.6	6	-	-	463364
8	2	69.4	6	1076	-	785741
9	2	74	6	1666	-	1108145
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			26			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5523			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	65.4	16	-	-	53208
2	3	95.2	16	1633	1348	223201
3	3	92.7	16	1510	1787	393159
4	1	50.1	16	-	-	565604
5	1	60	16	-	-	32166
6	2	76.1	16	1184	-	202596
7	2	66.8	16	1368	-	373362
8	1	56.3	16	-	-	544834
9	2	76.2	16	1448	-	11115
10	1	53	16	-	-	182041
11	1	66.2	16	-	-	352982
12	1	58.2	16	-	-	523391
13	1	59.2	16	-	-	694563
14	3	90.3	16	1505	1520	160317
15	2	68.6	16	1567	-	331210
16	3	94.4	16	1112	1988	500538
17	1	58.2	16	-	-	673746
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:			27			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5523			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83	16	1457	-	139609
2	1	52.5	16	-	-	310919
3	1	66.1	16	-	-	481757
4	2	80.9	16	1063	-	651646
5	1	64.1	16	-	-	118924
6	3	90.6	16	1195	1959	288508
7	2	76.2	16	1854	-	459416
8	3	87.4	16	1617	1282	628855
9	2	78.6	16	1240	-	97671
10	3	88	16	2000	1447	267237
11	3	98.1	16	1535	1168	437513
12	1	54.5	16	-	-	609904
13	3	87.4	16	1070	1360	76492
14	2	80	16	1958	-	246736
15	2	72.3	16	1480	-	417484
16	2	71.8	16	1235	-	588107
17	2	75.8	16	1632	-	55619
18						
19						
20						

Trial Number:			28			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5521			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	64.1	20	-	-	192579
2	1	59.8	20	-	-	337557
3	3	87.1	20	1347	1300	480410
4	1	55	20	-	-	29452
5	1	57.1	20	-	-	174741
6	3	83.4	20	1907	1001	318469
7	2	72	20	1680	-	463237
8	3	90.4	20	1423	1822	11521
9	2	67.5	20	1068	-	156452
10	2	82.7	20	1434	-	301170
11	1	64.8	20	-	-	447255
12	1	59.2	20	-	-	592368
13	3	92.2	20	1311	1923	138102
14	1	50.3	20	-	-	284099
15	1	54	20	-	-	428816
16	3	90.2	20	1930	1189	571275
17	1	53.6	20	-	-	120893
18	2	73.2	20	1780	-	265158
19	1	64	20	-	-	411039
20	1	53.2	20	-	-	556210

DFS Radar Parameters
FCC Radar Type 5
Channel 102 Bandwidth 40MHz

Trial Number:			29			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5523			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	93.2	15	1234	1083	128611
2	1	51.2	15	-	-	310657
3	1	54.6	15	-	-	492134
4	1	66.5	15	-	-	673231
5	1	62.8	15	-	-	106530
6	2	81.5	15	1906	-	287373
7	3	88.1	15	1861	1865	467565
8	2	68.7	15	1409	-	650347
9	1	51.8	15	-	-	84245
10	3	88.9	15	1762	1057	264592
11	2	73.1	15	1527	-	446309
12	3	93.9	15	1546	1547	626152
13	3	86.5	15	1243	1583	61630
14	3	83.5	15	1486	1092	242521
15	2	76.1	15	1277	-	423917
16	1	58.7	15	-	-	606617
17						
18						
19						
20						

Trial Number:			30			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5523			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	57.2	16	-	-	37161
2	1	53.1	16	-	-	207877
3	2	75.9	16	1009	-	378148
4	2	69.2	16	1886	-	547878
5	3	94.2	16	1263	1207	16065
6	3	90.6	16	1688	1329	186228
7	3	96.6	16	1321	1600	356548
8	1	57.8	16	-	-	528879
9	1	61.4	16	-	-	699812
10	2	78.1	16	1416	-	165584
11	3	86.4	16	1206	1077	335693
12	3	87.6	16	1542	1884	505111
13	3	94	16	1873	1268	675247
14	1	64.4	16	-	-	144832
15	3	83.7	16	1143	1262	314605
16	1	56.7	16	-	-	486645
17	1	58.3	16	-	-	657603
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 1
Channel 106 Bandwidth 80MHz

Trial #	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency (Pulses Per Second)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	19	1138.95	878	Yes
2	20	1113.59	898	Yes
3	23	326.16	3066	Yes
4	17	1193.32	838	Yes
5	10	1432.66	698	Yes
6	4	1730.10	578	Yes
7	3	1792.11	558	Yes
8	12	1355.01	738	Yes
9	7	1567.40	638	Yes
10	15	1253.13	798	Yes
11	1	1930.50	518	Yes
12	14	1285.35	778	Yes
13	9	1474.93	678	Yes
14	22	1066.10	938	Yes
15	21	1089.32	918	Yes
16		384.02	2604	Yes
17		343.05	2915	Yes
18		1512.86	661	Yes
19		909.92	1099	Yes
20		414.08	2415	Yes
21		339.90	2942	Yes
22		409.17	2444	Yes
23		361.14	2769	Yes
24		1398.60	715	Yes
25		677.51	1476	Yes
26		337.15	2966	Yes
27		612.00	1634	Yes
28		1742.16	574	Yes
29		372.72	2683	Yes
30		1798.56	556	Yes

DFS Radar Parameters
FCC Radar Type 2
Channel 106 Bandwidth 80MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	26	2.90	175	Yes
2	25	2.40	180	Yes
3	26	3.20	186	Yes
4	29	5.00	158	Yes
5	23	1.00	191	Yes
6	27	3.80	227	Yes
7	24	1.90	169	Yes
8	24	1.60	168	Yes
9	25	2.70	230	Yes
10	24	1.70	200	Yes
11	25	2.30	167	Yes
12	23	1.40	166	Yes
13	27	3.90	156	Yes
14	23	1.00	222	Yes
15	28	4.00	197	Yes
16	25	2.20	215	Yes
17	23	1.40	224	Yes
18	27	3.70	218	Yes
19	23	1.50	223	Yes
20	29	4.80	190	Yes
21	26	3.20	213	Yes
22	27	3.50	152	Yes
23	25	2.40	179	Yes
24	24	2.10	192	Yes
25	23	1.30	157	Yes
26	27	3.90	165	Yes
27	28	4.00	176	Yes
28	29	4.90	204	Yes
29	27	3.50	225	Yes
30	28	3.90	154	Yes

DFS Radar Parameters
FCC Radar Type 3
Channel 106 Bandwidth 80MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	17	7.90	412	Yes
2	17	7.40	414	Yes
3	17	8.20	267	Yes
4	18	10.00	351	Yes
5	16	6.00	493	Yes
6	18	8.80	367	Yes
7	16	6.90	375	Yes
8	16	6.60	273	Yes
9	17	7.70	259	Yes
10	16	6.70	417	Yes
11	17	7.30	202	Yes
12	16	6.40	257	Yes
13	18	8.90	492	Yes
14	16	6.00	407	Yes
15	18	9.00	239	Yes
16	16	7.20	235	Yes
17	16	6.40	290	Yes
18	18	8.70	231	Yes
19	16	6.50	394	Yes
20	18	9.80	337	Yes
21	17	8.20	336	Yes
22	17	8.50	331	Yes
23	17	7.40	415	Yes
24	16	7.10	242	Yes
25	16	6.30	470	Yes
26	18	8.90	416	Yes
27	18	9.00	490	Yes
28	18	9.90	458	Yes
29	17	8.50	253	Yes
30	18	8.90	435	Yes

DFS Radar Parameters
FCC Radar Type 4
Channel 106 Bandwidth 80MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	14	15.20	412	Yes
2	13	14.10	414	Yes
3	14	15.90	267	Yes
4	16	20.00	351	Yes
5	12	11.10	493	Yes
6	15	17.20	367	Yes
7	13	13.10	375	Yes
8	12	12.30	273	Yes
9	14	14.80	259	Yes
10	12	12.70	417	Yes
11	13	14.00	202	Yes
12	12	12.00	257	Yes
13	15	17.40	492	Yes
14	12	11.00	407	Yes
15	15	17.80	239	Yes
16	13	13.60	235	Yes
17	12	11.90	290	Yes
18	15	17.10	231	Yes
19	12	12.10	394	Yes
20	16	19.50	337	Yes
21	14	15.90	336	Yes
22	15	16.60	331	Yes
23	13	14.30	415	Yes
24	13	13.40	242	Yes
25	12	11.70	470	Yes
26	15	17.40	416	Yes
27	15	17.60	490	Yes
28	16	19.80	458	Yes
29	15	16.70	253	Yes
30	15	17.50	435	Yes

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			1			Detection (Yes/No)
Number of Bursts in Trial:			14			
Chirp Center Frequency:			5530			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	73.3	12	1924	-	604303
2	2	67.2	12	1623	-	811536
3	2	77.1	12	1185	-	165096
4	3	99.5	12	1489	1641	371416
5	1	50.6	12	-	-	580420
6	3	84.6	12	1253	1846	785165
7	1	61.7	12	-	-	139715
8	1	57.5	12	-	-	347006
9	2	71.3	12	1380	-	553976
10	1	59.3	12	-	-	762173
11	2	66.8	12	1571	-	113852
12	1	55.5	12	-	-	321451
13	3	85.4	12	1475	1398	527300
14	1	50.4	12	-	-	736380
15						
16						
17						
18						
19						
20						

Trial Number:			2			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5530			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	87.7	10	1256	1849	102961
2	1	64.7	10	-	-	345624
3	1	55.3	10	-	-	587900
4	3	83.8	10	1670	1244	827416
5	1	56.3	10	-	-	73530
6	3	97.1	10	1608	1069	314860
7	2	77.4	10	1821	-	556858
8	2	81	10	1544	-	799008
9	2	68.1	10	1738	-	43606
10	1	63.4	10	-	-	285942
11	1	53.8	10	-	-	528237
12	3	85.7	10	1813	1698	767733
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			3			Detection (Yes/No)
Number of Bursts in Trial:			15			
Chirp Center Frequency:			5530			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	86.8	13	1726	1685	11018
2	3	98.6	13	1020	1651	204087
3	2	81.4	13	1702	-	397605
4	3	85.8	13	1225	1432	590163
5	2	76.7	13	1895	-	783917
6	2	77.4	13	1435	-	180490
7	1	52.5	13	-	-	374764
8	2	70.5	13	1602	-	566997
9	3	85.5	13	1576	1898	758647
10	3	85.4	13	1389	1274	156484
11	3	98.9	13	1426	1739	349235
12	2	71	13	1590	-	543246
13	3	99.7	13	1135	1560	735346
14	3	85.5	13	1407	1669	132711
15	3	97.5	13	1903	1595	325432
16						
17						
18						
19						
20						

Trial Number:			4			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5530			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	71.5	20	1928	-	388568
2	1	63.8	20	-	-	535530
3	1	51	20	-	-	81987
4	2	76.2	20	1582	-	226298
5	3	88.2	20	1904	1714	369825
6	1	66.1	20	-	-	517348
7	2	67.1	20	1478	-	63908
8	1	60.4	20	-	-	209189
9	1	62	20	-	-	354409
10	1	60.8	20	-	-	499833
11	3	86.5	20	1415	1296	45997
12	2	77.6	20	1983	-	190646
13	1	53.3	20	-	-	336221
14	1	61.4	20	-	-	481938
15	3	92.3	20	1003	1357	28174
16	3	99.1	20	1750	1356	172657
17	1	63.6	20	-	-	318859
18	3	95.6	20	1937	1007	461197
19	1	64.9	20	-	-	10409
20	3	97.8	20	1467	1947	154567

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			5			Detection (Yes/No)
Number of Bursts in Trial:			8			
Chirp Center Frequency:			5530			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	63.2	5	-	-	752755
2	2	76.2	5	1436	-	1115094
3	3	85.5	5	1365	1130	1477689
4	2	82.7	5	1438	-	344356
5	3	89.5	5	1245	1373	707009
6	1	53	5	-	-	1071711
7	1	64.9	5	-	-	1435161
8	1	64.9	5	-	-	299875
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			6			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5530			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	52.3	16	-	-	331551
2	1	65.9	16	-	-	512757
3	3	84.3	16	1154	1358	691974
4	3	84.1	16	1766	1543	126861
5	2	70.8	16	1474	-	308277
6	3	99.6	16	1950	1369	488613
7	1	55.9	16	-	-	672493
8	2	67.2	16	1302	-	104902
9	2	67	16	1981	-	285781
10	3	87.3	16	1875	1642	465967
11	1	65.7	16	-	-	649336
12	2	69.6	16	1364	-	82583
13	2	69.7	16	1764	-	263612
14	3	88.1	16	1719	1843	443617
15	2	69.3	16	1402	-	626596
16	2	75	16	1876	-	60222
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			7			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5530			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	90.2	8	1587	1989	350913
2	3	99.8	8	1297	1471	614926
3	3	99.2	8	1218	1922	877618
4	1	59.1	8	-	-	55330
5	3	93.2	8	1372	1838	318643
6	3	86.4	8	1996	1142	581856
7	3	85.2	8	1611	1159	846231
8	2	75.5	8	1536	-	22779
9	3	84.7	8	1945	1755	286037
10	3	87.7	8	1823	1829	549315
11	3	84.2	8	1134	1345	813428
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			8			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5530			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	95.3	7	1288	1908	1316809
2	2	78.3	7	1452	-	310714
3	2	68.4	7	1784	-	633353
4	3	86.8	7	1972	1046	954804
5	3	85.2	7	1731	1817	1276482
6	1	51.1	7	-	-	271361
7	1	52.1	7	-	-	594491
8	1	58.1	7	-	-	917332
9	3	96.2	7	1506	1634	1237536
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			9			Detection (Yes/No)
Number of Bursts in Trial:			13			
Chirp Center Frequency:			5530			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	76.5	11	1681	-	159923
2	1	52.3	11	-	-	383627
3	1	56.7	11	-	-	607112
4	1	53.7	11	-	-	830875
5	1	55.4	11	-	-	132610
6	2	75.1	11	1650	-	355616
7	2	82	11	1198	-	579044
8	2	76.4	11	1084	-	801836
9	2	79.9	11	1237	-	104956
10	3	95.4	11	1929	1473	327519
11	2	78.1	11	1442	-	551067
12	2	75.2	11	1810	-	774551
13	1	56.8	11	-	-	77625
14						
15						
16						
17						
18						
19						
20						

Trial Number:			10			Detection (Yes/No)
Number of Bursts in Trial:			10			
Chirp Center Frequency:			5530			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	60.5	7	-	-	391525
2	3	92.5	7	1399	1630	680592
3	3	89.7	7	1183	1040	970982
4	1	53.8	7	-	-	65132
5	1	55.7	7	-	-	355668
6	2	71.7	7	1319	-	645796
7	1	65.9	7	-	-	937057
8	2	80.7	7	1455	-	29284
9	1	58.8	7	-	-	319946
10	3	99.5	7	1460	1275	609436
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			11			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5495			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83.1	10	1045	-	750269
2	1	65.4	10	-	-	993190
3	1	60.6	10	-	-	236771
4	3	89	10	1226	1499	477816
5	3	98.7	10	1674	1562	719094
6	1	50.4	10	-	-	963027
7	2	80.6	10	1749	-	206586
8	2	68.4	10	1769	-	448451
9	2	67.5	10	1022	-	690250
10	2	80	10	1818	-	931437
11	2	73.1	10	1352	-	176860
12	3	98.5	10	1558	1289	418167
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			12			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5494			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	87.9	6	1668	1678	880051
2	3	93.1	6	1468	1883	1202325
3	3	95.5	6	1978	1049	196045
4	1	53.6	6	-	-	519354
5	2	68.1	6	1724	-	841339
6	1	54.3	6	-	-	1165856
7	1	58.8	6	-	-	156656
8	3	95.6	6	1392	1325	478592
9	3	89.4	6	1050	1549	801263
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			13			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5498			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	59.6	16	-	-	595311
2	1	59	16	-	-	61850
3	3	88.4	16	1090	1107	232086
4	2	67.7	16	1361	-	402951
5	2	75.9	16	1598	-	573309
6	3	97.2	16	1203	1804	40593
7	2	81.3	16	1464	-	211287
8	3	95.5	16	1801	1160	381089
9	2	80.5	16	1696	-	551807
10	3	92.2	16	1066	1326	19660
11	1	65.4	16	-	-	190496
12	2	67.7	16	1429	-	360475
13	1	52.9	16	-	-	532241
14	2	73.6	16	1870	-	701220
15	3	88.4	16	1979	1397	168776
16	3	94.9	16	1529	1935	338881
17	3	86.2	16	1588	1772	508991
18						
19						
20						

Trial Number:			14			Detection (Yes/No)
Number of Bursts in Trial:			8			
Chirp Center Frequency:			5493			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83.3	5	1103	-	1450341
2	2	75.9	5	1532	-	315565
3	3	99.4	5	1974	1292	677938
4	2	76.9	5	1760	-	1041626
5	1	60.6	5	-	-	1406463
6	3	95.2	5	1816	1824	270452
7	3	83.8	5	1911	1278	633275
8	1	62	5	-	-	997753
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			15			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5498			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	54.6	17	-	-	639565
2	3	96.7	17	1065	1710	106025
3	1	58.4	17	-	-	277380
4	1	52.1	17	-	-	448363
5	1	53.6	17	-	-	618899
6	1	61.6	17	-	-	85399
7	2	71.9	17	1676	-	255398
8	1	63.2	17	-	-	427030
9	1	60	17	-	-	597917
10	2	73.5	17	1428	-	64197
11	1	56.4	17	-	-	234978
12	2	72.2	17	1396	-	404904
13	2	71.2	17	1191	-	576074
14	2	72.8	17	1194	-	43189
15	1	53.3	17	-	-	214005
16	3	99.3	17	1709	1148	383203
17	2	73	17	1756	-	554519
18						
19						
20						

Trial Number:			16			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5495			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	87	9	1479	1601	34277
2	3	87.8	9	1742	1828	297625
3	1	57.6	9	-	-	562960
4	2	80.8	9	1967	-	825621
5	3	85	9	1454	1286	1815
6	2	69.4	9	1157	-	265852
7	1	57	9	-	-	530213
8	1	58.8	9	-	-	794833
9	2	81.9	9	1164	-	1057404
10	2	71.1	9	1221	-	233149
11	2	82.9	9	1363	-	497092
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			17			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5494			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	96.3	6	1931	1096	929081
2	1	62.5	6	-	-	1254370
3	3	99	6	1342	1792	245118
4	1	63.8	6	-	-	568725
5	1	54.6	6	-	-	891456
6	1	55.6	6	-	-	1214587
7	2	71.3	6	1808	-	205663
8	1	50.5	6	-	-	528975
9	2	72.8	6	1298	-	851018
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			18			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5497			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	93.3	15	1079	1385	658486
2	2	76.8	15	1878	-	93136
3	2	80.6	15	1338	-	274515
4	3	93.6	15	1086	1379	454917
5	1	54.4	15	-	-	637750
6	3	92.9	15	1837	1832	70674
7	1	50	15	-	-	252661
8	2	82	15	1120	-	433227
9	2	72.7	15	1054	-	614676
10	1	65	15	-	-	48622
11	1	60.5	15	-	-	230210
12	2	72.6	15	1291	-	411159
13	1	50	15	-	-	592914
14	1	53.8	15	-	-	26268
15	2	73.6	15	1835	-	207217
16	1	57.4	15	-	-	389570
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			19			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5494			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	76.1	7	1880	-	1013979
2	2	81.3	7	1537	-	6926
3	2	69.7	7	1853	-	329543
4	2	77.2	7	1857	-	651855
5	1	51.3	7	-	-	976126
6	3	93.4	7	1162	1812	1296540
7	2	71.8	7	1513	-	289906
8	3	90.6	7	1902	1767	611609
9	3	89	7	1109	1718	934400
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			20			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5499			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	66.9	20	1284	-	564206
2	3	97.6	20	1351	1193	112005
3	2	74.6	20	1324	-	256993
4	3	92.7	20	1618	1362	401036
5	2	67.5	20	1770	-	546338
6	1	65.5	20	-	-	94569
7	1	51.4	20	-	-	239885
8	1	52.8	20	-	-	384750
9	2	76.4	20	1230	-	529106
10	2	79.7	20	1124	-	76550
11	1	60.2	20	-	-	221770
12	1	57.2	20	-	-	366942
13	1	64.1	20	-	-	512414
14	2	76.3	20	1014	-	58805
15	3	92.1	20	1689	1341	202941
16	2	69.3	20	1856	-	348376
17	2	75.1	20	1805	-	492682
18	3	86.1	20	1294	1105	40840
19	2	66.9	20	1807	-	185456
20	1	60.5	20	-	-	331496

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			21			Detection (Yes/No)
Number of Bursts in Trial:			15			
Chirp Center Frequency:			5563			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	60.3	13	-	-	635986
2	3	96.3	13	1781	1412	30701
3	1	58.6	13	-	-	224465
4	2	75.3	13	1192	-	417600
5	1	56.4	13	-	-	611678
6	2	78.6	13	1866	-	6966
7	2	74.4	13	1188	-	200470
8	1	51.6	13	-	-	394467
9	2	73.3	13	1317	-	586741
10	2	71.4	13	1677	-	780117
11	3	100	13	1328	1315	176273
12	1	55	13	-	-	370310
13	3	90.1	13	1039	1170	562750
14	1	54.6	13	-	-	757983
15	3	87.5	13	1394	1796	152304
16						
17						
18						
19						
20						

Trial Number:			22			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5563			
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	95.4	14	1285	1825	323565
2	2	75.5	14	1887	-	504871
3	3	89.4	14	1640	1663	684664
4	1	55.1	14	-	-	120992
5	3	99.5	14	1359	1155	301709
6	1	59.1	14	-	-	483915
7	2	69.7	14	1646	-	664566
8	2	73.6	14	1980	-	98338
9	2	74.1	14	1487	-	279508
10	1	63.4	14	-	-	461579
11	1	50.1	14	-	-	643429
12	1	62	14	-	-	76281
13	1	54.9	14	-	-	257657
14	2	77.6	14	1491	-	438613
15	1	57.9	14	-	-	620563
16	2	76.3	14	1942	-	53769
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			23			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5565			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	57.2	10	-	-	314089
2	1	54.8	10	-	-	556206
3	2	80	10	1568	-	796954
4	2	78.6	10	1920	-	41999
5	2	70.7	10	1938	-	283844
6	3	89	10	1596	1037	524820
7	3	99.3	10	1524	1759	765910
8	3	86.3	10	1017	1686	12233
9	3	89	10	1031	1158	253888
10	3	91.2	10	1833	1476	494982
11	3	99.9	10	1573	1867	736549
12	2	79.5	10	1465	-	979091
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			24			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5565			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	54.9	9	-	-	245073
2	2	79.8	9	1879	-	508601
3	1	55.2	9	-	-	773740
4	2	67.2	9	1839	-	1035838
5	1	59.4	9	-	-	212579
6	3	88.8	9	1116	1712	475640
7	3	96.8	9	1811	1976	738539
8	3	93.8	9	1343	1858	1002594
9	3	85.8	9	1612	1422	179454
10	2	81	9	1672	-	443505
11	2	67.5	9	1382	-	707500
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			25			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5566			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	51.4	6	-	-	1188992
2	3	90.6	6	1607	1330	179886
3	2	72.7	6	1340	-	502817
4	3	84.5	6	1622	1737	824412
5	1	61.9	6	-	-	1149421
6	1	56.2	6	-	-	140409
7	1	66.6	6	-	-	463364
8	2	69.4	6	1076	-	785741
9	2	74	6	1666	-	1108145
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			26			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5562			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	65.4	16	-	-	53208
2	3	95.2	16	1633	1348	223201
3	3	92.7	16	1510	1787	393159
4	1	50.1	16	-	-	565604
5	1	60	16	-	-	32166
6	2	76.1	16	1184	-	202596
7	2	66.8	16	1368	-	373362
8	1	56.3	16	-	-	544834
9	2	76.2	16	1448	-	11115
10	1	53	16	-	-	182041
11	1	66.2	16	-	-	352982
12	1	58.2	16	-	-	523391
13	1	59.2	16	-	-	694563
14	3	90.3	16	1505	1520	160317
15	2	68.6	16	1567	-	331210
16	3	94.4	16	1112	1988	500538
17	1	58.2	16	-	-	673746
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			27			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5562			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83	16	1457	-	139609
2	1	52.5	16	-	-	310919
3	1	66.1	16	-	-	481757
4	2	80.9	16	1063	-	651646
5	1	64.1	16	-	-	118924
6	3	90.6	16	1195	1959	288508
7	2	76.2	16	1854	-	459416
8	3	87.4	16	1617	1282	628855
9	2	78.6	16	1240	-	97671
10	3	88	16	2000	1447	267237
11	3	98.1	16	1535	1168	437513
12	1	54.5	16	-	-	609904
13	3	87.4	16	1070	1360	76492
14	2	80	16	1958	-	246736
15	2	72.3	16	1480	-	417484
16	2	71.8	16	1235	-	588107
17	2	75.8	16	1632	-	55619
18						
19						
20						

Trial Number:			28			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5561			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	64.1	20	-	-	192579
2	1	59.8	20	-	-	337557
3	3	87.1	20	1347	1300	480410
4	1	55	20	-	-	29452
5	1	57.1	20	-	-	174741
6	3	83.4	20	1907	1001	318469
7	2	72	20	1680	-	463237
8	3	90.4	20	1423	1822	11521
9	2	67.5	20	1068	-	156452
10	2	82.7	20	1434	-	301170
11	1	64.8	20	-	-	447255
12	1	59.2	20	-	-	592368
13	3	92.2	20	1311	1923	138102
14	1	50.3	20	-	-	284099
15	1	54	20	-	-	428816
16	3	90.2	20	1930	1189	571275
17	1	53.6	20	-	-	120893
18	2	73.2	20	1780	-	265158
19	1	64	20	-	-	411039
20	1	53.2	20	-	-	556210

DFS Radar Parameters
FCC Radar Type 5
Channel 106 Bandwidth 80MHz

Trial Number:			29			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5563			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	93.2	15	1234	1083	128611
2	1	51.2	15	-	-	310657
3	1	54.6	15	-	-	492134
4	1	66.5	15	-	-	673231
5	1	62.8	15	-	-	106530
6	2	81.5	15	1906	-	287373
7	3	88.1	15	1861	1865	467565
8	2	68.7	15	1409	-	650347
9	1	51.8	15	-	-	84245
10	3	88.9	15	1762	1057	264592
11	2	73.1	15	1527	-	446309
12	3	93.9	15	1546	1547	626152
13	3	86.5	15	1243	1583	61630
14	3	83.5	15	1486	1092	242521
15	2	76.1	15	1277	-	423917
16	1	58.7	15	-	-	606617
17						
18						
19						
20						

Trial Number:			30			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5562			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	57.2	16	-	-	37161
2	1	53.1	16	-	-	207877
3	2	75.9	16	1009	-	378148
4	2	69.2	16	1886	-	547878
5	3	94.2	16	1263	1207	16065
6	3	90.6	16	1688	1329	186228
7	3	96.6	16	1321	1600	356548
8	1	57.8	16	-	-	528879
9	1	61.4	16	-	-	699812
10	2	78.1	16	1416	-	165584
11	3	86.4	16	1206	1077	335693
12	3	87.6	16	1542	1884	505111
13	3	94	16	1873	1268	675247
14	1	64.4	16	-	-	144832
15	3	83.7	16	1143	1262	314605
16	1	56.7	16	-	-	486645
17	1	58.3	16	-	-	657603
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 1
Channel 114 Bandwidth 160MHz

Trial #	Pulse Repetition Frequency Number (1 to 23)	Pulse Repetition Frequency (Pulses Per Second)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	19	1138.95	878	Yes
2	20	1113.59	898	Yes
3	23	326.16	3066	Yes
4	17	1193.32	838	Yes
5	10	1432.66	698	Yes
6	4	1730.10	578	Yes
7	3	1792.11	558	Yes
8	12	1355.01	738	Yes
9	7	1567.40	638	Yes
10	15	1253.13	798	Yes
11	1	1930.50	518	Yes
12	14	1285.35	778	Yes
13	9	1474.93	678	Yes
14	22	1066.10	938	Yes
15	21	1089.32	918	Yes
16		384.02	2604	Yes
17		343.05	2915	Yes
18		1512.86	661	Yes
19		909.92	1099	Yes
20		414.08	2415	Yes
21		339.90	2942	Yes
22		409.17	2444	Yes
23		361.14	2769	Yes
24		1398.60	715	Yes
25		677.51	1476	Yes
26		337.15	2966	Yes
27		612.00	1634	Yes
28		1742.16	574	Yes
29		372.72	2683	Yes
30		1798.56	556	Yes

DFS Radar Parameters
FCC Radar Type 2
Channel 114 Bandwidth 160MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	26	2.90	175	Yes
2	25	2.40	180	Yes
3	26	3.20	186	Yes
4	29	5.00	158	Yes
5	23	1.00	191	Yes
6	27	3.80	227	Yes
7	24	1.90	169	Yes
8	24	1.60	168	Yes
9	25	2.70	230	Yes
10	24	1.70	200	Yes
11	25	2.30	167	Yes
12	23	1.40	166	Yes
13	27	3.90	156	Yes
14	23	1.00	222	Yes
15	28	4.00	197	Yes
16	25	2.20	215	Yes
17	23	1.40	224	Yes
18	27	3.70	218	Yes
19	23	1.50	223	Yes
20	29	4.80	190	Yes
21	26	3.20	213	Yes
22	27	3.50	152	Yes
23	25	2.40	179	Yes
24	24	2.10	192	Yes
25	23	1.30	157	Yes
26	27	3.90	165	Yes
27	28	4.00	176	Yes
28	29	4.90	204	Yes
29	27	3.50	225	Yes
30	28	3.90	154	Yes

DFS Radar Parameters
FCC Radar Type 3
Channel 114 Bandwidth 160MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	17	7.90	412	Yes
2	17	7.40	414	Yes
3	17	8.20	267	Yes
4	18	10.00	351	Yes
5	16	6.00	493	Yes
6	18	8.80	367	Yes
7	16	6.90	375	Yes
8	16	6.60	273	Yes
9	17	7.70	259	Yes
10	16	6.70	417	Yes
11	17	7.30	202	Yes
12	16	6.40	257	Yes
13	18	8.90	492	Yes
14	16	6.00	407	Yes
15	18	9.00	239	Yes
16	16	7.20	235	Yes
17	16	6.40	290	Yes
18	18	8.70	231	Yes
19	16	6.50	394	Yes
20	18	9.80	337	Yes
21	17	8.20	336	Yes
22	17	8.50	331	Yes
23	17	7.40	415	Yes
24	16	7.10	242	Yes
25	16	6.30	470	Yes
26	18	8.90	416	Yes
27	18	9.00	490	Yes
28	18	9.90	458	Yes
29	17	8.50	253	Yes
30	18	8.90	435	Yes

DFS Radar Parameters
FCC Radar Type 4
Channel 114 Bandwidth 160MHz

Trial #	Number Pulses per Burst	Pulse Width (Microseconds)	Pulse Repetition Interval (Microseconds)	Detection (Yes / No)
1	14	15.20	412	Yes
2	13	14.10	414	Yes
3	14	15.90	267	Yes
4	16	20.00	351	Yes
5	12	11.10	493	Yes
6	15	17.20	367	Yes
7	13	13.10	375	Yes
8	12	12.30	273	Yes
9	14	14.80	259	Yes
10	12	12.70	417	Yes
11	13	14.00	202	Yes
12	12	12.00	257	Yes
13	15	17.40	492	Yes
14	12	11.00	407	Yes
15	15	17.80	239	Yes
16	13	13.60	235	Yes
17	12	11.90	290	Yes
18	15	17.10	231	Yes
19	12	12.10	394	Yes
20	16	19.50	337	Yes
21	14	15.90	336	Yes
22	15	16.60	331	Yes
23	13	14.30	415	Yes
24	13	13.40	242	Yes
25	12	11.70	470	Yes
26	15	17.40	416	Yes
27	15	17.60	490	Yes
28	16	19.80	458	Yes
29	15	16.70	253	Yes
30	15	17.50	435	Yes

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			1			Detection (Yes/No)
Number of Bursts in Trial:			14			
Chirp Center Frequency:			5570			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	73.3	12	1924	-	604303
2	2	67.2	12	1623	-	811536
3	2	77.1	12	1185	-	165096
4	3	99.5	12	1489	1641	371416
5	1	50.6	12	-	-	580420
6	3	84.6	12	1253	1846	785165
7	1	61.7	12	-	-	139715
8	1	57.5	12	-	-	347006
9	2	71.3	12	1380	-	553976
10	1	59.3	12	-	-	762173
11	2	66.8	12	1571	-	113852
12	1	55.5	12	-	-	321451
13	3	85.4	12	1475	1398	527300
14	1	50.4	12	-	-	736380
15						
16						
17						
18						
19						
20						

Trial Number:			2			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5570			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	87.7	10	1256	1849	102961
2	1	64.7	10	-	-	345624
3	1	55.3	10	-	-	587900
4	3	83.8	10	1670	1244	827416
5	1	56.3	10	-	-	73530
6	3	97.1	10	1608	1069	314860
7	2	77.4	10	1821	-	556858
8	2	81	10	1544	-	799008
9	2	68.1	10	1738	-	43606
10	1	63.4	10	-	-	285942
11	1	53.8	10	-	-	528237
12	3	85.7	10	1813	1698	767733
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			3			Detection (Yes/No)
Number of Bursts in Trial:			15			
Chirp Center Frequency:			5570			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	86.8	13	1726	1685	11018
2	3	98.6	13	1020	1651	204087
3	2	81.4	13	1702	-	397605
4	3	85.8	13	1225	1432	590163
5	2	76.7	13	1895	-	783917
6	2	77.4	13	1435	-	180490
7	1	52.5	13	-	-	374764
8	2	70.5	13	1602	-	566997
9	3	85.5	13	1576	1898	758647
10	3	85.4	13	1389	1274	156484
11	3	98.9	13	1426	1739	349235
12	2	71	13	1590	-	543246
13	3	99.7	13	1135	1560	735346
14	3	85.5	13	1407	1669	132711
15	3	97.5	13	1903	1595	325432
16						
17						
18						
19						
20						

Trial Number:			4			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5570			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	71.5	20	1928	-	388568
2	1	63.8	20	-	-	535530
3	1	51	20	-	-	81987
4	2	76.2	20	1582	-	226298
5	3	88.2	20	1904	1714	369825
6	1	66.1	20	-	-	517348
7	2	67.1	20	1478	-	63908
8	1	60.4	20	-	-	209189
9	1	62	20	-	-	354409
10	1	60.8	20	-	-	499833
11	3	86.5	20	1415	1296	45997
12	2	77.6	20	1983	-	190646
13	1	53.3	20	-	-	336221
14	1	61.4	20	-	-	481938
15	3	92.3	20	1003	1357	28174
16	3	99.1	20	1750	1356	172657
17	1	63.6	20	-	-	318859
18	3	95.6	20	1937	1007	461197
19	1	64.9	20	-	-	10409
20	3	97.8	20	1467	1947	154567

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			5			Detection (Yes/No)
Number of Bursts in Trial:			8			
Chirp Center Frequency:			5570			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	63.2	5	-	-	752755
2	2	76.2	5	1436	-	1115094
3	3	85.5	5	1365	1130	1477689
4	2	82.7	5	1438	-	344356
5	3	89.5	5	1245	1373	707009
6	1	53	5	-	-	1071711
7	1	64.9	5	-	-	1435161
8	1	64.9	5	-	-	299875
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			6			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5570			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	52.3	16	-	-	331551
2	1	65.9	16	-	-	512757
3	3	84.3	16	1154	1358	691974
4	3	84.1	16	1766	1543	126861
5	2	70.8	16	1474	-	308277
6	3	99.6	16	1950	1369	488613
7	1	55.9	16	-	-	672493
8	2	67.2	16	1302	-	104902
9	2	67	16	1981	-	285781
10	3	87.3	16	1875	1642	465967
11	1	65.7	16	-	-	649336
12	2	69.6	16	1364	-	82583
13	2	69.7	16	1764	-	263612
14	3	88.1	16	1719	1843	443617
15	2	69.3	16	1402	-	626596
16	2	75	16	1876	-	60222
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			7			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5570			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	90.2	8	1587	1989	350913
2	3	99.8	8	1297	1471	614926
3	3	99.2	8	1218	1922	877618
4	1	59.1	8	-	-	55330
5	3	93.2	8	1372	1838	318643
6	3	86.4	8	1996	1142	581856
7	3	85.2	8	1611	1159	846231
8	2	75.5	8	1536	-	22779
9	3	84.7	8	1945	1755	286037
10	3	87.7	8	1823	1829	549315
11	3	84.2	8	1134	1345	813428
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			8			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5570			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	95.3	7	1288	1908	1316809
2	2	78.3	7	1452	-	310714
3	2	68.4	7	1784	-	633353
4	3	86.8	7	1972	1046	954804
5	3	85.2	7	1731	1817	1276482
6	1	51.1	7	-	-	271361
7	1	52.1	7	-	-	594491
8	1	58.1	7	-	-	917332
9	3	96.2	7	1506	1634	1237536
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			9			Detection (Yes/No)
Number of Bursts in Trial:			13			
Chirp Center Frequency:			5570			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	76.5	11	1681	-	159923
2	1	52.3	11	-	-	383627
3	1	56.7	11	-	-	607112
4	1	53.7	11	-	-	830875
5	1	55.4	11	-	-	132610
6	2	75.1	11	1650	-	355616
7	2	82	11	1198	-	579044
8	2	76.4	11	1084	-	801836
9	2	79.9	11	1237	-	104956
10	3	95.4	11	1929	1473	327519
11	2	78.1	11	1442	-	551067
12	2	75.2	11	1810	-	774551
13	1	56.8	11	-	-	77625
14						
15						
16						
17						
18						
19						
20						

Trial Number:			10			Detection (Yes/No)
Number of Bursts in Trial:			10			
Chirp Center Frequency:			5570			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	60.5	7	-	-	391525
2	3	92.5	7	1399	1630	680592
3	3	89.7	7	1183	1040	970982
4	1	53.8	7	-	-	65132
5	1	55.7	7	-	-	355668
6	2	71.7	7	1319	-	645796
7	1	65.9	7	-	-	937057
8	2	80.7	7	1455	-	29284
9	1	58.8	7	-	-	319946
10	3	99.5	7	1460	1275	609436
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			11			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5496			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83.1	10	1045	-	750269
2	1	65.4	10	-	-	993190
3	1	60.6	10	-	-	236771
4	3	89	10	1226	1499	477816
5	3	98.7	10	1674	1562	719094
6	1	50.4	10	-	-	963027
7	2	80.6	10	1749	-	206586
8	2	68.4	10	1769	-	448451
9	2	67.5	10	1022	-	690250
10	2	80	10	1818	-	931437
11	2	73.1	10	1352	-	176860
12	3	98.5	10	1558	1289	418167
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			12			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5494			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	87.9	6	1668	1678	880051
2	3	93.1	6	1468	1883	1202325
3	3	95.5	6	1978	1049	196045
4	1	53.6	6	-	-	519354
5	2	68.1	6	1724	-	841339
6	1	54.3	6	-	-	1165856
7	1	58.8	6	-	-	156656
8	3	95.6	6	1392	1325	478592
9	3	89.4	6	1050	1549	801263
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			13			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5498			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	59.6	16	-	-	595311
2	1	59	16	-	-	61850
3	3	88.4	16	1090	1107	232086
4	2	67.7	16	1361	-	402951
5	2	75.9	16	1598	-	573309
6	3	97.2	16	1203	1804	40593
7	2	81.3	16	1464	-	211287
8	3	95.5	16	1801	1160	381089
9	2	80.5	16	1696	-	551807
10	3	92.2	16	1066	1326	19660
11	1	65.4	16	-	-	190496
12	2	67.7	16	1429	-	360475
13	1	52.9	16	-	-	532241
14	2	73.6	16	1870	-	701220
15	3	88.4	16	1979	1397	168776
16	3	94.9	16	1529	1935	338881
17	3	86.2	16	1588	1772	508991
18						
19						
20						

Trial Number:			14			Detection (Yes/No)
Number of Bursts in Trial:			8			
Chirp Center Frequency:			5494			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83.3	5	1103	-	1450341
2	2	75.9	5	1532	-	315565
3	3	99.4	5	1974	1292	677938
4	2	76.9	5	1760	-	1041626
5	1	60.6	5	-	-	1406463
6	3	95.2	5	1816	1824	270452
7	3	83.8	5	1911	1278	633275
8	1	62	5	-	-	997753
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			15			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5499			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	54.6	17	-	-	639565
2	3	96.7	17	1065	1710	106025
3	1	58.4	17	-	-	277380
4	1	52.1	17	-	-	448363
5	1	53.6	17	-	-	618899
6	1	61.6	17	-	-	85399
7	2	71.9	17	1676	-	255398
8	1	63.2	17	-	-	427030
9	1	60	17	-	-	597917
10	2	73.5	17	1428	-	64197
11	1	56.4	17	-	-	234978
12	2	72.2	17	1396	-	404904
13	2	71.2	17	1191	-	576074
14	2	72.8	17	1194	-	43189
15	1	53.3	17	-	-	214005
16	3	99.3	17	1709	1148	383203
17	2	73	17	1756	-	554519
18						
19						
20						

Trial Number:			16			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5495			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	87	9	1479	1601	34277
2	3	87.8	9	1742	1828	297625
3	1	57.6	9	-	-	562960
4	2	80.8	9	1967	-	825621
5	3	85	9	1454	1286	1815
6	2	69.4	9	1157	-	265852
7	1	57	9	-	-	530213
8	1	58.8	9	-	-	794833
9	2	81.9	9	1164	-	1057404
10	2	71.1	9	1221	-	233149
11	2	82.9	9	1363	-	497092
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			17			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5494			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	96.3	6	1931	1096	929081
2	1	62.5	6	-	-	1254370
3	3	99	6	1342	1792	245118
4	1	63.8	6	-	-	568725
5	1	54.6	6	-	-	891456
6	1	55.6	6	-	-	1214587
7	2	71.3	6	1808	-	205663
8	1	50.5	6	-	-	528975
9	2	72.8	6	1298	-	851018
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			18			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5498			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	93.3	15	1079	1385	658486
2	2	76.8	15	1878	-	93136
3	2	80.6	15	1338	-	274515
4	3	93.6	15	1086	1379	454917
5	1	54.4	15	-	-	637750
6	3	92.9	15	1837	1832	70674
7	1	50	15	-	-	252661
8	2	82	15	1120	-	433227
9	2	72.7	15	1054	-	614676
10	1	65	15	-	-	48622
11	1	60.5	15	-	-	230210
12	2	72.6	15	1291	-	411159
13	1	50	15	-	-	592914
14	1	53.8	15	-	-	26268
15	2	73.6	15	1835	-	207217
16	1	57.4	15	-	-	389570
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			19			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5495			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	76.1	7	1880	-	1013979
2	2	81.3	7	1537	-	6926
3	2	69.7	7	1853	-	329543
4	2	77.2	7	1857	-	651855
5	1	51.3	7	-	-	976126
6	3	93.4	7	1162	1812	1296540
7	2	71.8	7	1513	-	289906
8	3	90.6	7	1902	1767	611609
9	3	89	7	1109	1718	934400
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			20			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5500			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	66.9	20	1284	-	564206
2	3	97.6	20	1351	1193	112005
3	2	74.6	20	1324	-	256993
4	3	92.7	20	1618	1362	401036
5	2	67.5	20	1770	-	546338
6	1	65.5	20	-	-	94569
7	1	51.4	20	-	-	239885
8	1	52.8	20	-	-	384750
9	2	76.4	20	1230	-	529106
10	2	79.7	20	1124	-	76550
11	1	60.2	20	-	-	221770
12	1	57.2	20	-	-	366942
13	1	64.1	20	-	-	512414
14	2	76.3	20	1014	-	58805
15	3	92.1	20	1689	1341	202941
16	2	69.3	20	1856	-	348376
17	2	75.1	20	1805	-	492682
18	3	86.1	20	1294	1105	40840
19	2	66.9	20	1807	-	185456
20	1	60.5	20	-	-	331496

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			21			Detection (Yes/No)
Number of Bursts in Trial:			15			
Chirp Center Frequency:			5643			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	60.3	13	-	-	635986
2	3	96.3	13	1781	1412	30701
3	1	58.6	13	-	-	224465
4	2	75.3	13	1192	-	417600
5	1	56.4	13	-	-	611678
6	2	78.6	13	1866	-	6966
7	2	74.4	13	1188	-	200470
8	1	51.6	13	-	-	394467
9	2	73.3	13	1317	-	586741
10	2	71.4	13	1677	-	780117
11	3	100	13	1328	1315	176273
12	1	55	13	-	-	370310
13	3	90.1	13	1039	1170	562750
14	1	54.6	13	-	-	757983
15	3	87.5	13	1394	1796	152304
16						
17						
18						
19						
20						

Trial Number:			22			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5643			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	95.4	14	1285	1825	323565
2	2	75.5	14	1887	-	504871
3	3	89.4	14	1640	1663	684664
4	1	55.1	14	-	-	120992
5	3	99.5	14	1359	1155	301709
6	1	59.1	14	-	-	483915
7	2	69.7	14	1646	-	664566
8	2	73.6	14	1980	-	98338
9	2	74.1	14	1487	-	279508
10	1	63.4	14	-	-	461579
11	1	50.1	14	-	-	643429
12	1	62	14	-	-	76281
13	1	54.9	14	-	-	257657
14	2	77.6	14	1491	-	438613
15	1	57.9	14	-	-	620563
16	2	76.3	14	1942	-	53769
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			23			Detection (Yes/No)
Number of Bursts in Trial:			12			
Chirp Center Frequency:			5644			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	57.2	10	-	-	314089
2	1	54.8	10	-	-	556206
3	2	80	10	1568	-	796954
4	2	78.6	10	1920	-	41999
5	2	70.7	10	1938	-	283844
6	3	89	10	1596	1037	524820
7	3	99.3	10	1524	1759	765910
8	3	86.3	10	1017	1686	12233
9	3	89	10	1031	1158	253888
10	3	91.2	10	1833	1476	494982
11	3	99.9	10	1573	1867	736549
12	2	79.5	10	1465	-	979091
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			24			Detection (Yes/No)
Number of Bursts in Trial:			11			
Chirp Center Frequency:			5645			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	54.9	9	-	-	245073
2	2	79.8	9	1879	-	508601
3	1	55.2	9	-	-	773740
4	2	67.2	9	1839	-	1035838
5	1	59.4	9	-	-	212579
6	3	88.8	9	1116	1712	475640
7	3	96.8	9	1811	1976	738539
8	3	93.8	9	1343	1858	1002594
9	3	85.8	9	1612	1422	179454
10	2	81	9	1672	-	443505
11	2	67.5	9	1382	-	707500
12						
13						
14						
15						
16						
17						
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			25			Detection (Yes/No)
Number of Bursts in Trial:			9			
Chirp Center Frequency:			5646			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	51.4	6	-	-	1188992
2	3	90.6	6	1607	1330	179886
3	2	72.7	6	1340	-	502817
4	3	84.5	6	1622	1737	824412
5	1	61.9	6	-	-	1149421
6	1	56.2	6	-	-	140409
7	1	66.6	6	-	-	463364
8	2	69.4	6	1076	-	785741
9	2	74	6	1666	-	1108145
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Trial Number:			26			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5642			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	65.4	16	-	-	53208
2	3	95.2	16	1633	1348	223201
3	3	92.7	16	1510	1787	393159
4	1	50.1	16	-	-	565604
5	1	60	16	-	-	32166
6	2	76.1	16	1184	-	202596
7	2	66.8	16	1368	-	373362
8	1	56.3	16	-	-	544834
9	2	76.2	16	1448	-	11115
10	1	53	16	-	-	182041
11	1	66.2	16	-	-	352982
12	1	58.2	16	-	-	523391
13	1	59.2	16	-	-	694563
14	3	90.3	16	1505	1520	160317
15	2	68.6	16	1567	-	331210
16	3	94.4	16	1112	1988	500538
17	1	58.2	16	-	-	673746
18						
19						
20						

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			27			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5642			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	2	83	16	1457	-	139609
2	1	52.5	16	-	-	310919
3	1	66.1	16	-	-	481757
4	2	80.9	16	1063	-	651646
5	1	64.1	16	-	-	118924
6	3	90.6	16	1195	1959	288508
7	2	76.2	16	1854	-	459416
8	3	87.4	16	1617	1282	628855
9	2	78.6	16	1240	-	97671
10	3	88	16	2000	1447	267237
11	3	98.1	16	1535	1168	437513
12	1	54.5	16	-	-	609904
13	3	87.4	16	1070	1360	76492
14	2	80	16	1958	-	246736
15	2	72.3	16	1480	-	417484
16	2	71.8	16	1235	-	588107
17	2	75.8	16	1632	-	55619
18						
19						
20						

Trial Number:			28			Detection (Yes/No)
Number of Bursts in Trial:			20			
Chirp Center Frequency:			5640			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	64.1	20	-	-	192579
2	1	59.8	20	-	-	337557
3	3	87.1	20	1347	1300	480410
4	1	55	20	-	-	29452
5	1	57.1	20	-	-	174741
6	3	83.4	20	1907	1001	318469
7	2	72	20	1680	-	463237
8	3	90.4	20	1423	1822	11521
9	2	67.5	20	1068	-	156452
10	2	82.7	20	1434	-	301170
11	1	64.8	20	-	-	447255
12	1	59.2	20	-	-	592368
13	3	92.2	20	1311	1923	138102
14	1	50.3	20	-	-	284099
15	1	54	20	-	-	428816
16	3	90.2	20	1930	1189	571275
17	1	53.6	20	-	-	120893
18	2	73.2	20	1780	-	265158
19	1	64	20	-	-	411039
20	1	53.2	20	-	-	556210

DFS Radar Parameters
FCC Radar Type 5
Channel 114 Bandwidth 160MHz

Trial Number:			29			Detection (Yes/No)
Number of Bursts in Trial:			16			
Chirp Center Frequency:			5642			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	3	93.2	15	1234	1083	128611
2	1	51.2	15	-	-	310657
3	1	54.6	15	-	-	492134
4	1	66.5	15	-	-	673231
5	1	62.8	15	-	-	106530
6	2	81.5	15	1906	-	287373
7	3	88.1	15	1861	1865	467565
8	2	68.7	15	1409	-	650347
9	1	51.8	15	-	-	84245
10	3	88.9	15	1762	1057	264592
11	2	73.1	15	1527	-	446309
12	3	93.9	15	1546	1547	626152
13	3	86.5	15	1243	1583	61630
14	3	83.5	15	1486	1092	242521
15	2	76.1	15	1277	-	423917
16	1	58.7	15	-	-	606617
17						
18						
19						
20						

Trial Number:			30			Detection (Yes/No)
Number of Bursts in Trial:			17			
Chirp Center Frequency:			5642			Yes
Burst	Number of Pulses	Pulse Width (Microseconds)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μsec)	Pulse 2-to-3 Spacing (μsec)	Starting Location Within Interval (μsec)
1	1	57.2	16	-	-	37161
2	1	53.1	16	-	-	207877
3	2	75.9	16	1009	-	378148
4	2	69.2	16	1886	-	547878
5	3	94.2	16	1263	1207	16065
6	3	90.6	16	1688	1329	186228
7	3	96.6	16	1321	1600	356548
8	1	57.8	16	-	-	528879
9	1	61.4	16	-	-	699812
10	2	78.1	16	1416	-	165584
11	3	86.4	16	1206	1077	335693
12	3	87.6	16	1542	1884	505111
13	3	94	16	1873	1268	675247
14	1	64.4	16	-	-	144832
15	3	83.7	16	1143	1262	314605
16	1	56.7	16	-	-	486645
17	1	58.3	16	-	-	657603
18						
19						
20						