

hp

REF -12.0 dBm

AT 10 dB

PEAK

LOG

10

dB/


Duty Cycle = 50%

Average Factor = -6.0dB

VA SB

SC VS

CORR



CENTER 434.016 MHz

RES BW 3.0 MHz

#VBW 3 MHz

SPAN 0 Hz

#SWP 100 msec

hp

REF -12.0 dBm

AT 10 dB

PEAK

LOG


10

dB/

WA SB

SC VS

CORR



CENTER 434.016 MHz

RES BW 3.0 MHz

#VBW 3 MHz

SPAN 0 Hz

#SWP 50.0 msec

h

REF -12.0 dBm

AT 10 dB

MKR 381.25 msec

-36.08 dBm

PEAK

LOG


10

dB/

MA SB

SC VC

CORR



CENTER 434.018 MHz

#RES BW 3.0 MHz

#VBW 3 MHz

SPAN 0 Hz

#SWP 500 msec

hp

MKR 77.750 sec

REF -12.0 dBm

AT 10 dB

.48 dB

PEAK

LOG


10

dB/

VA SB

SC VC

CORR



CENTER 434.018 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 3 MHz

#SWP 100 sec