

GTE-802 Bluetooth hands free car kit user's operation briefing

2004/7/29

Product illustration

Function

illustration:



Microphone

tube:



Microphone

head:



Fixing the angle

of the car kit:



Auto answering

setting:



The preparations before use

Before you start to use GTE-802 Bluetooth hands free car kit, it is necessary to pair your Bluetooth enabled cell phone and car kit. Please check the settings of your Bluetooth cell phone with your service provider or cell phone user's manual.

Try to fit GTE-802 into the cigarette lighter and adjust the speaker direction with fixing screw. Turn the swivel microphone to proper direction.

If you like, you can set auto answering in advance. This is the easier way to take a phone when you are driving.

Power on and off

When you insert GTE-802 car kit into cigarette lighter and turn on the ignition, it powers on automatically, blue LED and the back lights of buttons are light on.

When the ignition is off, it is off automatically, blue LED and the back lights of buttons are off. You can just take out the car kit from cigarette light and it is power off.

The functions are working only under power on mode.

Pairing

Please insert GTE-802 car kit into 12V cigarette lighter and turn on engine. If you are first time to use it, please prepare your cell phone at Bluetooth pairing mode.

During pairing, it is recommended that the car kit and phone distance is as close as possible – with no solid objects in between.

To proceed pairing the car kit to phone, please refer to the following steps:

1. Check the mobile phone user guide, turn on Bluetooth function and find out the locations of "Bluetooth device discovery".
2. Press car kit Hang up button for 3 seconds and you will hear a ring tone. Release your finger.
3. Press again Hang up button for 3 seconds and you will hear a remind ring tone. Release your finger.
4. Press Hang up button for 3 seconds to enter the pairing mode.
5. Perform cell phone "Bluetooth device discovery" and wait few seconds to establish

the connections.

6. The phone's screen will display that it has found GTE-802 and ask you to confirm that you want to pair with it. Please confirm this.
7. Enter passkey 1234, when your phone menu prompts you, and the phone will start to pair the car kit.
8. Your phone screen will advise the pairing has been made successfully.
9. If the pairing fails, you can press car kit Hang up button for about 3 seconds to stop pairing mode. Then you may proceed above procedure again.

Taking a call and end a call

Before taking a call, it is necessary to set up auto answering or manual answering mode in advance. The default setting is auto answering mode when the car kit is out from the factory.

Take a call

If it is at auto answering mode, the call is accepted by car kit automatically after you hear about two ring tones from the car kit.

If it is at manual answering mode, you can talk until Talk button is pressed once.

End a call

To press Hang up button once to end a call while you are talking. Or, the call is hung off when the other side hangs off the call.

Making a Call

There are two methods to make a call.

Note: Make sure the car kit and the mobile phone are under link stage.

Dial out from cell phone key buttons

1. Using the phone's keypad, dial the phone number.
2. To send the call, press the phone's SEND/CALL button – the phone initiates the call.
3. The call will be then transferred automatically to the car kit when the connection is made.

Dial out by cell phone's voice dial function

1. Voice dialing of your phone setting must be turned on and voice tags are stored. Please refer to your cell phone manual.
2. Press once the TALK button on the car kit under standby mode and you can hear the confirmation ring tone.
3. After this ring tone, then you can speak the voice tag as entered in the cell phone voice dial phone book.
4. The cell phone automatically dials out.

NOTE: The cell phone must support voice dialing function.

Volume adjustment

You can press volume up key once to increase the volume or volume down key to decrease the volume.

Mute

During conversation, you can press volume up key or volume down key about 3 seconds, the car kit will enter mute mode. Press once either key again will cancel mute mode.

Last number redial

When the car kit is in standby condition (not in conversation), press and hold the Hang up button for about 3 sec. and your phone will redial the last number that you called.

Note: This function only works on Bluetooth phones that support Handsfree profile; therefore you need to make sure that the phone and the car kit are linked with Handsfree profile.

LED indication Meaning

Pairing: fast flash 5 times every 1 second.

Standby (w/pairing data): flash 1 time every 1 second.

Mute: flash 2 times and stop for 1 second.

Talking: flash 2 times every 1 second.

Incoming call: flash 5 times and stop for 2 times.

Standby without pairing: LED is off

Compatible cell phone list:

Motorola	Nokia	Panasonic	Sony Ericsson	Siemens	联通无限
A760	6310i	X88	T39	SX1	CU928 PDA
V600	8910		T68i		MOBILE
V80	8910i		T610		PHONE
	3650		T630		
	6600		Z600		
	N-gage		P800		
	6230		P900		
	7600		S700i		
	7610				

FCC Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. End users must follow the specific operating instructions for satisfying RF exposure compliance. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Notice: Any changes or modification not expressly approved by the party responsible could void the user's authority to operate the device.