




Apply to: INNO-F12-027L, INNO-F12-025L,
 INNO-F11-015L, INNO-F11-020L
 INNO-T12-027L, INNO-T12-025L, INNO-T12-020L

Title		
Size	Number	Revision
B		
Date:	21-Sep-2004	Sheet of
File:	C:\Documents and Settings\user\Local Settings\Temporary Internet Files\Content.I55\4M\61D6J0U.L.D08	

2. Parts List

2.1 Model No: INNO-F12-027L, INNO-F12-025L

Line input Voltage : 120V 60Hz

Rated Input Power : 25W~27W Date : 2003.

No.	Parts Name	Part No. on drawing	Q'ty	Specification					No.	Manufacturer and Nation	UL File No.	
				Spec.No. or name	Rated Power of Lamps							Temp.rate etc.
					15W	20W	25W	27W				
01	Glass tube	B-1	1	Lead free Glass tube					1.	Kuensan mengshi,China		
02	Fluorescent Powder	B-2		Red Green Blue					1.	Changshu jiangnan,China		
03	Argon gas	B-3							1.	Shanghai hedian,China		
04	Mercury	B-4		Hg					1.	Shanghai shisi ,China		
	Amalgam											
05	Filament	B-5	2	Tungsten			5Ω	5Ω	1.	Suzhou Wudeng ,China		
06	Electronic Powder	B-6							1.	NanjingSanlu ,China		
07	Housing Case	B-7	1	PBT-RG301(r1) Thickness 1.2mm				94V-0 130℃	1.	Guangzhou Kingfa science & Technology ltd	E171666	
08	Base	B-8	1			E26	E26		1.	Shanghai Xinghong ,China		
09	Adhesive	B-9		HC-1312E					1.	Wuxi Xingguang, China		
10	Resistor	R1.R2	2	RT14			510KΩ	510KΩ	1/4W	1.	Hangzhou Resistor Factory,China	
										2.	NanTong Resistor Factory, China	
		R3.R4	2	RT14			20Ω	20Ω	1/4W	1.	Hangzhou Resistor Factory,China	
										2.	NanTong Resistor Factory, China	
		R5.R6	2	RT14			1Ω	1Ω	1/4W	1.	Hangzhou Resistor Factory,China	
										2.	NanTong Resistor Factory, China	
		R7.R8	2	IN4007			IN4007	IN4007	1000V 150℃	1.	Hongyang Electronics Co., Ltd ,China	
										2.	Changzhou Xinglong Electronic Co.,Ltd ,China	

24

No.	Parts Name	Part No. on drawing	Q'ty	Specification					Temp.rate etc.	No.	Manufacturer and Nation	UL File No.
				Spec.No. or name	Rated Power of Lamps							
					15W	20W	25W	27W				
11	Capacitor	C1	1	CD11			22uF	33uF	200V -40℃-105℃	1.	Yiyang Zijiang Electronic Elements Co.,Ltd ,China	
		C2	1	CL21			0.1uF	0.1uF	400V -40℃-120℃	2.	Guangzhou Haoqin Science And Technology Electronic Co.,Ltd. , China	
		C3	1	CL11			0.033uF	0.033uF	100V -40℃-120℃	3.	Yongming Electronic Co.,Ltd ,China	
		C4	1	CL11			1000PF	1000PF	630V -40℃-120℃	1.	Ultra Tech Xiphi Enterprise Co.,Ltd ,China	
		C5	1	CL21			0.1uF	0.1uF	400V -40℃-120℃	2.	Yangzhou Sheng Da Group ,China	
		C6	1	CL11			3300PF	2200PF	1200V -40℃-120℃	1.	Ultra Tech Xiphi Enterprise Co.,Ltd ,China	
		C7	1	CBB18			4700PF	6800PF	1000V -40℃-120℃	2.	Yangzhou Sheng Da Group ,China	
										3.	ShangHai XiangRiya ElEctrOnic Co; ltd	
12	Transistor	Q1,Q2	2	TO-126 TO-220			13003 1.5A	13005 4A	400V 150℃	1.	SEMIWELL SEMI-CONDUCT	
										2.	Wuxi Jingshuo Electronic Co.,Ltd ,China	
										3.	Jiling Huaxing Electronic Group ,China	
13	Diode	D1-D5	5	IN4007			IN4007	IN4007	1000V 150℃	1.	Hongyang Electronics Co.,Ltd ,China	
		D6-D7	2	FR105			FR105	FR105	650V 150℃	2.	Changzhou Xinglong Electronic Co., Ltd ,China	
14	Diac	DB3	1	DB3			DB3	DB3	32V	1.	Hongyang Electronics Co., Ltd ,China	
										2.	Changzhou Xinglong Electronic Co.,Ltd ,China	

No.	Parts Name	Part No. on drawing	Q'ty	Specification							Manufacturer and Nation	UL File No.	
				Spec.No. or name	Rated Power of Lamps				Temp.rate etc.	No.			
					15W	20W	25W	27W					
15	Choke Coil	L1	1	MR2K5BH			EE19	EE19	200℃	1.	Shanghai Huapu Electric Co.,Ltd ,China	E106276	
	PF2A2-16U					EE19	EE19	150℃	1.	Shanghai Twin-Tree Plastic Factory ,China			
	MW79(QA-1)							155℃	1.	Zhejiang Hongbo Electric Line &wire Co.,Ltd ,China			
	MW75						130℃	2.	Changzhou Xinyao EIElectronics Co LTD	E113856			
				mH			3.4mH	3.0mH					
	Insulation Tape								130℃	1.	Suzhou Chengbei Pressure Sensitive Tape Factory China	E218815	
										2.	Jingjiang Yahua Pressure Sensitive Glue Co.,Ltd , China	E165111	
16	Axial Inductor	L2	1	MX-1000				Ø8*10	Ø8*10		1.	Sheyang Foguang Electronic Co.,Ltd ,China	
	NX-250								2.				
	MW79(QA-1)							155℃	1.	Zhejiang Hongbo Electric Line &wire Co.,Ltd ,China	E221719		
	MW75						130℃	2.	ChangZhou Xinyao EIElectronics co Ltd	E113856			
				mH			1.2mH	1.2mH					
	Insulation Tube			Ø8mm					600V	1.	Shenzhen Changyuan Electronic Material Co.,Ltd , China	E180908	
				Ø10mm					125℃				
17	OSC	TK	1	PC30				4:04:04	4:04:04		1.	Shanghai Huapu Electric Co.,Ltd ,China	
	Ø10*6*5							2.	Shanghai Ju Ren Magretec Material Co.,Ltd ,China				
18	Fuse	TR	1	31NM				2A	2A	250V	1.	Walter Electronic Co.,Ltd ,China	E56092
								2.	Hollyland Co.,Ltd ,China	E156471			
19	Printed circuit board	PCB	1	HEY-1						94V-0	1.	Suzhou RiTong Printed Circuit Board Co.,Ltd ,China	E225324
										130℃			
20	Electric wire	AC		UL1015				18AWG		105℃	1.	XingDa ElectrOniCs Wire&Cable	E187208
	UL1430							600V	2.	LTK Industries Ltd ,China	E148000		
21	Connecting Pin	P1-P4	4	0.6*0.6*11.3						105℃	1.	Zhang Jia Gang Hong yi	
22	Insulation tube			Ø1mm						2500V	2	Shanghai Shendian Industry &	
23	Insulation Tube			Ø3/Ø4mm						200℃ 600V	1.	Sin tong wan Electric Products(shenzhen) Co.,Ltd	E146955

2. Parts List

2.2 Model No: INNO-F11-015L, INNO-F11-020L

Line input Voltage : 120V 60Hz

Rated Input Power : 15W~20W Date : 2003.

No.	Parts Name	Part No. on drawing	Q'ty	Specification							Temp.rate etc.	No.	Manufacturer and Nation	UL File No.
				Spec.No. or name	Rated Power of Lamps				Temp.rate etc.					
					15W	20W	25W	27W						
01	Glass tube	B-1	1	Lead free Glass tube							1.	Kuensan mengshi,China		
02	Fluorescent Powder	B-2		Red Green Blue							1.	Changshu jiangnan,China		
03	Argon gas	B-3									1.	Shanghai hedian,China		
04	Mercury	B-4		Hg							1.	Shanghai shisi ,China		
	Amalgam													
05	Filament	B-5	2	Tungsten	7Ω	7Ω					1.	Suzhou Wudeng ,China		
06	Electronic Powder	B-6									1.	Nanjing ,China		
07	Base	B-7	1		E26	E26					1.	Shanghai Xinghong ,China		
08	Housing Case	B-8		PBT-RG301(r1) Thickness 1.2mm						94V-0 130℃	1.	Guangzhou Kingfa Science & Technology ltd	E171666	
09	Adhesive	B-9		HC-1312							1.	Wuxi Xingguang, China		
10	Resistor	R1.R2	2	RT14	510KΩ	510KΩ				1/4W	1.	Hangzhou Resistor Factory,China		
											2.	Shanghai Hengfu Electronic Co.,Ltd ,China		
		R3.R4	2	RT14	20Ω	20Ω				1/4W	1.	Hangzhou Resistor Factory,China		
											2.	Shanghai Hengfu Electronic Co.,Ltd ,China		
		R5.R6	2	RT14	0Ω	0Ω				1/4W	1.	Hangzhou Resistor Factory,China		
											2.	Shanghai Hengfu Electronic Co.,Ltd ,China		
		R7.R8	2	RT14	33Ω	33Ω				1/4W	1.	Hangzhou Resistor Factory,China		
											2.	Shanghai Hengfu Electronic Co.,Ltd ,China		

No.	Parts Name	Part No. on drawing	Q'ty	Specification						Manufacturer and Nation	UL File No.
				Spec.No. or name	Rated Power of Lamps			Temp.rate etc.	No.		
					15W	20W	25W				
11	Capacitor	C1	1	CD11	10uF	22uF		200V -40℃-105℃	1.	Yiyang Ziliang Electronic Elements Co.,Ltd ,China	
									2.	Guangzhou Haoqin Science And Technology Electronic Co.,Ltd. , China	
		C2	1	CL21	0.1uF	0.1uF		400V -40℃-120℃	3.	Yongming Electronic Co.,Ltd ,China	
									1.	Ultra Tech Xiphi Enterprise Co.,Ltd ,China	
									2.	Yangzhou Sheng Da Group ,China	
		C3	1	CL11	0.033uF	0.033uF		100V -40℃-120℃	1.	Ultra Tech Xiphi Enterprise Co.,Ltd ,China	
									2.	Yangzhou Sheng Da Group ,China	
12	Transrstor	C4	1	CL11	1000PF	1000PF		630V -40℃-120℃	1.	Shanghai Saisheng Electronic ,China	
									2.	Yangzhou Sheng Da Group ,China	
		C5	1	CL21	0.1uF	0.1uF		400V -40℃-120℃	1.	Ultra Tech Xiphi Enterprise Co.,Ltd ,China	
									2.	Yangzhou Sheng Da Group ,China	
		C6	1	CL11	2200PF	2200PF		1000V -40℃-120℃	1.	Ultra Tech Xiphi Enterprise Co.,Ltd ,China	
									2.	Yangzhou Sheng Da Group ,China	
		C7	1	CL11	3300PF	4700PF		1000V -40℃-120℃	1.	Ultra Tech Xiphi Enterprise Co.,Ltd ,China	
2.	Yangzhou Sheng Da Group ,China										
13	Diode	Q1,Q2	2	TO-126	13003 1.5A	13003 1.5A		400V 150℃	1.	SEMIWELL SEMI-CONDUCT	
									2.	Wuxi Jingshuo Electronic Co.,Ltd ,China	
										3.	Jiling Huaxing Electronic Group ,China
14	Diac	D1-D5	5		IN4007	IN4007		1000V 150℃	1.	Hongyang Electronics Co.,Ltd ,China	
									2.	Changzhou Xinglong Electronic Co., Ltd ,China	
		D6-D7	2		FR105	FR105		650V 150℃	1.	Hongyang Electronics Co.,Ltd ,China	
									2.	Changzhou Xinglong Electronic Co., Ltd ,China	
		DB	1		DB3	DB3		32V	1.	Hongyang Electronics Co., Ltd ,China	
									2.	Changzhou Xinglong Electronic Co.,Ltd ,China	

No.	Parts Name	Part No. on drawing	Q'ty	Specification							Manufacturer and Nation	UL File No.	
				Spec.No. or name	Rated Power of Lamps				Temp.rate etc.	No.			
					15W	20W	25W	27W					
15	Choke Coil	L1	1	MR2K5BH	EE19	EE19			200℃	1.	Shanghai Huapu Electric Co.,Ltd ,China	E106276	
	Bobbin			PF2A2-16UJ	EE19	EE19			150℃	1.	Shanghai Twin-Tree Plastic Factory ,China		
	Copper -wire			MW79(QA-1)					155℃	1.	Zhejiang Hongbo Electric Line &wire Co.,Ltd ,China		E221719
	Insulation Tape			MW75					130℃	2.			E113856
				mH	3.7mH	3.4mH				1.	Suzhou Chengbei Pressure Sensitive Tape Factory China		E218815
16	Axial Inductor	L2	1	MX-1000	Ø6*8	Ø8*10						E165111	
	NX-250									2.			
	MW79(QA-1)								155℃	1.	Zhejiang Hongbo Electric Line &wire Co.,Ltd ,China		E221719
	MW75							130℃	2.		E113856		
	mH			1.2mH	1.2mH								
17	OSC	TK	1	Ø8mm Ø10mm					600V 125℃	1.	Shenzhen Changyuan Electronic Material Co.,Ltd , China	E180908	
	PC30 Ø9*5*4			3*05:03	4*04:04					1.	Shanghai Huapu Electric Co.,Ltd ,China		
18	Fuse	TR	1	31NM	2A	2A			250V	1.	Walter Electronic Co.,Ltd ,China	E56092	
									2.	Hollyland Co.,Ltd ,China	E156471		
19	Printed circuit board	PCB	1	HEY-1					94V-0 130℃	1.	Suzhou RiTong Printed Circuit Board Co.,Ltd ,China	E225324	
20	Electric wire	AC		UL1015				18AWG	105℃ 600V	1.	XingDa ElectrOniCs Wire&Cable	E187208	
	UL1430						105℃	2.	LTK Industries Ltd ,China	E148000			
21	Connecting Pin	P1-P4	4	0.6*0.6*11.3						1.	Zhang Jia Gang Hong yi		
22	Insulation tube			Ø1mm					2500V	2	Shanghai Shendian Industry &		
23	Insulation Tube			Ø3/Ø4mm					200℃ 600V	1.	Sin tong wan Electric Products(shenzhen) Co.,Ltd	E146955	

2. Parts List

2.3 Model No: INNO-T12-027L INNO-T12-025L

Line input Voltage : 120V 60Hz

Rated Input Power : 25W~27W Date : 2003.

No.	Parts Name	Part No. on drawing	Q'ty	Specification					Temp.rate etc.	No.	Manufacturer and Nation	UL File No.
				Spec.No. or name	Rated Power of Lamps							
					15W	20W	25W	27W				
01	Glass tube	B-1	1	Lead free Glass tube						1.	Kuensan mengshi,China	
02	Fluorescent Powder	B-2		Red Green Blue						1.	Changshu jiangnan,China	
03	Argon gas	B-3								1.	Shanghai hedian,China	
04	Mercury	B-4		Hg						1.	Shanghai shisi ,China	
	Amalgam											
05	Filament	B-5	2	Tungsten			5Ω	5Ω		1.	Suzhou Wudeng ,China	
06	Electronic Powder	B-6								1.	Nanjingsanlu ,China	
07	Housing Case	B-7	1	PBT-RG301(r1) Thickness 1.2mm					94V-0 130℃	1.	Guangzhou Kingfa Science & Technology Ltd	E171666
08	Base	B-8	1				E26	E26		1.	Shanghai Xinghong ,China	
09	Adhesive	B-9		HC-1312E						1.	Wuxi Xingguang, China	
10	Resistor	R1.R2	2	RT14			510KΩ	510KΩ	1/4W	1.	Hangzhou Resistor Factory,China	
										2.	NanTong Resistor Factory, China	
		R3.R4	2	RT14			20Ω	20Ω	1/4W	1.	Hangzhou Resistor Factory,China	
										2.	NanTong Resistor Factory, China	
		R5.R6	2	RT14			1Ω	1Ω	1/4W	1.	Hangzhou Resistor Factory,China	
										2.	NanTong Resistor Factory, China	
		R7.R8	2	IN4007			IN4007	IN4007	1000V 150℃	1.	Hongyang Electronics Co.,Ltd ,China	
										2.	Changzhou Xinglong Electronic Co., Ltd ,China	

No.	Parts Name	Part No. on drawing	Q'ty	Specification					Temp.rate etc.	No.	Manufacturer and Nation	UL File No.
				Spec.No. or name	Rated Power of Lamps							
					15W	20W	25W	27W				
11	Capacitor	C1	1	CD11			22uF	33uF	200V -40℃-105℃	1.	Yiyang Zijiang Electronic Elements Co.,Ltd ,China	
									2.	Guangzhou Haoqin Science And Technology Electronic Co.,Ltd. , China		
									3.	Yongming Electronic Co.,Ltd ,China		
		C2	1	CL21			0.1uF	0.1uF	400V -40℃-120℃	1.	Ultra Tech Xiphi Enterprise Co.,Ltd ,China	
									2.	Yangzhou Sheng Da Group ,China		
		C3	1	CL11			0.033uF	0.033uF	100V -40℃-120℃	1.	Ultra Tech Xiphi Enterprise Co.,Ltd ,China	
									2.	Yangzhou Sheng Da Group ,China		
		C4	1	CL11			1000PF	1000PF	630V -40℃-120℃	1.	Shanghai Saisheng Electronic ,China	
								2.	Yangzhou Sheng Da Group ,China			

No.	Parts Name		Part No. on drawing	Q'ty	Specification					Temp.rate etc.	No.	Manufacturer and Nation	UL File No.
					Spec.No. or name	Rated Power of Lamps							
						15W	20W	25W	27W				
15	Choke Coil	Core	L1	1	MR2K5BH			EE19	EE19	200℃	1.	Shanghai Huapu Electric Co.,Ltd ,China	
		Bobbin			PF2A2-16U			EE19	EE19	150℃	1.	Shanghai Twin-Tree Plastic Factory ,China	E106276
		Copper -wire			MW79(QA-1)					155℃	1.	Zhejiang Hongbo Electric Line &wire Co.,Ltd ,China	E221719
					MW75					130℃	2.	ChangZhou Xinyao EIElectronics co Ltd	E113856
		Insulation Tape			mH			3.4mH	3.0mH				
										130℃	1.	Suzhou Chengbei Pressure Sensitive Tape Factory China	E218815
										2.	Jingjiang Yahua Pressure Sensitive Glue Co.,Ltd , China	E165111	
16	Axial Inductor	Core	L2	1	MX-1000			Ø8*10	Ø8*10		1.	Sheyang Foguang Electronic Co.,Ltd ,China	
		NX-250								2.			
		Copper -wire			MW79(QA-1)				155℃	1.	Zhejiang Hongbo Electric Line &wire Co.,Ltd ,China	E221719	
					MW75				130℃	2.	ChangZhou Xinyao EIElectronics co Ltd	E113856	
		Insulation Tube			mH			1.2mH	1.2mH				
					Ø8mm				600V	1.	Shenzhen Changyuan Electronic Material Co.,Ltd , China	E180908	
					Ø10mm				125℃				
17	OSC		TK	1	PC30 Ø10*6*5			4:04:04	4:04:04		1.	Shanghai Huapu Electric Co.,Ltd ,China	
											2.	Shanghai Ju Ren Magretic Material Co.,Ltd ,China	
18	Fuse		TR	1	31NM			2A	2A	250V	1.	Walter Electronic Co.,Ltd ,China	E56092
											2.	Hollyland Co.,Ltd ,China	E156471
19	Printed circuit board		PCB	1	HEY-1					94V-0 130℃	1.	Suzhou RiTong Printed Circuit Board Co.,Ltd ,China	E225324
20	Electric wire		AC		UL1015	18AWG				105℃ 600V	1.	XingDa ElectrOniCs Wire& Cabie	E187208
					UL1430	18AWG				105℃ 600V	2.	LTK Industries Ltd ,China	E148000
21	Connecting Pin		P1-P4	4	0.6*0.6*11.3						1.	Zhang jia Gang Hongyi	
22	Insulation tube				Ø1mm					2500V	2	Shanghai Shendian Industry &	
23	Insulation Tube				Ø3/Ø4mm					200℃ 600V	1.	Sin tong wan Electric Products(shenzhen) Co.,Ltd	E146955

Pa

2. Parts List

2.4 Model No: INNO-T12-020L,

Line input Voltage : 120V 60Hz

Rated Input Power : 20W

Date : 2003.

No.	Parts Name	Part No. on drawing	Q'ty	Specification					Temp.rate etc.	No.	Manufacturer and Nation	UL File No.
				Spec.No. or name	Rated Power of Lamps							
					15W	20W	25W	27W				
01	Glass tube	B-1	1	Lead free Glass tube						1.	Kuensan mengshi,China	
02	Fluorescent Powder	B-2		Red Green Blue						1.	Changshu jiangnan,China	
03	Argon gas	B-3								1.	Shanghai hedian,China	
04	Mercury	B-4		Hg						1.	Shanghai shisi ,China	
	Amalgam											
05	Filament	B-5	2	Tungsten		8Ω				1.	Suzhou Wudeng ,China	
06	Electronic Powder	B-6								1.	NanjingSanlu ,China	
07	Housing Case	B-7	1	PBT-RG301(r1) Thickness 1.2mm				94V-0 130℃		1.	Guangzhou Kingfa science & Technology Ltd	E171666
08	Base	B-8	1	E26						1.	Shanghai Xinghong ,China	
09	Adhesive	B-9		HC-1312E						1.	Wuxi Xingguang, China	
10	Resistor	R1.R2	2	RT14		510KΩ			1/4W	1.	Hangzhou Resistor Factory,China	
										2.	NanTong Resistor Factory, China	
		R3.R4	2	RT14		20Ω			1/4W	1.	Hangzhou Resistor Factory,China	
										2.	NanTong Resistor Factory, China	
		R5.R6	2	RT14		0Ω			1/4W	1.	Hangzhou Resistor Factory,China	
										2.	NanTong Resistor Factory, China	
		R7.R8	2	RT14		33Ω			1/4W	1.	Hangzhou Resistor Factory,China	
										2.	NanTong Resistor Factory, China	

No.	Parts Name	Part No. on drawing	Q'ty	Specification						No.	Manufacturer and Nation	UL File No.
				Spec.No. or name	Rated Power of Lamps				Temp.rate etc.			
					15W	20W	25W	27W				
11	Capacitor	C1	1	CD11		22uF			200V -40℃-105℃	1.	Yiyang Zijiang Electronic Elements Co.,Ltd ,China	
										2.	Guangzhou Haoqin Science And Technology Electronic Co.,Ltd. , China	
		C2	1	CL21		0.1uF			400V -40℃-120℃	3.	Yongming Electronic Co.,Ltd ,China	
										1.	Ultra Tech Xiphi Enterprise Co.,Ltd ,China	
		C3	1	CL11		0.033uF			100V -40℃-120℃	2.	Yangzhou Sheng Da Group ,China	
		C4	1	CL11		1000PF			630V -40℃-120℃	1.	Shanghai Saisheng Electronic ,China	
										2.	Yangzhou Sheng Da Group ,China	
		C5	1	CL21		0.1uF			400V -40℃-120℃	1.	Ultra Tech Xiphi Enterprise Co.,Ltd ,China	
										2.	Yangzhou Sheng Da Group ,China	
		C6	1	CL11		2200PF			1200V -40℃-120℃	1.	Ultra Tech Xiphi Enterprise Co.,Ltd ,China	
									2.	Yangzhou Sheng Da Group ,China		
		C7	1	CL11		4700PF			1000V -40℃-120℃	1.	Ultra Tech Xiphi Enterprise Co.,Ltd ,China	
									2.	Yangzhou Sheng Da Group ,China		
12	Transistor	Q1,Q2	2	TO-126		13003 1.5A			400V 150℃	1.	SEMIWELL SEMI-CONDUCT	
										2.	Wuxi Jingshuo Electronic Co.,Ltd ,China	
										3.	Jilin Huaxing Electronic Group ,China	
13	Diode	D1-D5	5			IN4007			1000V 150℃	1.	Hongyang Electronics Co.,Ltd ,China	
										2.	Changzhou Xinglong Electronic Co., Ltd ,China	
		D6-D7	2			FR105			600V 150℃	1.	Hongyang Electronics Co.,Ltd ,China	
										2.	Changzhou Xinglong Electronic Co., Ltd ,China	
14	Diac	DB3	1			DB3			32V	1.	Hongyang Electronics Co., Ltd ,China	
										2.	Changzhou Xinglong Electronic Co.,Ltd ,China	

No.	Parts Name		Part No. on drawing	Q'ty	Specification					Temp.rate etc.	No.	Manufacturer and Nation	UL File No.
					Spec.No. or name	Rated Power of Lamps							
						15W	20W	25W	27W				
15	Choke Coil	Core	L1	1	MR2K5BH		EE19			200℃	1.	Shanghai Huapu Electric Co.,Ltd ,China	
		Bobbin			PF2A2-16U		EE19			150℃	1.	Shanghai Twin-Tree Plastic Factory ,China	E106276
		Copper -wire			MW79(QA-1)				155℃	1.	Zhejiang Hongbo Electric Line &wire Co.,Ltd ,China	E221719	
					MW75				130℃	2.	ChangZhou Xinyao EIEctronics co Ltd	E113856	
		Insulation Tape			mH		3.4mH			130℃	1.	Suzhou Chengbei Pressure Sensitive Tape Factory China	E218815
									2.		Jingjiang Yahua Pressure Sensitive Glue Co.,Ltd , China	E165111	
		16			Axial Inductor	Core	L2	1	MX-1000 NX-250		Ø8*10		
Copper -wire	MW79(QA-1)					155℃			1.	Zhejiang Hongbo Electric Line &wire Co.,Ltd ,China	E221719		
	MW75					130℃			2.	ChangZhou Xinyao EIEctronics co Ltd	E113856		
	Insulation Tube		mH			1.2mH							
Ø8mm Ø10mm									600V 125℃	1.	Shenzhen Changyuan Electronic Material Co.,Ltd , China	E180908	
17	OSC	TK	1	1	PC30 Ø9*5*4		4:04:04				1.	Shanghai Huapu Electric Co.,Ltd ,China	
											2.	Shanghai Ju Ren Magretic Material Co.,Ltd ,China	
18	Fuse	TR	1	1	31NM		2A			250V	1.	Walter Electronic Co.,Ltd ,China	E56092
											2.	Hollyland Co.,Ltd ,China	E156471
19	Printed circuit board	PCB	1	1	HEY-1					94V-0 130℃	1.	Suzhou RiTong Printed Circuit Board Co.,Ltd ,Chin	E225324
20	Electric wire	AC			UL1015 18AWG				105℃ 600V	1.	XingDa ElectrOniCs Wire& Cabie	E187208	
					UL1430				105℃ 600V	2.	LTK Industries Ltd ,China	E148000	
21	Connecting Pin	P1-P4	4	4	0.6*0.6*11.3						1.	Zhang Jia Gang Hong yi	
22	Insulation tube				Ø1mm					2500V	2	Shanghai Shendian Industry &	
23	Insulation Tube				Ø3/Ø4mm					200℃ 600V	1.	Sin tong wan Electric Products(shenzhen) Co.,Ltd	E146955