

Annex 1: Measurement diagrams to
TEST REPORT
No.: 17-1-0264601T04

According to:
FCC Regulations
Part 15.517

for

Agilion GmbH

WIRELESS MESH GATEWAY PULSE | PHASE
Communication and Real time Location System

FCC ID: SCF6032502

Laboratory Accreditation and Listings			
 Deutsche Akkreditierungsstelle D-PL-12047-01-01	 MRA US-EU 0003	 Industry Canada Reg. No.: 3462D-2 Reg. No.: 3462D-3	 Voluntary Controls for Electromagnetic Emissions Reg. No.: R-2666 C-2914, T-1967, G-301
 AUTHORIZED RF LABORATORY	 Authorized™ Test Lab Lab Code: 20011130-00		
accredited according to DIN EN ISO/IEC 17025			
CETECOM GmbH Laboratory Radio Communications & Electromagnetic Compatibility Im Teelbruch 116 • 45219 Essen • Germany Registered in Essen, Germany, Reg. No.: HRB Essen 8984 Tel.: + 49 (0) 20 54 / 95 19-954 • Fax: + 49 (0) 20 54 / 95 19-964 E-mail: info@cetecom.com • Internet: www.cetecom.com			


TABLE OF CONTENTS:

1. TRANSMISSION TIME MEASUREMENT	4
1.1. Intentional radiator is switched off	4
1.2. Intentional radiator is switched on and after 15 s is switched off	4
2. 10 DB BANDWIDTH MEASUREMENT	5
2.1. Op. Mode 1 (DW2_PRF16MHz_DR110k_PCCh2_PL36)	5
2.2. Op. Mode 2 (DW2_PRF16MHz_DR6800k_PCCh2_PL36)	5
2.3. Op. Mode 3 (DW2_PRF64MHz_DR110k_PCCh2_PL36)	6
2.4. Op. Mode 4 (DW2_PRF64MHz_DR6800k_PCCh2_PL36)	6
3. GENERAL LIMIT - RADIATED FIELD STRENGTH EMISSIONS BELOW 30 MHZ.....	7
3.1. Op. Mode 1, 24VDC, laying.....	7
3.2. Op. Mode 1, 24VDC, standing	7
4. GENERAL LIMIT - RADIATED FIELD STRENGTH EMISSIONS, 30 MHZ - 1 GHZ	8
4.1. Op. Mode 1, 24VDC, laying.....	8
4.2. Op. Mode 1, 24VDC, standing	8
5. GENERAL LIMIT – RADIATED FIELD STRENGTH EMISSIONS, ABOVE 960 MHZ.....	9
5.1. Frequency range 960 MHz – 1610 MHz	9
5.1.1. Op. Mode 1, 24VDC, laying, ant.- hor. pol., UWB signal turned OFF	9
5.1.2. Op. Mode 1, 24VDC, laying, ant.- hor. pol., UWB signal turned ON	9
5.1.3. Op. Mode 1, 24VDC, laying, ant.- ver. pol., UWB signal turned OFF	10
5.1.4. Op. Mode 1, 24VDC, laying, ant.- ver. pol., UWB signal turned ON.....	10
5.1.5. Op. Mode 1, 24VDC, standing, ant.- hor. pol., UWB signal turned OFF	11
5.1.6. Op. Mode 1, 24VDC, standing, ant.- hor. pol., UWB signal turned ON.....	11
5.1.7. Op. Mode 1, 24VDC, standing, ant.- ver. pol., UWB signal turned OFF	12
5.1.8. Op. Mode 1, 24VDC, standing, ant.- ver. pol., UWB signal turned ON	12
5.2. Frequency range 1610 MHz – 3100 MHz	13
5.2.1. Op. Mode 1, 24VDC, laying, ant.- hor. pol., UWB signal turned ON	13
5.2.2. Op. Mode 1, 24VDC, laying, ant.- ver. pol., UWB signal turned ON.....	13
5.2.3. Op. Mode 1, 24VDC, standing, ant.- hor. pol., UWB signal turned ON.....	14
5.2.4. Op. Mode 1, 24VDC, standing, ant.- ver. pol., UWB signal turned OFF	15
5.2.5. Op. Mode 1, 24VDC, standing, ant.- ver. pol., UWB signal turned ON	15
5.3. Frequency range 3100 MHz – 10600 MHz	16
5.3.1. Op. Mode 1, 24VDC, standing + laying, ant.- hor. pol., UWB ON	16
5.3.2. Op. Mode 1, 24VDC, standing + laying, ant.- ver. pol., UWB ON.....	16
5.4. Frequency range 10600 MHz – 15000 MHz	17
5.4.1. Op. Mode 1, 24VDC, laying, ant.- hor. pol., UWB signal turned ON	17
5.4.2. Op. Mode 1, 24VDC, laying, ant.- ver. pol., UWB signal turned ON.....	17
5.4.3. Op. Mode 1, 24VDC, standing, ant.- hor. pol., UWB signal turned ON.....	18
5.4.4. Op. Mode 1, 24VDC, standing, ant.- ver. pol., UWB signal turned ON	18
5.5. Frequency range 15000 MHz – 18000 MHz	19
5.5.1. Op. Mode 1, 24VDC, laying, ant.- hor. pol., UWB signal turned ON	19
5.5.2. Op. Mode 1, 24VDC, laying, ant.- ver. pol., UWB signal turned ON.....	19
5.5.3. Op. Mode 1, 24VDC, standing, ant.- hor. pol., UWB signal turned ON.....	20
5.5.4. Op. Mode 1, 24VDC, standing, ant.- ver. pol., UWB signal turned ON	20
5.6. Frequency range 18000 MHz – 40000 MHz	21
5.6.1. Op. Mode 1, 24VDC, standing + laying, ant.- hor. pol., UWB ON	21
5.6.2. Op. Mode 1, 24VDC, standing + laying, ant.- ver. pol., UWB ON.....	21
6. RADIATED EMISSIONS IN THE GPS BANDS	22
6.1. Frequency range 1164 MHz – 1240 MHz	22
6.1.1. Op. Mode 1, 24VDC, standing + laying, ant.- hor. pol., UWB ON	22
6.1.2. Op. Mode 1, 24VDC, standing + laying, ant.- ver. pol., UWB ON.....	22
6.2. Frequency range 1559 MHz – 1610 MHz	23
6.2.1. Op. Mode 1, 24VDC, standing + laying, ant.- hor. pol., UWB ON	23

6.2.2. Op. Mode 1, 24VDC, standing + laying, ant.- ver. pol., UWB ON.....	23
7. FUNDAMENTAL EMISSION PEAK POWER	24
7.1. Op. Mode 1, 24VDC, standing + laying, ant.- hor. pol., UWB ON.....	24
7.2. Op. Mode 1, 24VDC, standing + laying, ant.- ver. pol., UWB ON.....	24
8. GENERAL LIMIT - CONDUCTED EMISSIONS ON AC-POWER LINES, §15.209	25


1. Transmission time measurement

1.1. Intentional radiator is switched off



Date: 13.MAR.2018 19:43:24


1.2. Intentional radiator is switched on and after 15 s is switched off



Date: 13.MAR.2018 19:44:56


2. 10 dB bandwidth measurement

2.1. Op. Mode 1 (DW2_PRF16MHz_DR110k_PCCh2_PL36)




19:05:29 05.03.2018

2.2. Op. Mode 2 (DW2_PRF16MHz_DR6800k_PCCh2_PL36)




18:57:02 05.03.2018

2.3. Op. Mode 3 (DW2_PRF64MHz_DR110k_PCCh2_PL36)



19:10:28 05.03.2018


2.4. Op. Mode 4 (DW2_PRF64MHz_DR6800k_PCCh2_PL36)




19:19:34 05.03.2018

3. General Limit - Radiated field strength emissions below 30 MHz

3.1. Op. Mode 1, 24VDC, laying




3.2. Op. Mode 1, 24VDC, standing




4. General Limit - Radiated field strength emissions, 30 MHz - 1 GHz

4.1. Op. Mode 1, 24VDC, laying




4.2. Op. Mode 1, 24VDC, standing



5. General Limit – Radiated field strength emissions, above 960 MHz


5.1. Frequency range 960 MHz – 1610 MHz

5.1.1. Op. Mode 1, 24VDC, laying, ant.- hor. pol., UWB signal turned OFF




16:03:11 08.03.2018

5.1.2. Op. Mode 1, 24VDC, laying, ant.- hor. pol., UWB signal turned ON




15:32:22 08.03.2018

5.1.3. Op. Mode 1, 24VDC, laying, ant.- ver. pol., UWB signal turned OFF




16:07:36 08.03.2018

5.1.4. Op. Mode 1, 24VDC, laying, ant.- ver. pol., UWB signal turned ON




15:14:43 08.03.2018

5.1.5. Op. Mode 1, 24VDC, standing, ant.- hor. pol., UWB signal turned OFF




16:18:22 08.03.2018

5.1.6. Op. Mode 1, 24VDC, standing, ant.- hor. pol., UWB signal turned ON




15:23:30 08.03.2018

5.1.7. Op. Mode 1, 24VDC, standing, ant.- ver. pol., UWB signal turned OFF



16:12:32 08.03.2018


5.1.8. Op. Mode 1, 24VDC, standing, ant.- ver. pol., UWB signal turned ON



15:18:57 08.03.2018


5.2. Frequency range 1610 MHz – 3100 MHz

5.2.1. Op. Mode 1, 24VDC, laying, ant.- hor. pol., UWB signal turned ON




14:47:46 08.03.2018

5.2.2. Op. Mode 1, 24VDC, laying, ant.- ver. pol., UWB signal turned ON




14:50:04 08.03.2018

5.2.3. Op. Mode 1, 24VDC, standing, ant.- hor. pol., UWB signal turned ON




14:44:59 08.03.2018

5.2.4. Op. Mode 1, 24VDC, standing, ant.- ver. pol., UWB signal turned OFF



12:00:08 08.03.2018


5.2.5. Op. Mode 1, 24VDC, standing, ant.- ver. pol., UWB signal turned ON



11:45:25 08.03.2018


5.3. Frequency range 3100 MHz – 10600 MHz

5.3.1. Op. Mode 1, 24VDC, standing + laying, ant.- hor. pol., UWB ON



12:00:17 16.03.2018


5.3.2. Op. Mode 1, 24VDC, standing + laying, ant.- ver. pol., UWB ON



12:07:12 16.03.2018


5.4. Frequency range 10600 MHz – 15000 MHz

5.4.1. Op. Mode 1, 24VDC, laying, ant.- hor. pol., UWB signal turned ON




14:15:55 08.03.2018

5.4.2. Op. Mode 1, 24VDC, laying, ant.- ver. pol., UWB signal turned ON




14:20:07 08.03.2018

5.4.3. Op. Mode 1, 24VDC, standing, ant.- hor. pol., UWB signal turned ON



14:24:38 08.03.2018


5.4.4. Op. Mode 1, 24VDC, standing, ant.- ver. pol., UWB signal turned ON



14:22:11 08.03.2018


5.5. Frequency range 15000 MHz – 18000 MHz

5.5.1. Op. Mode 1, 24VDC, laying, ant.- hor. pol., UWB signal turned ON




13:55:35 08.03.2018

5.5.2. Op. Mode 1, 24VDC, laying, ant.- ver. pol., UWB signal turned ON




14:02:08 08.03.2018

5.5.3. Op. Mode 1, 24VDC, standing, ant.- hor. pol., UWB signal turned ON



14:10:46 08.03.2018


5.5.4. Op. Mode 1, 24VDC, standing, ant.- ver. pol., UWB signal turned ON



14:06:28 08.03.2018


5.6. Frequency range 18000 MHz – 40000 MHz

5.6.1. Op. Mode 1, 24VDC, standing + laying, ant.- hor. pol., UWB ON



20:40:54 14.03.2018

5.6.2. Op. Mode 1, 24VDC, standing + laying, ant.- ver. pol., UWB ON




20:34:38 14.03.2018

6. Radiated emissions in the GPS bands


6.1. Frequency range 1164 MHz – 1240 MHz

6.1.1. Op. Mode 1, 24VDC, standing + laying, ant.- hor. pol., UWB ON



18:35:21 12.03.2018


6.1.2. Op. Mode 1, 24VDC, standing + laying, ant.- ver. pol., UWB ON



18:09:49 12.03.2018


6.2. Frequency range 1559 MHz – 1610 MHz

6.2.1. Op. Mode 1, 24VDC, standing + laying, ant.- hor. pol., UWB ON



18:30:34 12.03.2018


6.2.2. Op. Mode 1, 24VDC, standing + laying, ant.- ver. pol., UWB ON



18:19:47 12.03.2018


7. Fundamental emission peak power

7.1. Op. Mode 1, 24VDC, standing + laying, ant.- hor. pol., UWB ON



12:46:21 16.03.2018

7.2. Op. Mode 1, 24VDC, standing + laying, ant.- ver. pol., UWB ON




12:53:22 16.03.2018

8. General Limit - Conducted emissions on AC-Power lines, §15.209

Common Information

Test Description:	Conducted Voltage Measurement Class B
Test Site & Location:	Conducted Emission, CETECOM GmbH Essen
Test Software:	R&S EMC32 v9.15
Test Specification:	FCC 15.207
Operating Mode:	1
Measured on line:	N/L1
Diagram details:	Shows the peak values as a sum of measured ports in maxhold mode
Environmental Conditions:	Humidity: 40%rH; Temperature: 22°C
Operator:	MBe

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBµV)	CAverage (dBµV)	Limit (dBµV)
0.150000	43.54	---	66.00
0.150000	---	20.89	56.00
0.209531	36.97	---	63.22
0.209531	---	8.96	53.22
0.428750	---	30.24	47.28
0.428750	35.43	---	57.28
1.545938	---	23.91	46.00
1.545938	30.95	---	56.00