

Test Report

Verified code: 652611

Report No.: E20211217696105-8

Customer: BYD Auto Industry Company Limited

Address: No. 3001, 3007, Hengping Road, Pingshan, Shenzhen, P. R. China

Sample Name: DiLink

Sample Model: DiLink 3.0F

Receive Sample Date: Feb.10,2022

Test Date: Apr.08,2022 ~ May.10,2022

Reference Document: FCC CFR Title 47 Part 2, FCC CFR Title 47 Part 22 Subpart H, FCC CFR Title 47 Part 24 Subpart E, FCC CFR Title 47 Part 27 Subpart L, FCC CFR Title 47 Part 27 Subpart M, FCC CFR Title 47 Part 27 Subpart H, FCC CFR Title 47 Part 27 Subpart F

Test Result: Pass

Prepared by: Yang Zhaoyun Reviewed by: Zhao Zetian

Approved by: Xiao Liang

GUANGZHOU GRG METROLOGY & TEST CO., LTD

Issued Date: 2022-06-08

GUANGZHOU GRG METROLOGY & TEST CO., LTD.

Address: No.163, Pingyun Road, West of Huangpu Avenue, Guangzhou, Guangdong, China
Tel: (+86) 400-602-0999 FAX: (+86) 020-38698685 Web: <http://www.grgtest.com>



Statement

1. The report is invalid without "special seal for inspection and testing"; some copies are invalid; The report is invalid if it is altered or missing; The report is invalid without the signature of the person who prepared, reviewed and approved it.
2. The sample information is provided by the client and responsible for its authenticity; The content of the report is only valid for the samples sent this time.
3. When there are reports in both Chinese and English, the Chinese version will prevail when the language problems are inconsistent.
4. If there is any objection concerning the report, please inform us within 15 days from the date of receiving the report.
5. Without the agreement of the laboratory, the client is not authorized to use the test results for unapproved propaganda.

----- The following blanks -----

TABLE OF CONTENTS

1.	TEST RESULT SUMMARY	6
1.1	TEST STANDARDS.....	6
1.2	TEST RESULT	7
2.	GENERAL DESCRIPTION OF EUT	13
2.1	APPLICANT.....	13
2.2	MANUFACTURER.....	13
2.3	FACTORY	13
2.4	BASIC DESCRIPTION OF EQUIPMENT UNDER TEST	13
2.5	CONFIGURATION OF SYSTEM UNDER TEST	15
2.6	DESIGNATION OF EMISSION	15
3.	LABORATORY AND ACCREDITATIONS AND MEASUREMENT UNCERTAINTY	17
3.1	LABORATORY.....	17
3.2	ACCREDITATIONS	17
3.3	MEASUREMENT UNCERTAINTY	18
4.	LIST OF USED TEST EQUIPMENT AT GRGT.....	19
5.	EFFECTIVE (ISOTROPIC) RADIATED POWER OUTPUT DATA	19
5.1	LIMIT.....	19
5.2	TEST PROCEDURES.....	20
5.3	TEST SETUP	20
5.4	TEST RESULTS	21
6.	PEAK-TO-AVERAGE RATIO.....	50
6.1	LIMIT.....	50
6.2	TEST PROCEDURES.....	50
6.3	TEST SETUP	50
6.4	TEST RESULTS	51
7.	MODULATION CHARACTERISTICS	201
7.1	TEST PROCEDURES.....	201
7.2	TEST SETUP	201
7.3	TEST RESULTS	202
8.	BANDWIDTH.....	278
8.1	LIMIT.....	278
8.2	TEST PROCEDURES.....	278
8.3	TEST SETUP	278
8.4	TEST RESULTS	279
9.	BAND EDGES COMPLIANCE	348
9.1	LIMIT.....	348
9.2	TEST PROCEDURES.....	348
9.3	TEST SETUP	348
9.4	TEST RESULTS	349
10.	SPURIOUS EMISSION AT ANTENNA TERMINAL	445
10.1	LIMIT.....	445
10.2	TEST PROCEDURES.....	445
10.3	TEST SETUP	446
10.4	TEST RESULTS	447
11.	FREQUENCY STABILITY	597
11.1	LIMIT.....	597
11.2	TEST PROCEDURES.....	597
11.3	TEST SETUP	597
11.4	TEST RESULTS	598

12.	FIELD STRENGTH OF SPURIOUS RADIATION.....	602
12.1	LIMIT	602
12.2	TEST PROCEDURES.....	602
12.3	TEST SETUP	603
12.4	DATA SAMPLE	605
12.5	TEST RESULTS	606
13.	TEST PHOTO	728
14.	PHOTOGRAPH OF THE EUT.....	729

----- The following blanks -----

REPORT ISSUED HISTORY

Report Version	Report No.	Description	Compile Date
1.0	E20211217696105-8	Original Issue	2022-05-11

----- The following blanks -----

1. TEST RESULT SUMMARY**1.1 TEST STANDARDS**

No.	Identity	Document Title
1	FCC CFR Title 47 Part 2 Section 2.1047,21049	Frequency Allocations And Radio Treaty Mattres; General Rules And Regulations
2	FCC CFR Title 47 Part 22 Subpart H	Cellular Radiotelephone Service
3	FCC CFR Title 47 Part 24 Subpart E	Broadband PCS
4	FCC CFR Title 47 Part 27 Subpart L	1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 2110-2155 MHz, 2155-2180 MHz, 2180-2200 MHz Bands
5	FCC CFR Title 47 Part 27 Subpart M	Broadband Radio Service and Educational Broadband Service
6	FCC CFR Title 47 Part 27 Subpart H	Competitive Bidding Procedures for the 698-746 MHz Band
7	FCC CFR Title 47 Part 27 Subpart F	Competitive Bidding Procedures for the 698-806 MHz Band

----- The following blanks -----

1.2 TEST RESULT

LTE Band 2			
Item	FCC Rule No.	Requirements	Result
Effective (Isotropic) Radiated Power Output Data	§2.1046, §24.232(c)	$EIRP \leq 2\text{ W}$	PASS
Peak-Average Ratio	§24.232(d)	Limit $\leq 13\text{ dB}$	PASS
Modulation Characteristics	§2.1047	Digital modulation	PASS
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	PASS
Band Edges Compliance	§2.1051, §24.238(a)(b)	Refer to section 10.1	PASS
Spurious Emission at Antenna Terminals	§2.1051, §24.238(a)(b)	$\leq -13\text{ dBm/1MHz}$	PASS
Field Strength of Spurious Radiation	§2.1053, §24.238(a)	$\leq -13\text{ dBm/1MHz.}$	PASS
Frequency Stability	§2.1055, §24.235	No limit	PASS

Remark: For the verdict, the “N/A” denotes “not applicable”, the “N/T” denotes “not tested”.

----- The following blanks -----

LTE Band 4			
Item	FCC Rule No.	Requirements	Result
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(d)(4)	EIRP ≤ 1 W	PASS
Peak-Average Ratio	§22.913(d)(5)	Limit ≤ 13 dB	PASS
Modulation Characteristics	§2.1047	Digital modulation	PASS
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	PASS
Band Edges Compliance	§2.1051, §27.53(h)(1) §27.53(h)(3)(i)	Refer to section 10.1	PASS
Spurious Emission at Antenna Terminals	§2.1051, §27.53(h)(1)	≤ -13 dBm/1MHz	PASS
Field Strength of Spurious Radiation	§2.1053, §27.53(h)(1)	≤ -13 dBm/1MHz.	PASS
Frequency Stability	§2.1055, §27.54	No limit	PASS

Remark: For the verdict, the “N/A” denotes “not applicable”, the “N/T” denotes “not tested”.

----- The following blanks -----

LTE Band 5			
Item	FCC Rule No.	Requirements	Result
Effective (Isotropic) Radiated Power Output Data	§2.1046, §22.913(a)(5)	$ERP \leq 7W$	PASS
Peak-Average Ratio	N/A	N/A	N/A
Modulation Characteristics	§2.1047	Digital modulation	PASS
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	PASS
Band Edges Compliance	§2.1051, §22.917(b)(1)	Refer to section 10.1	PASS
Spurious Emission at Antenna Terminals	§2.1051, §22.917(a)	$\leq -13 \text{ dBm/1MHz}$	PASS
Field Strength of Spurious Radiation	§2.1053, §22.917(a)	$\leq -13 \text{ dBm/1MHz.}$	PASS
Frequency Stability	§2.1055, §22.355	$\leq \pm 2.5\text{ppm.}$	PASS

Remark: For the verdict, the “N/A” denotes “not applicable”, the “N/T” denotes “not tested”.

----- The following blanks -----

LTE Band 7/38/41			
Item	FCC Rule No.	Requirements	Result
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(h)(2)	EIRP ≤ 2 W	PASS
Peak-Average Ratio	N/A	N/A	N/A
Modulation Characteristics	§2.1047	Digital modulation	PASS
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	PASS
Band Edges Compliance	§2.1051, §27.53(m)(4)	Refer to section 10.1	PASS
Spurious Emission at Antenna Terminals	§2.1051, §27.53(m)(4)	≤ -25 dBm/1MHz	PASS
Field Strength of Spurious Radiation	§2.1053, §27.53(m)(4)	≤ -25 dBm/1MHz.	PASS
Frequency Stability	§2.1055, §27.54	No limit	PASS

Remark: For the verdict, the “N/A” denotes “not applicable”, the “N/T” denotes “not tested”.

----- The following blanks -----

LTE Band 12/17			
Item	FCC Rule No.	Requirements	Result
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(c)(10)	ERP $\leq$ 3W	PASS
Peak-Average Ratio	N/A	N/A	N/A
Modulation Characteristics	§2.1047	Digital modulation	PASS
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	PASS
Band Edges Compliance	§2.1051, §27.53(g)	Refer to section 10.1	PASS
Spurious Emission at Antenna Terminals	§2.1051, §27.53(g)	$\leq$ -13 dBm/1MHz.	PASS
Field Strength of Spurious Radiation	§2.1053, §27.53(g)	$\leq$ -13 dBm/1MHz.	PASS
Frequency Stability	§2.1055, §27.54	No limit	PASS

Remark: For the verdict, the "N/A" denotes "not applicable", the "N/T" denotes "not tested".

----- The following blanks -----

LTE Band 13			
Item	FCC Rule No.	Requirements	Result
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(b)(10)	ERP ≤3W	PASS
Peak-Average Ratio	N/A	N/A	N/A
Modulation Characteristics	§2.1047	Digital modulation	PASS
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	PASS
Band Edges Compliance	§2.1051, §27.53(c)(2), §27.53(c)(5)	Refer to section 10.1	PASS
Spurious Emission at Antenna Terminals	§2.1051, §27.53(c)(2)	≤ -13 dBm/1MHz.	PASS
Field Strength of Spurious Radiation	§2.1053, §27.53(c)(2), §27.53(f)	≤ -13 dBm/1MHz. Emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz	PASS
Frequency Stability	§2.1055, §27.54	No limit	PASS

Remark: For the verdict, the “N/A” denotes “not applicable”, the “N/T” denotes “not tested”.

----- The following blanks -----

2. GENERAL DESCRIPTION OF EUT

2.1 APPLICANT

Name:	BYD Auto Industry Company Limited
Address:	No.3001, 3007, HengPing Road, Pingshan, Shenzhen,P.R.China

2.2 MANUFACTURER

Name:	BYD Auto Industry Company Limited
Address:	No.3001, 3007, HengPing Road, Pingshan, Shenzhen,P.R.China

2.3 FACTORY

Name:	Huizhou BYD Electronics Co., Ltd.
Address:	Xiangshui River, Economic Development Zone, Daya Bay, Huizhou, Guangdong , P. R. China


2.4 BASIC DESCRIPTION OF EQUIPMENT UNDER TEST

Equipment:	DiLink
Model No.:	DiLink 3.0F
Trade Name:	BYD
Brand Name:	BYD
Adding Model	/
FCC ID:	SD4-DILINK6125F
Power supply:	DC 12V
Hardware Version:	DiLink HW 6125F
Software Version:	DiLink SW 4.0F
Antenna Gain:	Band 2:-1.94dBi Band 4: -1.00dBi Band 5:-0.63dBi Band 7: -0.37dBi Band 12:-1.02dBi Band 13: -1.02dBi Band 17:-1.02dBi Band 38: -0.37dBi Band 41: -0.37dBi
Power Class:	3
Frequency range:	Band 2: Tx 1850MHz~1910MHz, Rx 1930MHz ~ 1990MHz Band 4: Tx 1710MHz~1755MHz, Rx 2110MHz ~ 2155MHz Band 5: Tx 824MHz~849MHz, Rx 869MHz ~ 894MHz Band 7: Tx 2500MHz~2570MHz, Rx 2620MHz ~ 2690MHz Band 12: Tx 699MHz~716MHz, Rx 729MHz ~ 746MHz Band 13: Tx 777MHz~787MHz, Rx 746MHz ~ 756MHz Band 17: Tx 704MHz~716MHz, Rx 734MHz ~ 746MHz Band 38: Tx 2570MHz~2620MHz, Rx 2570MHz~2620MHz Band 41: Tx 2496MHz~2690MHz, Rx 2496MHz ~ 2690MHz

Bandwidth:	Band 2: 1.4MHz, 3MHz, 5MHz, 10MHz, 15MHz, 20MHz Band 4: 1.4MHz, 3MHz, 5MHz, 10MHz, 15MHz, 20MHz Band 5: 1.4MHz, 3MHz, 5MHz, 10MH Band 7: 5MHz, 10MHz, 15MHz, 20MH Band 12: 1.4MHz, 3MHz, 5MHz, 10MH Band 13: 5MHz, 10MHz Band 17: 5MHz, 10MH Band 38: 5MHz, 10MHz, 15MHz, 20MH Band 41: 5MHz, 10MH, 15MHz, 20MH
Modulation:	QPSK, 16QAM
Sample No.:	E20211217696105-0006; E20211217696105-0004
IMEI:	E20211217696105-0006:869845042511863; E20211217696105-0004:869845042513810;
Temperature Range:	-30℃~70℃
Voltage Range	9V~16V
Sample Submitting Way :	☒ Provided by customer ☐ Sampling
Note:	/

----- The following blanks -----

2.5 CONFIGURATION OF SYSTEM UNDER TEST



2.6 DESIGNATION OF EMISSION

Designation Of Emission			
Band	Bandwidth(MHz)	QPSK	16QAM
Band 2	1.4	1M10G7D	1M10W7D
	3	2M71G7D	2M70W7D
	5	4M52G7D	4M53W7D
	10	8M99G7D	8M99W7D
	15	13M5G7D	13M5W7D
	20	17M9G7D	18M0W7D

Designation Of Emission			
Band	Bandwidth(MHz)	QPSK	16QAM
Band 4	1.4	1M10G7D	1M10W7D
	3	2M70G7D	2M70W7D
	5	4M52G7D	4M51W7D
	10	8M99G7D	8M99W7D
	15	13M5G7D	13M5W7D
	20	18M0G7D	18M0W7D

Designation Of Emission			
Band	Bandwidth(MHz)	QPSK	16QAM
Band 5	1.4	1M09G7D	1M10W7D
	3	2M70G7D	2M70W7D
	5	4M50G7D	4M50W7D
	10	9M03G7D	8M96W7D

Designation Of Emission			
Band	Bandwidth(MHz)	QPSK	16QAM
Band 7	5	4M50G7D	4M50W7D
	10	9M06G7D	8M97W7D
	15	13M6G7D	13M5W7D
	20	18M1G7D	17M9W7D

Designation Of Emission			
Band	Bandwidth(MHz)	QPSK	16QAM
Band 12	1.4	1M10G7D	1M10W7D
	3	2M70G7D	2M71W7D
	5	4M52G7D	4M52W7D
	10	8M98G7D	8M98W7D

Designation Of Emission			
Band	Bandwidth(MHz)	QPSK	16QAM

Band 13	5	4M52G7D	4M52W7D
	10	8M96G7D	8M97W7D

Designation Of Emission			
Band	Bandwidth(MHz)	QPSK	16QAM
Band 17	5	4M51G7D	4M52W7D
	10	8M99G7D	9M00W7D

Designation Of Emission			
Band	Bandwidth(MHz)	QPSK	16QAM
Band 38	5	4M51G7D	4M50W7D
	10	8M98G7D	8M99W7D
	15	13M5G7D	13M5W7D
	20	18M0G7D	17M9W7D

Designation Of Emission			
Band	Bandwidth(MHz)	QPSK	16QAM
Band 41	5	4M52G7D	4M50W7D
	10	8M99G7D	8M98W7D
	15	13M5G7D	13M5W7D
	20	17M9G7D	17M9W7D

----- The following blanks -----

3. LABORATORY AND ACCREDITATIONS AND MEASUREMENT UNCERTAINTY

3.1 LABORATORY

The tests & measurements refer to this report were performed by Shenzhen EMC Laboratory of Guangzhou GRG Metrology & Test Co., Ltd.

Add.: No.1301 Guanguang Road Xinlan Community, Guanlan Street, Longhua District
Shenzhen, 518110, People's Republic of China.
P.C.: 518110
Tel : 0755-61180008
Fax: 0755-61180008

3.2 ACCREDITATIONS

Our laboratories are accredited and approved by the following approval agencies according to ISO/IEC 17025.

USA	A2LA(Certificate #2861.01)
------------	----------------------------

The measuring facility of laboratories has been authorized or registered by the following approval agencies.

Canada	ISED (Company Number: 24897, CAB identifier:CN0069)
USA	FCC (Registration Number: 759402, Designation Number:CN1198)

Copies of granted accreditation certificates are available for downloading from our web site,
<http://www.grgtest.com>

----- The following blanks -----

3.3 MEASUREMENT UNCERTAINTY

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the EUT as specified in CISPR 16-4-2:

Measurement		Frequency	Uncertainty
Radiated Emission	Horizontal	30MHz~1000MHz	3.7dB
		1GHz~18GHz	4.5dB
		18GHz~40GHz	4.3dB
	Vertical	30MHz~1000MHz	3.7dB
		1GHz~18GHz	4.5dB
		18GHz~40GHz	4.3dB
	Coaxial	9kHz~30MHz	4.5dB
	Coplanar	9kHz~30MHz	4.5dB

Measurement	Uncertainty
RF frequency	6.0×10^{-6}
RF power conducted	0.8dB
Occupied channel bandwidth	0.4dB
Unwanted emission, conducted	0.7dB
Humidity	6%
Temperature	2°C

This uncertainty represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k=2$.

----- The following blanks -----

4. LIST OF USED TEST EQUIPMENT AT GRGT

Conducted System :

Name of Equipment	Manufacturer	Model	Serial Number	Calibration Due
Spectrum Analyzer	Keysight	N9010B	MY60680122	2023-04-06
Wideband radio Communication Tester	R&S	CMW500	144611-nc	2022-06-10
Wideband radio Communication Tester	Anritsu	MT8821C	6202155047	2023-04-13
Temperature chamber	HOSON	HS01060SDF	201013401	2022-09-02
RF switch box	Tonscend	JS0806-1	20D8060250	/
Test SW	Tonscend	JS1120	/	/
Dc Source	LW	PS-305DM	180704473	2023-03-30

RSE system:

Name of Equipment	Manufacturer	Model	Serial Number	Calibration Due
Spectrum Analyzer	Keysight	N9010B	MY60680122	2023-04-06
Loop Antenna	TESEQ	HLA6121	52599	2023-04-02
Bi-log Antenna	Schwarzbeck	VULB9163	01279	2023-04-24
Horn Antenna	Schwarzbeck	BBHA9120D (1201)	02143	2022-10-22
Horn Antenna	Schwarzbeck	BBHA9170	BBHA 9170-497	2022-10-16
Amplifier	tonscend	TAP9E6343	AP20E806065	2022-06-03
Amplifier	tonscend	TAP01018048	AP20E8060075	2023-05-05
Amplifier	tonscend	TAP184050	AP20E806070	2023-05-05
Wideband radio Communication Tester	R&S	CMW500	144611-nC	2022-06-10
Wideband radio Communication Tester	Anritsu	MT8821C	6202155047	2023-04-13
Test S/W	tonscend	JS36-RSE/2.5.1.5		
Dc Source	LW	PS-305DM	180704473	2023-03-30

5. EFFECTIVE (ISOTROPIC) RADIATED POWER OUTPUT DATA

5.1 LIMIT

According to FCC section 22.913 (a)(5), the ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

According to FCC section 24.232 (c) the mobile and portable stations are limited to 2 watts EIRP.

According to FCC section 27.50 (d)(4), mobile, and portable (hand-held) stations operating in the 1710-1755 MHz band and mobile and portable stations operating in the 1695-1710 MHz and 1755-1780 MHz bands are limited to 1 watt EIRP.

According to FCC section 27.50 (h)(2), Mobile stations are limited to 2.0 watts EIRP. All user stations are limited to 2.0 watts transmitter output power.

According to FCC section 27.50 (c)(10), Portable stations (hand-held devices) in the 600 MHz uplink band and the 698-746 MHz band, and fixed and mobile stations in the 600 MHz uplink band are limited to 3 watts ERP.

According to FCC section 27.50 (b)(10), Portable stations (hand-held devices) transmitting in the 746-757 MHz, 776-788 MHz, and 805-806 MHz bands are limited to 3 watts ERP.

5.2 TEST PROCEDURES

Measurement Procedure: FCC KDB 971168 D01 V03r01

1. Connect the test system to the UE antenna connector.
2. A call is set up according to the Generic call setup procedure.
3. Set and send continuously up power control commands to the UE, until the UE output power shall be maximum level.
4. Read the conducted power in the base station.

Remark:


- a: For getting the EIRP (Efficient Isotropic Radiated Power) in substitution method, the following formula should be taken to calculate it,

$$\text{EIRP [dBm]} = \text{Conducted output power [dBm]} + \text{Gain [dBi]}$$

$$\text{ERP [dBm]} = \text{Conducted output power [dBm]} + \text{Gain [dBi]} - 2.15\text{dB}$$

$$P [\text{dBm}] = 10 \lg(P/1\text{mw})$$

5.3 TEST SETUP



5.4 TEST RESULTS

Effective Radiated Power

EUT Name	DiLink	Model	DiLink 3.0F
Sample No.	E20211217696105-0006	Test Mode	LTE
Power supply	DC 12V	Environmental Conditions	Temp:22.6℃;Humi:45%RH
Test Date	2022-04-08 to 2022-04-11	Test Site	/
Tested By	Zhou Xiaolong	Reviewed by	Zhao Zetian

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	23.01	21.07	≤33.01	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	23.03	21.09	≤33.01	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	22.97	21.03	≤33.01	PASS
Band2	1.4MHz	QPSK	18607	3RB#0	23.06	21.12	≤33.01	PASS
Band2	1.4MHz	QPSK	18607	3RB#1	23.16	21.22	≤33.01	PASS
Band2	1.4MHz	QPSK	18607	3RB#3	23.09	21.15	≤33.01	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	22.06	20.12	≤33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	22.91	20.97	≤33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	22.91	20.97	≤33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	22.92	20.98	≤33.01	PASS
Band2	1.4MHz	QPSK	18900	3RB#0	22.96	21.02	≤33.01	PASS
Band2	1.4MHz	QPSK	18900	3RB#1	22.97	21.03	≤33.01	PASS
Band2	1.4MHz	QPSK	18900	3RB#3	22.97	21.03	≤33.01	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	21.94	20.00	≤33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	22.73	20.79	≤33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	22.85	20.91	≤33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	22.78	20.84	≤33.01	PASS
Band2	1.4MHz	QPSK	19193	3RB#0	23.03	21.09	≤33.01	PASS
Band2	1.4MHz	QPSK	19193	3RB#1	23.05	21.11	≤33.01	PASS
Band2	1.4MHz	QPSK	19193	3RB#3	22.94	21.00	≤33.01	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	21.80	19.86	≤33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	22.33	20.39	≤33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	22.44	20.50	≤33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	22.33	20.39	≤33.01	PASS
Band2	1.4MHz	16QAM	18607	3RB#0	22.18	20.24	≤33.01	PASS
Band2	1.4MHz	16QAM	18607	3RB#1	22.12	20.18	≤33.01	PASS
Band2	1.4MHz	16QAM	18607	3RB#3	22.18	20.24	≤33.01	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	21.22	19.28	≤33.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	22.14	20.20	≤33.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	22.27	20.33	≤33.01	PASS

Band2	1.4MHz	16QAM	18900	1RB#5	22.16	20.22	≤33.01	PASS
Band2	1.4MHz	16QAM	18900	3RB#0	22.03	20.09	≤33.01	PASS
Band2	1.4MHz	16QAM	18900	3RB#1	22.00	20.06	≤33.01	PASS
Band2	1.4MHz	16QAM	18900	3RB#3	22.01	20.07	≤33.01	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	20.96	19.02	≤33.01	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	21.81	19.87	≤33.01	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	21.94	20.00	≤33.01	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	21.79	19.85	≤33.01	PASS
Band2	1.4MHz	16QAM	19193	3RB#0	21.91	19.97	≤33.01	PASS
Band2	1.4MHz	16QAM	19193	3RB#1	21.92	19.98	≤33.01	PASS
Band2	1.4MHz	16QAM	19193	3RB#3	21.84	19.90	≤33.01	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	20.96	19.02	≤33.01	PASS
Band2	3MHz	QPSK	18615	1RB#0	22.99	21.05	≤33.01	PASS
Band2	3MHz	QPSK	18615	1RB#8	23.07	21.13	≤33.01	PASS
Band2	3MHz	QPSK	18615	1RB#14	23.00	21.06	≤33.01	PASS
Band2	3MHz	QPSK	18615	8RB#0	22.11	20.17	≤33.01	PASS
Band2	3MHz	QPSK	18615	8RB#4	22.12	20.18	≤33.01	PASS
Band2	3MHz	QPSK	18615	8RB#7	22.10	20.16	≤33.01	PASS
Band2	3MHz	QPSK	18615	15RB#0	22.17	20.23	≤33.01	PASS
Band2	3MHz	QPSK	18900	1RB#0	22.94	21.00	≤33.01	PASS
Band2	3MHz	QPSK	18900	1RB#8	22.94	21.00	≤33.01	PASS
Band2	3MHz	QPSK	18900	1RB#14	22.96	21.02	≤33.01	PASS
Band2	3MHz	QPSK	18900	8RB#0	22.00	20.06	≤33.01	PASS
Band2	3MHz	QPSK	18900	8RB#4	21.97	20.03	≤33.01	PASS
Band2	3MHz	QPSK	18900	8RB#7	22.01	20.07	≤33.01	PASS
Band2	3MHz	QPSK	18900	15RB#0	22.02	20.08	≤33.01	PASS
Band2	3MHz	QPSK	19185	1RB#0	22.81	20.87	≤33.01	PASS
Band2	3MHz	QPSK	19185	1RB#8	22.86	20.92	≤33.01	PASS
Band2	3MHz	QPSK	19185	1RB#14	22.81	20.87	≤33.01	PASS
Band2	3MHz	QPSK	19185	8RB#0	21.94	20.00	≤33.01	PASS
Band2	3MHz	QPSK	19185	8RB#4	21.97	20.03	≤33.01	PASS
Band2	3MHz	QPSK	19185	8RB#7	21.88	19.94	≤33.01	PASS
Band2	3MHz	QPSK	19185	15RB#0	21.95	20.01	≤33.01	PASS
Band2	3MHz	16QAM	18615	1RB#0	22.40	20.46	≤33.01	PASS
Band2	3MHz	16QAM	18615	1RB#8	22.42	20.48	≤33.01	PASS
Band2	3MHz	16QAM	18615	1RB#14	22.37	20.43	≤33.01	PASS
Band2	3MHz	16QAM	18615	8RB#0	21.31	19.37	≤33.01	PASS
Band2	3MHz	16QAM	18615	8RB#4	21.36	19.42	≤33.01	PASS