


Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	21100	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 06:56:56		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	37.1295	-54.48	-73.56	-25.00	48.56	-19.08	RMS	Vertical
2	41.7855	-53.56	-71.71	-25.00	46.71	-18.15	RMS	Vertical
3	74.2805	-41.63	-62.94	-25.00	37.94	-21.31	RMS	Vertical
4	107.9880	-52.58	-62.74	-25.00	37.74	-10.16	RMS	Vertical
5	413.3925	-62.85	-73.36	-25.00	48.36	-10.51	RMS	Vertical
6	695.1775	-68.26	-74.37	-25.00	49.37	-6.11	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	21350	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 06:58:54		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	41.7855	-64.64	-74.70	-25.00	49.70	-10.06	RMS	Horizontal
2	107.9880	-61.21	-83.12	-25.00	58.12	-21.91	RMS	Horizontal
3	206.6855	-58.54	-75.32	-25.00	50.32	-16.78	RMS	Horizontal
4	225.4550	-58.06	-70.82	-25.00	45.82	-12.76	RMS	Horizontal
5	375.7565	-64.52	-75.95	-25.00	50.95	-11.43	RMS	Horizontal
6	600.9905	-68.85	-74.41	-25.00	49.41	-5.56	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	21350	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 07:00:08		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	37.1295	-55.47	-74.55	-25.00	49.55	-19.08	RMS	Vertical
2	40.7185	-53.94	-71.87	-25.00	46.87	-17.93	RMS	Vertical
3	74.2320	-40.66	-61.96	-25.00	36.96	-21.30	RMS	Vertical
4	107.9880	-53.05	-63.21	-25.00	38.21	-10.16	RMS	Vertical
5	262.9455	-62.73	-78.05	-25.00	53.05	-15.32	RMS	Vertical
6	413.1015	-65.35	-75.85	-25.00	50.85	-10.50	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	23060	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 06:11:00		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	82.9620	-45.56	-68.02	-13.00	55.02	-22.46	RMS	Horizontal
2	237.1435	-37.32	-49.18	-13.00	36.18	-11.86	RMS	Horizontal
3	315.9075	-54.95	-68.89	-13.00	55.89	-13.94	RMS	Horizontal
4	586.9255	-41.69	-47.67	-13.00	34.67	-5.98	RMS	Horizontal
5	699.5910	-13.91	-20.60	-13.00	7.60	-6.69	RMS	Horizontal
6	936.7560	-61.50	-63.77	-13.00	50.77	-2.27	RMS	Horizontal

NOTE: NO.5 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	23060	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 06:12:14		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	75.2505	-42.40	-63.86	-13.00	50.86	-21.46	RMS	Vertical
2	107.9880	-53.49	-63.65	-13.00	50.65	-10.16	RMS	Vertical
3	236.9495	-37.67	-55.08	-13.00	42.08	-17.41	RMS	Vertical
4	586.9255	-41.48	-48.46	-13.00	35.46	-6.98	RMS	Vertical
5	699.5910	-13.81	-19.83	-13.00	6.83	-6.02	RMS	Vertical
6	936.7075	-64.44	-66.94	-13.00	53.94	-2.50	RMS	Vertical

NOTE: NO.5 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	23095	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 06:07:54		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	50.8065	-62.02	-74.32	-13.00	61.32	-12.30	RMS	Horizontal
2	100.4705	-45.61	-66.26	-13.00	53.26	-20.65	RMS	Horizontal
3	251.1115	-37.30	-51.09	-13.00	38.09	-13.79	RMS	Horizontal
4	602.6880	-51.17	-56.77	-13.00	43.77	-5.60	RMS	Horizontal
5	703.0830	-13.94	-20.47	-13.00	7.47	-6.53	RMS	Horizontal
6	954.2645	-60.88	-62.82	-13.00	49.82	-1.94	RMS	Horizontal

NOTE: NO.5 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	23095	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 06:09:08		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	75.2505	-45.73	-67.19	-13.00	54.19	-21.46	RMS	Vertical
2	100.4705	-44.92	-57.60	-13.00	44.6	-12.68	RMS	Vertical
3	251.3055	-36.73	-53.29	-13.00	40.29	-16.56	RMS	Vertical
4	602.4940	-51.47	-57.93	-13.00	44.93	-6.46	RMS	Vertical
5	703.0830	-14.28	-20.13	-13.00	7.13	-5.85	RMS	Vertical
6	954.2160	-63.02	-65.21	-13.00	52.21	-2.19	RMS	Vertical

NOTE: NO.5 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	23130	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 06:04:45		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	117.9790	-45.87	-68.68	-13.00	55.68	-22.81	RMS	Horizontal
2	265.1280	-36.97	-51.04	-13.00	38.04	-14.07	RMS	Horizontal
3	353.4950	-55.93	-68.32	-13.00	55.32	-12.39	RMS	Horizontal
4	618.2080	-50.97	-57.20	-13.00	44.20	-6.23	RMS	Horizontal
5	706.5750	-13.76	-20.11	-13.00	7.11	-6.35	RMS	Horizontal
6	971.5305	-65.55	-67.68	-13.00	54.68	-2.13	RMS	Horizontal

NOTE: NO.5 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	23130	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 06:05:58		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	75.2505	-44.17	-65.63	-13.00	52.63	-21.46	RMS	Vertical
2	107.9880	-54.31	-64.47	-13.00	51.47	-10.16	RMS	Vertical
3	117.8820	-52.32	-63.39	-13.00	50.39	-11.07	RMS	Vertical
4	265.2735	-42.02	-57.17	-13.00	44.17	-15.15	RMS	Vertical
5	618.2565	-58.17	-64.72	-13.00	51.72	-6.55	RMS	Vertical
6	706.5750	-14.36	-20.02	-13.00	7.02	-5.66	RMS	Vertical

NOTE: NO.6 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	23230	Band:	Band=13 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 06:01:19		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	41.4945	-64.76	-74.75	-13.00	61.75	-9.99	RMS	Horizontal
2	92.2255	-61.73	-83.45	-13.00	70.45	-21.72	RMS	Horizontal
3	160.3195	-34.93	-57.04	-13.00	44.04	-22.11	RMS	Horizontal
4	549.1440	-44.85	-52.51	-13.00	39.51	-7.66	RMS	Horizontal
5	777.5790	-13.72	-16.92	-13.00	3.92	-3.20	RMS	Horizontal
6	937.8715	-57.21	-59.47	-13.00	46.47	-2.26	RMS	Horizontal

NOTE: NO.5 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	23230	Band:	Band=13 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 06:02:33		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	41.9795	-54.30	-72.49	-13.00	59.49	-18.19	RMS	Vertical
2	75.2505	-43.77	-65.23	-13.00	52.23	-21.46	RMS	Vertical
3	107.9880	-54.94	-65.10	-13.00	52.10	-10.16	RMS	Vertical
4	160.4650	-38.17	-59.06	-13.00	46.06	-20.89	RMS	Vertical
5	549.1440	-48.77	-56.96	-13.00	43.96	-8.19	RMS	Vertical
6	777.5305	-14.05	-18.41	-13.00	5.41	-4.36	RMS	Vertical

NOTE: NO.6 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	23780	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 05:29:17		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	41.8340	-65.66	-75.74	-13.00	62.74	-10.08	RMS	Horizontal
2	107.9880	-46.68	-68.59	-13.00	55.59	-21.91	RMS	Horizontal
3	257.1255	-37.25	-51.29	-13.00	38.29	-14.04	RMS	Horizontal
4	609.6235	-51.85	-57.63	-13.00	44.63	-5.78	RMS	Horizontal
5	704.5865	-13.91	-20.36	-13.00	7.36	-6.45	RMS	Horizontal
6	961.7820	-63.42	-65.30	-13.00	52.30	-1.88	RMS	Horizontal

NOTE: NO.5 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	23780	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 05:30:31		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	41.8340	-54.75	-72.91	-13.00	59.91	-18.16	RMS	Vertical
2	75.2505	-43.23	-64.69	-13.00	51.69	-21.46	RMS	Vertical
3	107.9395	-48.05	-58.22	-13.00	45.22	-10.17	RMS	Vertical
4	257.1255	-36.72	-52.59	-13.00	39.59	-15.87	RMS	Vertical
5	609.4295	-53.92	-60.69	-13.00	47.69	-6.77	RMS	Vertical
6	704.5380	-13.36	-19.13	-13.00	6.13	-5.77	RMS	Vertical

NOTE: NO.6 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	23790	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 05:26:01		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	38.8755	-63.59	-73.57	-13.00	60.57	-9.98	RMS	Horizontal
2	112.7410	-46.43	-68.88	-13.00	55.88	-22.45	RMS	Horizontal
3	261.1510	-36.77	-50.91	-13.00	37.91	-14.14	RMS	Horizontal
4	613.9400	-50.40	-56.40	-13.00	43.40	-6.00	RMS	Horizontal
5	705.5565	-14.37	-20.77	-13.00	7.77	-6.40	RMS	Horizontal
6	966.9230	-61.18	-63.25	-13.00	50.25	-2.07	RMS	Horizontal

NOTE: NO.5 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	23790	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 05:27:15		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	40.9125	-54.17	-72.14	-13.00	59.14	-17.97	RMS	Vertical
2	74.2320	-39.67	-60.97	-13.00	47.97	-21.30	RMS	Vertical
3	112.9835	-44.17	-54.25	-13.00	41.25	-10.08	RMS	Vertical
4	260.9570	-37.91	-53.37	-13.00	40.37	-15.46	RMS	Vertical
5	613.9400	-56.11	-62.79	-13.00	49.79	-6.68	RMS	Vertical
6	705.5080	-13.72	-19.44	-13.00	6.44	-5.72	RMS	Vertical

NOTE: NO.6 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	23800	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 05:21:47		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	44.4045	-63.76	-74.49	-13.00	61.49	-10.73	RMS	Horizontal
2	117.7365	-45.31	-68.11	-13.00	55.11	-22.80	RMS	Horizontal
3	265.1280	-34.62	-48.69	-13.00	35.69	-14.07	RMS	Horizontal
4	353.2525	-57.99	-70.40	-13.00	57.4	-12.41	RMS	Horizontal
5	618.2080	-49.09	-55.32	-13.00	42.32	-6.23	RMS	Horizontal
6	706.5265	-13.57	-19.92	-13.00	6.92	-6.35	RMS	Horizontal

NOTE: NO.6 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	23800	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 05:23:00		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	40.8155	-54.44	-72.39	-13.00	59.39	-17.95	RMS	Vertical
2	74.2320	-36.84	-58.14	-13.00	45.14	-21.30	RMS	Vertical
3	117.9790	-47.62	-58.71	-13.00	45.71	-11.09	RMS	Vertical
4	265.1280	-40.75	-55.91	-13.00	42.91	-15.16	RMS	Vertical
5	618.4990	-56.37	-62.91	-13.00	49.91	-6.54	RMS	Vertical
6	706.5750	-13.93	-19.59	-13.00	6.59	-5.66	RMS	Vertical

NOTE: NO.6 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	37850	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 05:32:35		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	41.4945	-64.90	-74.89	-25.00	49.89	-9.99	RMS	Horizontal
2	75.2505	-64.22	-85.34	-25.00	60.34	-21.12	RMS	Horizontal
3	107.9880	-62.59	-84.50	-25.00	59.50	-21.91	RMS	Horizontal
4	226.2310	-57.94	-70.58	-25.00	45.58	-12.64	RMS	Horizontal
5	414.8960	-60.97	-70.89	-25.00	45.89	-9.92	RMS	Horizontal
6	603.4640	-67.78	-73.40	-25.00	48.40	-5.62	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	37850	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 05:33:49		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	40.4275	-54.98	-72.86	-25.00	47.86	-17.88	RMS	Vertical
2	75.2505	-43.66	-65.12	-25.00	40.12	-21.46	RMS	Vertical
3	107.9880	-55.33	-65.49	-25.00	40.49	-10.16	RMS	Vertical
4	207.3645	-63.24	-80.41	-25.00	55.41	-17.17	RMS	Vertical
5	414.8475	-61.07	-71.59	-25.00	46.59	-10.52	RMS	Vertical
6	603.2215	-67.85	-74.35	-25.00	49.35	-6.50	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	38000	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 05:35:51		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	41.6400	-54.61	-64.64	-25.00	39.64	-10.03	RMS	Horizontal
2	75.2505	-43.15	-64.27	-25.00	39.27	-21.12	RMS	Horizontal
3	107.9880	-53.80	-75.71	-25.00	50.71	-21.91	RMS	Horizontal
4	263.8185	-62.79	-76.88	-25.00	51.88	-14.09	RMS	Horizontal
5	414.7020	-60.36	-70.28	-25.00	45.28	-9.92	RMS	Horizontal
6	697.4570	-70.23	-76.95	-25.00	51.95	-6.72	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	38000	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 05:37:05		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	41.5430	-54.24	-72.34	-25.00	47.34	-18.10	RMS	Vertical
2	75.2505	-43.35	-64.81	-25.00	39.81	-21.46	RMS	Vertical
3	107.9880	-55.27	-65.43	-25.00	40.43	-10.16	RMS	Vertical
4	263.8185	-64.82	-80.08	-25.00	55.08	-15.26	RMS	Vertical
5	414.6535	-63.32	-73.84	-25.00	48.84	-10.52	RMS	Vertical
6	735.2870	-70.67	-74.66	-25.00	49.66	-3.99	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	38150	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 05:38:56		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	41.7855	-64.25	-74.31	-25.00	49.31	-10.06	RMS	Horizontal
2	75.2505	-60.88	-82.00	-25.00	57.00	-21.12	RMS	Horizontal
3	107.9880	-61.22	-83.13	-25.00	58.13	-21.91	RMS	Horizontal
4	226.1825	-60.20	-72.85	-25.00	47.85	-12.65	RMS	Horizontal
5	414.7020	-60.60	-70.52	-25.00	45.52	-9.92	RMS	Horizontal
6	603.2215	-66.72	-72.34	-25.00	47.34	-5.62	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	38150	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 05:40:09		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	41.9795	-53.31	-71.50	-25.00	46.50	-18.19	RMS	Vertical
2	75.2505	-40.54	-62.00	-25.00	37.00	-21.46	RMS	Vertical
3	107.9880	-53.92	-64.08	-25.00	39.08	-10.16	RMS	Vertical
4	263.8670	-64.62	-79.87	-25.00	54.87	-15.25	RMS	Vertical
5	377.0660	-65.65	-76.88	-25.00	51.88	-11.23	RMS	Vertical
6	735.3355	-71.56	-75.55	-25.00	50.55	-3.99	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	39750	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 05:50:38		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	41.8340	-64.27	-74.35	-25.00	49.35	-10.08	RMS	Horizontal
2	75.2505	-64.44	-85.56	-25.00	60.56	-21.12	RMS	Horizontal
3	107.9880	-62.91	-84.82	-25.00	59.82	-21.91	RMS	Horizontal
4	207.2675	-57.65	-74.38	-25.00	49.38	-16.73	RMS	Horizontal
5	226.1825	-61.55	-74.20	-25.00	49.20	-12.65	RMS	Horizontal
6	414.5565	-64.38	-74.30	-25.00	49.30	-9.92	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	39750	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 05:51:52		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	41.1065	-54.21	-72.22	-25.00	47.22	-18.01	RMS	Vertical
2	75.2505	-44.37	-65.83	-25.00	40.83	-21.46	RMS	Vertical
3	107.9880	-55.35	-65.51	-25.00	40.51	-10.16	RMS	Vertical
4	263.8185	-62.37	-77.63	-25.00	52.63	-15.26	RMS	Vertical
5	376.8720	-65.81	-77.05	-25.00	52.05	-11.24	RMS	Vertical
6	734.8990	-71.17	-75.18	-25.00	50.18	-4.01	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	40620	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 05:53:52		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	41.9310	-64.36	-74.46	-25.00	49.46	-10.10	RMS	Horizontal
2	74.1835	-61.87	-82.65	-25.00	57.65	-20.78	RMS	Horizontal
3	107.9880	-62.27	-84.18	-25.00	59.18	-21.91	RMS	Horizontal
4	226.1340	-59.85	-72.50	-25.00	47.50	-12.65	RMS	Horizontal
5	263.7700	-59.33	-73.42	-25.00	48.42	-14.09	RMS	Horizontal
6	414.6050	-60.61	-70.53	-25.00	45.53	-9.92	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	40620	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 05:55:06		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	40.9610	-53.70	-71.68	-25.00	46.68	-17.98	RMS	Vertical
2	74.2320	-38.35	-59.65	-25.00	34.65	-21.30	RMS	Vertical
3	107.9880	-55.59	-65.75	-25.00	40.75	-10.16	RMS	Vertical
4	263.7700	-61.40	-76.66	-25.00	51.66	-15.26	RMS	Vertical
5	414.5080	-63.11	-73.63	-25.00	48.63	-10.52	RMS	Vertical
6	734.8990	-70.09	-74.10	-25.00	49.10	-4.01	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	41490	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 05:57:21		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	42.1250	-64.08	-74.23	-25.00	49.23	-10.15	RMS	Horizontal
2	107.9880	-60.43	-82.34	-25.00	57.34	-21.91	RMS	Horizontal
3	226.1340	-60.45	-73.10	-25.00	48.10	-12.65	RMS	Horizontal
4	263.7215	-59.29	-73.38	-25.00	48.38	-14.09	RMS	Horizontal
5	414.6050	-66.37	-76.29	-25.00	51.29	-9.92	RMS	Horizontal
6	697.1660	-65.81	-72.53	-25.00	47.53	-6.72	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	41490	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 05:58:35		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	40.8640	-53.87	-71.83	-25.00	46.83	-17.96	RMS	Vertical
2	75.2505	-44.06	-65.52	-25.00	40.52	-21.46	RMS	Vertical
3	107.9880	-53.84	-64.00	-25.00	39.00	-10.16	RMS	Vertical
4	207.2675	-64.36	-81.53	-25.00	56.53	-17.17	RMS	Vertical
5	414.6050	-62.95	-73.47	-25.00	48.47	-10.52	RMS	Vertical
6	734.9475	-70.78	-74.79	-25.00	49.79	-4.01	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	18700	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-10 15:36:49		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1851.100	7.44	18.53	-13.00	-31.53	11.09	RMS	Horizontal
2	3702.000	-45.92	-51.30	-13.00	38.30	-5.38	RMS	Horizontal
3	5076.000	-66.23	-65.86	-13.00	52.86	0.37	RMS	Horizontal
4	6658.500	-66.68	-63.01	-13.00	50.01	3.67	RMS	Horizontal
5	8097.000	-68.65	-61.34	-13.00	48.34	7.31	RMS	Horizontal
6	10050.00	-69.54	-58.32	-13.00	45.32	11.22	RMS	Horizontal

NOTE: NO.1 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	18700	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-10 15:39:15		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1851.100	-0.53	10.60	-13.00	-23.60	11.13	RMS	Vertical
2	3702.000	-53.73	-59.58	-13.00	46.58	-5.85	RMS	Vertical
3	5095.500	-66.85	-66.01	-13.00	53.01	0.84	RMS	Vertical
4	7201.500	-67.86	-61.07	-13.00	48.07	6.79	RMS	Vertical
5	9126.750	-69.06	-58.62	-13.00	45.62	10.44	RMS	Vertical
6	11205.75	-70.73	-56.10	-13.00	43.10	14.63	RMS	Vertical

NOTE: NO.1 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	18900	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-10 15:30:43		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1871.000	7.50	18.44	-13.00	-31.44	10.94	RMS	Horizontal
2	3742.500	-52.55	-58.03	-13.00	45.03	-5.48	RMS	Horizontal
3	4404.750	-64.82	-67.62	-13.00	54.62	-2.80	RMS	Horizontal
4	5898.750	-65.65	-64.43	-13.00	51.43	1.22	RMS	Horizontal
5	7205.250	-67.78	-61.60	-13.00	48.60	6.18	RMS	Horizontal
6	9446.250	-69.76	-58.67	-13.00	45.67	11.09	RMS	Horizontal

NOTE: NO.1 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	18900	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-10 15:33:09		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1871.000	-1.13	9.98	-13.00	-22.98	11.11	RMS	Vertical
2	3742.500	-58.55	-64.28	-13.00	51.28	-5.73	RMS	Vertical
3	5115.750	-66.76	-65.63	-13.00	52.63	1.13	RMS	Vertical
4	7200.000	-67.94	-61.06	-13.00	48.06	6.88	RMS	Vertical
5	8436.000	-68.65	-60.08	-13.00	47.08	8.57	RMS	Vertical
6	11247.75	-70.82	-55.91	-13.00	42.91	14.91	RMS	Vertical

NOTE: NO.1 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	20050	Band:	Band=4 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-10 15:49:39		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1711.000	5.79	15.79	-13.00	-28.79	10.00	RMS	Horizontal
2	2541.700	-68.93	-54.60	-13.00	41.60	14.33	RMS	Horizontal
3	3422.250	-43.40	-49.86	-13.00	36.86	-6.46	RMS	Horizontal
4	4787.250	-65.83	-67.52	-13.00	54.52	-1.69	RMS	Horizontal
5	6051.750	-65.48	-64.63	-13.00	51.63	0.85	RMS	Horizontal
6	7203.000	-67.75	-61.48	-13.00	48.48	6.27	RMS	Horizontal

NOTE: NO.1 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	20050	Band:	Band=4 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-10 15:52:05		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1711.100	-2.48	7.14	-13.00	-20.14	9.62	RMS	Vertical
2	2127.600	-65.35	-52.89	-13.00	39.89	12.46	RMS	Vertical
3	3422.250	-52.54	-59.33	-13.00	46.33	-6.79	RMS	Vertical
4	7200.000	-67.83	-60.95	-13.00	47.95	6.88	RMS	Vertical
5	8769.750	-69.46	-60.01	-13.00	47.01	9.45	RMS	Vertical
6	10313.25	-69.64	-57.15	-13.00	44.15	12.49	RMS	Vertical

NOTE: NO.1 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	20175	Band:	Band=4 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-10 15:55:40		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1723.600	7.42	17.08	-13.00	-30.08	9.66	RMS	Horizontal
2	3447.000	-49.47	-55.67	-13.00	42.67	-6.20	RMS	Horizontal
3	4401.750	-64.96	-67.74	-13.00	54.74	-2.78	RMS	Horizontal
4	5165.250	-67.02	-65.94	-13.00	52.94	1.08	RMS	Horizontal
5	6894.000	-63.14	-60.22	-13.00	47.22	2.92	RMS	Horizontal
6	8586.000	-68.78	-60.01	-13.00	47.01	8.77	RMS	Horizontal

NOTE: NO.1 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	20175	Band:	Band=4 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-10 15:58:06		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1723.500	0.56	10.00	-13.00	-23.00	9.44	RMS	Vertical
2	2132.900	-65.54	-53.03	-13.00	40.03	12.51	RMS	Vertical
3	3447.000	-57.05	-63.58	-13.00	50.58	-6.53	RMS	Vertical
4	5130.000	-66.67	-65.33	-13.00	52.33	1.34	RMS	Vertical
5	6894.000	-62.24	-59.78	-13.00	46.78	2.46	RMS	Vertical
6	8769.750	-69.31	-59.86	-13.00	46.86	9.45	RMS	Vertical

NOTE: NO.1 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	20300	Band:	Band=4 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-10 16:01:29		

Test Graph**Suspected Data List**


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1736.100	6.43	15.76	-13.00	-28.76	9.33	RMS	Horizontal
2	2041.200	-69.66	-56.67	-13.00	43.67	12.99	RMS	Horizontal
3	3472.500	-47.53	-53.45	-13.00	40.45	-5.92	RMS	Horizontal
4	5300.250	-67.27	-65.82	-13.00	52.82	1.45	RMS	Horizontal
5	7200.750	-67.76	-61.41	-13.00	48.41	6.35	RMS	Horizontal
6	8636.250	-68.82	-60.06	-13.00	47.06	8.76	RMS	Horizontal

NOTE: NO.1 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	20300	Band:	Band=4 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-10 16:03:56		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1736.000	0.00	9.25	-13.00	-22.25	9.25	RMS	Vertical
2	2137.000	-65.65	-53.10	-13.00	40.10	12.55	RMS	Vertical
3	3472.500	-53.98	-60.09	-13.00	47.09	-6.11	RMS	Vertical
4	7203.000	-67.64	-60.94	-13.00	47.94	6.70	RMS	Vertical
5	9052.500	-69.40	-59.27	-13.00	46.27	10.13	RMS	Vertical
6	10702.50	-70.11	-55.97	-13.00	42.97	14.14	RMS	Vertical

NOTE: NO.1 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	20450	Band:	Band=5 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-10 16:16:52		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1294.300	-60.83	-73.83	-13.00	60.83	-13.00	RMS	Horizontal
2	1649.200	-53.49	-66.31	-13.00	53.31	-12.82	RMS	Horizontal
3	2303.900	-60.25	-70.59	-13.00	57.59	-10.34	RMS	Horizontal
4	3104.250	-62.72	-69.00	-13.00	56.00	-6.28	RMS	Horizontal
5	4987.500	-65.89	-65.63	-13.00	52.63	0.26	RMS	Horizontal
6	7197.750	-67.58	-61.31	-13.00	48.31	6.27	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	20450	Band:	Band=5 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-10 16:19:17		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1475.400	-57.57	-70.08	-13.00	57.08	-12.51	RMS	Vertical
2	1649.300	-55.60	-68.72	-13.00	55.72	-13.12	RMS	Vertical
3	2343.700	-58.75	-69.52	-13.00	56.52	-10.77	RMS	Vertical
4	3197.250	-62.60	-69.18	-13.00	56.18	-6.58	RMS	Vertical
5	5142.750	-66.93	-65.41	-13.00	52.41	1.52	RMS	Vertical
6	7202.250	-67.67	-60.92	-13.00	47.92	6.75	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	20525	Band:	Band=5 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-10 16:24:40		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1675.400	-54.91	-68.10	-13.00	55.10	-13.19	RMS	Horizontal
2	2304.000	-59.39	-69.73	-13.00	56.73	-10.34	RMS	Horizontal
3	3106.500	-62.89	-69.19	-13.00	56.19	-6.30	RMS	Horizontal
4	3744.000	-62.73	-68.21	-13.00	55.21	-5.48	RMS	Horizontal
5	5008.500	-65.79	-65.52	-13.00	52.52	0.27	RMS	Horizontal
6	7197.750	-67.49	-61.22	-13.00	48.22	6.27	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	20525	Band:	Band=5 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-10 16:27:06		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1504.200	-58.92	-70.97	-13.00	57.97	-12.05	RMS	Vertical
2	2206.900	-61.84	-71.47	-13.00	58.47	-9.63	RMS	Vertical
3	3072.000	-60.77	-67.57	-13.00	54.57	-6.80	RMS	Vertical
4	4476.000	-64.71	-67.70	-13.00	54.70	-2.99	RMS	Vertical
5	6582.000	-66.76	-64.39	-13.00	51.39	2.37	RMS	Vertical
6	7203.000	-67.55	-60.85	-13.00	47.85	6.70	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	20600	Band:	Band=5 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-10 16:32:56		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1332.100	-60.97	-74.00	-13.00	61.00	-13.03	RMS	Horizontal
2	2303.900	-59.89	-70.23	-13.00	57.23	-10.34	RMS	Horizontal
3	4391.250	-64.69	-67.57	-13.00	54.57	-2.88	RMS	Horizontal
4	5906.250	-65.69	-64.52	-13.00	51.52	1.17	RMS	Horizontal
5	7205.250	-67.70	-61.52	-13.00	48.52	6.18	RMS	Horizontal
6	9126.000	-69.18	-58.74	-13.00	45.74	10.44	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	20600	Band:	Band=5 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-10 16:35:22		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1536.300	-60.62	-73.34	-13.00	60.34	-12.72	RMS	Vertical
2	2303.800	-59.03	-70.40	-13.00	57.40	-11.37	RMS	Vertical
3	3071.250	-62.09	-68.89	-13.00	55.89	-6.80	RMS	Vertical
4	5133.750	-66.97	-65.58	-13.00	52.58	1.39	RMS	Vertical
5	7206.000	-67.53	-61.00	-13.00	48.00	6.53	RMS	Vertical
6	9449.250	-69.55	-58.00	-13.00	45.00	11.55	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	20850	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-10 16:42:04		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1313.700	-70.42	-59.75	-25.00	34.75	10.67	RMS	Horizontal
2	2020.300	-69.80	-56.89	-25.00	31.89	12.91	RMS	Horizontal
3	2501.100	3.35	17.23	-25.00	-42.23	13.88	RMS	Horizontal
4	3694.500	-63.22	-68.69	-25.00	43.69	-5.47	RMS	Horizontal
5	5002.500	-61.20	-60.91	-25.00	35.91	0.29	RMS	Horizontal
6	7201.500	-67.78	-61.46	-25.00	36.46	6.32	RMS	Horizontal

NOTE: NO.3 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	20850	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-10 16:44:30		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1496.100	-71.15	-59.22	-25.00	34.22	11.93	RMS	Vertical
2	2501.100	-7.05	6.30	-25.00	-31.30	13.35	RMS	Vertical
3	3747.750	-63.23	-68.95	-25.00	43.95	-5.72	RMS	Vertical
4	5154.750	-67.06	-65.51	-25.00	40.51	1.55	RMS	Vertical
5	7206.750	-67.29	-60.81	-25.00	35.81	6.48	RMS	Vertical
6	9126.750	-69.03	-58.59	-25.00	33.59	10.44	RMS	Vertical

NOTE: NO.2 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	21100	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 02:13:09		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1301.300	-70.32	-59.52	-25.00	34.52	10.80	RMS	Horizontal
2	2526.000	6.04	20.20	-25.00	-45.2	14.16	RMS	Horizontal
3	5052.000	-58.07	-57.93	-25.00	32.93	0.14	RMS	Horizontal
4	7203.000	-67.41	-61.14	-25.00	36.14	6.27	RMS	Horizontal
5	10149.00	-68.95	-56.88	-25.00	31.88	12.07	RMS	Horizontal
6	13705.50	-68.13	-52.70	-25.00	27.70	15.43	RMS	Horizontal

NOTE: NO.2 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	21100	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 02:15:369		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	2200.900	-69.60	-55.62	-25.00	30.62	13.98	RMS	Vertical
2	2526.000	-5.05	8.72	-25.00	-33.72	13.77	RMS	Vertical
3	5052.000	-62.33	-62.19	-25.00	37.19	0.14	RMS	Vertical
4	7204.500	-67.17	-60.55	-25.00	35.55	6.62	RMS	Vertical
5	8731.500	-68.71	-59.52	-25.00	34.52	9.19	RMS	Vertical
6	11244.75	-70.15	-55.26	-25.00	30.26	14.89	RMS	Vertical

NOTE: NO.2 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	21350	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 02:20:25		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1316.100	-70.23	-59.58	-25.00	34.58	10.65	RMS	Horizontal
2	2551.100	-4.21	10.19	-25.00	-35.19	14.40	RMS	Horizontal
3	3729.000	-63.08	-68.53	-25.00	43.53	-5.45	RMS	Horizontal
4	5102.250	-59.89	-59.25	-25.00	34.25	0.64	RMS	Horizontal
5	7200.000	-67.37	-60.99	-25.00	35.99	6.38	RMS	Horizontal
6	10086.75	-68.96	-57.70	-25.00	32.70	11.26	RMS	Horizontal

NOTE: NO.2 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	21350	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 02:22:51		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1504.70	-70.80	-58.87	-25.00	33.87	11.93	RMS	Vertical
2	2551.10	-4.95	9.22	-25.00	-34.22	14.17	RMS	Vertical
3	4066.50	-64.12	-68.67	-25.00	43.67	-4.55	RMS	Vertical
4	5102.25	-60.04	-59.10	-25.00	34.10	0.94	RMS	Vertical
5	7196.25	-67.26	-60.56	-25.00	35.56	6.70	RMS	Vertical
6	10701.7	-69.88	-55.71	-25.00	30.71	14.17	RMS	Vertical

NOTE: NO.2 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	23060	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 02:34:46		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1399.200	-53.23	-67.70	-13.00	54.70	-14.47	RMS	Horizontal
2	2344.100	-59.11	-69.47	-13.00	56.47	-10.36	RMS	Horizontal
3	3708.750	-63.29	-68.68	-13.00	55.68	-5.39	RMS	Horizontal
4	7206.750	-67.22	-61.09	-13.00	48.09	6.13	RMS	Horizontal
5	10044.75	-69.05	-57.91	-13.00	44.91	11.14	RMS	Horizontal
6	13682.25	-68.58	-53.01	-13.00	40.01	15.57	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	23060	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 02:37:12		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1399.300	-49.76	-65.66	-13.00	52.66	-15.90	RMS	Vertical
2	2303.800	-56.60	-67.97	-13.00	54.97	-11.37	RMS	Vertical
3	3512.250	-63.28	-68.80	-13.00	55.80	-5.52	RMS	Vertical
4	5127.000	-66.47	-65.18	-13.00	52.18	1.29	RMS	Vertical
5	7200.000	-67.40	-60.52	-13.00	47.52	6.88	RMS	Vertical
6	9484.500	-68.57	-57.82	-13.00	44.82	10.75	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	23095	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 02:41:26		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1406.100	-53.43	-67.79	-13.00	54.79	-14.36	RMS	Horizontal
2	2304.000	-60.12	-70.46	-13.00	57.46	-10.34	RMS	Horizontal
3	3723.000	-63.29	-68.72	-13.00	55.72	-5.43	RMS	Horizontal
4	5052.750	-65.67	-65.52	-13.00	52.52	0.15	RMS	Horizontal
5	7207.500	-67.17	-61.07	-13.00	48.07	6.10	RMS	Horizontal
6	13629.75	-68.76	-53.22	-13.00	40.22	15.54	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	23095	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 02:43:51		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1406.200	-52.10	-67.68	-13.00	54.68	-15.58	RMS	Vertical
2	1674.300	-55.76	-69.33	-13.00	56.33	-13.57	RMS	Vertical
3	2304.100	-57.66	-69.03	-13.00	56.03	-11.37	RMS	Vertical
4	3840.000	-62.87	-67.53	-13.00	54.53	-4.66	RMS	Vertical
5	7200.000	-67.51	-60.63	-13.00	47.63	6.88	RMS	Vertical
6	13611.00	-68.53	-51.29	-13.00	38.29	17.24	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	23130	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 02:47:58		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1413.200	-56.18	-70.39	-13.00	57.39	-14.21	RMS	Horizontal
2	1672.700	-58.53	-71.68	-13.00	58.68	-13.15	RMS	Horizontal
3	2304.100	-60.21	-70.55	-13.00	57.55	-10.34	RMS	Horizontal
4	4406.250	-64.57	-67.39	-13.00	54.39	-2.82	RMS	Horizontal
5	7902.000	-67.92	-60.58	-13.00	47.58	7.34	RMS	Horizontal
6	10143.00	-69.28	-57.30	-13.00	44.30	11.98	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	23130	Band:	Band=12 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 02:50:24		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1413.200	-56.41	-71.58	-13.00	58.58	-15.17	RMS	Vertical
2	1670.200	-48.77	-62.26	-13.00	49.26	-13.49	RMS	Vertical
3	2304.000	-57.91	-69.28	-13.00	56.28	-11.37	RMS	Vertical
4	3533.250	-63.56	-68.90	-13.00	55.90	-5.34	RMS	Vertical
5	7198.500	-67.00	-60.19	-13.00	47.19	6.81	RMS	Vertical
6	11238.00	-70.30	-55.46	-13.00	42.46	14.84	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	23230	Band:	Band=13 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 02:53:56		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1555.200	-37.89	-51.68	-13.00	38.68	-13.79	RMS	Horizontal
2	2304.100	-60.23	-70.57	-13.00	57.57	-10.34	RMS	Horizontal
3	3044.250	-62.49	-69.21	-13.00	56.21	-6.72	RMS	Horizontal
4	7207.500	-67.11	-61.01	-13.00	48.01	6.10	RMS	Horizontal
5	7901.250	-68.12	-60.75	-13.00	47.75	7.37	RMS	Horizontal
6	13673.25	-68.55	-52.99	-13.00	39.99	15.56	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	23230	Band:	Band=13 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 02:56:21		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1555.200	-35.66	-48.74	-13.00	35.74	-13.08	RMS	Vertical
2	2304.000	-55.87	-67.24	-13.00	54.24	-11.37	RMS	Vertical
3	5163.750	-66.43	-65.02	-13.00	52.02	1.41	RMS	Vertical
4	7201.500	-67.40	-60.61	-13.00	47.61	6.79	RMS	Vertical
5	11243.25	-70.19	-55.31	-13.00	42.31	14.88	RMS	Vertical
6	13614.75	-68.37	-51.16	-13.00	38.16	17.21	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	23780	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 03:01:12		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1409.200	-54.05	-68.35	-13.00	55.35	-14.30	RMS	Horizontal
2	2341.400	-57.11	-67.47	-13.00	54.47	-10.36	RMS	Horizontal
3	3051.000	-62.39	-69.06	-13.00	56.06	-6.67	RMS	Horizontal
4	5034.750	-65.65	-65.48	-13.00	52.48	0.17	RMS	Horizontal
5	7901.250	-68.02	-60.65	-13.00	47.65	7.37	RMS	Horizontal
6	13690.50	-68.75	-53.18	-13.00	40.18	15.57	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	23780	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 03:03:37		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1409.200	-52.50	-67.90	-13.00	54.90	-15.40	RMS	Vertical
2	2304.000	-55.96	-67.33	-13.00	54.33	-11.37	RMS	Vertical
3	3840.000	-62.58	-67.24	-13.00	54.24	-4.66	RMS	Vertical
4	7199.250	-67.32	-60.48	-13.00	47.48	6.84	RMS	Vertical
5	11600.25	-69.55	-55.02	-13.00	42.02	14.53	RMS	Vertical
6	13905.00	-69.07	-51.52	-13.00	38.52	17.55	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	23790	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 03:07:23		

Test Graph



Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1411.200	-54.61	-68.86	-13.00	55.86	-14.25	RMS	Horizontal
2	2304.200	-60.46	-70.80	-13.00	57.80	-10.34	RMS	Horizontal
3	3708.750	-63.08	-68.47	-13.00	55.47	-5.39	RMS	Horizontal
4	7202.250	-67.32	-61.02	-13.00	48.02	6.30	RMS	Horizontal
5	10705.50	-69.58	-57.12	-13.00	44.12	12.46	RMS	Horizontal
6	13626.75	-68.38	-52.85	-13.00	39.85	15.53	RMS	Horizontal

----- The following blanks -----