


Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	23790	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 03:09:49		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1411.200	-54.34	-69.63	-13.00	56.63	-15.29	RMS	Vertical
2	2303.900	-56.33	-67.70	-13.00	54.70	-11.37	RMS	Vertical
3	4795.500	-65.46	-67.12	-13.00	54.12	-1.66	RMS	Vertical
4	7200.000	-67.33	-60.45	-13.00	47.45	6.88	RMS	Vertical
5	10701.75	-69.89	-55.72	-13.00	42.72	14.17	RMS	Vertical
6	13641.00	-68.48	-51.42	-13.00	38.42	17.06	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	23800	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 03:13:19		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1337.600	-57.22	-70.30	-13.00	57.30	-13.08	RMS	Horizontal
2	1413.100	-55.89	-70.10	-13.00	57.10	-14.21	RMS	Horizontal
3	2054.100	-61.30	-71.87	-13.00	58.87	-10.57	RMS	Horizontal
4	2669.000	-60.71	-70.78	-13.00	57.78	-10.07	RMS	Horizontal
5	7200.000	-67.34	-60.96	-13.00	47.96	6.38	RMS	Horizontal
6	13685.25	-68.45	-52.88	-13.00	39.88	15.57	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	23800	Band:	Band=17 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 03:15:45		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1413.100	-55.66	-70.84	-13.00	57.84	-15.18	RMS	Vertical
2	1695.200	-57.13	-71.10	-13.00	58.10	-13.97	RMS	Vertical
3	2303.700	-56.32	-67.69	-13.00	54.69	-11.37	RMS	Vertical
4	3049.500	-62.15	-68.91	-13.00	55.91	-6.76	RMS	Vertical
5	7199.250	-67.42	-60.58	-13.00	47.58	6.84	RMS	Vertical
6	11598.75	-69.55	-55.05	-13.00	42.05	14.50	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	37850	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 03:21:42		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1295.800	-70.25	-59.65	-25.00	34.65	10.60	RMS	Horizontal
2	2575.800	7.18	21.14	-25.00	-46.14	13.96	RMS	Horizontal
3	5151.000	-58.64	-57.44	-25.00	32.44	1.20	RMS	Horizontal
4	7212.750	-66.92	-61.02	-25.00	36.02	5.90	RMS	Horizontal
5	7902.000	-67.89	-60.55	-25.00	35.55	7.34	RMS	Horizontal
6	10850.25	-69.94	-57.15	-25.00	32.15	12.79	RMS	Horizontal

NOTE: NO.2 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	37850	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 03:24:09		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1295.300	-70.44	-59.51	-25.00	34.51	10.93	RMS	Vertical
2	2575.600	-6.36	7.48	-25.00	-32.48	13.84	RMS	Vertical
3	2997.300	-69.46	-54.10	-25.00	29.10	15.36	RMS	Vertical
4	5151.000	-59.84	-58.23	-25.00	33.23	1.61	RMS	Vertical
5	7199.250	-67.45	-60.61	-25.00	35.61	6.84	RMS	Vertical
6	10710.00	-69.69	-55.86	-25.00	30.86	13.83	RMS	Vertical

NOTE: NO.2 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	38000	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 03:32:23		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1305.000	-70.32	-59.56	-25.00	34.56	10.76	RMS	Horizontal
2	2590.500	8.80	22.49	-25.00	-47.49	13.69	RMS	Horizontal
3	2994.600	-69.46	-53.79	-25.00	28.79	15.67	RMS	Horizontal
4	3707.250	-63.11	-68.50	-25.00	43.50	-5.39	RMS	Horizontal
5	5181.000	-56.63	-55.69	-25.00	30.69	0.94	RMS	Horizontal
6	7203.750	-67.18	-60.94	-25.00	35.94	6.24	RMS	Horizontal

NOTE: NO.2 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	38000	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 03:34:49		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1499.700	-70.81	-58.77	-25.00	33.77	12.04	RMS	Vertical
2	2590.600	-5.85	7.79	-25.00	-32.79	13.64	RMS	Vertical
3	5181.000	-64.43	-63.27	-25.00	38.27	1.16	RMS	Vertical
4	7198.500	-67.43	-60.62	-25.00	35.62	6.81	RMS	Vertical
5	10701.00	-69.82	-55.62	-25.00	30.62	14.20	RMS	Vertical
6	13606.50	-68.83	-51.57	-25.00	26.57	17.26	RMS	Vertical

NOTE: NO.2 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	38150	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 03:39:35		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1313.900	-70.30	-59.63	-25.00	34.63	10.67	RMS	Horizontal
2	2605.800	5.34	18.82	-25.00	-43.82	13.48	RMS	Horizontal
3	4389.750	-64.55	-67.45	-25.00	42.45	-2.90	RMS	Horizontal
4	5211.000	-58.29	-57.48	-25.00	32.48	0.81	RMS	Horizontal
5	7206.000	-67.42	-61.26	-25.00	36.26	6.16	RMS	Horizontal
6	10143.00	-69.06	-57.08	-25.00	32.08	11.98	RMS	Horizontal

NOTE: NO.2 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	38150	Band:	Band=38 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 03:42:01		

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1296.200	-70.38	-59.44	-25.00	34.44	10.94	RMS	Vertical
2	2605.600	-4.31	9.20	-25.00	-34.20	13.51	RMS	Vertical
3	4270.500	-64.28	-67.92	-25.00	42.92	-3.64	RMS	Vertical
4	5211.000	-64.48	-63.61	-25.00	38.61	0.87	RMS	Vertical
5	6664.500	-66.38	-63.34	-25.00	38.34	3.04	RMS	Vertical
6	11264.25	-69.95	-55.26	-25.00	30.26	14.69	RMS	Vertical

NOTE: NO.2 is the fundamental frequency signal.

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105-0004	EUT:	E20211217696105
Channel	39750	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 04:01:00		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1305.500	-70.37	-59.62	-25.00	34.62	10.75	RMS	Horizontal
2	2497.200	5.85	19.63	-25.00	-44.63	13.78	RMS	Horizontal
3	4994.250	-60.08	-59.80	-25.00	34.80	0.28	RMS	Horizontal
4	7202.250	-67.12	-60.82	-25.00	35.82	6.30	RMS	Horizontal
5	11195.25	-70.34	-56.56	-25.00	31.56	13.78	RMS	Horizontal
6	13615.50	-68.61	-53.09	-25.00	28.09	15.52	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	39750	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 04:03:26		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1494.500	-70.48	-58.60	-25.00	33.60	11.88	RMS	Vertical
2	2497.000	-3.33	9.94	-25.00	-34.94	13.27	RMS	Vertical
3	5856.000	-65.45	-64.01	-25.00	39.01	1.44	RMS	Vertical
4	7188.000	-67.01	-60.71	-25.00	35.71	6.30	RMS	Vertical
5	11233.50	-69.90	-55.09	-25.00	30.09	14.81	RMS	Vertical
6	13636.50	-68.66	-51.57	-25.00	26.57	17.09	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	40620	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 04:07:09		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1306.100	-70.15	-59.40	-25.00	34.40	10.75	RMS	Horizontal
2	2584.200	7.33	21.13	-25.00	-46.13	13.80	RMS	Horizontal
3	2998.900	-69.56	-53.83	-25.00	28.83	15.73	RMS	Horizontal
4	5168.250	-60.41	-59.36	-25.00	34.36	1.05	RMS	Horizontal
5	7202.250	-67.15	-60.85	-25.00	35.85	6.30	RMS	Horizontal
6	13653.00	-68.46	-52.90	-25.00	27.90	15.56	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	40620	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 04:09:36		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1304.200	-70.27	-59.40	-25.00	34.40	10.87	RMS	Vertical
2	2584.100	-6.90	6.83	-25.00	-31.83	13.73	RMS	Vertical
3	3840.000	-62.84	-67.50	-25.00	42.50	-4.66	RMS	Vertical
4	7199.250	-67.46	-60.62	-25.00	35.62	6.84	RMS	Vertical
5	11254.50	-70.28	-55.43	-25.00	30.43	14.85	RMS	Vertical
6	13637.25	-68.49	-51.41	-25.00	26.41	17.08	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	41490	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 04:13:18		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1736.200	-65.30	-55.97	-25.00	30.97	9.33	RMS	Horizontal
2	2486.700	-56.16	-42.71	-25.00	17.71	13.45	RMS	Horizontal
3	2671.100	8.19	21.44	-25.00	-46.44	13.25	RMS	Horizontal
4	5342.250	-58.23	-57.09	-25.00	32.09	1.14	RMS	Horizontal
5	7201.500	-67.50	-61.18	-25.00	36.18	6.32	RMS	Horizontal
6	13710.75	-68.22	-52.92	-25.00	27.92	15.30	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	41490	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-15 04:15:44		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	1503.800	-70.58	-58.63	-25.00	33.63	11.95	RMS	Vertical
2	2486.700	-63.85	-50.80	-25.00	25.80	13.05	RMS	Vertical
3	2671.100	-5.67	7.77	-25.00	-32.77	13.44	RMS	Vertical
4	5342.250	-61.22	-60.61	-25.00	35.61	0.61	RMS	Vertical
5	7205.250	-67.30	-60.73	-25.00	35.73	6.57	RMS	Vertical
6	13615.50	-68.72	-51.51	-25.00	26.51	17.21	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	18700	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-19 01:58:57		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18286.30	-61.28	-71.24	-13.00	58.24	-9.96	RMS	Horizontal
2	18860.50	-61.34	-72.19	-13.00	59.19	-10.85	RMS	Horizontal
3	19208.60	-62.08	-72.74	-13.00	59.74	-10.66	RMS	Horizontal
4	19429.00	-61.42	-72.15	-13.00	59.15	-10.73	RMS	Horizontal
5	19643.40	-62.41	-72.60	-13.00	59.60	-10.19	RMS	Horizontal
6	19784.90	-62.67	-72.51	-13.00	59.51	-9.84	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	18700	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-19 02:00:09		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18157.50	-62.09	-73.21	-13.00	60.21	-11.12	RMS	Vertical
2	18286.50	-61.30	-72.23	-13.00	59.23	-10.93	RMS	Vertical
3	18843.20	-61.33	-72.75	-13.00	59.75	-11.42	RMS	Vertical
4	19400.80	-61.62	-72.98	-13.00	59.98	-11.36	RMS	Vertical
5	19600.50	-62.24	-73.30	-13.00	60.30	-11.06	RMS	Vertical
6	19773.60	-62.66	-73.26	-13.00	60.26	-10.60	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	18900	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-19 01:55:35		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18290.70	-61.36	-71.35	-13.00	58.35	-9.99	RMS	Horizontal
2	18833.90	-61.58	-72.32	-13.00	59.32	-10.74	RMS	Horizontal
3	19244.20	-61.95	-72.46	-13.00	59.46	-10.51	RMS	Horizontal
4	19437.90	-61.36	-72.11	-13.00	59.11	-10.75	RMS	Horizontal
5	19600.00	-62.15	-72.52	-13.00	59.52	-10.37	RMS	Horizontal
6	19789.90	-62.47	-72.33	-13.00	59.33	-9.86	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	18900	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-19 01:56:48		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18280.90	-61.28	-72.17	-13.00	59.17	-10.89	RMS	Vertical
2	18410.50	-60.90	-72.61	-13.00	59.61	-11.71	RMS	Vertical
3	18883.30	-61.20	-72.76	-13.00	59.76	-11.56	RMS	Vertical
4	19275.70	-62.03	-73.29	-13.00	60.29	-11.26	RMS	Vertical
5	19461.30	-61.45	-72.86	-13.00	59.86	-11.41	RMS	Vertical
6	19606.60	-62.31	-73.35	-13.00	60.35	-11.04	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	19100	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-19 01:50:49		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18246.80	-61.66	-71.35	-13.00	58.35	-9.69	RMS	Horizontal
2	18527.70	-61.45	-72.92	-13.00	59.92	-11.47	RMS	Horizontal
3	18891.20	-61.21	-72.19	-13.00	59.19	-10.98	RMS	Horizontal
4	19371.50	-61.53	-72.18	-13.00	59.18	-10.65	RMS	Horizontal
5	19658.90	-62.39	-72.52	-13.00	59.52	-10.13	RMS	Horizontal
6	19857.10	-62.51	-72.54	-13.00	59.54	-10.03	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	19100	Band:	Band=2 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-19 01:52:01		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18286.70	-61.19	-72.12	-13.00	59.12	-10.93	RMS	Vertical
2	18880.20	-61.12	-72.67	-13.00	59.67	-11.55	RMS	Vertical
3	19220.90	-61.82	-73.15	-13.00	60.15	-11.33	RMS	Vertical
4	19437.20	-61.47	-72.86	-13.00	59.86	-11.39	RMS	Vertical
5	19803.10	-62.56	-73.21	-13.00	60.21	-10.65	RMS	Vertical
6	19883.30	-62.39	-73.17	-13.00	60.17	-10.78	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	20850	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-16 08:56:33		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18264.77	-61.14	-71.93	-25.00	46.93	-10.79	RMS	Vertical
2	19422.05	-61.37	-72.75	-25.00	47.75	-11.38	RMS	Vertical
3	21512.20	-63.58	-72.08	-25.00	47.08	-8.50	RMS	Vertical
4	23455.30	-63.95	-71.54	-25.00	46.54	-7.59	RMS	Vertical
5	24746.87	-64.24	-70.52	-25.00	45.52	-6.28	RMS	Vertical
6	25648.72	-64.16	-70.84	-25.00	45.84	-6.68	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	20850	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-16 08:58:11		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18249.90	-61.49	-71.16	-25.00	46.16	-9.67	RMS	Horizontal
2	18923.95	-60.99	-72.11	-25.00	47.11	-11.12	RMS	Horizontal
3	21106.75	-62.74	-71.14	-25.00	46.14	-8.40	RMS	Horizontal
4	22331.17	-63.52	-70.82	-25.00	45.82	-7.30	RMS	Horizontal
5	23475.70	-64.15	-70.39	-25.00	45.39	-6.24	RMS	Horizontal
6	24721.80	-63.85	-68.96	-25.00	43.96	-5.11	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	21100	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-16 09:00:14		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18308.97	-61.09	-71.23	-25.00	46.23	-10.14	RMS	Horizontal
2	19447.55	-61.37	-72.13	-25.00	47.13	-10.76	RMS	Horizontal
3	20542.35	-62.21	-71.51	-25.00	46.51	-9.30	RMS	Horizontal
4	22749.37	-63.85	-70.06	-25.00	45.06	-6.21	RMS	Horizontal
5	23502.90	-64.08	-70.24	-25.00	45.24	-6.16	RMS	Horizontal
6	24757.92	-64.13	-69.00	-25.00	44.00	-4.87	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	21100	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-16 09:02:35		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18355.30	-60.82	-72.19	-25.00	47.19	-11.37	RMS	Vertical
2	19420.77	-61.32	-72.70	-25.00	47.70	-11.38	RMS	Vertical
3	20568.27	-62.38	-72.36	-25.00	47.36	-9.98	RMS	Vertical
4	21506.67	-63.45	-71.93	-25.00	46.93	-8.48	RMS	Vertical
5	22955.07	-63.70	-71.52	-25.00	46.52	-7.82	RMS	Vertical
6	24737.95	-63.91	-70.25	-25.00	45.25	-6.34	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	21350	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-16 09:04:43		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18318.75	-60.86	-71.99	-25.00	46.99	-11.13	RMS	Vertical
2	19429.70	-61.27	-72.65	-25.00	47.65	-11.38	RMS	Vertical
3	21507.52	-63.52	-72.01	-25.00	47.01	-8.49	RMS	Vertical
4	23011.17	-63.83	-71.72	-25.00	46.72	-7.89	RMS	Vertical
5	24738.37	-64.05	-70.38	-25.00	45.38	-6.33	RMS	Vertical
6	25340.17	-64.41	-70.72	-25.00	45.72	-6.31	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	21350	Band:	Band=7 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-16 09:06:18		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18377.40	-60.83	-71.50	-25.00	46.50	-10.67	RMS	Horizontal
2	19408.02	-61.32	-72.02	-25.00	47.02	-10.70	RMS	Horizontal
3	21122.90	-62.57	-70.95	-25.00	45.95	-8.38	RMS	Horizontal
4	22740.87	-64.02	-70.24	-25.00	45.24	-6.22	RMS	Horizontal
5	24735.40	-64.13	-69.10	-25.00	44.10	-4.97	RMS	Horizontal
6	25307.45	-64.44	-69.20	-25.00	44.20	-4.76	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	37850	Band:	Band=38 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-19 01:32:36		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18285.30	-61.14	-71.09	-25.00	46.09	-9.95	RMS	Horizontal
2	19803.60	-62.20	-72.09	-25.00	47.09	-9.89	RMS	Horizontal
3	21116.70	-62.62	-71.01	-25.00	46.01	-8.39	RMS	Horizontal
4	23494.95	-63.85	-70.02	-25.00	45.02	-6.17	RMS	Horizontal
5	24767.55	-64.38	-69.30	-25.00	44.30	-4.92	RMS	Horizontal
6	25676.10	-64.10	-69.61	-25.00	44.61	-5.51	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	37850	Band:	Band=38 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-19 01:33:49		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18310.05	-60.70	-71.78	-25.00	46.78	-11.08	RMS	Vertical
2	19418.40	-61.27	-72.64	-25.00	47.64	-11.37	RMS	Vertical
3	21120.30	-62.69	-72.16	-25.00	47.16	-9.47	RMS	Vertical
4	23476.95	-63.88	-71.45	-25.00	46.45	-7.57	RMS	Vertical
5	24742.35	-64.32	-70.63	-25.00	45.63	-6.31	RMS	Vertical
6	26260.20	-63.69	-70.81	-25.00	45.81	-7.12	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	38000	Band:	Band=38 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-19 01:29:33		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18298.80	-60.83	-70.89	-25.00	45.89	-10.06	RMS	Horizontal
2	19234.80	-61.42	-71.97	-25.00	46.97	-10.55	RMS	Horizontal
3	20747.25	-62.76	-71.37	-25.00	46.37	-8.61	RMS	Horizontal
4	23534.55	-63.80	-70.01	-25.00	45.01	-6.21	RMS	Horizontal
5	24744.60	-64.18	-69.06	-25.00	44.06	-4.88	RMS	Horizontal
6	26604.45	-63.78	-68.14	-25.00	43.14	-4.36	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	38000	Band:	Band=38 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-19 01:30:45		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18337.50	-60.53	-71.78	-25.00	46.78	-11.25	RMS	Vertical
2	19422.00	-61.21	-72.59	-25.00	47.59	-11.38	RMS	Vertical
3	21064.50	-62.66	-72.12	-25.00	47.12	-9.46	RMS	Vertical
4	21898.35	-63.04	-71.91	-25.00	46.91	-8.87	RMS	Vertical
5	23864.40	-63.14	-70.91	-25.00	45.91	-7.77	RMS	Vertical
6	25659.90	-63.82	-70.51	-25.00	45.51	-6.69	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	38150	Band:	Band=38 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-19 01:24:34		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18278.10	-60.93	-70.82	-25.00	45.82	-9.89	RMS	Horizontal
2	19557.00	-61.45	-72.02	-25.00	47.02	-10.57	RMS	Horizontal
3	20753.10	-62.64	-71.24	-25.00	46.24	-8.60	RMS	Horizontal
4	22466.25	-63.61	-70.21	-25.00	45.21	-6.60	RMS	Horizontal
5	23865.75	-63.08	-69.25	-25.00	44.25	-6.17	RMS	Horizontal
6	25733.25	-63.64	-69.15	-25.00	44.15	-5.51	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	38150	Band:	Band=38 BW=10MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-19 01:25:47		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18306.00	-60.77	-71.82	-25.00	46.82	-11.05	RMS	Vertical
2	18908.55	-60.74	-72.39	-25.00	47.39	-11.65	RMS	Vertical
3	21502.35	-63.06	-71.53	-25.00	46.53	-8.47	RMS	Vertical
4	22823.10	-63.38	-70.96	-25.00	45.96	-7.58	RMS	Vertical
5	25134.75	-63.98	-70.36	-25.00	45.36	-6.38	RMS	Vertical
6	26560.35	-63.78	-69.42	-25.00	44.42	-5.64	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	39750	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-16 08:33:55		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18336.60	-60.72	-71.97	-25.00	46.97	-11.25	RMS	Vertical
2	18850.85	-60.92	-72.37	-25.00	47.37	-11.45	RMS	Vertical
3	20026.40	-61.81	-72.69	-25.00	47.69	-10.88	RMS	Vertical
4	21491.80	-63.34	-71.83	-25.00	46.83	-8.49	RMS	Vertical
5	23545.40	-63.70	-71.31	-25.00	46.31	-7.61	RMS	Vertical
6	25658.07	-63.53	-70.21	-25.00	45.21	-6.68	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	39750	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-16 08:36:12		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18326.82	-60.76	-71.04	-25.00	46.04	-10.28	RMS	Horizontal
2	20170.90	-62.25	-71.75	-25.00	46.75	-9.50	RMS	Horizontal
3	21151.37	-62.60	-70.95	-25.00	45.95	-8.35	RMS	Horizontal
4	23499.07	-63.84	-70.00	-25.00	45.00	-6.16	RMS	Horizontal
5	24746.02	-64.37	-69.24	-25.00	44.24	-4.87	RMS	Horizontal
6	25675.92	-63.62	-69.13	-25.00	44.13	-5.51	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	40620	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-16 08:39:07		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18334.05	-60.61	-70.94	-25.00	45.94	-10.33	RMS	Horizontal
2	20169.20	-62.27	-71.78	-25.00	46.78	-9.51	RMS	Horizontal
3	22121.22	-63.40	-70.79	-25.00	45.79	-7.39	RMS	Horizontal
4	23854.37	-63.47	-69.67	-25.00	44.67	-6.20	RMS	Horizontal
5	24740.07	-64.18	-69.11	-25.00	44.11	-4.93	RMS	Horizontal
6	25651.70	-63.80	-69.31	-25.00	44.31	-5.51	RMS	Horizontal

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	40620	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-16 08:42:36		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18285.60	-61.09	-72.01	-25.00	47.01	-10.92	RMS	Vertical
2	19432.25	-61.22	-72.61	-25.00	47.61	-11.39	RMS	Vertical
3	21096.97	-62.69	-72.16	-25.00	47.16	-9.47	RMS	Vertical
4	22773.60	-63.72	-71.22	-25.00	46.22	-7.50	RMS	Vertical
5	23834.82	-63.41	-71.18	-25.00	46.18	-7.77	RMS	Vertical
6	24734.97	-64.11	-70.46	-25.00	45.46	-6.35	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	41490	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-16 08:46:17		

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	21124.00	-62.50	-71.97	-25.00	46.97	-9.47	RMS	Vertical
2	24422.90	-63.61	-71.20	-25.00	46.20	-7.59	RMS	Vertical
3	29110.00	-61.81	-69.89	-25.00	44.89	-8.08	RMS	Vertical
4	32254.90	-60.18	-68.52	-25.00	43.52	-8.34	RMS	Vertical
5	34226.10	-59.43	-68.12	-25.00	43.12	-8.69	RMS	Vertical
6	38088.20	-63.38	-65.68	-25.00	40.68	-2.30	RMS	Vertical

----- The following blanks -----

Project Information			
ProjectNo:	E20211217696105	EUT:	E20211217696105-0004
Channel	41490	Band:	Band=41 BW=20MHz
Mode:	LTE	Voltage:	DC 12V
Environment:	Temp:22.5℃;Humi:51%RH	Engineer:	Lu Qiang
Date:	2022-04-16 08:49:13		

Test Graph



Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18299.20	-61.08	-71.14	-25.00	46.14	-10.06	RMS	Horizontal
2	22819.10	-63.66	-70.05	-25.00	45.05	-6.39	RMS	Horizontal
3	26834.10	-63.49	-67.92	-25.00	42.92	-4.43	RMS	Horizontal
4	31250.60	-60.78	-66.53	-25.00	41.53	-5.75	RMS	Horizontal
5	34566.00	-60.15	-66.74	-25.00	41.74	-6.59	RMS	Horizontal
6	36244.60	-61.56	-63.76	-25.00	38.76	-2.20	RMS	Horizontal

Remark:

The disturbance below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the worst case data had been displayed.

We have tested all modulation and all Bandwidth , but only the worst case data presented in this report.

----- The following blanks -----

13. TEST PHOTO

Please refer to the attached document E20211217696105-10 Test Photo.

----- The following blanks -----

14. PHOTOGRAPH OF THE EUT

Please refer to the attached document E20211217696105-11 EUT Photo.

----- End of Report -----