

Sensus Non-Disclosure Memorandum

September 6, 2012

Sensus OEMs:

This memorandum serves as an additional agreement between Sensus and its OEMs stating that the OEMs will use the Sensus 510Q module (See Appendix 1) in accordance with the FCC rules on modular approved devices. The Sensus 510Q Transceiver is professionally installed inside a Sensus endpoint (See Appendix 2). The module label will be located in a visible area on the host and will display all necessary and pertinent information about the modular device. Confidentiality of the internal photos and the technical manual is being requested because this is a non-consumer device which is not accessible by the general public, professionally installed, and is only serviceable by Sensus, or designated technicians.

Please feel free to contact me directly should there be any questions regarding this matter.

Respectfully,




SENSUS
The Measure of the Future

Al Servais | Reliability and Compliance Program Manager
400 Perimeter Park | Suite K | Morrisville, NC 27560 USA
T: 919-379-1951 | C: 919-208-8983 | al.servais@sensus.com | www.sensus.com

Sensus Non-Disclosure Memorandum

Appendix 1



Sensus Quiet Zone NA2W Water

Model: 510Q

FCC ID: SDB510Q

539-31-112-00001

Sensus

This device complies with Part 15 of the FCC rules.
Operation is subject to the following two conditions: (1) This device must not cause harmful interference and (2) this device must accept any interference received including interference that may cause undesired operation.

VBAT GND + BAT TERMINAL TC 1 TC 2 TR 2 GND PWR-CLK-2 DATA-2 GND GND TR 1 PWR-CLK-1 DATA-1 GND

FID3

FID2

Sensus Non-Disclosure Memorandum

Appendix 2

