

EMI TEST REPORT



Report reference No: KST-FCC0430

Operating conditions

The operating mode/system were as follows in details:

Operating: First time; Jet-Speed PCI card plug in to empty PCI Slot of mainboard. After Install the software automatically and then use to "H" pattern program for data transmission and continuously 'H' pattern displayed on the Monitor.

Peripherals

No	Description	Manufacturer	Model / Part #	Serial Number
1	Personal computer	HANMI Micronics	TH-901	None
2	MONITOR	SAMSUNG Electronics	PN17LT	P225HVB600318
3	Printer	HEWLETT PACKARD	C2644A	SG55M1BORN
4	Keyboard	SAMSUNG	SEM-DT35	2B021387
5	Mouse	Logitech	M-S48a	HCA13088418
6	Adaptor	SAMSUNG	YK-30083K	None

E.U.T Test Configuration (example)



6. Summary of test results

Modification to the E.U.T.

- None

Result : **- PASS**

KOSTEC Co.,Ltd.
180-254, Anyung-Ri, Taeon-Yup, Hwasung-shi, Kyunggi-do, Korea
Tel : +82-31-222-4251 Fax: +82-31-222-4252
<http://www.kostecclab.com>

Page : 8 of 16
November 01, 2004

8. PHOTOGRAPHS

Conducted emission (Front)



Conducted emission (Rear)



EMI TEST REPORT

Report reference No: KST-FCC0430



Radiated Emission (Front)



Radiated Emission (Rear)

