



Beamforming Mode

Test Mode	UNII-1/ TX N20 Mode 5180 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5149.850	23.52	37.30	60.82	74.00	-13.18	peak	
2		5149.850	10.62	37.30	47.92	54.00	-6.08	AVG	
3	X	5180.000	80.36	37.34	117.70	74.00	43.70	peak	No Limit
4	*	5180.000	70.66	37.34	108.00	54.00	54.00	AVG	No Limit

Test Mode	UNII-1/ TX N20 Mode 5180 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10360.00	53.70	1.57	55.27	68.20	-12.93	peak	

Test Mode	UNII-1/ TX N20 Mode 5180 MHz	Polarization	Horizontal
-----------	------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5149.700	18.25	37.30	55.55	74.00	-18.45	peak	
2		5149.700	6.23	37.30	43.53	54.00	-10.47	AVG	
3	X	5180.000	75.58	37.34	112.92	74.00	38.92	peak	No Limit
4	*	5180.000	65.61	37.34	102.95	54.00	48.95	AVG	No Limit

Test Mode	UNII-1/ TX N20 Mode 5180 MHz	Polarization	Horizontal
-----------	------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10360.00	54.09	1.57	55.66	68.20	-12.54	peak	

Test Mode	UNII-1/ TX N20 Mode 5200 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	5200.000	80.22	37.36	117.58	74.00	43.58	peak	No Limit
2	*	5200.000	70.52	37.36	107.88	54.00	53.88	AVG	No Limit

Test Mode	UNII-1/ TX N20 Mode 5200 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10400.00	54.21	1.62	55.83	68.20	-12.37	peak	

Test Mode	UNII-1/ TX N20 Mode 5200 MHz	Polarization	Horizontal
-----------	------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5200.000	75.44	37.36	112.80	74.00	38.80	peak	No Limit
2	*	5200.000	65.67	37.36	103.03	54.00	49.03	AVG	No Limit

Test Mode	UNII-1/ TX N20 Mode 5200 MHz	Polarization	Horizontal
-----------	------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10400.00	54.43	1.62	56.05	68.20	-12.15	peak	

Test Mode	UNII-1/ TX N20 Mode 5240 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5240.000	80.27	37.40	117.67	74.00	43.67	peak	No Limit
2	*	5240.000	70.60	37.40	108.00	54.00	54.00	AVG	No Limit

Test Mode	UNII-1/ TX N20 Mode 5240 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10480.00	53.86	1.69	55.55	68.20	-12.65	peak	

Test Mode	UNII-1/ TX N20 Mode 5240 MHz	Polarization	Horizontal
-----------	------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5240.000	75.62	37.40	113.02	74.00	39.02	peak	No Limit
2	*	5240.000	65.86	37.40	103.26	54.00	49.26	AVG	No Limit

Test Mode	UNII-1/ TX N20 Mode 5240 MHz	Polarization	Horizontal
-----------	------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10480.00	52.40	1.69	54.09	68.20	-14.11	peak	

Test Mode	UNII-1/ TX N40 Mode 5190 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5149.940	28.29	37.30	65.59	74.00	-8.41	peak	
2		5149.940	14.96	37.30	52.26	54.00	-1.74	AVG	
3	X	5190.000	77.07	37.34	114.41	74.00	40.41	peak	No Limit
4	*	5190.000	67.27	37.34	104.61	54.00	50.61	AVG	No Limit

Test Mode	UNII-1/ TX N40 Mode 5190 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10380.00	54.41	1.59	56.00	68.20	-12.20	peak	

Test Mode	UNII-1/ TX N40 Mode 5190 MHz	Polarization	Horizontal
-----------	------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5149.040	20.39	37.30	57.69	74.00	-16.31	peak	
2		5149.040	8.93	37.30	46.23	54.00	-7.77	AVG	
3	X	5190.000	73.19	37.34	110.53	74.00	36.53	peak	No Limit
4	*	5190.000	63.21	37.34	100.55	54.00	46.55	AVG	No Limit

Test Mode	UNII-1/ TX N40 Mode 5190 MHz	Polarization	Horizontal
-----------	------------------------------	--------------	------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10380.00	54.29	1.59	55.88	68.20	-12.32	peak	

Test Mode	UNII-1/ TX N40 Mode 5230 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5230.000	78.92	37.40	116.32	74.00	42.32	peak	No Limit
2	*	5230.000	69.10	37.40	106.50	54.00	52.50	AVG	No Limit

Test Mode	UNII-1/ TX N40 Mode 5230 MHz	Polarization	Vertical
-----------	------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10460.00	53.26	1.68	54.94	68.20	-13.26	peak	

Test Mode	UNII-1/ TX N40 Mode 5230 MHz	Polarization	Horizontal
-----------	------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5230.000	74.12	37.40	111.52	74.00	37.52	peak	No Limit
2	*	5230.000	64.35	37.40	101.75	54.00	47.75	AVG	No Limit

Test Mode	UNII-1/ TX N40 Mode 5230 MHz	Polarization	Horizontal
-----------	------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10480.00	53.01	1.69	54.70	68.20	-13.50	peak	

Test Mode	UNII-1/ TX N (HT20) Mode 5180 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5149.740	23.39	37.30	60.69	74.00	-13.31	peak	
2		5149.740	10.45	37.30	47.75	54.00	-6.25	AVG	
3	X	5180.000	80.33	37.34	117.67	74.00	43.67	peak	No Limit
4	*	5180.000	70.37	37.34	107.71	54.00	53.71	AVG	No Limit

Test Mode	UNII-1/ TX N (HT20) Mode 5180 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10360.00	53.92	1.57	55.49	68.20	-12.71	peak	

Test Mode UNII-1/ TX N (HT20) Mode 5180 MHz


Polarization

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5149.980	18.60	37.30	55.90	74.00	-18.10	peak	
2		5149.980	6.04	37.30	43.34	54.00	-10.66	AVG	
3	X	5180.000	75.64	37.34	112.98	74.00	38.98	peak	No Limit
4	*	5180.000	65.72	37.34	103.06	54.00	49.06	AVG	No Limit

Test Mode	UNII-1/ TX N (HT20) Mode 5180 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10360.00	53.49	1.57	55.06	68.20	-13.14	peak	

Test Mode UNII-1/ TX N (HT20) Mode 5200 MHz


Polarization

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	5200.000	80.69	37.36	118.05	74.00	44.05	peak	No Limit
2	*	5200.000	70.70	37.36	108.06	54.00	54.06	AVG	No Limit

Test Mode	UNII-1/ TX N (HT20) Mode 5200 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10400.00	53.99	1.62	55.61	68.20	-12.59	peak	

Test Mode	UNII-1/ TX N (HT20) Mode 5200 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5200.000	75.73	37.36	113.09	74.00	39.09	peak	No Limit
2	*	5200.000	65.90	37.36	103.26	54.00	49.26	AVG	No Limit

Test Mode UNII-1/ TX N (HT20) Mode 5200 MHz


Polarization

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10400.00	52.84	1.62	54.46	68.20	-13.74	peak	

Test Mode	UNII-1/ TX N (HT20) Mode 5240 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5240.000	80.42	37.40	117.82	74.00	43.82	peak	No Limit
2	*	5240.000	70.59	37.40	107.99	54.00	53.99	AVG	No Limit

Test Mode UNII-1/ TX N (HT20) Mode 5240 MHz


Polarization

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10480.00	53.54	1.69	55.23	68.20	-12.97	peak	

Test Mode	UNII-1/ TX N (HT20) Mode 5240 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5240.000	76.77	37.40	114.17	74.00	40.17	peak	No Limit
2	*	5240.000	67.78	37.40	105.18	54.00	51.18	AVG	No Limit

Test Mode	UNII-1/ TX N (HT20) Mode 5240 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10480.00	53.89	1.69	55.58	68.20	-12.62	peak	

Test Mode	UNII-1/ TX N (HT40) Mode 5190 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	28.86	37.31	66.17	74.00	-7.83	peak	
2		5150.000	15.58	37.31	52.89	54.00	-1.11	AVG	
3	X	5190.000	78.34	37.34	115.68	74.00	41.68	peak	No Limit
4	*	5190.000	68.52	37.34	105.86	54.00	51.86	AVG	No Limit

Test Mode	UNII-1/ TX N (HT40) Mode 5190 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10380.00	54.18	1.59	55.77	68.20	-12.43	peak	

Test Mode	UNII-1/ TX N (HT40) Mode 5190 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5149.400	20.64	37.30	57.94	74.00	-16.06	peak	
2		5149.550	8.97	37.30	46.27	54.00	-7.73	AVG	
3	X	5190.000	73.57	37.34	110.91	74.00	36.91	peak	No Limit
4	*	5190.000	63.62	37.34	100.96	54.00	46.96	AVG	No Limit

Test Mode UNII-1/ TX N (HT40) Mode 5190 MHz


Polarization

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10380.00	53.56	1.59	55.15	68.20	-13.05	peak	

Test Mode	UNII-1/ TX N (HT40) Mode 5230 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5230.000	78.62	37.40	116.02	74.00	42.02	peak	No Limit
2	*	5230.000	68.70	37.40	106.10	54.00	52.10	AVG	No Limit