



Test Mode	UNII-1/ TX N (HT40) Mode 5230 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10460.00	53.70	1.68	55.38	68.20	-12.82	peak	

Test Mode	UNII-1/ TX N (HT40) Mode 5230 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5230.000	74.01	37.40	111.41	74.00	37.41	peak	No Limit
2	*	5230.000	64.07	37.40	101.47	54.00	47.47	AVG	No Limit

Test Mode	UNII-1/ TX N (HT40) Mode 5230 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10460.00	53.65	1.68	55.33	68.20	-12.87	peak	

Test Mode	UNII-1/ TX AC (VHT80) Mode 5210 MHz	Polarization	Vertical
-----------	-------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5144.400	29.23	37.30	66.53	74.00	-7.47	peak	
2		5144.400	15.66	37.30	52.96	54.00	-1.04	AVG	
3	X	5210.000	75.89	37.38	113.27	74.00	39.27	peak	No Limit
4	*	5210.000	65.92	37.38	103.30	54.00	49.30	AVG	No Limit

Test Mode	UNII-1/ TX AC (VHT80) Mode 5210 MHz	Polarization	Vertical
-----------	-------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10420.00	54.16	1.64	55.80	68.20	-12.40	peak	

Test Mode	UNII-1/ TX AC (VHT80) Mode 5210 MHz	Polarization	Horizontal
-----------	-------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	28.95	37.31	66.26	74.00	-7.74	peak	
2		5150.000	10.43	37.31	47.74	54.00	-6.26	AVG	
3	X	5210.000	68.34	37.38	105.72	74.00	31.72	peak	No Limit
4	*	5210.000	58.98	37.38	96.36	54.00	42.36	AVG	No Limit

Test Mode	UNII-1/ TX AC (VHT80) Mode 5210 MHz	Polarization	Horizontal
-----------	-------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10420.00	54.32	1.64	55.96	68.20	-12.24	peak	

Test Mode	UNII-2A_TX N (HT20) MODE 5260 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5260.000	74.35	37.38	111.73	74.00	37.73	peak	No Limit
2	*	5260.000	62.25	37.38	99.63	54.00	45.63	AVG	No Limit

Test Mode	UNII-2A_TX N (HT20) MODE 5260 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10520.000	52.65	1.85	54.50	68.20	-13.70	peak	

Test Mode	UNII-2A_TX N (HT20) MODE 5260 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5260.000	65.82	37.38	103.20	74.00	29.20	peak	No Limit
2	*	5260.000	54.61	37.38	91.99	54.00	37.99	AVG	No Limit

Test Mode	UNII-2A_TX N (HT20) MODE 5260 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10520.000	52.46	1.85	54.31	68.20	-13.89	peak	

Test Mode	UNII-2A_TX N (HT20) MODE 5300 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5300.000	73.13	37.43	110.56	74.00	36.56	peak	No Limit
2	*	5300.000	60.75	37.43	98.18	54.00	44.18	AVG	No Limit

Test Mode	UNII-2A_TX N (HT20) MODE 5300 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10600.001	53.00	1.97	54.97	74.00	-19.03	peak	
2	*	10600.001	40.27	1.97	42.24	54.00	-11.76	AVG	

Test Mode	UNII-2A_TX N (HT20) MODE 5300 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5300.000	64.50	37.43	101.93	74.00	27.93	peak	No Limit
2	*	5300.000	52.11	37.43	89.54	54.00	35.54	AVG	No Limit

Test Mode	UNII-2A_TX N (HT20) MODE 5300 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10600.001	52.40	1.97	54.37	74.00	-19.63	peak	
2	*	10600.001	40.16	1.97	42.13	54.00	-11.87	AVG	

Test Mode	UNII-2A_TX N (HT20) MODE 5320 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5320.000	74.30	37.46	111.76	74.00	37.76	peak	No Limit
2	*	5320.000	62.67	37.46	100.13	54.00	46.13	AVG	No Limit
3		5351.400	14.66	37.50	52.16	74.00	-21.84	peak	
4		5351.400	3.92	37.50	41.42	54.00	-12.58	AVG	

Test Mode	UNII-2A_TX N (HT20) MODE 5320 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10640.000	52.07	2.04	54.11	74.00	-19.89	peak	
2	*	10640.000	40.35	2.04	42.39	54.00	-11.61	AVG	

Test Mode	UNII-2A_TX N (HT20) MODE 5320 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5320.000	65.21	37.46	102.67	74.00	28.67	peak	No Limit
2	*	5320.000	54.30	37.46	91.76	54.00	37.76	AVG	No Limit
3		5351.625	13.09	37.50	50.59	74.00	-23.41	peak	
4		5351.625	2.23	37.50	39.73	54.00	-14.27	AVG	

Test Mode	UNII-2A_TX N (HT20) MODE 5320 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10640.000	52.87	2.04	54.91	74.00	-19.09	peak	
2	*	10640.000	40.30	2.04	42.34	54.00	-11.66	AVG	

Test Mode	UNII-2A_TX N (HT40) MODE 5270 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1	X	5270.000	68.66	37.40	106.06	74.00	32.06	peak	No Limit
2	*	5270.000	58.11	37.40	95.51	54.00	41.51	AVG	No Limit
3		5350.770	15.21	37.50	52.71	74.00	-21.29	peak	
4		5350.770	3.90	37.50	41.40	54.00	-12.60	AVG	

Test Mode	UNII-2A_TX N (HT40) MODE 5270 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10540.000	52.64	1.88	54.52	68.20	-13.68	peak	

Test Mode	UNII-2A_TX N (HT40) MODE 5270 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5270.000	61.37	37.40	98.77	74.00	24.77	peak	No Limit
2	*	5270.000	50.77	37.40	88.17	54.00	34.17	AVG	No Limit
3		5369.220	13.57	37.52	51.09	74.00	-22.91	peak	
4		5369.220	2.29	37.52	39.81	54.00	-14.19	AVG	

Test Mode	UNII-2A_TX N (HT40) MODE 5270 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10540.000	52.67	1.88	54.55	68.20	-13.65	peak	

Test Mode	UNII-2A_TX N (HT40) MODE 5310 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5310.000	68.35	37.45	105.80	74.00	31.80	peak	No Limit
2	*	5310.000	57.85	37.45	95.30	54.00	41.30	AVG	No Limit
3		5350.900	13.98	37.50	51.48	74.00	-22.52	peak	
4		5350.900	4.28	37.50	41.78	54.00	-12.22	AVG	

Test Mode	UNII-2A_TX N (HT40) MODE 5310 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10620.000	52.79	2.00	54.79	74.00	-19.21	peak	
2	*	10620.000	40.31	2.00	42.31	54.00	-11.69	AVG	

Test Mode	UNII-2A_TX N (HT40) MODE 5310 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5310.000	59.62	37.45	97.07	74.00	23.07	peak	No Limit
2	*	5310.000	49.11	37.45	86.56	54.00	32.56	AVG	No Limit
3		5354.500	12.62	37.50	50.12	74.00	-23.88	peak	
4		5354.500	2.36	37.50	39.86	54.00	-14.14	AVG	

Test Mode	UNII-2A_TX N (HT40) MODE 5310 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10620.000	52.89	2.00	54.89	74.00	-19.11	peak	
2	*	10620.000	40.01	2.00	42.01	54.00	-11.99	AVG	

Test Mode	UNII-2A_TX AC (VHT20) MODE 5260 MHz	Polarization	Vertical
-----------	-------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5260.000	74.01	37.38	111.39	74.00	37.39	peak	No Limit
2	*	5260.000	62.19	37.38	99.57	54.00	45.57	AVG	No Limit

Test Mode	UNII-2A_TX AC (VHT20) MODE 5260 MHz	Polarization	Vertical
-----------	-------------------------------------	--------------	----------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10520.000	52.43	1.85	54.28	68.20	-13.92	peak	

Test Mode	UNII-2A_TX AC (VHT20) MODE 5260 MHz	Polarization	Horizontal
-----------	-------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5260.000	65.89	37.38	103.27	74.00	29.27	peak	No Limit
2	*	5260.000	55.52	37.38	92.90	54.00	38.90	AVG	No Limit

Test Mode	UNII-2A_TX AC (VHT20) MODE 5260 MHz	Polarization	Horizontal
-----------	-------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10520.000	52.39	1.85	54.24	68.20	-13.96	peak	

Test Mode	UNII-2A_TX AC (VHT20) MODE 5300 MHz	Polarization	Vertical
-----------	-------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5300.000	73.24	37.43	110.67	74.00	36.67	peak	No Limit
2	*	5300.000	60.87	37.43	98.30	54.00	44.30	AVG	No Limit

Test Mode	UNII-2A_TX AC (VHT20) MODE 5300 MHz	Polarization	Vertical
-----------	-------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10600.001	53.79	1.97	55.76	74.00	-18.24	peak	
2	*	10600.001	40.18	1.97	42.15	54.00	-11.85	AVG	

Test Mode	UNII-2A_TX AC (VHT20) MODE 5300 MHz	Polarization	Horizontal
-----------	-------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5300.000	66.39	37.43	103.82	74.00	29.82	peak	No Limit
2	*	5300.000	54.86	37.43	92.29	54.00	38.29	AVG	No Limit

Test Mode	UNII-2A_TX AC (VHT20) MODE 5300 MHz	Polarization	Horizontal
-----------	-------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10600.001	52.81	1.97	54.78	74.00	-19.22	peak	
2	*	10600.001	40.20	1.97	42.17	54.00	-11.83	AVG	

Test Mode	UNII-2A_TX AC (VHT20) MODE 5320 MHz	Polarization	Vertical
-----------	-------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5320.000	73.72	37.46	111.18	74.00	37.18	peak	No Limit
2	*	5320.000	61.84	37.46	99.30	54.00	45.30	AVG	No Limit
3		5351.080	15.02	37.50	52.52	74.00	-21.48	peak	
4		5351.080	4.09	37.50	41.59	54.00	-12.41	AVG	

Test Mode	UNII-2A_TX AC (VHT20) MODE 5320 MHz	Polarization	Vertical
-----------	-------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10640.000	52.68	2.04	54.72	74.00	-19.28	peak	
2	*	10640.000	40.13	2.04	42.17	54.00	-11.83	AVG	

Test Mode	UNII-2A_TX AC (VHT20) MODE 5320 MHz	Polarization	Horizontal
-----------	-------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5320.000	65.69	37.46	103.15	74.00	29.15	peak	No Limit
2	*	5320.000	54.97	37.46	92.43	54.00	38.43	AVG	No Limit
3		5350.840	13.70	37.50	51.20	74.00	-22.80	peak	
4		5350.840	2.29	37.50	39.79	54.00	-14.21	AVG	

Test Mode	UNII-2A_TX AC (VHT20) MODE 5320 MHz	Polarization	Horizontal
-----------	-------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10640.000	52.92	2.04	54.96	74.00	-19.04	peak	
2	*	10640.000	40.20	2.04	42.24	54.00	-11.76	AVG	

Test Mode	UNII-2A_TX AC (VHT40) MODE 5270 MHz	Polarization	Vertical
-----------	-------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5270.000	69.21	37.40	106.61	74.00	32.61	peak	No Limit
2	*	5270.000	60.04	37.40	97.44	54.00	43.44	AVG	No Limit
3		5350.700	15.19	37.50	52.69	74.00	-21.31	peak	
4		5350.700	3.63	37.50	41.13	54.00	-12.87	AVG	

Test Mode	UNII-2A_TX AC (VHT40) MODE 5270 MHz	Polarization	Vertical
-----------	-------------------------------------	--------------	----------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10540.000	52.71	1.88	54.59	68.20	-13.61	peak	

Test Mode	UNII-2A_TX AC (VHT40) MODE 5270 MHz	Polarization	Horizontal
-----------	-------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5270.000	61.89	37.40	99.29	74.00	25.29	peak	No Limit
2	*	5270.000	51.10	37.40	88.50	54.00	34.50	AVG	No Limit
3		5351.840	13.26	37.50	50.76	74.00	-23.24	peak	
4		5351.840	2.53	37.50	40.03	54.00	-13.97	AVG	

Test Mode	UNII-2A_TX AC (VHT40) MODE 5270 MHz	Polarization	Horizontal
-----------	-------------------------------------	--------------	------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	10540.000	52.21	1.88	54.09	68.20	-14.11	peak	

Test Mode	UNII-2A_TX AC (VHT40) MODE 5310 MHz	Polarization	Vertical
-----------	-------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5310.000	68.36	37.45	105.81	74.00	31.81	peak	No Limit
2	*	5310.000	57.11	37.45	94.56	54.00	40.56	AVG	No Limit
3		5353.000	13.53	37.50	51.03	74.00	-22.97	peak	
4		5353.000	3.42	37.50	40.92	54.00	-13.08	AVG	

Test Mode	UNII-2A_TX AC (VHT40) MODE 5310 MHz	Polarization	Vertical
-----------	-------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10620.000	52.84	2.00	54.84	74.00	-19.16	peak	
2	*	10620.000	40.05	2.00	42.05	54.00	-11.95	AVG	

Test Mode	UNII-2A_TX AC (VHT40) MODE 5310 MHz	Polarization	Horizontal
-----------	-------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5310.000	60.01	37.45	97.46	74.00	23.46	peak	No Limit
2	*	5310.000	49.31	37.45	86.76	54.00	32.76	AVG	No Limit
3		5350.660	13.00	37.50	50.50	74.00	-23.50	peak	
4		5350.660	2.68	37.50	40.18	54.00	-13.82	AVG	

Test Mode	UNII-2A_TX AC (VHT40) MODE 5310 MHz	Polarization	Horizontal
-----------	-------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10620.000	52.76	2.00	54.76	74.00	-19.24	peak	
2	*	10620.000	39.95	2.00	41.95	54.00	-12.05	AVG	

Test Mode	UNII-2A_TX AC (VHT80) MODE 5290 MHz	Polarization	Vertical
-----------	-------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5141.200	12.60	37.22	49.82	74.00	-24.18	peak	
2		5141.200	2.70	37.22	39.92	54.00	-14.08	AVG	
3	X	5290.000	65.14	37.41	102.55	74.00	28.55	peak	No Limit
4	*	5290.000	55.63	37.41	93.04	54.00	39.04	AVG	No Limit
5		5350.560	16.31	37.50	53.81	74.00	-20.19	peak	
6		5350.560	5.15	37.50	42.65	54.00	-11.35	AVG	

Test Mode	UNII-2A_TX AC (VHT80) MODE 5290 MHz	Polarization	Vertical
-----------	-------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10580.000	53.42	1.94	55.36	68.20	-12.84	peak	

Test Mode	UNII-2A_TX AC (VHT80) MODE 5290 MHz	Polarization	Horizontal
-----------	-------------------------------------	--------------	------------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5108.400	12.73	37.18	49.91	74.00	-24.09	peak	
2		5108.400	2.98	37.18	40.16	54.00	-13.84	AVG	
3	X	5290.000	57.21	37.41	94.62	74.00	20.62	peak	No Limit
4	*	5290.000	47.68	37.41	85.09	54.00	31.09	AVG	No Limit
5		5350.420	14.12	37.50	51.62	74.00	-22.38	peak	
6		5350.420	3.08	37.50	40.58	54.00	-13.42	AVG	

Test Mode	UNII-2A_TX AC (VHT80) MODE 5290 MHz	Polarization	Horizontal
-----------	-------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	10580.000	53.70	1.94	55.64	68.20	-12.56	peak	

APPENDIX E BANDWIDTH

CONTINUE ON NEXT PAGE


Test Mode UNII-1_ IEEE 802.11a

Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
5180	20.39	16.90
5200	20.30	16.90
5240	20.45	17.00




Test Mode UNII-1_ IEEE 802.11n (HT20)

Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
5180	20.59	17.80
5200	20.65	17.80
5240	20.75	17.90




Test Mode UNII-1_ IEEE 802.11n (HT40)

Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
5190	41.90	36.60
5230	42.10	36.80




Test Mode UNII-1_ IEEE 802.11ac (VHT80)

Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
5210	82.01	75.60




Test Mode UNII-2A_IEEE 802.11a

Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
5260	20.45	16.90
5300	20.40	16.90
5320	20.35	16.90




Test Mode UNII-2A_IEEE 802.11n (HT20)

Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
5260	20.85	17.90
5300	20.75	17.80
5320	20.70	17.90




Test Mode	UNII-2A_ IEEE 802.11n (HT40)
-----------	------------------------------

Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
5270	42.20	36.60
5310	42.00	36.60




Test Mode	UNII-2A_ IEEE 802.11ac (VHT80)
-----------	--------------------------------

Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
5290	81.80	76.00




Test Mode UNII-2C_ IEEE 802.11a

Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
5500	20.35	16.90
5580	20.25	16.80
5700	20.55	17.00




Test Mode UNII-2C_ IEEE 802.11n (HT20)

Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
5500	20.60	17.70
5580	20.35	17.80
5700	20.41	17.70




Test Mode UNII-2C_ IEEE 802.11n (HT40)

Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
5510	41.91	36.40
5550	43.59	36.60
5670	54.60	37.00




Test Mode UNII-2C_ IEEE 802.11ac (VHT80)

Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
5530	81.20	75.20
5610	91.60	76.00




Test Mode UNII-3_ IEEE 802.11a

Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
5745	15.20	16.50
5785	15.20	16.40
5825	15.15	16.40




Test Mode UNII-3_ IEEE 802.11n (HT20)

Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
5745	15.19	17.50
5785	15.25	17.60
5825	15.15	17.50




Test Mode	UNII-3_ IEEE 802.11n (HT40)
-----------	-----------------------------

Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
5755	35.40	36.00
5795	35.10	36.00



Test Mode	UNII-3_ IEEE 802.11ac (VHT80)
-----------	-------------------------------

Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
5775	75.40	75.20



APPENDIX F CONDUCTED OUTPUT POWER

CONTINUE ON NEXT PAGE

Test Mode	UNII-1_ IEEE 802.11a_ANT 1
-----------	----------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	16.83	0.0482	30.00	1.0000	Complies
5200	16.22	0.0419	30.00	1.0000	Complies
5240	17.59	0.0574	30.00	1.0000	Complies

Test Mode	UNII-1_ IEEE 802.11a_ANT 2
-----------	----------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	16.24	0.0421	30.00	1.0000	Complies
5200	16.91	0.0491	30.00	1.0000	Complies
5240	16.98	0.0499	30.00	1.0000	Complies

Test Mode	UNII-1_ IEEE 802.11a_ANT 3
-----------	----------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	16.87	0.0486	30.00	1.0000	Complies
5200	17.76	0.0597	30.00	1.0000	Complies
5240	17.09	0.0512	30.00	1.0000	Complies

Test Mode	UNII-1_ IEEE 802.11a_ANT 4
-----------	----------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	16.37	0.0434	30.00	1.0000	Complies
5200	17.58	0.0573	30.00	1.0000	Complies
5240	16.81	0.0480	30.00	1.0000	Complies

Test Mode	UNII-1_ IEEE 802.11a_Total
-----------	----------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	22.61	0.1823	30.00	1.0000	Complies
5200	23.18	0.2080	30.00	1.0000	Complies
5240	23.15	0.2064	30.00	1.0000	Complies

Test Mode	UNII-1_ IEEE 802.11n (HT20)_ANT 1
-----------	-----------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	15.45	0.0351	22.12	0.4550	Complies
5200	15.11	0.0324	22.12	0.4550	Complies
5240	15.71	0.0372	22.12	0.4550	Complies

Test Mode	UNII-1_ IEEE 802.11n (HT20)_ANT 2
-----------	-----------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	14.98	0.0315	22.12	0.4550	Complies
5200	16.12	0.0409	22.12	0.4550	Complies
5240	15.51	0.0356	22.12	0.4550	Complies

Test Mode	UNII-1_ IEEE 802.11n (HT20)_ANT 3
-----------	-----------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	15.46	0.0352	22.12	0.4550	Complies
5200	16.33	0.0430	22.12	0.4550	Complies
5240	15.40	0.0347	22.12	0.4550	Complies

Test Mode	UNII-1_ IEEE 802.11n (HT20)_ANT 4
-----------	-----------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	15.63	0.0366	22.12	0.4550	Complies
5200	15.77	0.0378	22.12	0.4550	Complies
5240	15.28	0.0337	22.12	0.4550	Complies

Test Mode	UNII-1_ IEEE 802.11n (HT20)_Total
-----------	-----------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	21.41	0.1383	22.12	0.4550	Complies
5200	21.88	0.1541	22.12	0.4550	Complies
5240	21.50	0.1412	22.12	0.4550	Complies

Test Mode	UNII-1_IIEEE 802.11ac (VHT20)_ANT 1
-----------	-------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	15.10	0.0324	22.12	0.4550	Complies
5200	14.58	0.0287	22.12	0.4550	Complies
5240	14.94	0.0312	22.12	0.4550	Complies

Test Mode	UNII-1_IIEEE 802.11ac (VHT20)_ANT 2
-----------	-------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	14.72	0.0296	22.12	0.4550	Complies
5200	15.51	0.0356	22.12	0.4550	Complies
5240	15.02	0.0318	22.12	0.4550	Complies

Test Mode	UNII-1_IIEEE 802.11ac (VHT20)_ANT 3
-----------	-------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	15.01	0.0317	22.12	0.4550	Complies
5200	15.44	0.0350	22.12	0.4550	Complies
5240	14.63	0.0290	22.12	0.4550	Complies

Test Mode	UNII-1_IIEEE 802.11ac (VHT20)_ANT 4
-----------	-------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	15.48	0.0353	22.12	0.4550	Complies
5200	15.34	0.0342	22.12	0.4550	Complies
5240	15.06	0.0321	22.12	0.4550	Complies

Test Mode	UNII-1_IIEEE 802.11ac (VHT20)_Total
-----------	-------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	21.11	0.1290	22.12	0.4550	Complies
5200	21.25	0.1335	22.12	0.4550	Complies
5240	20.94	0.1241	22.12	0.4550	Complies

Test Mode	UNII-1_ IEEE 802.11n (HT40)_ANT 1
-----------	-----------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	15.39	0.0346	22.12	0.4550	Complies
5230	15.47	0.0352	22.12	0.4550	Complies

Test Mode	UNII-1_ IEEE 802.11n (HT40)_ANT 2
-----------	-----------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	15.74	0.0375	22.12	0.4550	Complies
5230	16.03	0.0401	22.12	0.4550	Complies

Test Mode	UNII-1_ IEEE 802.11n (HT40)_ANT 3
-----------	-----------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	15.67	0.0369	22.12	0.4550	Complies
5230	14.86	0.0306	22.12	0.4550	Complies

Test Mode	UNII-1_ IEEE 802.11n (HT40)_ANT 4
-----------	-----------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	16.13	0.0410	22.12	0.4550	Complies
5230	15.28	0.0337	22.12	0.4550	Complies

Test Mode	UNII-1_ IEEE 802.11n (HT40)_Total
-----------	-----------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	21.76	0.1500	22.12	0.4550	Complies
5230	21.45	0.1397	22.12	0.4550	Complies

Test Mode	UNII-1_ IEEE 802.11ac (VHT40)_ANT 1
-----------	-------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	14.69	0.0294	22.12	0.4550	Complies
5230	15.42	0.0348	22.12	0.4550	Complies

Test Mode	UNII-1_ IEEE 802.11ac (VHT40)_ANT 2
-----------	-------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	14.88	0.0308	22.12	0.4550	Complies
5230	15.79	0.0379	22.12	0.4550	Complies

Test Mode	UNII-1_ IEEE 802.11ac (VHT40)_ANT 3
-----------	-------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	15.06	0.0321	22.12	0.4550	Complies
5230	14.91	0.0310	22.12	0.4550	Complies

Test Mode	UNII-1_ IEEE 802.11ac (VHT40)_ANT 4
-----------	-------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	15.26	0.0336	22.12	0.4550	Complies
5230	15.11	0.0324	22.12	0.4550	Complies

Test Mode	UNII-1_ IEEE 802.11ac (VHT40)_Total
-----------	-------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	21.00	0.1258	22.12	0.4550	Complies
5230	21.34	0.1362	22.12	0.4550	Complies

Test Mode	UNII-1_IIEEE 802.11ac (VHT80)_ANT 1
-----------	-------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	15.26	0.0336	22.12	0.4550	Complies

Test Mode	UNII-1_IIEEE 802.11ac (VHT80)_ANT 2
-----------	-------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	14.96	0.0313	22.12	0.4550	Complies

Test Mode	UNII-1_IIEEE 802.11ac (VHT80)_ANT 3
-----------	-------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	13.44	0.0221	22.12	0.4550	Complies

Test Mode	UNII-1_IIEEE 802.11ac (VHT80)_ANT 4
-----------	-------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	13.50	0.0224	22.12	0.4550	Complies

Test Mode	UNII-1_IIEEE 802.11ac (VHT80)_Total
-----------	-------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	20.39	0.1094	22.12	0.4550	Complies

Test Mode	UNII-2A_IEEE 802.11a_ANT 1
-----------	----------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5260	10.83	0.0121	24.00	0.2512	Complies
5300	11.42	0.0139	24.00	0.2512	Complies
5320	11.24	0.0133	24.00	0.2512	Complies

Test Mode	UNII-2A_IEEE 802.11a_ANT 2
-----------	----------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5260	11.58	0.0144	24.00	0.2512	Complies
5300	11.05	0.0127	24.00	0.2512	Complies
5320	11.98	0.0158	24.00	0.2512	Complies

Test Mode	UNII-2A_IEEE 802.11a_ANT 3
-----------	----------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5260	11.69	0.0148	24.00	0.2512	Complies
5300	11.58	0.0144	24.00	0.2512	Complies
5320	12.41	0.0174	24.00	0.2512	Complies

Test Mode	UNII-2A_IEEE 802.11a_ANT 4
-----------	----------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5260	11.45	0.0140	24.00	0.2512	Complies
5300	11.83	0.0152	24.00	0.2512	Complies
5320	11.48	0.0141	24.00	0.2512	Complies

Test Mode	UNII-2A_IEEE 802.11a_Total
-----------	----------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5260	17.42	0.0552	24.00	0.2512	Complies
5300	17.50	0.0562	24.00	0.2512	Complies
5320	17.82	0.0606	24.00	0.2512	Complies

Test Mode	UNII-2A_ IEEE 802.11n (HT20)_ANT 1
-----------	------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5260	6.69	0.0047	16.12	0.0409	Complies
5300	7.34	0.0054	16.12	0.0409	Complies
5320	7.05	0.0051	16.12	0.0409	Complies

Test Mode	UNII-2A_ IEEE 802.11n (HT20)_ANT 2
-----------	------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5260	7.01	0.0050	16.12	0.0409	Complies
5300	7.21	0.0053	16.12	0.0409	Complies
5320	6.53	0.0045	16.12	0.0409	Complies

Test Mode	UNII-2A_ IEEE 802.11n (HT20)_ANT 3
-----------	------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5260	7.16	0.0052	16.12	0.0409	Complies
5300	7.41	0.0055	16.12	0.0409	Complies
5320	7.94	0.0062	16.12	0.0409	Complies

Test Mode	UNII-2A_ IEEE 802.11n (HT20)_ANT 4
-----------	------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5260	6.96	0.0050	16.12	0.0409	Complies
5300	6.13	0.0041	16.12	0.0409	Complies
5320	6.62	0.0046	16.12	0.0409	Complies

Test Mode	UNII-2A_ IEEE 802.11n (HT20)_Total
-----------	------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5260	12.98	0.0199	16.12	0.0409	Complies
5300	13.07	0.0203	16.12	0.0409	Complies
5320	13.09	0.0204	16.12	0.0409	Complies

Test Mode	UNII-2A_IIEEE 802.11ac (VHT20)_ANT 1
-----------	--------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5260	6.89	0.0049	16.12	0.0409	Complies
5300	7.06	0.0051	16.12	0.0409	Complies
5320	6.79	0.0048	16.12	0.0409	Complies

Test Mode	UNII-2A_IIEEE 802.11ac (VHT20)_ANT 2
-----------	--------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5260	6.55	0.0045	16.12	0.0409	Complies
5300	6.83	0.0048	16.12	0.0409	Complies
5320	6.29	0.0043	16.12	0.0409	Complies

Test Mode	UNII-2A_IIEEE 802.11ac (VHT20)_ANT 3
-----------	--------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5260	7.01	0.0050	16.12	0.0409	Complies
5300	7.04	0.0051	16.12	0.0409	Complies
5320	7.62	0.0058	16.12	0.0409	Complies

Test Mode	UNII-2A_IIEEE 802.11ac (VHT20)_ANT 4
-----------	--------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5260	6.79	0.0048	16.12	0.0409	Complies
5300	5.91	0.0039	16.12	0.0409	Complies
5320	6.33	0.0043	16.12	0.0409	Complies

Test Mode	UNII-2A_IIEEE 802.11ac (VHT20)_Total
-----------	--------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5260	12.83	0.0192	16.12	0.0409	Complies
5300	12.76	0.0189	16.12	0.0409	Complies
5320	12.81	0.0191	16.12	0.0409	Complies

Test Mode	UNII-2A_ IEEE 802.11n (HT40)_ANT 1
-----------	------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5270	6.94	0.0049	16.12	0.0409	Complies
5310	6.63	0.0046	16.12	0.0409	Complies

Test Mode	UNII-2A_ IEEE 802.11n (HT40)_ANT 2
-----------	------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5270	7.34	0.0054	16.12	0.0409	Complies
5310	6.69	0.0047	16.12	0.0409	Complies

Test Mode	UNII-2A_ IEEE 802.11n (HT40)_ANT 3
-----------	------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5270	7.01	0.0050	16.12	0.0409	Complies
5310	7.44	0.0055	16.12	0.0409	Complies

Test Mode	UNII-2A_ IEEE 802.11n (HT40)_ANT 4
-----------	------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5270	6.93	0.0049	16.12	0.0409	Complies
5310	6.19	0.0042	16.12	0.0409	Complies

Test Mode	UNII-2A_ IEEE 802.11n (HT40)_Total
-----------	------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5270	13.08	0.0203	16.12	0.0409	Complies
5310	12.78	0.0190	16.12	0.0409	Complies

Test Mode	UNII-2A_IIEEE 802.11ac (VHT40)_ANT 1
-----------	--------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5270	7.26	0.0053	16.12	0.04	Complies
5310	6.31	0.0043	16.12	0.04	Complies

Test Mode	UNII-2A_IIEEE 802.11ac (VHT40)_ANT 2
-----------	--------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5270	6.98	0.0050	16.12	0.04	Complies
5310	6.12	0.0041	16.12	0.04	Complies

Test Mode	UNII-2A_IIEEE 802.11ac (VHT40)_ANT 3
-----------	--------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5270	6.86	0.0049	16.12	0.04	Complies
5310	6.75	0.0047	16.12	0.04	Complies

Test Mode	UNII-2A_IIEEE 802.11ac (VHT40)_ANT 4
-----------	--------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5270	6.77	0.0048	16.12	0.04	Complies
5310	5.49	0.0035	16.12	0.04	Complies

Test Mode	UNII-2A_IIEEE 802.11ac (VHT40)_Total
-----------	--------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5270	12.99	0.0199	16.12	0.04	Complies
5310	12.21	0.0166	16.12	0.04	Complies

Test Mode	UNII-2A_IEEE 802.11ac (VHT80)_ANT 1
-----------	-------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5290	6.74	0.0047	16.12	0.0409	Complies

Test Mode	UNII-2A_IEEE 802.11ac (VHT80)_ANT 2
-----------	-------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5290	6.68	0.0047	16.12	0.0409	Complies

Test Mode	UNII-2A_IEEE 802.11ac (VHT80)_ANT 3
-----------	-------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5290	7.18	0.0052	16.12	0.0409	Complies

Test Mode	UNII-2A_IEEE 802.11ac (VHT80)_ANT 4
-----------	-------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5290	6.49	0.0045	16.12	0.0409	Complies

Test Mode	UNII-2A_IEEE 802.11ac (VHT80)_Total
-----------	-------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5290	12.80	0.0191	16.12	0.0409	Complies

Test Mode	UNII-2C_IIEEE 802.11a_ANT 1
-----------	-----------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5500	16.52	0.0449	24.00	0.2512	Complies
5580	16.60	0.0457	24.00	0.2512	Complies
5700	16.18	0.0415	24.00	0.2512	Complies

Test Mode	UNII-2C_IIEEE 802.11a_ANT 2
-----------	-----------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5500	15.10	0.0324	24.00	0.2512	Complies
5580	15.27	0.0337	24.00	0.2512	Complies
5700	14.93	0.0311	24.00	0.2512	Complies

Test Mode	UNII-2C_IIEEE 802.11a_Total
-----------	-----------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5500	18.88	0.0772	24.00	0.2512	Complies
5580	19.00	0.0794	24.00	0.2512	Complies
5700	18.61	0.0726	24.00	0.2512	Complies

Test Mode	UNII-2C_IIEEE 802.11n (HT20)_ANT 1
-----------	------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5500	16.35	0.0432	24.00	0.2512	Complies
5580	15.20	0.0331	24.00	0.2512	Complies
5700	15.57	0.0361	24.00	0.2512	Complies

Test Mode	UNII-2C_IIEEE 802.11n (HT20)_ANT 2
-----------	------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5500	15.32	0.0340	24.00	0.2512	Complies
5580	13.99	0.0251	24.00	0.2512	Complies
5700	14.43	0.0277	24.00	0.2512	Complies

Test Mode	UNII-2C_IIEEE 802.11n (HT20)_Total
-----------	------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5500	18.88	0.0772	24.00	0.2512	Complies
5580	17.65	0.0582	24.00	0.2512	Complies
5700	18.05	0.0638	24.00	0.2512	Complies

Test Mode	UNII-2C_IIEEE 802.11ac (VHT20)_ANT 1
-----------	--------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5500.00	15.95	0.0394	24.00	0.2512	Complies
5580.00	15.06	0.0321	24.00	0.2512	Complies
5700.00	15.09	0.0323	24.00	0.2512	Complies

Test Mode	UNII-2C_IIEEE 802.11ac (VHT20)_ANT 2
-----------	--------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5500.00	14.81	0.0303	24.00	0.2512	Complies
5580.00	13.94	0.0248	24.00	0.2512	Complies
5700.00	14.04	0.0254	24.00	0.2512	Complies

Test Mode	UNII-2C_IIEEE 802.11ac (VHT20)_Total
-----------	--------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5500.00	18.43	0.0697	24.00	0.2512	Complies
5580.00	17.55	0.0569	24.00	0.2512	Complies
5700.00	17.61	0.0577	24.00	0.2512	Complies

Test Mode	UNII-2C_IIEEE 802.11n (HT40)_ANT 1
-----------	------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5510	14.88	0.0308	24.00	0.2512	Complies
5550	19.32	0.0855	24.00	0.2512	Complies
5670	17.01	0.0502	24.00	0.2512	Complies

Test Mode	UNII-2C_IIEEE 802.11n (HT40)_ANT 2
-----------	------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5510	13.11	0.0205	24.00	0.2512	Complies
5550	17.88	0.0614	24.00	0.2512	Complies
5670	15.47	0.0352	24.00	0.2512	Complies

Test Mode	UNII-2C_IIEEE 802.11n (HT40)_Total
-----------	------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5510	17.09	0.0512	24.00	0.2512	Complies
5550	21.67	0.1469	24.00	0.2512	Complies
5670	19.32	0.0855	24.00	0.2512	Complies

Test Mode	UNII-2C_IIEEE 802.11ac (VHT40)_ANT 1
-----------	--------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5510	14.58	0.0287	24.00	0.2512	Complies
5550	19.02	0.0798	24.00	0.2512	Complies
5670	16.97	0.0498	24.00	0.2512	Complies

Test Mode	UNII-2C_IIEEE 802.11ac (VHT40)_ANT 2
-----------	--------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5510	12.83	0.0192	24.00	0.2512	Complies
5550	17.67	0.0585	24.00	0.2512	Complies
5670	15.44	0.0350	24.00	0.2512	Complies

Test Mode	UNII-2C_IIEEE 802.11ac (VHT40)_Total
-----------	--------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5510	16.80	0.0479	24.00	0.2512	Complies
5550	21.41	0.1384	24.00	0.2512	Complies
5670	19.28	0.0847	24.00	0.2512	Complies

Test Mode	UNII-2C_IIEEE 802.11ac (VHT80)_ANT 1
-----------	--------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5530	14.48	0.0281	24.00	0.2512	Complies
5610	18.68	0.0738	24.00	0.2512	Complies

Test Mode	UNII-2C_IIEEE 802.11ac (VHT80)_ANT 2
-----------	--------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5530	13.74	0.0237	24.00	0.2512	Complies
5610	17.18	0.0522	24.00	0.2512	Complies

Test Mode	UNII-2C_IIEEE 802.11ac (VHT80)_Total
-----------	--------------------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Limit (dBm)	Limit (W)	Result
5530	17.14	0.0517	24.00	0.2512	Complies
5610	21.00	0.1260	24.00	0.2512	Complies

Test Mode	UNII-3_ IEEE 802.11a_ANT 1
-----------	----------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5745	18.94	0.0783	30.00	1.0000	Complies
5785	18.91	0.0778	30.00	1.0000	Complies
5825	18.46	0.0701	30.00	1.0000	Complies

Test Mode	UNII-3_ IEEE 802.11a_ANT 2
-----------	----------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5745	19.07	0.0807	30.00	1.0000	Complies
5785	19.09	0.0811	30.00	1.0000	Complies
5825	19.67	0.0927	30.00	1.0000	Complies

Test Mode	UNII-3_ IEEE 802.11a_Total
-----------	----------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5745	22.02	0.1591	30.00	1.0000	Complies
5785	22.01	0.1589	30.00	1.0000	Complies
5825	22.12	0.1628	30.00	1.0000	Complies