


Orthogonal Axis :	X
Test Mode :	TX B MODE 2437MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2436.200	69.91	33.36	103.27	74.00	29.27	peak	Fundamental frequency, no limit
2	*	2436.300	67.22	33.36	100.58	54.00	46.58	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX B MODE 2437MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4873.970	42.53	6.39	48.92	74.00	-25.08	peak	
2	*	4873.970	30.67	6.39	37.06	54.00	-16.94	AVG	

Orthogonal Axis :	X
Test Mode :	TX B MODE 2437MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2436.000	69.84	33.36	103.20	74.00	29.20	peak	Fundamental frequency, no limit
2	*	2436.200	67.08	33.36	100.44	54.00	46.44	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX B MODE 2437MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4874.070	28.62	6.39	35.01	54.00	-18.99	AVG	
2		4874.070	38.47	6.39	44.86	74.00	-29.14	peak	

Orthogonal Axis :	X
Test Mode :	TX B MODE 2462MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2462.800	67.55	33.37	100.92	54.00	46.92	AVG	Fundamental frequency, no limit
2	X	2463.000	70.59	33.37	103.96	74.00	29.96	peak	Fundamental frequency, no limit
3		2483.500	25.78	33.37	59.15	74.00	-14.85	peak	
4		2483.500	17.59	33.37	50.96	54.00	-3.04	AVG	

Orthogonal Axis :	X
Test Mode :	TX B MODE 2462MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4923.940	40.93	6.59	47.52	74.00	-26.48	peak	
2	*	4923.940	29.64	6.59	36.23	54.00	-17.77	AVG	

Orthogonal Axis :	X
Test Mode :	TX B MODE 2462MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2461.300	67.09	33.37	100.46	54.00	46.46	AVG	Fundamental frequency, no limit
2	X	2463.000	70.12	33.37	103.49	74.00	29.49	peak	Fundamental frequency, no limit
3		2483.500	24.63	33.37	58.00	74.00	-16.00	peak	
4		2483.500	16.69	33.37	50.06	54.00	-3.94	AVG	

Orthogonal Axis :	X
Test Mode :	TX B MODE 2462MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4924.070	28.86	6.59	35.45	54.00	-18.55	AVG	
2		4924.070	39.67	6.59	46.26	74.00	-27.74	peak	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2412MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	32.97	33.35	66.32	74.00	-7.68	peak	
2		2390.000	15.23	33.35	48.58	54.00	-5.42	AVG	
3	X	2410.300	69.36	33.36	102.72	74.00	28.72	peak	Fundamental frequency, no limit
4	*	2415.100	58.05	33.36	91.41	54.00	37.41	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX G MODE 2412MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4824.970	39.28	5.29	44.57	74.00	-29.43	peak	
2	*	4824.860	29.14	5.29	34.43	54.00	-19.57	AVG	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2412MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	36.63	33.35	69.98	74.00	-4.02	peak	
2		2390.000	16.12	33.35	49.47	54.00	-4.53	AVG	
3	*	2414.500	58.62	33.36	91.98	54.00	37.98	AVG	Fundamental frequency, no limit
4	X	2415.100	71.29	33.36	104.65	74.00	30.65	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX G MODE 2412MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4823.860	30.35	5.29	35.64	54.00	-18.36	AVG	
2		4823.840	41.68	5.29	46.97	74.00	-27.03	peak	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2437MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2440.600	59.28	33.36	92.64	54.00	38.64	AVG	Fundamental frequency, no limit
2	X	2441.000	70.48	33.36	103.84	74.00	29.84	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX G MODE 2437MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4874.080	42.22	5.47	47.69	74.00	-26.31	peak	
2	*	4874.080	30.19	5.47	35.66	54.00	-18.34	AVG	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2437MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2439.900	70.99	33.36	104.35	74.00	30.35	peak	Fundamental frequency, no limit
2	*	2439.900	59.83	33.36	93.19	54.00	39.19	AVG	Fundamental frequency, no limit