



此頁適用於 XH2-120-R

Case Label 黏貼位置:



TLA label for case: p/n:3263963100 , 黏貼於 Case 上
需印一式一份貼於 **Case**。



TLA Serial Number 編碼方式如下 :

XRNNYWEEEE = 例"X112527000001"

X -- Brand Identification

X = Xirrus

R -- The version number will be "1"

NN -- 12 for the XH2-120 series arrays

Y -- Single Digit Year Code (example 2014 = '4', 2015 = '5')

WW -- 2 digit Week code, Monday first day of week

EEEEEE -- last 6 digits of the Base Ethernet MAC Address

此頁適用於 XH2-120-R

Gift Box label and Carton label 都是用同一張 p/n: 3263985700

需印一式二份，一份貼於 Gift Box，一份貼於 Carton 用。

1 **Xirrus**
2 2101 Corporate Center Drive
3 Thousand Oaks, CA 91320
4 **Model: XH2120**
5 Description:
6 **XH2120, POE**

12 **SKU: XH2-120**

13 Xirrus Serial Number
14 [Barcode]
15 X11252700001
16 [Barcode]
17 506028000001
18 [Barcode]
19 506028000020

7 Eth MAC Address:
8 50:60:28:00:00:01 - 00:00:02
9 802.11 MAC Address Range:
10 50:60:28:00:00:20 - 00:00:3F

11 Version **7.4.2-5841**

20 **MADE IN CHINA**

Serial Number 編碼方式,請依照
TLA Serial Number 之定義編碼

台灣生產時內容為 MADE IN TAIWAN
大陸生產時內容為 MADE IN CHINA

打印方式說明如下：

編號 8 跟編號 17 打印 MAC 碼一樣，編號 17 不需要打印冒號

編號 10 Range 前半段跟編號 19 打印 MAC 碼一樣，編號 19 不需要打印冒號

字型大小及字體，對應圖片上的編號

1. Arial 36pt BOLD
2. Arial 26pt
3. Arial 26pt
4. Arial 26pt BOLD
5. Arial 26pt
6. Arial 26pt
7. Arial 26pt
8. Arial 26pt
9. Arial 26pt
10. Arial 26pt
12. Arial 36pt
13. Arial 26pt
14. Bar Code = Code39-Full ASCII, X-Dimension = 6.67 mils, Y-Dimension = .15 in, Density = 10.344 Chars/in, Start/Stop Character = *
15. Arial 26pt
16. Bar Code = Code39-Full ASCII, X-Dimension = 6.67 mils, Y-Dimension = .15 in, Density = 10.344 Chars/in, Start/Stop Character = *
17. Arial 26pt
18. Bar Code = Code39-Full ASCII, X-Dimension = 6.67 mils, Y-Dimension = .15 in, Density = 10.344 Chars/in, Start/Stop Character = *
19. Arial 26pt
20. Arial 26pt

此頁適用於 XH2-120-R

FCC LABEL (3264243300)

