



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	PK	5.4164G	63.15	74.00	-10.85	4.17	3	Horizontal	9	1.50	-
5500MHz	Pass	PK	5.4616G	60.28	68.20	-7.92	4.25	3	Horizontal	9	1.50	-
5500MHz	Pass	PK	5.4948G	115.02	Inf	-Inf	4.31	3	Horizontal	9	1.50	-
5500MHz	Pass	AV	10.99466G	46.98	54.00	-7.02	15.61	3	Vertical	211	3.18	-
5500MHz	Pass	PK	11.00786G	58.36	74.00	-15.64	15.61	3	Vertical	211	3.18	-
5500MHz	Pass	AV	11.0018G	46.82	54.00	-7.18	15.62	3	Horizontal	322	2.35	-
5500MHz	Pass	PK	10.99106G	58.24	74.00	-15.76	15.60	3	Horizontal	322	2.35	-
5580MHz	Pass	AV	5.354G	53.36	54.00	-0.64	4.05	3	Vertical	358	1.68	-
5580MHz	Pass	AV	5.586G	109.40	Inf	-Inf	4.45	3	Vertical	358	1.68	-
5580MHz	Pass	PK	5.347G	60.11	68.20	-8.09	4.05	3	Vertical	358	1.68	-
5580MHz	Pass	PK	5.422G	62.91	74.00	-11.09	4.18	3	Vertical	358	1.68	-
5580MHz	Pass	PK	5.461G	59.71	68.20	-8.49	4.25	3	Vertical	358	1.68	-
5580MHz	Pass	PK	5.586G	117.14	Inf	-Inf	4.45	3	Vertical	358	1.68	-
5580MHz	Pass	PK	5.817G	60.89	68.20	-7.31	4.81	3	Vertical	358	1.68	-
5580MHz	Pass	AV	5.355G	52.35	54.00	-1.65	4.06	3	Horizontal	6	1.67	-
5580MHz	Pass	AV	5.576G	110.90	Inf	-Inf	4.43	3	Horizontal	6	1.67	-
5580MHz	Pass	PK	5.347G	61.25	68.20	-6.95	4.04	3	Horizontal	6	1.67	-
5580MHz	Pass	PK	5.356G	62.35	74.00	-11.65	4.06	3	Horizontal	6	1.67	-
5580MHz	Pass	PK	5.466G	59.90	68.20	-8.30	4.26	3	Horizontal	6	1.67	-
5580MHz	Pass	PK	5.576G	119.68	Inf	-Inf	4.43	3	Horizontal	6	1.67	-
5580MHz	Pass	PK	5.821G	63.21	68.20	-4.99	4.82	3	Horizontal	6	1.67	-
5580MHz	Pass	AV	11.15412G	46.08	54.00	-7.92	15.44	3	Vertical	103	1.32	-
5580MHz	Pass	PK	11.1543G	57.45	74.00	-16.55	15.44	3	Vertical	103	1.32	-
5580MHz	Pass	AV	11.14872G	46.21	54.00	-7.79	15.45	3	Horizontal	331	2.63	-
5580MHz	Pass	PK	11.14524G	57.37	74.00	-16.63	15.45	3	Horizontal	331	2.63	-
5700MHz	Pass	AV	5.7032G	107.12	Inf	-Inf	4.64	3	Vertical	360	1.67	-
5700MHz	Pass	PK	5.7044G	116.30	Inf	-Inf	4.64	3	Vertical	360	1.67	-
5700MHz	Pass	PK	5.7292G	67.16	68.20	-1.04	4.67	3	Vertical	360	1.67	-
5700MHz	Pass	AV	5.6976G	109.45	Inf	-Inf	4.63	3	Horizontal	9	1.75	-
5700MHz	Pass	PK	5.6972G	117.86	Inf	-Inf	4.63	3	Horizontal	9	1.75	-
5700MHz	Pass	PK	5.7276G	67.48	68.20	-0.72	4.67	3	Horizontal	9	1.75	-
5700MHz	Pass	AV	11.408G	46.28	54.00	-7.72	15.15	3	Vertical	36	2.81	-
5700MHz	Pass	PK	11.39408G	57.87	74.00	-16.13	15.16	3	Vertical	36	2.81	-
5700MHz	Pass	AV	11.3904G	46.21	54.00	-7.79	15.17	3	Horizontal	322	2.72	-
5700MHz	Pass	PK	11.39832G	58.23	74.00	-15.77	15.16	3	Horizontal	322	2.72	-
802.11ac VHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2804G	103.31	Inf	-Inf	3.92	3	Vertical	2	1.50	-
5270MHz	Pass	AV	5.3524G	53.44	54.00	-0.56	4.05	3	Vertical	2	1.50	-
5270MHz	Pass	PK	5.264G	117.70	Inf	-Inf	3.89	3	Vertical	2	1.50	-
5270MHz	Pass	PK	5.3536G	63.75	74.00	-10.25	4.05	3	Vertical	2	1.50	-
5270MHz	Pass	AV	5.2624G	105.93	Inf	-Inf	3.89	3	Horizontal	9	1.69	-
5270MHz	Pass	AV	5.3516G	53.35	54.00	-0.65	4.05	3	Horizontal	9	1.69	-
5270MHz	Pass	PK	5.2532G	118.03	Inf	-Inf	3.87	3	Horizontal	9	1.69	-
5270MHz	Pass	PK	5.356G	64.45	74.00	-9.55	4.06	3	Horizontal	9	1.69	-
5270MHz	Pass	AV	10.55398G	45.84	54.00	-8.16	14.71	3	Vertical	343	2.49	-
5270MHz	Pass	PK	10.5424G	57.84	74.00	-16.16	14.69	3	Vertical	343	2.49	-
5270MHz	Pass	AV	10.54762G	46.02	54.00	-7.98	14.70	3	Horizontal	329	1.39	-
5270MHz	Pass	PK	10.55452G	58.42	74.00	-15.58	14.71	3	Horizontal	329	1.39	-
5310MHz	Pass	AV	5.3276G	101.03	Inf	-Inf	4.01	3	Vertical	8	1.88	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5310MHz	Pass	AV	5.350005G	53.34	54.00	-0.66	4.05	3	Vertical	8	1.88	-
5310MHz	Pass	PK	5.3032G	114.27	Inf	-Inf	3.97	3	Vertical	8	1.88	-
5310MHz	Pass	PK	5.350005G	70.23	74.00	-3.77	4.05	3	Vertical	8	1.88	-
5310MHz	Pass	AV	5.2932G	105.15	Inf	-Inf	3.95	3	Horizontal	12	1.73	-
5310MHz	Pass	AV	5.3544G	53.54	54.00	-0.46	4.06	3	Horizontal	12	1.73	-
5310MHz	Pass	PK	5.2932G	112.88	Inf	-Inf	3.95	3	Horizontal	12	1.73	-
5310MHz	Pass	PK	5.3504G	72.19	74.00	-1.81	4.05	3	Horizontal	12	1.73	-
5310MHz	Pass	AV	10.62528G	45.65	54.00	-8.35	14.86	3	Vertical	356	1.99	-
5310MHz	Pass	PK	10.61856G	57.36	74.00	-16.64	14.84	3	Vertical	356	1.99	-
5310MHz	Pass	AV	10.60656G	45.82	54.00	-8.18	14.82	3	Horizontal	275	1.50	-
5310MHz	Pass	PK	10.61304G	57.98	74.00	-16.02	14.83	3	Horizontal	275	1.50	-
5510MHz	Pass	AV	5.4216G	49.98	54.00	-4.02	4.18	3	Vertical	0	1.67	-
5510MHz	Pass	AV	5.5056G	102.23	Inf	-Inf	4.33	3	Vertical	0	1.67	-
5510MHz	Pass	PK	5.4596G	65.75	74.00	-8.25	4.25	3	Vertical	0	1.67	-
5510MHz	Pass	PK	5.4652G	67.83	68.20	-0.37	4.26	3	Vertical	0	1.67	-
5510MHz	Pass	PK	5.5048G	111.05	Inf	-Inf	4.33	3	Vertical	0	1.67	-
5510MHz	Pass	AV	5.458G	50.51	54.00	-3.49	4.24	3	Horizontal	3	1.68	-
5510MHz	Pass	AV	5.5208G	100.91	Inf	-Inf	4.35	3	Horizontal	3	1.68	-
5510MHz	Pass	PK	5.456G	64.91	74.00	-9.09	4.24	3	Horizontal	3	1.68	-
5510MHz	Pass	PK	5.4648G	68.13	68.20	-0.07	4.26	3	Horizontal	3	1.68	-
5510MHz	Pass	PK	5.4992G	112.44	Inf	-Inf	4.32	3	Horizontal	3	1.68	-
5510MHz	Pass	AV	11.0245G	46.73	54.00	-7.27	15.59	3	Vertical	298	1.62	-
5510MHz	Pass	PK	11.01994G	58.46	74.00	-15.54	15.60	3	Vertical	298	1.62	-
5510MHz	Pass	AV	11.0116G	46.77	54.00	-7.23	15.61	3	Horizontal	159	1.50	-
5510MHz	Pass	PK	11.0203G	58.22	74.00	-15.78	15.60	3	Horizontal	159	1.50	-
5550MHz	Pass	AV	5.4592G	53.16	54.00	-0.84	4.25	3	Vertical	5	1.67	-
5550MHz	Pass	AV	5.5448G	107.77	Inf	-Inf	4.39	3	Vertical	5	1.67	-
5550MHz	Pass	PK	5.459995G	63.50	74.00	-10.50	4.25	3	Vertical	5	1.67	-
5550MHz	Pass	PK	5.468G	63.79	68.20	-4.41	4.26	3	Vertical	5	1.67	-
5550MHz	Pass	PK	5.5452G	116.01	Inf	-Inf	4.39	3	Vertical	5	1.67	-
5550MHz	Pass	AV	5.4544G	51.53	54.00	-2.47	4.24	3	Horizontal	0	1.65	-
5550MHz	Pass	AV	5.5364G	108.49	Inf	-Inf	4.37	3	Horizontal	0	1.65	-
5550MHz	Pass	PK	5.4524G	63.84	74.00	-10.16	4.23	3	Horizontal	0	1.65	-
5550MHz	Pass	PK	5.4692G	63.57	68.20	-4.63	4.26	3	Horizontal	0	1.65	-
5550MHz	Pass	PK	5.538G	116.81	Inf	-Inf	4.38	3	Horizontal	0	1.65	-
5550MHz	Pass	AV	11.0976G	46.69	54.00	-7.31	15.51	3	Vertical	14	2.97	-
5550MHz	Pass	PK	11.09664G	57.74	74.00	-16.26	15.51	3	Vertical	14	2.97	-
5550MHz	Pass	AV	11.10114G	46.56	54.00	-7.44	15.50	3	Horizontal	222	1.50	-
5550MHz	Pass	PK	11.0886G	58.40	74.00	-15.60	15.52	3	Horizontal	222	1.50	-
5670MHz	Pass	AV	5.6832G	103.04	Inf	-Inf	4.60	3	Vertical	0	1.61	-
5670MHz	Pass	PK	5.6646G	113.32	Inf	-Inf	4.57	3	Vertical	0	1.61	-
5670MHz	Pass	PK	5.7336G	64.35	68.20	-3.85	4.68	3	Vertical	0	1.61	-
5670MHz	Pass	AV	5.6592G	108.21	Inf	-Inf	4.56	3	Horizontal	4	1.84	-
5670MHz	Pass	PK	5.6598G	116.18	Inf	-Inf	4.57	3	Horizontal	4	1.84	-
5670MHz	Pass	PK	5.727G	67.41	68.20	-0.79	4.67	3	Horizontal	4	1.84	-
5670MHz	Pass	AV	11.33076G	46.14	54.00	-7.86	15.24	3	Vertical	332	1.50	-
5670MHz	Pass	PK	11.34246G	57.79	74.00	-16.21	15.22	3	Vertical	332	1.50	-
5670MHz	Pass	AV	11.32776G	46.17	54.00	-7.83	15.24	3	Horizontal	29	2.96	-
5670MHz	Pass	PK	11.32962G	57.67	74.00	-16.33	15.24	3	Horizontal	29	2.96	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80-BF_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.148G	47.54	54.00	-6.46	3.68	3	Vertical	8	1.65	-
5290MHz	Pass	AV	5.328G	96.32	Inf	-Inf	4.01	3	Vertical	8	1.65	-
5290MHz	Pass	AV	5.368G	53.34	54.00	-0.66	4.08	3	Vertical	8	1.65	-
5290MHz	Pass	PK	5.051G	58.19	74.00	-15.81	3.50	3	Vertical	8	1.65	-
5290MHz	Pass	PK	5.293G	104.58	Inf	-Inf	3.95	3	Vertical	8	1.65	-
5290MHz	Pass	PK	5.384G	64.53	74.00	-9.47	4.11	3	Vertical	8	1.65	-
5290MHz	Pass	PK	5.479G	59.28	68.20	-8.92	4.28	3	Vertical	8	1.65	-
5290MHz	Pass	AV	5.144G	47.68	54.00	-6.32	3.67	3	Horizontal	347	1.50	-
5290MHz	Pass	AV	5.264G	94.79	Inf	-Inf	3.89	3	Horizontal	347	1.50	-
5290MHz	Pass	AV	5.350005G	52.11	54.00	-1.89	4.05	3	Horizontal	347	1.50	-
5290MHz	Pass	PK	5.137G	57.79	74.00	-16.21	3.65	3	Horizontal	347	1.50	-
5290MHz	Pass	PK	5.283G	103.97	Inf	-Inf	3.93	3	Horizontal	347	1.50	-
5290MHz	Pass	PK	5.353G	66.64	74.00	-7.36	4.05	3	Horizontal	347	1.50	-
5290MHz	Pass	PK	5.505G	59.07	68.20	-9.13	4.33	3	Horizontal	347	1.50	-
5290MHz	Pass	AV	10.5698G	46.80	54.00	-7.20	14.74	3	Vertical	360	3.13	-
5290MHz	Pass	PK	10.56938G	57.66	74.00	-16.34	14.74	3	Vertical	360	3.13	-
5290MHz	Pass	AV	10.57892G	46.83	54.00	-7.17	14.76	3	Horizontal	318	1.50	-
5290MHz	Pass	PK	10.56884G	57.48	74.00	-16.52	14.74	3	Horizontal	318	1.50	-
5530MHz	Pass	AV	5.437G	53.58	54.00	-0.42	4.20	3	Vertical	0	1.50	-
5530MHz	Pass	AV	5.524G	103.36	Inf	-Inf	4.36	3	Vertical	0	1.50	-
5530MHz	Pass	PK	5.308G	57.64	68.20	-10.56	3.97	3	Vertical	0	1.50	-
5530MHz	Pass	PK	5.456G	62.50	74.00	-11.50	4.24	3	Vertical	0	1.50	-
5530MHz	Pass	PK	5.466G	64.26	68.20	-3.94	4.26	3	Vertical	0	1.50	-
5530MHz	Pass	PK	5.526G	109.42	Inf	-Inf	4.36	3	Vertical	0	1.50	-
5530MHz	Pass	PK	5.753G	58.62	68.20	-9.58	4.71	3	Vertical	0	1.50	-
5530MHz	Pass	AV	5.438G	53.75	54.00	-0.25	4.21	3	Horizontal	11	1.51	-
5530MHz	Pass	AV	5.518G	102.22	Inf	-Inf	4.35	3	Horizontal	11	1.51	-
5530MHz	Pass	PK	5.342G	59.36	68.20	-8.84	4.04	3	Horizontal	11	1.51	-
5530MHz	Pass	PK	5.447G	64.15	74.00	-9.85	4.23	3	Horizontal	11	1.51	-
5530MHz	Pass	PK	5.465G	64.93	68.20	-3.27	4.26	3	Horizontal	11	1.51	-
5530MHz	Pass	PK	5.515G	111.39	Inf	-Inf	4.34	3	Horizontal	11	1.51	-
5530MHz	Pass	PK	5.774G	59.15	68.20	-9.05	4.75	3	Horizontal	11	1.51	-
5530MHz	Pass	AV	11.05328G	47.39	54.00	-6.61	15.56	3	Vertical	154	1.50	-
5530MHz	Pass	PK	11.04962G	58.97	74.00	-15.03	15.56	3	Vertical	154	1.50	-
5530MHz	Pass	AV	11.05784G	47.76	54.00	-6.24	15.55	3	Horizontal	293	1.50	-
5530MHz	Pass	PK	11.07308G	59.03	74.00	-14.97	15.54	3	Horizontal	293	1.50	-
5610MHz	Pass	AV	5.444G	53.63	54.00	-0.37	4.22	3	Vertical	359	1.50	-
5610MHz	Pass	AV	5.607G	110.48	Inf	-Inf	4.48	3	Vertical	359	1.50	-
5610MHz	Pass	PK	5.453G	63.47	74.00	-10.53	4.23	3	Vertical	359	1.50	-
5610MHz	Pass	PK	5.468G	64.68	68.20	-3.52	4.26	3	Vertical	359	1.50	-
5610MHz	Pass	PK	5.606G	117.27	Inf	-Inf	4.48	3	Vertical	359	1.50	-
5610MHz	Pass	PK	5.727G	67.50	68.20	-0.70	4.67	3	Vertical	359	1.50	-
5610MHz	Pass	AV	5.456G	53.67	54.00	-0.33	4.24	3	Horizontal	13	1.67	-
5610MHz	Pass	AV	5.621G	103.40	Inf	-Inf	4.50	3	Horizontal	13	1.67	-
5610MHz	Pass	PK	5.409G	65.34	74.00	-8.66	4.16	3	Horizontal	13	1.67	-
5610MHz	Pass	PK	5.467G	67.39	68.20	-0.81	4.26	3	Horizontal	13	1.67	-
5610MHz	Pass	PK	5.593G	119.72	Inf	-Inf	4.46	3	Horizontal	13	1.67	-
5610MHz	Pass	PK	5.727G	67.73	68.20	-0.47	4.67	3	Horizontal	13	1.67	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5610MHz	Pass	AV	11.20638G	47.08	54.00	-6.92	15.38	3	Vertical	0	1.64	-
5610MHz	Pass	PK	11.21274G	58.01	74.00	-15.99	15.37	3	Vertical	0	1.64	-
5610MHz	Pass	AV	11.23038G	47.02	54.00	-6.98	15.35	3	Horizontal	223	1.50	-
5610MHz	Pass	PK	11.20902G	57.99	74.00	-16.01	15.38	3	Horizontal	223	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1448G	48.63	54.00	-5.37	3.67	3	Vertical	7	1.50	-
AV	5.2672G	110.23	Inf	-Inf	3.90	3	Vertical	7	1.50	-
AV	5.350005G	51.81	54.00	-2.19	4.05	3	Vertical	7	1.50	-
PK	5.149995G	59.25	74.00	-14.75	3.68	3	Vertical	7	1.50	-
PK	5.2624G	120.18	Inf	-Inf	3.89	3	Vertical	7	1.50	-
PK	5.3572G	62.44	74.00	-11.56	4.06	3	Vertical	7	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149995G	50.18	54.00	-3.82	3.68	3	Horizontal	1	1.77	-
AV	5.2684G	108.06	Inf	-Inf	3.90	3	Horizontal	1	1.77	-
AV	5.350005G	53.68	54.00	-0.32	4.05	3	Horizontal	1	1.77	-
PK	5.146G	61.45	74.00	-12.55	3.68	3	Horizontal	1	1.77	-
PK	5.257G	122.54	Inf	-Inf	3.88	3	Horizontal	1	1.77	-
PK	5.350005G	65.06	74.00	-8.94	4.05	3	Horizontal	1	1.77	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.52444G	46.57	54.00	-7.43	14.65	3	Vertical	18	2.60	-
PK	10.53308G	57.76	74.00	-16.24	14.67	3	Vertical	18	2.60	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.51988G	47.39	54.00	-6.61	14.64	3	Horizontal	338	1.91	-
PK	10.51952G	58.88	74.00	-15.12	14.64	3	Horizontal	338	1.91	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3032G	107.05	Inf	-Inf	3.97	3	Vertical	0	1.79	-
AV	5.3744G	52.63	54.00	-1.37	4.09	3	Vertical	0	1.79	-
PK	5.3044G	117.67	Inf	-Inf	3.97	3	Vertical	0	1.79	-
PK	5.3736G	63.55	74.00	-10.45	4.09	3	Vertical	0	1.79	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2968G	108.87	Inf	-Inf	3.95	3	Horizontal	10	1.81	-
AV	5.3732G	53.89	54.00	-0.11	4.09	3	Horizontal	10	1.81	-
PK	5.2948G	119.73	Inf	-Inf	3.95	3	Horizontal	10	1.81	-
PK	5.3744G	65.78	74.00	-8.22	4.09	3	Horizontal	10	1.81	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.59564G	45.79	54.00	-8.21	14.80	3	Vertical	304	1.12	-
PK	10.60732G	57.94	74.00	-16.06	14.82	3	Vertical	304	1.12	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.59912G	46.15	54.00	-7.85	14.80	3	Horizontal	330	1.63	-
PK	10.60172G	58.35	74.00	-15.65	14.81	3	Horizontal	330	1.63	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.312G	104.76	Inf	-Inf	3.98	3	Vertical	0	1.80	-
AV	5.3528G	52.81	54.00	-1.19	4.05	3	Vertical	0	1.80	-
PK	5.3244G	118.78	Inf	-Inf	4.00	3	Vertical	0	1.80	-
PK	5.35005G	67.17	74.00	-6.83	4.05	3	Vertical	0	1.80	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3152G	111.19	Inf	-Inf	3.99	3	Horizontal	7	1.88	-
AV	5.3508G	53.60	54.00	-0.40	4.05	3	Horizontal	7	1.88	-
PK	5.3152G	120.11	Inf	-Inf	3.99	3	Horizontal	7	1.88	-
PK	5.3528G	66.57	74.00	-7.43	4.05	3	Horizontal	7	1.88	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.6526G	45.81	54.00	-8.19	14.91	3	Vertical	325	1.98	-
PK	10.6484G	57.37	74.00	-16.63	14.90	3	Vertical	325	1.98	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.64882G	45.68	54.00	-8.32	14.90	3	Horizontal	276	1.49	-
PK	10.65206G	58.05	74.00	-15.95	14.91	3	Horizontal	276	1.49	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4136G	53.87	54.00	-0.13	4.17	3	Vertical	358	1.73	-
AV	5.496G	105.13	Inf	-Inf	4.31	3	Vertical	358	1.73	-
PK	5.4248G	65.75	74.00	-8.25	4.18	3	Vertical	358	1.73	-
PK	5.4676G	62.88	68.20	-5.32	4.26	3	Vertical	358	1.73	-
PK	5.5044G	114.02	Inf	-Inf	4.33	3	Vertical	358	1.73	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4164G	51.98	54.00	-2.02	4.17	3	Horizontal	9	1.50	-
AV	5.4968G	106.03	Inf	-Inf	4.31	3	Horizontal	9	1.50	-
PK	5.4164G	63.15	74.00	-10.85	4.17	3	Horizontal	9	1.50	-
PK	5.4616G	60.28	68.20	-7.92	4.25	3	Horizontal	9	1.50	-
PK	5.4948G	115.02	Inf	-Inf	4.31	3	Horizontal	9	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.99466G	46.98	54.00	-7.02	15.61	3	Vertical	211	3.18	-
PK	11.00786G	58.36	74.00	-15.64	15.61	3	Vertical	211	3.18	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.0018G	46.82	54.00	-7.18	15.62	3	Horizontal	322	2.35	-
PK	10.99106G	58.24	74.00	-15.76	15.60	3	Horizontal	322	2.35	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.354G	53.36	54.00	-0.64	4.05	3	Vertical	358	1.68	-
AV	5.586G	109.40	Inf	-Inf	4.45	3	Vertical	358	1.68	-
PK	5.347G	60.11	68.20	-8.09	4.05	3	Vertical	358	1.68	-
PK	5.422G	62.91	74.00	-11.09	4.18	3	Vertical	358	1.68	-
PK	5.461G	59.71	68.20	-8.49	4.25	3	Vertical	358	1.68	-
PK	5.586G	117.14	Inf	-Inf	4.45	3	Vertical	358	1.68	-
PK	5.817G	60.89	68.20	-7.31	4.81	3	Vertical	358	1.68	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.355G	52.35	54.00	-1.65	4.06	3	Horizontal	6	1.67	-
AV	5.576G	110.90	Inf	-Inf	4.43	3	Horizontal	6	1.67	-
PK	5.347G	61.25	68.20	-6.95	4.04	3	Horizontal	6	1.67	-
PK	5.356G	62.35	74.00	-11.65	4.06	3	Horizontal	6	1.67	-
PK	5.466G	59.90	68.20	-8.30	4.26	3	Horizontal	6	1.67	-
PK	5.576G	119.68	Inf	-Inf	4.43	3	Horizontal	6	1.67	-
PK	5.821G	63.21	68.20	-4.99	4.82	3	Horizontal	6	1.67	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.15412G	46.08	54.00	-7.92	15.44	3	Vertical	103	1.32	-
PK	11.1543G	57.45	74.00	-16.55	15.44	3	Vertical	103	1.32	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.14872G	46.21	54.00	-7.79	15.45	3	Horizontal	331	2.63	-
PK	11.14524G	57.37	74.00	-16.63	15.45	3	Horizontal	331	2.63	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7032G	107.12	Inf	-Inf	4.64	3	Vertical	360	1.67	-
PK	5.7044G	116.30	Inf	-Inf	4.64	3	Vertical	360	1.67	-
PK	5.7292G	67.16	68.20	-1.04	4.67	3	Vertical	360	1.67	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.6976G	109.45	Inf	-Inf	4.63	3	Horizontal	9	1.75	-
PK	5.6972G	117.86	Inf	-Inf	4.63	3	Horizontal	9	1.75	-
PK	5.7276G	67.48	68.20	-0.72	4.67	3	Horizontal	9	1.75	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.408G	46.28	54.00	-7.72	15.15	3	Vertical	36	2.81	-
PK	11.39408G	57.87	74.00	-16.13	15.16	3	Vertical	36	2.81	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX

07/09/2018




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
AV	11.3904G	46.21	54.00	-7.79	15.17	3	Horizontal	322	2.72	-
PK	11.39832G	58.23	74.00	-15.77	15.16	3	Horizontal	322	2.72	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2804G	103.31	Inf	-Inf	3.92	3	Vertical	2	1.50	-
AV	5.3524G	53.44	54.00	-0.56	4.05	3	Vertical	2	1.50	-
PK	5.264G	117.70	Inf	-Inf	3.89	3	Vertical	2	1.50	-
PK	5.3536G	63.75	74.00	-10.25	4.05	3	Vertical	2	1.50	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2624G	105.93	Inf	-Inf	3.89	3	Horizontal	9	1.69	-
AV	5.3516G	53.35	54.00	-0.65	4.05	3	Horizontal	9	1.69	-
PK	5.2532G	118.03	Inf	-Inf	3.87	3	Horizontal	9	1.69	-
PK	5.356G	64.45	74.00	-9.55	4.06	3	Horizontal	9	1.69	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.55398G	45.84	54.00	-8.16	14.71	3	Vertical	343	2.49	-
PK	10.5424G	57.84	74.00	-16.16	14.69	3	Vertical	343	2.49	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.54762G	46.02	54.00	-7.98	14.70	3	Horizontal	329	1.39	-
PK	10.55452G	58.42	74.00	-15.58	14.71	3	Horizontal	329	1.39	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3276G	101.03	Inf	-Inf	4.01	3	Vertical	8	1.88	-
AV	5.350005G	53.34	54.00	-0.66	4.05	3	Vertical	8	1.88	-
PK	5.3032G	114.27	Inf	-Inf	3.97	3	Vertical	8	1.88	-
PK	5.350005G	70.23	74.00	-3.77	4.05	3	Vertical	8	1.88	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2932G	105.15	Inf	-Inf	3.95	3	Horizontal	12	1.73	-
AV	5.3544G	53.54	54.00	-0.46	4.06	3	Horizontal	12	1.73	-
PK	5.2932G	112.88	Inf	-Inf	3.95	3	Horizontal	12	1.73	-
PK	5.3504G	72.19	74.00	-1.81	4.05	3	Horizontal	12	1.73	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.62528G	45.65	54.00	-8.35	14.86	3	Vertical	356	1.99	-
PK	10.61856G	57.36	74.00	-16.64	14.84	3	Vertical	356	1.99	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.60656G	45.82	54.00	-8.18	14.82	3	Horizontal	275	1.50	-
PK	10.61304G	57.98	74.00	-16.02	14.83	3	Horizontal	275	1.50	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4216G	49.98	54.00	-4.02	4.18	3	Vertical	0	1.67	-
AV	5.5056G	102.23	Inf	-Inf	4.33	3	Vertical	0	1.67	-
PK	5.4596G	65.75	74.00	-8.25	4.25	3	Vertical	0	1.67	-
PK	5.4652G	67.83	68.20	-0.37	4.26	3	Vertical	0	1.67	-
PK	5.5048G	111.05	Inf	-Inf	4.33	3	Vertical	0	1.67	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.458G	50.51	54.00	-3.49	4.24	3	Horizontal	3	1.68	-
AV	5.5208G	100.91	Inf	-Inf	4.35	3	Horizontal	3	1.68	-
PK	5.456G	64.91	74.00	-9.09	4.24	3	Horizontal	3	1.68	-
PK	5.4648G	68.13	68.20	-0.07	4.26	3	Horizontal	3	1.68	-
PK	5.4992G	112.44	Inf	-Inf	4.32	3	Horizontal	3	1.68	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.0245G	46.73	54.00	-7.27	15.59	3	Vertical	298	1.62	-
PK	11.01994G	58.46	74.00	-15.54	15.60	3	Vertical	298	1.62	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.0116G	46.77	54.00	-7.23	15.61	3	Horizontal	159	1.50	-
PK	11.0203G	58.22	74.00	-15.78	15.60	3	Horizontal	159	1.50	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4592G	53.16	54.00	-0.84	4.25	3	Vertical	5	1.67	-
AV	5.5448G	107.77	Inf	-Inf	4.39	3	Vertical	5	1.67	-
PK	5.459995G	63.50	74.00	-10.50	4.25	3	Vertical	5	1.67	-
PK	5.468G	63.79	68.20	-4.41	4.26	3	Vertical	5	1.67	-
PK	5.5452G	116.01	Inf	-Inf	4.39	3	Vertical	5	1.67	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4544G	51.53	54.00	-2.47	4.24	3	Horizontal	0	1.65	-
AV	5.5364G	108.49	Inf	-Inf	4.37	3	Horizontal	0	1.65	-
PK	5.4524G	63.84	74.00	-10.16	4.23	3	Horizontal	0	1.65	-
PK	5.4692G	63.57	68.20	-4.63	4.26	3	Horizontal	0	1.65	-
PK	5.538G	116.81	Inf	-Inf	4.38	3	Horizontal	0	1.65	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.0976G	46.69	54.00	-7.31	15.51	3	Vertical	14	2.97	-
PK	11.09664G	57.74	74.00	-16.26	15.51	3	Vertical	14	2.97	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.10114G	46.56	54.00	-7.44	15.50	3	Horizontal	222	1.50	-
PK	11.0886G	58.40	74.00	-15.60	15.52	3	Horizontal	222	1.50	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.6832G	103.04	Inf	-Inf	4.60	3	Vertical	0	1.61	-
PK	5.6646G	113.32	Inf	-Inf	4.57	3	Vertical	0	1.61	-
PK	5.7336G	64.35	68.20	-3.85	4.68	3	Vertical	0	1.61	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.6592G	108.21	Inf	-Inf	4.56	3	Horizontal	4	1.84	-
PK	5.6598G	116.18	Inf	-Inf	4.57	3	Horizontal	4	1.84	-
PK	5.727G	67.41	68.20	-0.79	4.67	3	Horizontal	4	1.84	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.33076G	46.14	54.00	-7.86	15.24	3	Vertical	332	1.50	-
PK	11.34246G	57.79	74.00	-16.21	15.22	3	Vertical	332	1.50	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.32776G	46.17	54.00	-7.83	15.24	3	Horizontal	29	2.96	-
PK	11.32962G	57.67	74.00	-16.33	15.24	3	Horizontal	29	2.96	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.148G	47.54	54.00	-6.46	3.68	3	Vertical	8	1.65	-
AV	5.328G	96.32	Inf	-Inf	4.01	3	Vertical	8	1.65	-
AV	5.368G	53.34	54.00	-0.66	4.08	3	Vertical	8	1.65	-
PK	5.051G	58.19	74.00	-15.81	3.50	3	Vertical	8	1.65	-
PK	5.293G	104.58	Inf	-Inf	3.95	3	Vertical	8	1.65	-
PK	5.384G	64.53	74.00	-9.47	4.11	3	Vertical	8	1.65	-
PK	5.479G	59.28	68.20	-8.92	4.28	3	Vertical	8	1.65	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.144G	47.68	54.00	-6.32	3.67	3	Horizontal	347	1.50	-
AV	5.264G	94.79	Inf	-Inf	3.89	3	Horizontal	347	1.50	-
AV	5.350005G	52.11	54.00	-1.89	4.05	3	Horizontal	347	1.50	-
PK	5.137G	57.79	74.00	-16.21	3.65	3	Horizontal	347	1.50	-
PK	5.283G	103.97	Inf	-Inf	3.93	3	Horizontal	347	1.50	-
PK	5.353G	66.64	74.00	-7.36	4.05	3	Horizontal	347	1.50	-
PK	5.505G	59.07	68.20	-9.13	4.33	3	Horizontal	347	1.50	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.5698G	46.80	54.00	-7.20	14.74	3	Vertical	360	3.13	-
PK	10.56938G	57.66	74.00	-16.34	14.74	3	Vertical	360	3.13	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.57892G	46.83	54.00	-7.17	14.76	3	Horizontal	318	1.50	-
PK	10.56884G	57.48	74.00	-16.52	14.74	3	Horizontal	318	1.50	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.437G	53.58	54.00	-0.42	4.20	3	Vertical	0	1.50	-
AV	5.524G	103.36	Inf	-Inf	4.36	3	Vertical	0	1.50	-
PK	5.308G	57.64	68.20	-10.56	3.97	3	Vertical	0	1.50	-
PK	5.456G	62.50	74.00	-11.50	4.24	3	Vertical	0	1.50	-
PK	5.466G	64.26	68.20	-3.94	4.26	3	Vertical	0	1.50	-
PK	5.526G	109.42	Inf	-Inf	4.36	3	Vertical	0	1.50	-
PK	5.753G	58.62	68.20	-9.58	4.71	3	Vertical	0	1.50	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.438G	53.75	54.00	-0.25	4.21	3	Horizontal	11	1.51	-
AV	5.518G	102.22	Inf	-Inf	4.35	3	Horizontal	11	1.51	-
PK	5.342G	59.36	68.20	-8.84	4.04	3	Horizontal	11	1.51	-
PK	5.447G	64.15	74.00	-9.85	4.23	3	Horizontal	11	1.51	-
PK	5.465G	64.93	68.20	-3.27	4.26	3	Horizontal	11	1.51	-
PK	5.515G	111.39	Inf	-Inf	4.34	3	Horizontal	11	1.51	-
PK	5.774G	59.15	68.20	-9.05	4.75	3	Horizontal	11	1.51	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.05328G	47.39	54.00	-6.61	15.56	3	Vertical	154	1.50	-
PK	11.04962G	58.97	74.00	-15.03	15.56	3	Vertical	154	1.50	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.05784G	47.76	54.00	-6.24	15.55	3	Horizontal	293	1.50	-
PK	11.07308G	59.03	74.00	-14.97	15.54	3	Horizontal	293	1.50	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.444G	53.63	54.00	-0.37	4.22	3	Vertical	359	1.50	-
AV	5.607G	110.48	Inf	-Inf	4.48	3	Vertical	359	1.50	-
PK	5.453G	63.47	74.00	-10.53	4.23	3	Vertical	359	1.50	-
PK	5.468G	64.68	68.20	-3.52	4.26	3	Vertical	359	1.50	-
PK	5.606G	117.27	Inf	-Inf	4.48	3	Vertical	359	1.50	-
PK	5.727G	67.50	68.20	-0.70	4.67	3	Vertical	359	1.50	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.456G	53.67	54.00	-0.33	4.24	3	Horizontal	13	1.67	-
AV	5.621G	103.40	Inf	-Inf	4.50	3	Horizontal	13	1.67	-
PK	5.409G	65.34	74.00	-8.66	4.16	3	Horizontal	13	1.67	-
PK	5.467G	67.39	68.20	-0.81	4.26	3	Horizontal	13	1.67	-
PK	5.593G	119.72	Inf	-Inf	4.46	3	Horizontal	13	1.67	-
PK	5.727G	67.73	68.20	-0.47	4.67	3	Horizontal	13	1.67	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX

07/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.20638G	47.08	54.00	-6.92	15.38	3	Vertical	0	1.64	-
PK	11.21274G	58.01	74.00	-15.99	15.37	3	Vertical	0	1.64	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX

07/09/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.23038G	47.02	54.00	-6.98	15.35	3	Horizontal	223	1.50	-
PK	11.20902G	57.99	74.00	-16.01	15.38	3	Horizontal	223	1.50	-



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	Pass	PK	39.7M	31.95	40.00	-8.05	-9.52	3	Vertical	360	1.00	-


**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	PK	39.7M	31.95	40.00	-8.05	-9.52	3	Vertical	360	1.00	-
5530MHz	Pass	PK	99.84M	31.49	43.50	-12.01	-10.34	3	Vertical	360	1.00	-
5530MHz	Pass	PK	274.44M	31.92	46.00	-14.08	-6.26	3	Vertical	360	1.00	-
5530MHz	Pass	PK	375.32M	25.62	46.00	-20.38	-4.36	3	Vertical	360	1.00	-
5530MHz	Pass	PK	474.26M	30.27	46.00	-15.73	-2.28	3	Vertical	360	1.00	-
5530MHz	Pass	PK	899.12M	35.53	46.00	-10.47	2.57	3	Vertical	360	1.00	-
5530MHz	Pass	PK	62.98M	28.39	40.00	-11.61	-15.38	3	Horizontal	0	1.00	-
5530MHz	Pass	PK	99.84M	33.00	43.50	-10.50	-10.34	3	Horizontal	0	1.00	-
5530MHz	Pass	PK	274.44M	32.65	46.00	-13.35	-6.26	3	Horizontal	0	1.00	-
5530MHz	Pass	PK	324.88M	33.86	46.00	-12.14	-5.39	3	Horizontal	0	1.00	-
5530MHz	Pass	PK	375.32M	33.80	46.00	-12.20	-4.36	3	Horizontal	0	1.00	-
5530MHz	Pass	PK	899.12M	36.41	46.00	-9.59	2.57	3	Horizontal	0	1.00	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_PoE

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	39.7M	31.95	40.00	-8.05	-9.52	3	Vertical	360	1.00	-
PK	99.84M	31.49	43.50	-12.01	-10.34	3	Vertical	360	1.00	-
PK	274.44M	31.92	46.00	-14.08	-6.26	3	Vertical	360	1.00	-
PK	375.32M	25.62	46.00	-20.38	-4.36	3	Vertical	360	1.00	-
PK	474.26M	30.27	46.00	-15.73	-2.28	3	Vertical	360	1.00	-
PK	899.12M	35.53	46.00	-10.47	2.57	3	Vertical	360	1.00	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_PoE

13/09/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	62.98M	28.39	40.00	-11.61	-15.38	3	Horizontal	0	1.00	-
PK	99.84M	33.00	43.50	-10.50	-10.34	3	Horizontal	0	1.00	-
PK	274.44M	32.65	46.00	-13.35	-6.26	3	Horizontal	0	1.00	-
PK	324.88M	33.86	46.00	-12.14	-5.39	3	Horizontal	0	1.00	-
PK	375.32M	33.80	46.00	-12.20	-4.36	3	Horizontal	0	1.00	-
PK	899.12M	36.41	46.00	-9.59	2.57	3	Horizontal	0	1.00	-

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.378G	53.85	54.00	-0.15	4.10	3	Vertical	180	1.50	-
802.11ac VHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.3516G	53.55	54.00	-0.45	4.05	3	Vertical	7	2.58	-
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.353G	52.95	54.00	-1.05	4.05	3	Vertical	187	2.33	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.7288G	67.56	68.20	-0.64	4.67	3	Vertical	343	2.63	-
802.11ac VHT40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.7258G	67.33	68.20	-0.87	4.67	3	Vertical	248	2.78	-
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.463G	67.67	68.20	-0.53	4.26	3	Vertical	360	2.33	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.149G	50.79	54.00	-3.21	3.68	3	Vertical	6	1.50	-
5260MHz	Pass	AV	5.2552G	114.30	Inf	-Inf	3.87	3	Vertical	6	1.50	-
5260MHz	Pass	AV	5.3518G	53.03	54.00	-0.97	4.05	3	Vertical	6	1.50	-
5260MHz	Pass	PK	5.1328G	61.38	74.00	-12.62	3.65	3	Vertical	6	1.50	-
5260MHz	Pass	PK	5.2642G	124.48	Inf	-Inf	3.89	3	Vertical	6	1.50	-
5260MHz	Pass	PK	5.3518G	63.42	74.00	-10.58	4.05	3	Vertical	6	1.50	-
5260MHz	Pass	AV	15.7671G	47.20	54.00	-6.80	14.38	3	Vertical	185	2.45	-
5260MHz	Pass	PK	15.7875G	58.88	74.00	-15.12	14.27	3	Vertical	185	2.45	-
5260MHz	Pass	AV	15.79044G	47.23	54.00	-6.77	14.26	3	Horizontal	45	1.56	-
5260MHz	Pass	PK	15.7905G	59.51	74.00	-14.49	14.26	3	Horizontal	45	1.56	-
5300MHz	Pass	AV	5.298G	110.26	Inf	-Inf	3.96	3	Vertical	180	1.50	-
5300MHz	Pass	AV	5.378G	53.85	54.00	-0.15	4.10	3	Vertical	180	1.50	-
5300MHz	Pass	PK	5.3044G	119.78	Inf	-Inf	3.97	3	Vertical	180	1.50	-
5300MHz	Pass	PK	5.3784G	64.19	74.00	-9.81	4.10	3	Vertical	180	1.50	-
5300MHz	Pass	AV	10.58512G	45.52	54.00	-8.48	14.77	3	Vertical	152	2.12	-
5300MHz	Pass	PK	10.6141G	56.96	74.00	-17.04	14.83	3	Vertical	152	2.12	-
5300MHz	Pass	AV	10.60642G	45.45	54.00	-8.55	14.82	3	Horizontal	102	1.45	-
5300MHz	Pass	PK	10.59544G	56.74	74.00	-17.26	14.79	3	Horizontal	102	1.45	-
5320MHz	Pass	AV	5.328G	111.25	Inf	-Inf	4.01	3	Vertical	181	1.50	-
5320MHz	Pass	AV	5.4084G	53.76	54.00	-0.24	4.16	3	Vertical	181	1.50	-
5320MHz	Pass	PK	5.3244G	119.21	Inf	-Inf	4.00	3	Vertical	181	1.50	-
5320MHz	Pass	PK	5.3508G	72.82	74.00	-1.18	4.05	3	Vertical	181	1.50	-
5320MHz	Pass	AV	10.63178G	45.32	54.00	-8.68	14.87	3	Vertical	124	2.25	-
5320MHz	Pass	PK	10.62626G	56.65	74.00	-17.35	14.86	3	Vertical	124	2.25	-
5320MHz	Pass	AV	10.62866G	45.40	54.00	-8.60	14.86	3	Horizontal	125	1.94	-
5320MHz	Pass	PK	10.64102G	56.73	74.00	-17.27	14.89	3	Horizontal	125	1.94	-
5500MHz	Pass	AV	5.4256G	52.57	54.00	-1.43	4.19	3	Vertical	185	2.93	-
5500MHz	Pass	AV	5.5056G	108.58	Inf	-Inf	4.33	3	Vertical	185	2.93	-
5500MHz	Pass	PK	5.4236G	64.03	74.00	-9.97	4.18	3	Vertical	185	2.93	-
5500MHz	Pass	PK	5.4684G	62.93	68.20	-5.27	4.26	3	Vertical	185	2.93	-
5500MHz	Pass	PK	5.5044G	117.78	Inf	-Inf	4.33	3	Vertical	185	2.93	-
5500MHz	Pass	PK	10.98926G	59.05	74.00	-14.95	15.60	3	Vertical	56	2.02	-
5500MHz	Pass	AV	11.00378G	46.67	54.00	-7.33	15.62	3	Vertical	56	2.02	-
5500MHz	Pass	AV	10.98764G	46.57	54.00	-7.43	15.59	3	Horizontal	94	1.85	-
5500MHz	Pass	PK	10.9925G	58.83	74.00	-15.17	15.60	3	Horizontal	94	1.85	-
5580MHz	Pass	AV	5.4594G	52.93	54.00	-1.07	4.25	3	Vertical	89	2.66	-
5580MHz	Pass	AV	5.5746G	119.22	Inf	-Inf	4.43	3	Vertical	89	2.66	-
5580MHz	Pass	AV	5.73G	53.82	Inf	-Inf	4.67	3	Vertical	89	2.66	-
5580MHz	Pass	PK	5.442G	64.37	74.00	-9.63	4.22	3	Vertical	89	2.66	-
5580MHz	Pass	PK	5.4654G	65.82	68.20	-2.38	4.26	3	Vertical	89	2.66	-
5580MHz	Pass	PK	5.5758G	126.97	Inf	-Inf	4.43	3	Vertical	89	2.66	-
5580MHz	Pass	PK	5.7294G	64.43	68.20	-3.77	4.67	3	Vertical	89	2.66	-
5580MHz	Pass	AV	11.16396G	45.84	54.00	-8.16	15.43	3	Vertical	345	1.69	-
5580MHz	Pass	PK	11.16018G	58.26	74.00	-15.74	15.43	3	Vertical	345	1.69	-
5580MHz	Pass	AV	11.14536G	45.97	54.00	-8.03	15.45	3	Horizontal	112	1.55	-
5580MHz	Pass	PK	11.16552G	58.10	74.00	-15.90	15.43	3	Horizontal	112	1.55	-
5700MHz	Pass	AV	5.702G	109.22	Inf	-Inf	4.63	3	Vertical	343	2.63	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5700MHz	Pass	AV	5.7828G	52.70	Inf	-Inf	4.76	3	Vertical	343	2.63	-
5700MHz	Pass	PK	5.704G	118.11	Inf	-Inf	4.64	3	Vertical	343	2.63	-
5700MHz	Pass	PK	5.7288G	67.56	68.20	-0.64	4.67	3	Vertical	343	2.63	-
5700MHz	Pass	AV	11.4147G	46.14	54.00	-7.86	15.14	3	Vertical	285	1.66	-
5700MHz	Pass	PK	11.39502G	57.65	74.00	-16.35	15.16	3	Vertical	285	1.66	-
5700MHz	Pass	AV	11.39448G	46.17	54.00	-7.83	15.16	3	Horizontal	156	2.23	-
5700MHz	Pass	PK	11.39484G	59.06	74.00	-14.94	15.16	3	Horizontal	156	2.23	-
802.11ac VHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.1268G	51.27	54.00	-2.73	3.64	3	Vertical	7	2.58	-
5270MHz	Pass	AV	5.2876G	107.73	Inf	-Inf	3.94	3	Vertical	7	2.58	-
5270MHz	Pass	AV	5.3516G	53.55	54.00	-0.45	4.05	3	Vertical	7	2.58	-
5270MHz	Pass	PK	5.1124G	62.72	74.00	-11.28	3.61	3	Vertical	7	2.58	-
5270MHz	Pass	PK	5.274G	120.34	Inf	-Inf	3.91	3	Vertical	7	2.58	-
5270MHz	Pass	PK	5.350005G	68.93	74.00	-5.07	4.05	3	Vertical	7	2.58	-
5270MHz	Pass	AV	15.80142G	47.11	54.00	-6.89	14.20	3	Vertical	121	1.54	-
5270MHz	Pass	PK	15.80556G	58.96	74.00	-15.04	14.18	3	Vertical	121	1.54	-
5270MHz	Pass	AV	15.79752G	47.18	54.00	-6.82	14.22	3	Horizontal	149	2.33	-
5270MHz	Pass	PK	15.80124G	58.52	74.00	-15.48	14.20	3	Horizontal	149	2.33	-
5310MHz	Pass	AV	5.3172G	104.14	Inf	-Inf	3.99	3	Vertical	0	2.55	-
5310MHz	Pass	AV	5.350005G	53.20	54.00	-0.80	4.05	3	Vertical	0	2.55	-
5310MHz	Pass	PK	5.3168G	113.98	Inf	-Inf	3.99	3	Vertical	0	2.55	-
5310MHz	Pass	PK	5.350005G	71.74	74.00	-2.26	4.05	3	Vertical	0	2.55	-
5310MHz	Pass	AV	10.61274G	45.49	54.00	-8.51	14.83	3	Vertical	99	2.31	-
5310MHz	Pass	PK	10.63212G	56.84	74.00	-17.16	14.87	3	Vertical	99	2.31	-
5310MHz	Pass	AV	10.6254G	45.50	54.00	-8.50	14.86	3	Horizontal	102	2.65	-
5310MHz	Pass	PK	10.61184G	57.10	74.00	-16.90	14.83	3	Horizontal	102	2.65	-
5510MHz	Pass	AV	5.4244G	50.59	54.00	-3.41	4.18	3	Vertical	0	2.55	-
5510MHz	Pass	AV	5.504G	104.62	Inf	-Inf	4.33	3	Vertical	0	2.55	-
5510MHz	Pass	PK	5.4544G	62.85	74.00	-11.15	4.24	3	Vertical	0	2.55	-
5510MHz	Pass	PK	5.4684G	66.53	68.20	-1.67	4.26	3	Vertical	0	2.55	-
5510MHz	Pass	PK	5.5076G	112.67	Inf	-Inf	4.33	3	Vertical	0	2.55	-
5510MHz	Pass	AV	11.01274G	46.69	54.00	-7.31	15.61	3	Vertical	215	2.09	-
5510MHz	Pass	PK	11.00518G	58.36	74.00	-15.64	15.61	3	Vertical	215	2.09	-
5510MHz	Pass	AV	11.02006G	46.65	54.00	-7.35	15.60	3	Horizontal	78	2.34	-
5510MHz	Pass	PK	11.0113G	58.49	74.00	-15.51	15.61	3	Horizontal	78	2.34	-
5550MHz	Pass	AV	5.459995G	53.02	54.00	-0.98	4.25	3	Vertical	268	2.79	-
5550MHz	Pass	AV	5.468G	53.89	Inf	-Inf	4.26	3	Vertical	268	2.79	-
5550MHz	Pass	AV	5.5432G	108.77	Inf	-Inf	4.38	3	Vertical	268	2.79	-
5550MHz	Pass	PK	5.4588G	64.57	74.00	-9.43	4.25	3	Vertical	268	2.79	-
5550MHz	Pass	PK	5.4668G	65.68	68.20	-2.52	4.26	3	Vertical	268	2.79	-
5550MHz	Pass	PK	5.5612G	118.60	Inf	-Inf	4.41	3	Vertical	268	2.79	-
5550MHz	Pass	AV	11.08986G	46.34	54.00	-7.66	15.52	3	Vertical	23	1.35	-
5550MHz	Pass	PK	11.10318G	58.07	74.00	-15.93	15.50	3	Vertical	23	1.35	-
5550MHz	Pass	AV	11.09154G	46.35	54.00	-7.65	15.51	3	Horizontal	121	1.85	-
5550MHz	Pass	PK	11.08974G	57.97	74.00	-16.03	15.52	3	Horizontal	121	1.85	-
5670MHz	Pass	AV	5.6888G	103.89	Inf	-Inf	4.61	3	Vertical	248	2.78	-
5670MHz	Pass	PK	5.682G	115.01	Inf	-Inf	4.60	3	Vertical	248	2.78	-
5670MHz	Pass	PK	5.7258G	67.33	68.20	-0.87	4.67	3	Vertical	248	2.78	-
5670MHz	Pass	AV	11.32614G	46.11	54.00	-7.89	15.24	3	Vertical	123	2.52	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5670MHz	Pass	PK	11.3286G	57.91	74.00	-16.09	15.24	3	Vertical	123	2.52	-
5670MHz	Pass	AV	11.33226G	46.14	54.00	-7.86	15.23	3	Horizontal	12	2.79	-
5670MHz	Pass	PK	11.34762G	57.74	74.00	-16.26	15.22	3	Horizontal	12	2.79	-
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.149G	48.13	54.00	-5.87	3.68	3	Vertical	187	2.33	-
5290MHz	Pass	AV	5.266G	106.96	Inf	-Inf	3.90	3	Vertical	187	2.33	-
5290MHz	Pass	AV	5.353G	52.95	54.00	-1.05	4.05	3	Vertical	187	2.33	-
5290MHz	Pass	PK	5.143G	60.05	74.00	-13.95	3.67	3	Vertical	187	2.33	-
5290MHz	Pass	PK	5.263G	112.24	Inf	-Inf	3.89	3	Vertical	187	2.33	-
5290MHz	Pass	PK	5.354G	65.30	74.00	-8.70	4.05	3	Vertical	187	2.33	-
5290MHz	Pass	AV	15.86178G	46.41	54.00	-7.59	13.89	3	Vertical	54	1.48	-
5290MHz	Pass	PK	15.85848G	58.01	74.00	-15.99	13.91	3	Vertical	54	1.48	-
5290MHz	Pass	AV	15.85752G	46.36	54.00	-7.64	13.91	3	Horizontal	19	1.75	-
5290MHz	Pass	PK	15.87732G	58.67	74.00	-15.33	13.81	3	Horizontal	19	1.75	-
5530MHz	Pass	AV	5.459995G	51.08	54.00	-2.92	4.25	3	Vertical	360	2.33	-
5530MHz	Pass	AV	5.503G	98.88	Inf	-Inf	4.32	3	Vertical	360	2.33	-
5530MHz	Pass	PK	5.295G	58.85	68.20	-9.35	3.95	3	Vertical	360	2.33	-
5530MHz	Pass	PK	5.457G	69.70	74.00	-4.30	4.24	3	Vertical	360	2.33	-
5530MHz	Pass	PK	5.463G	67.67	68.20	-0.53	4.26	3	Vertical	360	2.33	-
5530MHz	Pass	PK	5.509G	109.69	Inf	-Inf	4.33	3	Vertical	360	2.33	-
5530MHz	Pass	PK	5.737G	59.94	68.20	-8.26	4.68	3	Vertical	360	2.33	-
5530MHz	Pass	AV	11.05316G	46.06	54.00	-7.94	15.56	3	Vertical	208	1.56	-
5530MHz	Pass	PK	11.05856G	58.14	74.00	-15.86	15.55	3	Vertical	208	1.56	-
5530MHz	Pass	AV	11.05688G	46.08	54.00	-7.92	15.55	3	Horizontal	312	2.41	-
5530MHz	Pass	PK	11.06852G	58.87	74.00	-15.13	15.54	3	Horizontal	312	2.41	-
5610MHz	Pass	AV	5.424G	51.37	54.00	-2.63	4.18	3	Vertical	8	2.89	-
5610MHz	Pass	AV	5.584G	108.23	Inf	-Inf	4.45	3	Vertical	8	2.89	-
5610MHz	Pass	PK	5.458G	62.77	74.00	-11.23	4.24	3	Vertical	8	2.89	-
5610MHz	Pass	PK	5.466G	64.18	68.20	-4.02	4.26	3	Vertical	8	2.89	-
5610MHz	Pass	PK	5.615G	111.29	Inf	-Inf	4.49	3	Vertical	8	2.89	-
5610MHz	Pass	PK	5.74G	67.35	68.20	-0.85	4.70	3	Vertical	8	2.89	-
5610MHz	Pass	AV	11.23152G	45.87	54.00	-8.13	15.35	3	Vertical	158	2.32	-
5610MHz	Pass	PK	11.2206G	57.73	74.00	-16.27	15.36	3	Vertical	158	2.32	-
5610MHz	Pass	AV	11.2341G	45.94	54.00	-8.06	15.35	3	Horizontal	75	1.85	-
5610MHz	Pass	PK	11.2338G	58.17	74.00	-15.83	15.35	3	Horizontal	75	1.85	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149G	50.79	54.00	-3.21	3.68	3	Vertical	6	1.50	-
AV	5.2552G	114.30	Inf	-Inf	3.87	3	Vertical	6	1.50	-
AV	5.3518G	53.03	54.00	-0.97	4.05	3	Vertical	6	1.50	-
PK	5.1328G	61.38	74.00	-12.62	3.65	3	Vertical	6	1.50	-
PK	5.2642G	124.48	Inf	-Inf	3.89	3	Vertical	6	1.50	-
PK	5.3518G	63.42	74.00	-10.58	4.05	3	Vertical	6	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.7671G	47.20	54.00	-6.80	14.38	3	Vertical	185	2.45	-
PK	15.7875G	58.88	74.00	-15.12	14.27	3	Vertical	185	2.45	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.79044G	47.23	54.00	-6.77	14.26	3	Horizontal	45	1.56	-
PK	15.7905G	59.51	74.00	-14.49	14.26	3	Horizontal	45	1.56	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.298G	110.26	Inf	-Inf	3.96	3	Vertical	180	1.50	-
AV	5.378G	53.85	54.00	-0.15	4.10	3	Vertical	180	1.50	-
PK	5.3044G	119.78	Inf	-Inf	3.97	3	Vertical	180	1.50	-
PK	5.3784G	64.19	74.00	-9.81	4.10	3	Vertical	180	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.58512G	45.52	54.00	-8.48	14.77	3	Vertical	152	2.12	-
PK	10.6141G	56.96	74.00	-17.04	14.83	3	Vertical	152	2.12	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.60642G	45.45	54.00	-8.55	14.82	3	Horizontal	102	1.45	-
PK	10.59544G	56.74	74.00	-17.26	14.79	3	Horizontal	102	1.45	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.328G	111.25	Inf	-Inf	4.01	3	Vertical	181	1.50	-
AV	5.4084G	53.76	54.00	-0.24	4.16	3	Vertical	181	1.50	-
PK	5.3244G	119.21	Inf	-Inf	4.00	3	Vertical	181	1.50	-
PK	5.3508G	72.82	74.00	-1.18	4.05	3	Vertical	181	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.63178G	45.32	54.00	-8.68	14.87	3	Vertical	124	2.25	-
PK	10.62626G	56.65	74.00	-17.35	14.86	3	Vertical	124	2.25	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.62866G	45.40	54.00	-8.60	14.86	3	Horizontal	125	1.94	-
PK	10.64102G	56.73	74.00	-17.27	14.89	3	Horizontal	125	1.94	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4256G	52.57	54.00	-1.43	4.19	3	Vertical	185	2.93	-
AV	5.5056G	108.58	Inf	-Inf	4.33	3	Vertical	185	2.93	-
PK	5.4236G	64.03	74.00	-9.97	4.18	3	Vertical	185	2.93	-
PK	5.4684G	62.93	68.20	-5.27	4.26	3	Vertical	185	2.93	-
PK	5.5044G	117.78	Inf	-Inf	4.33	3	Vertical	185	2.93	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.98926G	59.05	74.00	-14.95	15.60	3	Vertical	56	2.02	-
AV	11.00378G	46.67	54.00	-7.33	15.62	3	Vertical	56	2.02	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.98764G	46.57	54.00	-7.43	15.59	3	Horizontal	94	1.85	-
PK	10.9925G	58.83	74.00	-15.17	15.60	3	Horizontal	94	1.85	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4594G	52.93	54.00	-1.07	4.25	3	Vertical	89	2.66	-
AV	5.5746G	119.22	Inf	-Inf	4.43	3	Vertical	89	2.66	-
AV	5.73G	53.82	Inf	-Inf	4.67	3	Vertical	89	2.66	-
PK	5.442G	64.37	74.00	-9.63	4.22	3	Vertical	89	2.66	-
PK	5.4654G	65.82	68.20	-2.38	4.26	3	Vertical	89	2.66	-
PK	5.5758G	126.97	Inf	-Inf	4.43	3	Vertical	89	2.66	-
PK	5.7294G	64.43	68.20	-3.77	4.67	3	Vertical	89	2.66	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.16396G	45.84	54.00	-8.16	15.43	3	Vertical	345	1.69	-
PK	11.16018G	58.26	74.00	-15.74	15.43	3	Vertical	345	1.69	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.14536G	45.97	54.00	-8.03	15.45	3	Horizontal	112	1.55	-
PK	11.16552G	58.10	74.00	-15.90	15.43	3	Horizontal	112	1.55	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.702G	109.22	Inf	-Inf	4.63	3	Vertical	343	2.63	-
AV	5.7828G	52.70	Inf	-Inf	4.76	3	Vertical	343	2.63	-
PK	5.704G	118.11	Inf	-Inf	4.64	3	Vertical	343	2.63	-
PK	5.7288G	67.56	68.20	-0.64	4.67	3	Vertical	343	2.63	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.4147G	46.14	54.00	-7.86	15.14	3	Vertical	285	1.66	-
PK	11.39502G	57.65	74.00	-16.35	15.16	3	Vertical	285	1.66	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.39448G	46.17	54.00	-7.83	15.16	3	Horizontal	156	2.23	-
PK	11.39484G	59.06	74.00	-14.94	15.16	3	Horizontal	156	2.23	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1268G	51.27	54.00	-2.73	3.64	3	Vertical	7	2.58	-
AV	5.2876G	107.73	Inf	-Inf	3.94	3	Vertical	7	2.58	-
AV	5.3516G	53.55	54.00	-0.45	4.05	3	Vertical	7	2.58	-
PK	5.1124G	62.72	74.00	-11.28	3.61	3	Vertical	7	2.58	-
PK	5.274G	120.34	Inf	-Inf	3.91	3	Vertical	7	2.58	-
PK	5.350005G	68.93	74.00	-5.07	4.05	3	Vertical	7	2.58	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.80142G	47.11	54.00	-6.89	14.20	3	Vertical	121	1.54	-
PK	15.80556G	58.96	74.00	-15.04	14.18	3	Vertical	121	1.54	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.79752G	47.18	54.00	-6.82	14.22	3	Horizontal	149	2.33	-
PK	15.80124G	58.52	74.00	-15.48	14.20	3	Horizontal	149	2.33	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3172G	104.14	Inf	-Inf	3.99	3	Vertical	0	2.55	-
AV	5.350005G	53.20	54.00	-0.80	4.05	3	Vertical	0	2.55	-
PK	5.3168G	113.98	Inf	-Inf	3.99	3	Vertical	0	2.55	-
PK	5.350005G	71.74	74.00	-2.26	4.05	3	Vertical	0	2.55	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.61274G	45.49	54.00	-8.51	14.83	3	Vertical	99	2.31	-
PK	10.63212G	56.84	74.00	-17.16	14.87	3	Vertical	99	2.31	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.6254G	45.50	54.00	-8.50	14.86	3	Horizontal	102	2.65	-
PK	10.61184G	57.10	74.00	-16.90	14.83	3	Horizontal	102	2.65	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4244G	50.59	54.00	-3.41	4.18	3	Vertical	0	2.55	-
AV	5.504G	104.62	Inf	-Inf	4.33	3	Vertical	0	2.55	-
PK	5.4544G	62.85	74.00	-11.15	4.24	3	Vertical	0	2.55	-
PK	5.4684G	66.53	68.20	-1.67	4.26	3	Vertical	0	2.55	-
PK	5.5076G	112.67	Inf	-Inf	4.33	3	Vertical	0	2.55	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.01274G	46.69	54.00	-7.31	15.61	3	Vertical	215	2.09	-
PK	11.00518G	58.36	74.00	-15.64	15.61	3	Vertical	215	2.09	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.02006G	46.65	54.00	-7.35	15.60	3	Horizontal	78	2.34	-
PK	11.0113G	58.49	74.00	-15.51	15.61	3	Horizontal	78	2.34	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459995G	53.02	54.00	-0.98	4.25	3	Vertical	268	2.79	-
AV	5.468G	53.89	Inf	-Inf	4.26	3	Vertical	268	2.79	-
AV	5.5432G	108.77	Inf	-Inf	4.38	3	Vertical	268	2.79	-
PK	5.4588G	64.57	74.00	-9.43	4.25	3	Vertical	268	2.79	-
PK	5.4668G	65.68	68.20	-2.52	4.26	3	Vertical	268	2.79	-
PK	5.5612G	118.60	Inf	-Inf	4.41	3	Vertical	268	2.79	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.08986G	46.34	54.00	-7.66	15.52	3	Vertical	23	1.35	-
PK	11.10318G	58.07	74.00	-15.93	15.50	3	Vertical	23	1.35	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.09154G	46.35	54.00	-7.65	15.51	3	Horizontal	121	1.85	-
PK	11.08974G	57.97	74.00	-16.03	15.52	3	Horizontal	121	1.85	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.6868G	103.89	Inf	-Inf	4.61	3	Vertical	248	2.78	-
PK	5.682G	115.01	Inf	-Inf	4.60	3	Vertical	248	2.78	-
PK	5.7258G	67.33	68.20	-0.87	4.67	3	Vertical	248	2.78	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.32614G	46.11	54.00	-7.89	15.24	3	Vertical	123	2.52	-
PK	11.3286G	57.91	74.00	-16.09	15.24	3	Vertical	123	2.52	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.33226G	46.14	54.00	-7.86	15.23	3	Horizontal	12	2.79	-
PK	11.34762G	57.74	74.00	-16.26	15.22	3	Horizontal	12	2.79	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149G	48.13	54.00	-5.87	3.68	3	Vertical	187	2.33	-
AV	5.266G	106.96	Inf	-Inf	3.90	3	Vertical	187	2.33	-
AV	5.353G	52.95	54.00	-1.05	4.05	3	Vertical	187	2.33	-
PK	5.143G	60.05	74.00	-13.95	3.67	3	Vertical	187	2.33	-
PK	5.263G	112.24	Inf	-Inf	3.89	3	Vertical	187	2.33	-
PK	5.354G	65.30	74.00	-8.70	4.05	3	Vertical	187	2.33	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.86178G	46.41	54.00	-7.59	13.89	3	Vertical	54	1.48	-
PK	15.85848G	58.01	74.00	-15.99	13.91	3	Vertical	54	1.48	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.85752G	46.36	54.00	-7.64	13.91	3	Horizontal	19	1.75	-
PK	15.87732G	58.67	74.00	-15.33	13.81	3	Horizontal	19	1.75	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459995G	51.08	54.00	-2.92	4.25	3	Vertical	360	2.33	-
AV	5.503G	98.88	Inf	-Inf	4.32	3	Vertical	360	2.33	-
PK	5.295G	58.85	68.20	-9.35	3.95	3	Vertical	360	2.33	-
PK	5.457G	69.70	74.00	-4.30	4.24	3	Vertical	360	2.33	-
PK	5.463G	67.67	68.20	-0.53	4.26	3	Vertical	360	2.33	-
PK	5.509G	109.69	Inf	-Inf	4.33	3	Vertical	360	2.33	-
PK	5.737G	59.94	68.20	-8.26	4.68	3	Vertical	360	2.33	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.05316G	46.06	54.00	-7.94	15.56	3	Vertical	208	1.56	-
PK	11.05856G	58.14	74.00	-15.86	15.55	3	Vertical	208	1.56	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.05688G	46.08	54.00	-7.92	15.55	3	Horizontal	312	2.41	-
PK	11.06852G	58.87	74.00	-15.13	15.54	3	Horizontal	312	2.41	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.424G	51.37	54.00	-2.63	4.18	3	Vertical	8	2.89	-
AV	5.584G	108.23	Inf	-Inf	4.45	3	Vertical	8	2.89	-
PK	5.458G	62.77	74.00	-11.23	4.24	3	Vertical	8	2.89	-
PK	5.466G	64.18	68.20	-4.02	4.26	3	Vertical	8	2.89	-
PK	5.615G	111.29	Inf	-Inf	4.49	3	Vertical	8	2.89	-
PK	5.74G	67.35	68.20	-0.85	4.70	3	Vertical	8	2.89	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.23152G	45.87	54.00	-8.13	15.35	3	Vertical	158	2.32	-
PK	11.2206G	57.73	74.00	-16.27	15.36	3	Vertical	158	2.32	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX

13/09/2018



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
AV	11.2341G	45.94	54.00	-8.06	15.35	3	Horizontal	75	1.85	-
PK	11.2338G	58.17	74.00	-15.83	15.35	3	Horizontal	75	1.85	-



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	Pass	PK	62.98M	32.63	40.00	-7.37	-15.38	3	Vertical	0	1.00	-


**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	PK	62.98M	32.63	40.00	-7.37	-15.38	3	Vertical	0	1.00	-
5530MHz	Pass	PK	152.22M	30.34	43.50	-13.16	-10.28	3	Vertical	0	1.00	-
5530MHz	Pass	PK	225.94M	29.25	46.00	-16.75	-9.82	3	Vertical	0	1.00	-
5530MHz	Pass	PK	375.32M	27.49	46.00	-18.51	-4.36	3	Vertical	0	1.00	-
5530MHz	Pass	PK	499.48M	30.13	46.00	-15.87	-2.34	3	Vertical	0	1.00	-
5530MHz	Pass	PK	800.18M	32.45	46.00	-13.55	1.34	3	Vertical	0	1.00	-
5530MHz	Pass	PK	105.66M	28.45	43.50	-15.05	-9.62	3	Horizontal	360	1.00	-
5530MHz	Pass	PK	154.16M	28.90	43.50	-14.60	-10.31	3	Horizontal	360	1.00	-
5530MHz	Pass	PK	225.94M	32.00	46.00	-14.00	-9.82	3	Horizontal	360	1.00	-
5530MHz	Pass	PK	324.88M	29.82	46.00	-16.18	-5.39	3	Horizontal	360	1.00	-
5530MHz	Pass	PK	666.32M	30.38	46.00	-15.62	-0.27	3	Horizontal	360	1.00	-
5530MHz	Pass	PK	899.12M	31.28	46.00	-14.72	2.57	3	Horizontal	360	1.00	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_PoE

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	62.98M	32.63	40.00	-7.37	-15.38	3	Vertical	0	1.00	-
PK	152.22M	30.34	43.50	-13.16	-10.28	3	Vertical	0	1.00	-
PK	225.94M	29.25	46.00	-16.75	-9.82	3	Vertical	0	1.00	-
PK	375.32M	27.49	46.00	-18.51	-4.36	3	Vertical	0	1.00	-
PK	499.48M	30.13	46.00	-15.87	-2.34	3	Vertical	0	1.00	-
PK	800.18M	32.45	46.00	-13.55	1.34	3	Vertical	0	1.00	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_PoE

13/09/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	105.66M	28.45	43.50	-15.05	-9.62	3	Horizontal	360	1.00	-
PK	154.16M	28.90	43.50	-14.60	-10.31	3	Horizontal	360	1.00	-
PK	225.94M	32.00	46.00	-14.00	-9.82	3	Horizontal	360	1.00	-
PK	324.88M	29.82	46.00	-16.18	-5.39	3	Horizontal	360	1.00	-
PK	666.32M	30.38	46.00	-15.62	-0.27	3	Horizontal	360	1.00	-
PK	899.12M	31.28	46.00	-14.72	2.57	3	Horizontal	360	1.00	-

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.3832G	53.87	54.00	-0.13	4.11	3	Vertical	0	1.65	-
802.11ac VHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.350005G	53.95	54.00	-0.05	4.05	3	Vertical	0	1.50	-
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.353G	53.72	54.00	-0.28	4.05	3	Vertical	360	1.65	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.4236G	53.38	54.00	-0.62	4.18	3	Vertical	14	1.49	-
802.11ac VHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.454G	53.61	54.00	-0.39	4.23	3	Horizontal	359	1.50	-
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.421G	53.40	54.00	-0.60	4.18	3	Horizontal	0	1.50	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1496G	51.86	54.00	-2.14	3.68	3	Vertical	6	1.50	-
5260MHz	Pass	AV	5.2534G	112.60	Inf	-Inf	3.87	3	Vertical	6	1.50	-
5260MHz	Pass	AV	5.3512G	53.03	54.00	-0.97	4.05	3	Vertical	6	1.50	-
5260MHz	Pass	PK	5.1424G	62.27	74.00	-11.73	3.67	3	Vertical	6	1.50	-
5260MHz	Pass	PK	5.2624G	123.01	Inf	-Inf	3.89	3	Vertical	6	1.50	-
5260MHz	Pass	PK	5.3518G	64.76	74.00	-9.24	4.05	3	Vertical	6	1.50	-
5260MHz	Pass	AV	5.1496G	51.76	54.00	-2.24	3.68	3	Horizontal	11	1.50	-
5260MHz	Pass	AV	5.2642G	112.62	Inf	-Inf	3.89	3	Horizontal	11	1.50	-
5260MHz	Pass	AV	5.3524G	53.55	54.00	-0.45	4.05	3	Horizontal	11	1.50	-
5260MHz	Pass	PK	5.1202G	62.52	74.00	-11.48	3.62	3	Horizontal	11	1.50	-
5260MHz	Pass	PK	5.266G	123.23	Inf	-Inf	3.90	3	Horizontal	11	1.50	-
5260MHz	Pass	PK	5.3542G	65.54	74.00	-8.46	4.06	3	Horizontal	11	1.50	-
5260MHz	Pass	AV	10.52422G	46.06	54.00	-7.94	14.65	3	Vertical	95	1.30	-
5260MHz	Pass	PK	10.52448G	57.53	74.00	-16.47	14.65	3	Vertical	95	1.30	-
5260MHz	Pass	AV	10.52418G	45.84	54.00	-8.16	14.65	3	Horizontal	96	2.46	-
5260MHz	Pass	PK	10.52434G	57.27	74.00	-16.73	14.65	3	Horizontal	96	2.46	-
5300MHz	Pass	AV	5.3044G	110.35	Inf	-Inf	3.97	3	Vertical	0	1.65	-
5300MHz	Pass	AV	5.3832G	53.87	54.00	-0.13	4.11	3	Vertical	0	1.65	-
5300MHz	Pass	PK	5.3036G	119.57	Inf	-Inf	3.97	3	Vertical	0	1.65	-
5300MHz	Pass	PK	5.3768G	64.98	74.00	-9.02	4.10	3	Vertical	0	1.65	-
5300MHz	Pass	AV	5.3084G	102.22	Inf	-Inf	3.98	3	Horizontal	14	1.50	-
5300MHz	Pass	AV	5.3868G	50.51	54.00	-3.49	4.11	3	Horizontal	14	1.50	-
5300MHz	Pass	PK	5.3064G	113.87	Inf	-Inf	3.97	3	Horizontal	14	1.50	-
5300MHz	Pass	PK	5.388G	61.41	74.00	-12.59	4.12	3	Horizontal	14	1.50	-
5300MHz	Pass	AV	10.60198G	45.54	54.00	-8.46	14.81	3	Vertical	290	2.17	-
5300MHz	Pass	PK	10.60494G	57.40	74.00	-16.60	14.81	3	Vertical	290	2.17	-
5300MHz	Pass	AV	10.59916G	45.63	54.00	-8.37	14.80	3	Horizontal	118	1.68	-
5300MHz	Pass	PK	10.60468G	57.76	74.00	-16.24	14.81	3	Horizontal	118	1.68	-
5320MHz	Pass	AV	5.3156G	109.03	Inf	-Inf	3.99	3	Vertical	11	1.59	-
5320MHz	Pass	AV	5.3932G	53.87	54.00	-0.13	4.13	3	Vertical	11	1.59	-
5320MHz	Pass	PK	5.3156G	118.01	Inf	-Inf	3.99	3	Vertical	11	1.59	-
5320MHz	Pass	PK	5.396G	65.28	74.00	-8.72	4.14	3	Vertical	11	1.59	-
5320MHz	Pass	AV	5.3168G	104.03	Inf	-Inf	3.99	3	Horizontal	12	1.50	-
5320MHz	Pass	AV	5.3516G	51.27	54.00	-2.73	4.05	3	Horizontal	12	1.50	-
5320MHz	Pass	PK	5.3268G	117.48	Inf	-Inf	4.01	3	Horizontal	12	1.50	-
5320MHz	Pass	PK	5.3512G	62.12	74.00	-11.88	4.05	3	Horizontal	12	1.50	-
5320MHz	Pass	AV	10.64424G	45.77	54.00	-8.23	14.89	3	Vertical	202	1.06	-
5320MHz	Pass	PK	10.64332G	57.33	74.00	-16.67	14.89	3	Vertical	202	1.06	-
5320MHz	Pass	AV	10.64254G	45.55	54.00	-8.45	14.89	3	Horizontal	250	2.18	-
5320MHz	Pass	PK	10.6449G	56.98	74.00	-17.02	14.90	3	Horizontal	250	2.18	-
5500MHz	Pass	AV	5.4236G	53.38	54.00	-0.62	4.18	3	Vertical	14	1.49	-
5500MHz	Pass	AV	5.4668G	51.11	Inf	-Inf	4.26	3	Vertical	14	1.49	-
5500MHz	Pass	AV	5.5012G	107.50	Inf	-Inf	4.32	3	Vertical	14	1.49	-
5500MHz	Pass	PK	5.4232G	63.82	74.00	-10.18	4.18	3	Vertical	14	1.49	-
5500MHz	Pass	PK	5.464G	63.40	68.20	-4.80	4.26	3	Vertical	14	1.49	-
5500MHz	Pass	PK	5.5044G	117.10	Inf	-Inf	4.33	3	Vertical	14	1.49	-
5500MHz	Pass	AV	5.4124G	52.67	54.00	-1.33	4.16	3	Horizontal	349	1.48	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	AV	5.466G	51.54	Inf	-Inf	4.26	3	Horizontal	349	1.48	-
5500MHz	Pass	AV	5.4928G	108.82	Inf	-Inf	4.31	3	Horizontal	349	1.48	-
5500MHz	Pass	PK	5.4272G	64.42	74.00	-9.58	4.19	3	Horizontal	349	1.48	-
5500MHz	Pass	PK	5.464G	62.47	68.20	-5.73	4.26	3	Horizontal	349	1.48	-
5500MHz	Pass	PK	5.4952G	116.43	Inf	-Inf	4.31	3	Horizontal	349	1.48	-
5500MHz	Pass	AV	11.00096G	46.59	54.00	-7.41	15.62	3	Vertical	89	1.60	-
5500MHz	Pass	PK	11.00316G	58.25	74.00	-15.75	15.62	3	Vertical	89	1.60	-
5500MHz	Pass	AV	11.0026G	46.60	54.00	-7.40	15.62	3	Horizontal	309	1.64	-
5500MHz	Pass	PK	10.99876G	58.20	74.00	-15.80	15.62	3	Horizontal	309	1.64	-
5580MHz	Pass	AV	5.4564G	52.30	54.00	-1.70	4.24	3	Vertical	11	1.50	-
5580MHz	Pass	AV	5.5812G	114.50	Inf	-Inf	4.44	3	Vertical	11	1.50	-
5580MHz	Pass	PK	5.4396G	62.66	74.00	-11.34	4.21	3	Vertical	11	1.50	-
5580MHz	Pass	PK	5.4624G	63.13	68.20	-5.07	4.25	3	Vertical	11	1.50	-
5580MHz	Pass	PK	5.5752G	123.70	Inf	-Inf	4.43	3	Vertical	11	1.50	-
5580MHz	Pass	PK	5.7252G	62.03	68.20	-6.17	4.67	3	Vertical	11	1.50	-
5580MHz	Pass	AV	5.4594G	53.27	54.00	-0.73	4.25	3	Horizontal	9	1.49	-
5580MHz	Pass	AV	5.5872G	115.90	Inf	-Inf	4.45	3	Horizontal	9	1.49	-
5580MHz	Pass	PK	5.4528G	64.25	74.00	-9.75	4.23	3	Horizontal	9	1.49	-
5580MHz	Pass	PK	5.466G	64.43	68.20	-3.77	4.26	3	Horizontal	9	1.49	-
5580MHz	Pass	PK	5.5842G	125.90	Inf	-Inf	4.45	3	Horizontal	9	1.49	-
5580MHz	Pass	PK	5.727G	61.72	68.20	-6.48	4.67	3	Horizontal	9	1.49	-
5580MHz	Pass	AV	11.16202G	46.01	54.00	-7.99	15.43	3	Vertical	170	1.39	-
5580MHz	Pass	PK	11.15836G	57.95	74.00	-16.05	15.44	3	Vertical	170	1.39	-
5580MHz	Pass	AV	11.15682G	46.05	54.00	-7.95	15.44	3	Horizontal	284	1.92	-
5580MHz	Pass	PK	11.16464G	57.42	74.00	-16.58	15.43	3	Horizontal	284	1.92	-
5700MHz	Pass	AV	5.7048G	110.69	Inf	-Inf	4.64	3	Vertical	6	1.50	-
5700MHz	Pass	PK	5.704G	119.78	Inf	-Inf	4.64	3	Vertical	6	1.50	-
5700MHz	Pass	PK	5.7844G	67.20	68.20	-1.00	4.76	3	Vertical	6	1.50	-
5700MHz	Pass	AV	5.7056G	107.93	Inf	-Inf	4.64	3	Horizontal	6	1.50	-
5700MHz	Pass	PK	5.7044G	118.33	Inf	-Inf	4.64	3	Horizontal	6	1.50	-
5700MHz	Pass	PK	5.7268G	67.37	68.20	-0.83	4.67	3	Horizontal	6	1.50	-
5700MHz	Pass	AV	11.40384G	46.01	54.00	-7.99	15.15	3	Vertical	190	2.19	-
5700MHz	Pass	PK	11.39628G	57.31	74.00	-16.69	15.16	3	Vertical	190	2.19	-
5700MHz	Pass	AV	11.40388G	46.09	54.00	-7.91	15.15	3	Horizontal	207	1.32	-
5700MHz	Pass	PK	11.39686G	57.93	74.00	-16.07	15.16	3	Horizontal	207	1.32	-
802.11ac VHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2528G	107.45	Inf	-Inf	3.87	3	Vertical	4	1.50	-
5270MHz	Pass	AV	5.3576G	51.84	54.00	-2.16	4.06	3	Vertical	4	1.50	-
5270MHz	Pass	PK	5.2528G	114.80	Inf	-Inf	3.87	3	Vertical	4	1.50	-
5270MHz	Pass	PK	5.3504G	63.17	74.00	-10.83	4.05	3	Vertical	4	1.50	-
5270MHz	Pass	AV	5.2672G	112.25	Inf	-Inf	3.90	3	Horizontal	12	1.47	-
5270MHz	Pass	AV	5.3516G	52.85	54.00	-1.15	4.05	3	Horizontal	12	1.47	-
5270MHz	Pass	PK	5.2624G	118.23	Inf	-Inf	3.89	3	Horizontal	12	1.47	-
5270MHz	Pass	PK	5.358G	63.30	74.00	-10.70	4.06	3	Horizontal	12	1.47	-
5270MHz	Pass	AV	10.54256G	45.57	54.00	-8.43	14.69	3	Vertical	73	1.09	-
5270MHz	Pass	PK	10.53772G	57.69	74.00	-16.31	14.68	3	Vertical	73	1.09	-
5270MHz	Pass	AV	10.54288G	45.64	54.00	-8.36	14.69	3	Horizontal	128	1.00	-
5270MHz	Pass	PK	10.54306G	56.91	74.00	-17.09	14.69	3	Horizontal	128	1.00	-
5310MHz	Pass	AV	5.3168G	106.91	Inf	-Inf	3.99	3	Vertical	0	1.50	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5310MHz	Pass	AV	5.350005G	53.95	54.00	-0.05	4.05	3	Vertical	0	1.50	-
5310MHz	Pass	PK	5.3192G	116.59	Inf	-Inf	3.99	3	Vertical	0	1.50	-
5310MHz	Pass	PK	5.350005G	67.68	74.00	-6.32	4.05	3	Vertical	0	1.50	-
5310MHz	Pass	AV	5.314G	107.29	Inf	-Inf	3.99	3	Horizontal	357	1.55	-
5310MHz	Pass	AV	5.350005G	53.95	54.00	-0.05	4.05	3	Horizontal	357	1.55	-
5310MHz	Pass	PK	5.3028G	114.56	Inf	-Inf	3.97	3	Horizontal	357	1.55	-
5310MHz	Pass	PK	5.352G	67.84	74.00	-6.16	4.05	3	Horizontal	357	1.55	-
5310MHz	Pass	AV	10.61522G	45.39	54.00	-8.61	14.84	3	Vertical	125	2.17	-
5310MHz	Pass	PK	10.61822G	56.95	74.00	-17.05	14.84	3	Vertical	125	2.17	-
5310MHz	Pass	AV	10.61814G	45.52	54.00	-8.48	14.84	3	Horizontal	6	2.27	-
5310MHz	Pass	PK	10.62408G	58.01	74.00	-15.99	14.85	3	Horizontal	6	2.27	-
5510MHz	Pass	AV	5.458G	52.75	54.00	-1.25	4.24	3	Vertical	0	1.50	-
5510MHz	Pass	AV	5.5012G	105.18	Inf	-Inf	4.32	3	Vertical	0	1.50	-
5510MHz	Pass	PK	5.4556G	64.47	74.00	-9.53	4.24	3	Vertical	0	1.50	-
5510MHz	Pass	PK	5.4676G	66.94	68.20	-1.26	4.26	3	Vertical	0	1.50	-
5510MHz	Pass	PK	5.5168G	114.21	Inf	-Inf	4.35	3	Vertical	0	1.50	-
5510MHz	Pass	AV	5.4368G	53.02	54.00	-0.98	4.20	3	Horizontal	355	1.43	-
5510MHz	Pass	AV	5.516G	108.25	Inf	-Inf	4.34	3	Horizontal	355	1.43	-
5510MHz	Pass	PK	5.4596G	64.61	74.00	-9.39	4.25	3	Horizontal	355	1.43	-
5510MHz	Pass	PK	5.468G	66.11	68.20	-2.09	4.26	3	Horizontal	355	1.43	-
5510MHz	Pass	PK	5.5176G	115.34	Inf	-Inf	4.35	3	Horizontal	355	1.43	-
5510MHz	Pass	AV	11.02232G	46.57	54.00	-7.43	15.59	3	Vertical	56	1.74	-
5510MHz	Pass	PK	11.01606G	58.64	74.00	-15.36	15.60	3	Vertical	56	1.74	-
5510MHz	Pass	AV	11.02208G	46.49	54.00	-7.51	15.59	3	Horizontal	22	2.43	-
5510MHz	Pass	PK	11.02118G	58.80	74.00	-15.20	15.60	3	Horizontal	22	2.43	-
5550MHz	Pass	AV	5.4588G	52.84	54.00	-1.16	4.25	3	Vertical	6	1.68	-
5550MHz	Pass	AV	5.5332G	106.84	Inf	-Inf	4.37	3	Vertical	6	1.68	-
5550MHz	Pass	PK	5.4532G	64.22	74.00	-9.78	4.23	3	Vertical	6	1.68	-
5550MHz	Pass	PK	5.4668G	63.90	68.20	-4.30	4.26	3	Vertical	6	1.68	-
5550MHz	Pass	PK	5.538G	115.07	Inf	-Inf	4.38	3	Vertical	6	1.68	-
5550MHz	Pass	PK	5.7268G	59.82	68.20	-8.38	4.67	3	Vertical	6	1.68	-
5550MHz	Pass	AV	5.454G	53.61	54.00	-0.39	4.23	3	Horizontal	359	1.50	-
5550MHz	Pass	AV	5.542G	106.05	Inf	-Inf	4.38	3	Horizontal	359	1.50	-
5550MHz	Pass	PK	5.4548G	63.97	74.00	-10.03	4.24	3	Horizontal	359	1.50	-
5550MHz	Pass	PK	5.4668G	65.24	68.20	-2.96	4.26	3	Horizontal	359	1.50	-
5550MHz	Pass	PK	5.5428G	117.44	Inf	-Inf	4.38	3	Horizontal	359	1.50	-
5550MHz	Pass	PK	5.726G	60.49	68.20	-7.71	4.67	3	Horizontal	359	1.50	-
5550MHz	Pass	AV	11.09816G	46.23	54.00	-7.77	15.51	3	Vertical	271	1.05	-
5550MHz	Pass	PK	11.09806G	58.16	74.00	-15.84	15.51	3	Vertical	271	1.05	-
5550MHz	Pass	AV	11.09582G	46.39	54.00	-7.61	15.51	3	Horizontal	246	1.65	-
5550MHz	Pass	PK	11.1045G	58.86	74.00	-15.14	15.50	3	Horizontal	246	1.65	-
5670MHz	Pass	AV	5.678G	104.52	Inf	-Inf	4.59	3	Vertical	341	1.71	-
5670MHz	Pass	PK	5.6788G	113.66	Inf	-Inf	4.60	3	Vertical	341	1.71	-
5670MHz	Pass	PK	5.7276G	63.15	68.20	-5.05	4.67	3	Vertical	341	1.71	-
5670MHz	Pass	AV	5.6524G	108.55	Inf	-Inf	4.55	3	Horizontal	4	1.81	-
5670MHz	Pass	PK	5.662G	116.17	Inf	-Inf	4.57	3	Horizontal	4	1.81	-
5670MHz	Pass	PK	5.7308G	67.60	68.20	-0.60	4.67	3	Horizontal	4	1.81	-
5670MHz	Pass	AV	11.33532G	45.97	54.00	-8.03	15.23	3	Vertical	49	2.32	-
5670MHz	Pass	PK	11.34062G	57.54	74.00	-16.46	15.22	3	Vertical	49	2.32	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5670MHz	Pass	AV	11.33902G	46.01	54.00	-7.99	15.23	3	Horizontal	235	2.34	-
5670MHz	Pass	PK	11.33534G	57.70	74.00	-16.30	15.23	3	Horizontal	235	2.34	-
802.11ac VHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.148G	49.15	54.00	-4.85	3.68	3	Vertical	360	1.65	-
5290MHz	Pass	AV	5.305G	102.85	Inf	-Inf	3.97	3	Vertical	360	1.65	-
5290MHz	Pass	AV	5.353G	53.72	54.00	-0.28	4.05	3	Vertical	360	1.65	-
5290MHz	Pass	PK	5.144G	59.07	74.00	-14.93	3.67	3	Vertical	360	1.65	-
5290MHz	Pass	PK	5.303G	111.17	Inf	-Inf	3.97	3	Vertical	360	1.65	-
5290MHz	Pass	PK	5.362G	65.62	74.00	-8.38	4.07	3	Vertical	360	1.65	-
5290MHz	Pass	AV	5.1G	49.23	54.00	-4.77	3.59	3	Horizontal	14	1.66	-
5290MHz	Pass	AV	5.26G	104.00	Inf	-Inf	3.88	3	Horizontal	14	1.66	-
5290MHz	Pass	AV	5.353G	53.12	54.00	-0.88	4.05	3	Horizontal	14	1.66	-
5290MHz	Pass	PK	5.146G	59.09	74.00	-14.91	3.68	3	Horizontal	14	1.66	-
5290MHz	Pass	PK	5.261G	112.21	Inf	-Inf	3.89	3	Horizontal	14	1.66	-
5290MHz	Pass	PK	5.379G	66.22	74.00	-7.78	4.10	3	Horizontal	14	1.66	-
5290MHz	Pass	AV	10.57906G	46.47	54.00	-7.53	14.76	3	Vertical	213	2.05	-
5290MHz	Pass	PK	10.5763G	58.10	74.00	-15.90	14.76	3	Vertical	213	2.05	-
5290MHz	Pass	AV	10.57962G	46.87	54.00	-7.13	14.76	3	Horizontal	109	2.10	-
5290MHz	Pass	PK	10.5797G	57.48	74.00	-16.52	14.76	3	Horizontal	109	2.10	-
5530MHz	Pass	AV	5.459995G	52.10	54.00	-1.90	4.25	3	Vertical	358	1.50	-
5530MHz	Pass	AV	5.521G	99.79	Inf	-Inf	4.35	3	Vertical	358	1.50	-
5530MHz	Pass	PK	5.303G	58.89	68.20	-9.31	3.96	3	Vertical	358	1.50	-
5530MHz	Pass	PK	5.453G	62.57	74.00	-11.43	4.23	3	Vertical	358	1.50	-
5530MHz	Pass	PK	5.466G	64.36	68.20	-3.84	4.26	3	Vertical	358	1.50	-
5530MHz	Pass	PK	5.507G	111.96	Inf	-Inf	4.33	3	Vertical	358	1.50	-
5530MHz	Pass	PK	5.742G	59.17	68.20	-9.03	4.70	3	Vertical	358	1.50	-
5530MHz	Pass	AV	5.447G	53.14	54.00	-0.86	4.23	3	Horizontal	0	1.65	-
5530MHz	Pass	AV	5.514G	101.73	Inf	-Inf	4.34	3	Horizontal	0	1.65	-
5530MHz	Pass	PK	5.338G	60.11	68.20	-8.09	4.03	3	Horizontal	0	1.65	-
5530MHz	Pass	PK	5.459G	64.79	74.00	-9.21	4.25	3	Horizontal	0	1.65	-
5530MHz	Pass	PK	5.462G	63.58	68.20	-4.62	4.25	3	Horizontal	0	1.65	-
5530MHz	Pass	PK	5.516G	110.24	Inf	-Inf	4.34	3	Horizontal	0	1.65	-
5530MHz	Pass	PK	5.734G	60.36	68.20	-7.84	4.68	3	Horizontal	0	1.65	-
5530MHz	Pass	AV	11.06408G	47.30	54.00	-6.70	15.55	3	Vertical	189	1.59	-
5530MHz	Pass	PK	11.05796G	58.91	74.00	-15.09	15.55	3	Vertical	189	1.59	-
5530MHz	Pass	AV	11.06442G	47.23	54.00	-6.77	15.55	3	Horizontal	115	2.21	-
5530MHz	Pass	PK	11.06032G	58.09	74.00	-15.91	15.55	3	Horizontal	115	2.21	-
5610MHz	Pass	AV	5.451G	50.76	54.00	-3.24	4.23	3	Vertical	360	1.59	-
5610MHz	Pass	AV	5.624G	104.86	Inf	-Inf	4.51	3	Vertical	360	1.59	-
5610MHz	Pass	PK	5.418G	61.26	74.00	-12.74	4.17	3	Vertical	360	1.59	-
5610MHz	Pass	PK	5.466G	60.76	68.20	-7.44	4.26	3	Vertical	360	1.59	-
5610MHz	Pass	PK	5.625G	112.60	Inf	-Inf	4.51	3	Vertical	360	1.59	-
5610MHz	Pass	PK	5.733G	63.61	68.20	-4.59	4.68	3	Vertical	360	1.59	-
5610MHz	Pass	AV	5.421G	53.40	54.00	-0.60	4.18	3	Horizontal	0	1.50	-
5610MHz	Pass	AV	5.627G	107.66	Inf	-Inf	4.51	3	Horizontal	0	1.50	-
5610MHz	Pass	PK	5.405G	62.22	74.00	-11.78	4.15	3	Horizontal	0	1.50	-
5610MHz	Pass	PK	5.464G	62.81	68.20	-5.39	4.26	3	Horizontal	0	1.50	-
5610MHz	Pass	PK	5.585G	116.02	Inf	-Inf	4.45	3	Horizontal	0	1.50	-
5610MHz	Pass	PK	5.783G	63.34	68.20	-4.86	4.76	3	Horizontal	0	1.50	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5610MHz	Pass	AV	11.22246G	47.03	54.00	-6.97	15.36	3	Vertical	359	2.47	-
5610MHz	Pass	PK	11.22398G	57.88	74.00	-16.12	15.36	3	Vertical	359	2.47	-
5610MHz	Pass	AV	11.22352G	47.10	54.00	-6.90	15.36	3	Horizontal	180	1.45	-
5610MHz	Pass	PK	11.21644G	57.71	74.00	-16.29	15.37	3	Horizontal	180	1.45	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1496G	51.86	54.00	-2.14	3.68	3	Vertical	6	1.50	-
AV	5.2534G	112.60	Inf	-Inf	3.87	3	Vertical	6	1.50	-
AV	5.3512G	53.03	54.00	-0.97	4.05	3	Vertical	6	1.50	-
PK	5.1424G	62.27	74.00	-11.73	3.67	3	Vertical	6	1.50	-
PK	5.2624G	123.01	Inf	-Inf	3.89	3	Vertical	6	1.50	-
PK	5.3518G	64.76	74.00	-9.24	4.05	3	Vertical	6	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1496G	51.76	54.00	-2.24	3.68	3	Horizontal	11	1.50	-
AV	5.2642G	112.62	Inf	-Inf	3.89	3	Horizontal	11	1.50	-
AV	5.3524G	53.55	54.00	-0.45	4.05	3	Horizontal	11	1.50	-
PK	5.1202G	62.52	74.00	-11.48	3.62	3	Horizontal	11	1.50	-
PK	5.266G	123.23	Inf	-Inf	3.90	3	Horizontal	11	1.50	-
PK	5.3542G	65.54	74.00	-8.46	4.06	3	Horizontal	11	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.52422G	46.06	54.00	-7.94	14.65	3	Vertical	95	1.30	-
PK	10.52448G	57.53	74.00	-16.47	14.65	3	Vertical	95	1.30	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.52418G	45.84	54.00	-8.16	14.65	3	Horizontal	96	2.46	-
PK	10.52434G	57.27	74.00	-16.73	14.65	3	Horizontal	96	2.46	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3044G	110.35	Inf	-Inf	3.97	3	Vertical	0	1.65	-
AV	5.3832G	53.87	54.00	-0.13	4.11	3	Vertical	0	1.65	-
PK	5.3036G	119.57	Inf	-Inf	3.97	3	Vertical	0	1.65	-
PK	5.3768G	64.98	74.00	-9.02	4.10	3	Vertical	0	1.65	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3084G	102.22	Inf	-Inf	3.98	3	Horizontal	14	1.50	-
AV	5.3868G	50.51	54.00	-3.49	4.11	3	Horizontal	14	1.50	-
PK	5.3064G	113.87	Inf	-Inf	3.97	3	Horizontal	14	1.50	-
PK	5.388G	61.41	74.00	-12.59	4.12	3	Horizontal	14	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.60198G	45.54	54.00	-8.46	14.81	3	Vertical	290	2.17	-
PK	10.60494G	57.40	74.00	-16.60	14.81	3	Vertical	290	2.17	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.59916G	45.63	54.00	-8.37	14.80	3	Horizontal	118	1.68	-
PK	10.60468G	57.76	74.00	-16.24	14.81	3	Horizontal	118	1.68	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3156G	109.03	Inf	-Inf	3.99	3	Vertical	11	1.59	-
AV	5.3932G	53.87	54.00	-0.13	4.13	3	Vertical	11	1.59	-
PK	5.3156G	118.01	Inf	-Inf	3.99	3	Vertical	11	1.59	-
PK	5.396G	65.28	74.00	-8.72	4.14	3	Vertical	11	1.59	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3168G	104.03	Inf	-Inf	3.99	3	Horizontal	12	1.50	-
AV	5.3516G	51.27	54.00	-2.73	4.05	3	Horizontal	12	1.50	-
PK	5.3268G	117.48	Inf	-Inf	4.01	3	Horizontal	12	1.50	-
PK	5.3512G	62.12	74.00	-11.88	4.05	3	Horizontal	12	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.64424G	45.77	54.00	-8.23	14.89	3	Vertical	202	1.06	-
PK	10.64332G	57.33	74.00	-16.67	14.89	3	Vertical	202	1.06	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.64254G	45.55	54.00	-8.45	14.89	3	Horizontal	250	2.18	-
PK	10.6449G	56.98	74.00	-17.02	14.90	3	Horizontal	250	2.18	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4236G	53.38	54.00	-0.62	4.18	3	Vertical	14	1.49	-
AV	5.4668G	51.11	Inf	-Inf	4.26	3	Vertical	14	1.49	-
AV	5.5012G	107.50	Inf	-Inf	4.32	3	Vertical	14	1.49	-
PK	5.4232G	63.82	74.00	-10.18	4.18	3	Vertical	14	1.49	-
PK	5.464G	63.40	68.20	-4.80	4.26	3	Vertical	14	1.49	-
PK	5.5044G	117.10	Inf	-Inf	4.33	3	Vertical	14	1.49	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4124G	52.67	54.00	-1.33	4.16	3	Horizontal	349	1.48	-
AV	5.466G	51.54	Inf	-Inf	4.26	3	Horizontal	349	1.48	-
AV	5.4928G	108.82	Inf	-Inf	4.31	3	Horizontal	349	1.48	-
PK	5.4272G	64.42	74.00	-9.58	4.19	3	Horizontal	349	1.48	-
PK	5.464G	62.47	68.20	-5.73	4.26	3	Horizontal	349	1.48	-
PK	5.4952G	116.43	Inf	-Inf	4.31	3	Horizontal	349	1.48	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.00096G	46.59	54.00	-7.41	15.62	3	Vertical	89	1.60	-
PK	11.00316G	58.25	74.00	-15.75	15.62	3	Vertical	89	1.60	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.0026G	46.60	54.00	-7.40	15.62	3	Horizontal	309	1.64	-
PK	10.99876G	58.20	74.00	-15.80	15.62	3	Horizontal	309	1.64	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4564G	52.30	54.00	-1.70	4.24	3	Vertical	11	1.50	-
AV	5.5812G	114.50	Inf	-Inf	4.44	3	Vertical	11	1.50	-
PK	5.4396G	62.66	74.00	-11.34	4.21	3	Vertical	11	1.50	-
PK	5.4624G	63.13	68.20	-5.07	4.25	3	Vertical	11	1.50	-
PK	5.5752G	123.70	Inf	-Inf	4.43	3	Vertical	11	1.50	-
PK	5.7252G	62.03	68.20	-6.17	4.67	3	Vertical	11	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4594G	53.27	54.00	-0.73	4.25	3	Horizontal	9	1.49	-
AV	5.5872G	115.90	Inf	-Inf	4.45	3	Horizontal	9	1.49	-
PK	5.4528G	64.25	74.00	-9.75	4.23	3	Horizontal	9	1.49	-
PK	5.466G	64.43	68.20	-3.77	4.26	3	Horizontal	9	1.49	-
PK	5.5842G	125.90	Inf	-Inf	4.45	3	Horizontal	9	1.49	-
PK	5.727G	61.72	68.20	-6.48	4.67	3	Horizontal	9	1.49	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.16202G	46.01	54.00	-7.99	15.43	3	Vertical	170	1.39	-
PK	11.15836G	57.95	74.00	-16.05	15.44	3	Vertical	170	1.39	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.15682G	46.05	54.00	-7.95	15.44	3	Horizontal	284	1.92	-
PK	11.16464G	57.42	74.00	-16.58	15.43	3	Horizontal	284	1.92	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7048G	110.69	Inf	-Inf	4.64	3	Vertical	6	1.50	-
PK	5.704G	119.78	Inf	-Inf	4.64	3	Vertical	6	1.50	-
PK	5.7844G	67.20	68.20	-1.00	4.76	3	Vertical	6	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7056G	107.93	Inf	-Inf	4.64	3	Horizontal	6	1.50	-
PK	5.7044G	118.33	Inf	-Inf	4.64	3	Horizontal	6	1.50	-
PK	5.7268G	67.37	68.20	-0.83	4.67	3	Horizontal	6	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.40384G	46.01	54.00	-7.99	15.15	3	Vertical	190	2.19	-
PK	11.39628G	57.31	74.00	-16.69	15.16	3	Vertical	190	2.19	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.40388G	46.09	54.00	-7.91	15.15	3	Horizontal	207	1.32	-
PK	11.39686G	57.93	74.00	-16.07	15.16	3	Horizontal	207	1.32	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2528G	107.45	Inf	-Inf	3.87	3	Vertical	4	1.50	-
AV	5.3576G	51.84	54.00	-2.16	4.06	3	Vertical	4	1.50	-
PK	5.2528G	114.80	Inf	-Inf	3.87	3	Vertical	4	1.50	-
PK	5.3504G	63.17	74.00	-10.83	4.05	3	Vertical	4	1.50	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2672G	112.25	Inf	-Inf	3.90	3	Horizontal	12	1.47	-
AV	5.3516G	52.85	54.00	-1.15	4.05	3	Horizontal	12	1.47	-
PK	5.2624G	118.23	Inf	-Inf	3.89	3	Horizontal	12	1.47	-
PK	5.358G	63.30	74.00	-10.70	4.06	3	Horizontal	12	1.47	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.54256G	45.57	54.00	-8.43	14.69	3	Vertical	73	1.09	-
PK	10.53772G	57.69	74.00	-16.31	14.68	3	Vertical	73	1.09	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX

13/09/2018




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
AV	10.54288G	45.64	54.00	-8.36	14.69	3	Horizontal	128	1.00	-
PK	10.54306G	56.91	74.00	-17.09	14.69	3	Horizontal	128	1.00	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3168G	106.91	Inf	-Inf	3.99	3	Vertical	0	1.50	-
AV	5.350005G	53.95	54.00	-0.05	4.05	3	Vertical	0	1.50	-
PK	5.3192G	116.59	Inf	-Inf	3.99	3	Vertical	0	1.50	-
PK	5.350005G	67.68	74.00	-6.32	4.05	3	Vertical	0	1.50	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.314G	107.29	Inf	-Inf	3.99	3	Horizontal	357	1.55	-
AV	5.350005G	53.95	54.00	-0.05	4.05	3	Horizontal	357	1.55	-
PK	5.3028G	114.56	Inf	-Inf	3.97	3	Horizontal	357	1.55	-
PK	5.352G	67.84	74.00	-6.16	4.05	3	Horizontal	357	1.55	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.61522G	45.39	54.00	-8.61	14.84	3	Vertical	125	2.17	-
PK	10.61822G	56.95	74.00	-17.05	14.84	3	Vertical	125	2.17	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.61814G	45.52	54.00	-8.48	14.84	3	Horizontal	6	2.27	-
PK	10.62408G	58.01	74.00	-15.99	14.85	3	Horizontal	6	2.27	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.458G	52.75	54.00	-1.25	4.24	3	Vertical	0	1.50	-
AV	5.5012G	105.18	Inf	-Inf	4.32	3	Vertical	0	1.50	-
PK	5.4556G	64.47	74.00	-9.53	4.24	3	Vertical	0	1.50	-
PK	5.4676G	66.94	68.20	-1.26	4.26	3	Vertical	0	1.50	-
PK	5.5168G	114.21	Inf	-Inf	4.35	3	Vertical	0	1.50	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4368G	53.02	54.00	-0.98	4.20	3	Horizontal	355	1.43	-
AV	5.516G	108.25	Inf	-Inf	4.34	3	Horizontal	355	1.43	-
PK	5.4596G	64.61	74.00	-9.39	4.25	3	Horizontal	355	1.43	-
PK	5.468G	66.11	68.20	-2.09	4.26	3	Horizontal	355	1.43	-
PK	5.5176G	115.34	Inf	-Inf	4.35	3	Horizontal	355	1.43	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.02232G	46.57	54.00	-7.43	15.59	3	Vertical	56	1.74	-
PK	11.01606G	58.64	74.00	-15.36	15.60	3	Vertical	56	1.74	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.02208G	46.49	54.00	-7.51	15.59	3	Horizontal	22	2.43	-
PK	11.02118G	58.80	74.00	-15.20	15.60	3	Horizontal	22	2.43	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4588G	52.84	54.00	-1.16	4.25	3	Vertical	6	1.68	-
AV	5.5332G	106.84	Inf	-Inf	4.37	3	Vertical	6	1.68	-
PK	5.4532G	64.22	74.00	-9.78	4.23	3	Vertical	6	1.68	-
PK	5.4668G	63.90	68.20	-4.30	4.26	3	Vertical	6	1.68	-
PK	5.538G	115.07	Inf	-Inf	4.38	3	Vertical	6	1.68	-
PK	5.7268G	59.82	68.20	-8.38	4.67	3	Vertical	6	1.68	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.454G	53.61	54.00	-0.39	4.23	3	Horizontal	359	1.50	-
AV	5.542G	106.05	Inf	-Inf	4.38	3	Horizontal	359	1.50	-
PK	5.4548G	63.97	74.00	-10.03	4.24	3	Horizontal	359	1.50	-
PK	5.4668G	65.24	68.20	-2.96	4.26	3	Horizontal	359	1.50	-
PK	5.5428G	117.44	Inf	-Inf	4.38	3	Horizontal	359	1.50	-
PK	5.726G	60.49	68.20	-7.71	4.67	3	Horizontal	359	1.50	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.09816G	46.23	54.00	-7.77	15.51	3	Vertical	271	1.05	-
PK	11.09806G	58.16	74.00	-15.84	15.51	3	Vertical	271	1.05	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.09582G	46.39	54.00	-7.61	15.51	3	Horizontal	246	1.65	-
PK	11.1045G	58.86	74.00	-15.14	15.50	3	Horizontal	246	1.65	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.678G	104.52	Inf	-Inf	4.59	3	Vertical	341	1.71	-
PK	5.6788G	113.66	Inf	-Inf	4.60	3	Vertical	341	1.71	-
PK	5.7276G	63.15	68.20	-5.05	4.67	3	Vertical	341	1.71	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.6524G	108.55	Inf	-Inf	4.55	3	Horizontal	4	1.81	-
PK	5.662G	116.17	Inf	-Inf	4.57	3	Horizontal	4	1.81	-
PK	5.7308G	67.60	68.20	-0.60	4.67	3	Horizontal	4	1.81	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.33532G	45.97	54.00	-8.03	15.23	3	Vertical	49	2.32	-
PK	11.34062G	57.54	74.00	-16.46	15.22	3	Vertical	49	2.32	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.33902G	46.01	54.00	-7.99	15.23	3	Horizontal	235	2.34	-
PK	11.33534G	57.70	74.00	-16.30	15.23	3	Horizontal	235	2.34	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.148G	49.15	54.00	-4.85	3.68	3	Vertical	360	1.65	-
AV	5.305G	102.85	Inf	-Inf	3.97	3	Vertical	360	1.65	-
AV	5.353G	53.72	54.00	-0.28	4.05	3	Vertical	360	1.65	-
PK	5.144G	59.07	74.00	-14.93	3.67	3	Vertical	360	1.65	-
PK	5.303G	111.17	Inf	-Inf	3.97	3	Vertical	360	1.65	-
PK	5.362G	65.62	74.00	-8.38	4.07	3	Vertical	360	1.65	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1G	49.23	54.00	-4.77	3.59	3	Horizontal	14	1.66	-
AV	5.26G	104.00	Inf	-Inf	3.88	3	Horizontal	14	1.66	-
AV	5.353G	53.12	54.00	-0.88	4.05	3	Horizontal	14	1.66	-
PK	5.146G	59.09	74.00	-14.91	3.68	3	Horizontal	14	1.66	-
PK	5.261G	112.21	Inf	-Inf	3.89	3	Horizontal	14	1.66	-
PK	5.379G	66.22	74.00	-7.78	4.10	3	Horizontal	14	1.66	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.57906G	46.47	54.00	-7.53	14.76	3	Vertical	213	2.05	-
PK	10.5763G	58.10	74.00	-15.90	14.76	3	Vertical	213	2.05	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.57962G	46.87	54.00	-7.13	14.76	3	Horizontal	109	2.10	-
PK	10.5797G	57.48	74.00	-16.52	14.76	3	Horizontal	109	2.10	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459995G	52.10	54.00	-1.90	4.25	3	Vertical	358	1.50	-
AV	5.521G	99.79	Inf	-Inf	4.35	3	Vertical	358	1.50	-
PK	5.303G	58.89	68.20	-9.31	3.96	3	Vertical	358	1.50	-
PK	5.453G	62.57	74.00	-11.43	4.23	3	Vertical	358	1.50	-
PK	5.466G	64.36	68.20	-3.84	4.26	3	Vertical	358	1.50	-
PK	5.507G	111.96	Inf	-Inf	4.33	3	Vertical	358	1.50	-
PK	5.742G	59.17	68.20	-9.03	4.70	3	Vertical	358	1.50	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.447G	53.14	54.00	-0.86	4.23	3	Horizontal	0	1.65	-
AV	5.514G	101.73	Inf	-Inf	4.34	3	Horizontal	0	1.65	-
PK	5.338G	60.11	68.20	-8.09	4.03	3	Horizontal	0	1.65	-
PK	5.459G	64.79	74.00	-9.21	4.25	3	Horizontal	0	1.65	-
PK	5.462G	63.58	68.20	-4.62	4.25	3	Horizontal	0	1.65	-
PK	5.516G	110.24	Inf	-Inf	4.34	3	Horizontal	0	1.65	-
PK	5.734G	60.36	68.20	-7.84	4.68	3	Horizontal	0	1.65	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.06408G	47.30	54.00	-6.70	15.55	3	Vertical	189	1.59	-
PK	11.05796G	58.91	74.00	-15.09	15.55	3	Vertical	189	1.59	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.06442G	47.23	54.00	-6.77	15.55	3	Horizontal	115	2.21	-
PK	11.06032G	58.09	74.00	-15.91	15.55	3	Horizontal	115	2.21	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.451G	50.76	54.00	-3.24	4.23	3	Vertical	360	1.59	-
AV	5.624G	104.86	Inf	-Inf	4.51	3	Vertical	360	1.59	-
PK	5.418G	61.26	74.00	-12.74	4.17	3	Vertical	360	1.59	-
PK	5.466G	60.76	68.20	-7.44	4.26	3	Vertical	360	1.59	-
PK	5.625G	112.60	Inf	-Inf	4.51	3	Vertical	360	1.59	-
PK	5.733G	63.61	68.20	-4.59	4.68	3	Vertical	360	1.59	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.421G	53.40	54.00	-0.60	4.18	3	Horizontal	0	1.50	-
AV	5.627G	107.66	Inf	-Inf	4.51	3	Horizontal	0	1.50	-
PK	5.405G	62.22	74.00	-11.78	4.15	3	Horizontal	0	1.50	-
PK	5.464G	62.81	68.20	-5.39	4.26	3	Horizontal	0	1.50	-
PK	5.585G	116.02	Inf	-Inf	4.45	3	Horizontal	0	1.50	-
PK	5.783G	63.34	68.20	-4.86	4.76	3	Horizontal	0	1.50	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX

13/09/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.22246G	47.03	54.00	-6.97	15.36	3	Vertical	359	2.47	-
PK	11.22398G	57.88	74.00	-16.12	15.36	3	Vertical	359	2.47	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX

13/09/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.22352G	47.10	54.00	-6.90	15.36	3	Horizontal	180	1.45	-
PK	11.21644G	57.71	74.00	-16.29	15.37	3	Horizontal	180	1.45	-