



G906

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 835 MHz
 Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 8.0; Brain 835 MHz: $s = 0.88$
 $\mu\text{ho/m}$ $\epsilon_r = 42.8$ $\rho = 1.00 \text{ g/cm}^3$
 Cube 5x5x7: SAR (1g): 1.01 mW/g, SAR (10g): 0.661 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: -0.05 dB
 Comment:
 MODEL : G906
 Company : KBT Mobile Co.,Ltd.
 Test Position: Left Touch / Antenna: Fixed
 Mode: GSM850 / Channel : 128
 Liquid Temperature: 21.4°C
 Date Tested : October 5, 2004




G906

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 835 MHz
 Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 8.0; Brain 835 MHz: $s = 0.88$
 $\mu\text{ho/m}$ $\epsilon_r = 42.8$ $\rho = 1.00 \text{ g/cm}^3$
 Cube 5x5x7: SAR (1g): 1.15 mW/g, SAR (10g): 0.749 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: -0.27 dB
 Comment:
 MODEL : G906
 Company : KBT Mobile Co., Ltd.
 Test Position: Left Touch / Antenna: Fixed
 Mode: GSM850 / Channel : 190
 Liquid Temperature: 21.4°C
 Date Tested : October 5, 2004



G906

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 8.0; Brain 835 MHz: $s = 0.88$
 $\mu\text{ho/m}$ $\epsilon_r = 42.8$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7: SAR (1g): 1.11 mW/g, SAR (10g): 0.723 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: 0.00 dB
Comment:
MODEL : G906
Company : KBT Mobile Co.,Ltd.
Test Position: Left Touch / Antenna: Fixed
Mode: GSM850 / Channel : 251
Liquid Temperature: 21.4°C
Date Tested : October 5, 2004



G906

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 835 MHz
 Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 8.0; Brain 835 MHz: s = 0.88
 mho/m $\epsilon_r = 42.8$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 1.13 mW/g, SAR (10g): 0.729 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: 0.09 dB

Comment:

MODEL : G906


Company : KBT Mobile Co., Ltd.

Test Position: Right Touch / Antenna: Fixed

Mode: GSM850 / Channel : 128

Liquid Temperature: 21.4°C

Date Tested : October 5, 2004



G906

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 835 MHz

Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 8.0; Brain 835 MHz: $s = 0.88$ $\rho_{\text{ho/m}}$, $\epsilon_r = 42.8$, $\rho = 1.00 \text{ g/cm}^3$

Cube 5x5x7; SAR (1g): 1.32 mW/g, SAR (10g): 0.843 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: 0.05 dB

Comment:

MODEL : G906


Company : KBT Mobile Co., Ltd.

Test Position: Right Touch / Antenna: Fixed

Mode: GSM850 / Channel : 190

Liquid Temperature: 21.4°C

Date Tested : October 5, 2004



G906

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 835 MHz

Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 8.0; Brain 835 MHz: $s = 0.88$ $\rho_{\text{ho/m}}$ $\rho_e = 42.8$ $r = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 1.28 mW/g, SAR (10g): 0.819 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: 0.01 dB

Comment:

MODEL : G906


Company : KBT Mobile Co.,Ltd.

Test Position: Right Touch / Antenna: Fixed

Mode: GSM850 / Channel : 251


Liquid Temperature: 21.4°C

Date Tested : October 5, 2004




G906

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 8.0; Brain 835 MHz: $s = 0.88$
 ρ_{ho}/m $\rho_r = 42.8$ $r = 1.00$ g/cm³
Cube 5x5x7; SAR (1g): 0.298 mW/g, SAR (10g): 0.213 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.19 dB
Comment:
MODEL : G906
Company : KBT Mobile Co.,Ltd.
Test Position: Left Tilt / Antenna: Fixed
Mode: GSM850 / Channel : 190
Liquid Temperature: 21.4°C
Date Tested : October 5, 2004



G906

SAM II Phantom: Right Hand [CRP] Section; Position: (90°,180°); Frequency: 835 MHz
 Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 8.0; Brain 835 MHz: $s = 0.88$
 $\mu\text{ho/m}$ $\epsilon_r = 42.8$ $\rho = 1.00 \text{ g/cm}^3$
 Cube 5x5x7; SAR (1g): 0.292 mW/g, SAR (10g): 0.210 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: -0.06 dB
 Comment:
 MODEL : G906
 Company : KBT Mobile Co.,Ltd.
 Test Position: Right Tilt / Antenna: Fixed
 Mode: GSM850 / Channel : 190
 Liquid Temperature: 21.4°C
 Date Tested : October 5, 2004



G906

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°): Frequency: 1900 MHz
Probe: ET3DV6 - SN1609: ConvF(5.34,5.34,5.34): Crest factor: 8.0: Brain 1900 MHz: $s = 1.40$

mho/m $\epsilon_r = 40.3$ $\rho = 1.00$ g/cm³

Cube 5x5x7: SAR (1g): 0.759 mW/g, SAR (10g): 0.432 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.07 dB

Comment:

MODEL : G906


Company : KBT Mobile Co.,Ltd.

Test Position: Left Touch / Antenna: Fixed

Mode: GSM1900 / Channel : 512


Liquid Temperature: 21.4°C

Date Tested : October 5, 2004




G906

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°): Frequency: 1900 MHz
 Probe: ET3DV6 - SN1609: ConvF(5.34,5.34,5.34): Crest factor: 8.0: Brain 1900 MHz: $s = 1.40$
 $\rho_{\text{ho/m}}$ $\epsilon_r = 40.3$ $\rho = 1.00$ g/cm³
 Cube 5x5x7: SAR (1g): 0.735 mW/g, SAR (10g): 0.408 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: 0.03 dB
 Comment:
 MODEL : G906
 Company : KBT Mobile Co.,Ltd.
 Test Position: Left Touch / Antenna: Fixed
 Mode: GSM1900 / Channel : 661
 Liquid Temperature: 21.4°C
 Date Tested : October 5, 2004




G906

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 8.0; Brain 1900 MHz: $s = 1.40$
 mho/m $\epsilon_r = 40.3$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7; SAR (1g): 0.631 mW/g, SAR (10g): 0.353 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.34 dB
Comment:
MODEL : G906
Company : KBT Mobile Co., Ltd.
Test Position: Left Touch / Antenna: Fixed
Mode: GSM1900 / Channel : 810
Liquid Temperature: 21.4°C
Date Tested : October 5, 2004




G906

SAM II Phantom: Right Hand [CRP] Section; Position: (90°,180°); Frequency: 1900 MHz
 Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 8.0; Brain 1900 MHz: $s = 1.40$
 $\mu\text{ho/m}$ $\epsilon_r = 40.3$ $r = 1.00$ g/cm^3
 Cube 5x5x7; SAR (1g): 0.798 mW/g, SAR (10g): 0.498 mW/g
 Coarse: $D_x = 15.0$, $D_y = 15.0$, $D_z = 10.0$
 Powerdrift: 0.07 dB
 Comment:
 MODEL : G906
 Company : KBT Mobile Co.,Ltd.
 Test Position: Right Touch / Antenna: Fixed
 Mode: GSM1900 / Channel : 512
 Liquid Temperature: 21.4°C
 Date Tested : October 5, 2004




G906

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConyF(5.34,5.34,5.34); Crest factor: 8.0; Brain 1900 MHz: $s = 1.40$
 $\rho_{\text{ho/m}}$, $\epsilon_r = 40.3$, $\rho = 1.00$ g/cm³
Cube 5x5x7; SAR (1g): 0.695 mW/g, SAR (10g): 0.434 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: 0.28 dB
Comment:
MODEL : G906
Company : KBT Mobile Co., Ltd.
Test Position: Right Touch / Antenna: Fixed
Mode: GSM1900 / Channel : 661
Liquid Temperature: 21.4°C
Date Tested : October 5, 2004




G906

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
 Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 8.0; Brain 1900 MHz: $s = 1.40$
 ρ_{ho}/m $\rho_r = 40.3$ $r = 1.00$ g/cm³
 Cube 5x5x7; SAR (1g): 0.489 mW/g; SAR (10g): 0.306 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: 0.01 dB
 Comment:
 MODEL : G906
 Company : KBT Mobile Co.,Ltd.
 Test Position: Right Touch / Antenna: Fixed
 Mode: GSM1900 / Channel : 810
 Liquid Temperature: 21.4°C
 Date Tested : October 5, 2004




G906

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConyF(5.34,5.34,5.34); Crest factor: 8.0; Brain 1900 MHz: $s = 1.40$
 mho/m $\epsilon_r = 40.3$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7: SAR (1g): 0.143 mW/g, SAR (10g): 0.0856 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.06 dB
Comment:
MODEL : G906
Company : KBT Mobile Co.,Ltd.
Test Position: Left Tilt / Antenna: Fixed
Mode: GSM1900 / Channel : 661
Liquid Temperature: 21.4°C
Date Tested : October 5, 2004




G906

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 8.0; Brain 1900 MHz: $s = 1.40$
 $\rho_{\text{ho/m}} = 40.3$ $r = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.107 mW/g, SAR (10g): 0.0633 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.04 dB
Comment:
MODEL : G906
Company : KBT Mobile Co.,Ltd.
Test Position: Right Tilt / Antenna: Fixed
Mode: GSM1900 / Channel : 661
Liquid Temperature: 21.4°C
Date Tested : October 5, 2004




G906 (Body)

SAM II Phantom: Flat Section; Position: (90°, 90°); Frequency: 835 MHz
 Probe: ET3DV6 - SN1607; ConvF(6.26,6.26,6.26); Crest factor: 8.0; Body 835 MHz: $s = 0.98$
 $\rho_{\text{ho}}/\rho_{\text{e}} = 53.7$; $r = 1.00$ g/cm³
 Cube 5x5x7; SAR (1g): 0.558 mW/g, SAR (10g): 0.380 mW/g
 Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
 Powerdrift: -0.03 dB
 Comment:
 MODEL : G906
 Company : KBT Mobile Co., Ltd.
 Test Position: Body / Antenna: Fixed
 Mode: GSM850 / Channel : 190
 Liquid Temperature: 21.4°C
 Date Tested : October 5, 2004




G906 (Body)

SAM II Phantom; Flat Section; Position: (90°, 90°); Frequency: 835 MHz
 Probe: ET3DV6 - SN1607; ConvF(6.26,6.26,6.26); Crest factor: 4.0; Body 835 MHz: $\sigma = 0.98 \text{ mho/m}$, $\epsilon_r = 53.7$
 $\rho = 1.00 \text{ g/cm}^3$
 Cube 5x5x7: SAR(1g): 0.490 mW/g, SAR(10g): 0.341 mW/g
 Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
 Powerdrift: 0.02 dB
 Comment:
 MODEL : G906 (GPRS)
 Company : KBT Mobile Co., Ltd.
 Test Position: Body / Antenna: Fixed
 Mode: GSM850 / Channel: 190
 Liquid Temperature: 21.4°C
 Date Tested : October 5, 2004



G906 (Body)

SAM II Phantom; Flat Section; Position: (90°, 90°); Frequency: 1900 MHz
 Probe: ET3DV6 - SN1609; ConvF(4.60, 4.60, 4.60); Crest factor: 8.0; Body 1900 MHz; $s = 1.45$
 ρ_{ho}/m $\epsilon_r = 51.3$ $r = 1.00$ g/cm³
 Cube 5x5x7; SAR (1g): 0.275 mW/g, SAR (10g): 0.168 mW/g
 Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
 Powerdrift: 0.02 dB
 Comment:
 MODEL : G906
 Company : KBT Mobile Co., Ltd.
 Test Position: Body / Antenna: Fixed
 Mode: GSM1900 / Channel : 661
 Liquid Temperature: 21.4°C
 Date Tested : October 5, 2004



G906 (Body)

SAM II Phantom, Flat Section; Position: (90°, 90°); Frequency: 1900 MHz

Probe: ET3DV6 - SN1609; ConvF(460,460,460); Crest factor: 4.0; Body 1900 MHz: $\sigma = 1.45 \text{ mho/m}$, $\epsilon_r = 51.3$, $\rho =$ 1.00 g/cm³

Cube 5x5x7; SAR(1g): 0.257 mW/g; SAR(10g): 0.158 mW/g

Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0

Powerdrift: 0.02 dB

Comment :

MODEL : G906 (GPRS)


Company : KBT Mobile Co., Ltd.

Test Position: Body / Antenna: Fixed

Mode: GSM1900 / Channel : 661

Liquid Temperature: 21.4°C

Date Tested : October 5, 2004



G906

SAM II Phantom: Section: Position: ; Frequency: 835 MHz

Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 8.0; Brain 835 MHz: $s = 0.88$ $\rho = 1.00 \text{ g/cm}^3$

:

Z-Axis: $D_x = 0.0$, $D_y = 0.0$, $D_z = 5.0$

Comment:

MODEL : G906


Company : KBT Mobile Co.,Ltd.

Test Position: Right Touch / Antenna: Fixed

Mode: GSM850 / Channel : 190

Liquid Temperature: 21.4°C

Date Tested : October 5, 2004



G906

SAM II Phantom: Section: Position: ; Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(5.34,5.34,5.34); Crest factor: 8.0; Brain 1900 MHz: $s = 1.40$
 $\rho_{ho/m} \epsilon_r = 40.3$ $r = 1.00$ g/cm³

Z-Axis: $D_x = 0.0$, $D_y = 0.0$, $D_z = 5.0$

Comment:

MODEL : G906


Company : KBT Mobile Co.,Ltd.

Test Position: Right Touch / Antenna: Fixed

Mode: GSM1900 / Channel : 512

Liquid Temperature: 21.4°C

Date Tested : October 5, 2004



G906 (Body)

SAM II Phantom: Section: Position: ; Frequency: 835 MHz
Probe: ET3DV6 - SN1607; ConvF(6.26,6.26,6.26); Crest factor: 8.0; Body 835 MHz: $s = 0.98$
 ρ_{ho}/m $\epsilon_r = 53.7$ $r = 1.00$ g/cm³

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0

Comment:

MODEL : G906


Company : KBT Mobile Co.,Ltd.

Test Position: Body / Antenna: Fixed

Mode: GSM850 / Channel : 190

Liquid Temperature: 21.4°C

Date Tested : October 5, 2004



G906 (Body)

SAM II Phantom: Section: Position: ; Frequency: 1900 MHz
Probe: ET3DV6 - SN1609; ConvF(4.60,4.60,4.60); Crest factor: 8.0; Body 1900 MHz: $s = 1.45$
 $\rho_{ho}/m_e = 51.3$ $r = 1.00$ g/cm³

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 5.0

Comment:

MODEL : G906

Company : KBT Mobile Co.,Ltd.

Test Position: Body / Antenna: Fixed

Mode: GSM1900 / Channel : 661

Liquid Temperature: 21.4°C

Date Tested : October 5, 2004

