



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	110.85	Inf	-Inf	5.94	3	Vertical	254	1.99	104.91	33.83	6.89	34.78
PK	5.593G	59.77	68.20	-8.43	4.81	3	Vertical	254	1.99	54.96	32.79	6.76	34.74
PK	5.7862G	123.17	Inf	-Inf	5.93	3	Vertical	254	1.99	117.24	33.82	6.89	34.78
PK	5.9842G	60.09	68.20	-8.11	6.17	3	Vertical	254	1.99	53.92	33.93	7.06	34.82

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	107.43	Inf	-Inf	5.94	3	Horizontal	337	1.77	101.49	33.83	6.89	34.78
PK	5.6302G	57.01	68.20	-11.19	4.96	3	Horizontal	337	1.77	52.05	32.92	6.79	34.75
PK	5.7874G	119.55	Inf	-Inf	5.93	3	Horizontal	337	1.77	113.62	33.82	6.89	34.78
PK	5.9254G	60.75	68.20	-7.45	6.25	3	Horizontal	337	1.77	54.50	34.05	7.01	34.81


5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	110.56	Inf	-Inf	6.03	3	Vertical	254	1.96	104.53	33.90	6.92	34.79
PK	5.6354G	58.07	68.20	-10.13	4.98	3	Vertical	254	1.96	53.09	32.94	6.79	34.75
PK	5.8202G	123.11	Inf	-Inf	6.04	3	Vertical	254	1.96	117.07	33.90	6.92	34.78
PK	5.9222G	68.71	70.27	-1.56	6.26	3	Vertical	254	1.96	62.45	34.06	7.00	34.80

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	107.37	Inf	-Inf	6.03	3	Horizontal	335	1.56	101.34	33.90	6.92	34.79
PK	5.6354G	56.90	68.20	-11.30	4.98	3	Horizontal	335	1.56	51.92	32.94	6.79	34.75
PK	5.8202G	119.68	Inf	-Inf	6.04	3	Horizontal	335	1.56	113.64	33.90	6.92	34.78
PK	5.9306G	67.10	68.20	-1.10	6.24	3	Horizontal	335	1.56	60.86	34.04	7.01	34.81


5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX



5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.15	54.00	-1.85	4.75	3	Vertical	251	2.20	47.40	33.10	6.41	34.76
AV	5.1928G	102.50	Inf	-Inf	4.62	3	Vertical	251	2.20	97.88	32.93	6.44	34.75
PK	5.1492G	67.59	74.00	-6.41	4.75	3	Vertical	251	2.20	62.84	33.10	6.41	34.76
PK	5.1932G	115.77	Inf	-Inf	4.62	3	Vertical	251	2.20	111.15	32.93	6.44	34.75

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	48.92	54.00	-5.08	4.73	3	Horizontal	333	1.80	44.19	33.08	6.41	34.76
AV	5.1868G	100.88	Inf	-Inf	4.64	3	Horizontal	333	1.80	96.24	32.95	6.44	34.75
PK	5.1488G	66.62	74.00	-7.38	4.74	3	Horizontal	333	1.80	61.88	33.09	6.41	34.76
PK	5.1876G	114.69	Inf	-Inf	4.64	3	Horizontal	333	1.80	110.05	32.95	6.44	34.75


5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	53.15	54.00	-0.85	4.75	3	Vertical	248	2.18	48.40	33.10	6.41	34.76
AV	5.2292G	104.53	Inf	-Inf	4.56	3	Vertical	248	2.18	99.97	32.84	6.47	34.75
PK	5.1476G	69.79	74.00	-4.21	4.74	3	Vertical	248	2.18	65.05	33.09	6.41	34.76
PK	5.2292G	118.22	Inf	-Inf	4.56	3	Vertical	248	2.18	113.66	32.84	6.47	34.75

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.1448G	49.51	54.00	-4.49	4.72	3	Horizontal	346	1.85	44.79	33.07	6.41	34.76
AV	5.2332G	101.56	Inf	-Inf	4.55	3	Horizontal	346	1.85	97.01	32.83	6.47	34.75
PK	5.134G	67.64	74.00	-6.36	4.64	3	Horizontal	346	1.85	63.00	33.00	6.40	34.76
PK	5.2336G	114.68	Inf	-Inf	4.55	3	Horizontal	346	1.85	110.13	32.83	6.47	34.75


5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2748G	103.34	Inf	-Inf	4.51	3	Vertical	249	2.25	98.83	32.75	6.50	34.74
AV	5.35G	52.25	54.00	-1.75	4.53	3	Vertical	249	2.25	47.72	32.70	6.56	34.73
PK	5.2756G	116.10	Inf	-Inf	4.51	3	Vertical	249	2.25	111.59	32.75	6.50	34.74
PK	5.3508G	72.71	74.00	-1.29	4.53	3	Vertical	249	2.25	68.18	32.70	6.56	34.73

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.272G	100.87	Inf	-Inf	4.52	3	Horizontal	338	1.84	96.35	32.76	6.50	34.74
AV	5.3532G	47.87	54.00	-6.13	4.52	3	Horizontal	338	1.84	43.35	32.69	6.56	34.73
PK	5.2712G	114.00	Inf	-Inf	4.52	3	Horizontal	338	1.84	109.48	32.76	6.50	34.74
PK	5.3532G	67.92	74.00	-6.08	4.52	3	Horizontal	338	1.84	63.40	32.69	6.56	34.73


5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX



5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3136G	102.11	Inf	-Inf	4.49	3	Vertical	249	2.14	97.62	32.70	6.53	34.74
AV	5.3528G	51.03	54.00	-2.97	4.52	3	Vertical	249	2.14	46.51	32.69	6.56	34.73
PK	5.3148G	115.27	Inf	-Inf	4.49	3	Vertical	249	2.14	110.78	32.70	6.53	34.74
PK	5.3524G	71.99	74.00	-2.01	4.53	3	Vertical	249	2.14	67.46	32.70	6.56	34.73

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.304G	99.58	Inf	-Inf	4.48	3	Horizontal	333	2.00	95.10	32.70	6.52	34.74
AV	5.3516G	49.26	54.00	-4.74	4.53	3	Horizontal	333	2.00	44.73	32.70	6.56	34.73
PK	5.3132G	112.32	Inf	-Inf	4.49	3	Horizontal	333	2.00	107.83	32.70	6.53	34.74
PK	5.3532G	64.98	74.00	-9.02	4.52	3	Horizontal	333	2.00	60.46	32.69	6.56	34.73

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6488G	37.67	54.00	-16.33	15.39	3	Vertical	156	1.00	22.28	39.00	11.12	34.73
AV	15.92904G	42.90	54.00	-11.10	15.54	3	Vertical	65	1.67	27.36	37.78	12.40	34.64
PK	10.632G	50.63	74.00	-23.37	15.33	3	Vertical	156	1.00	35.30	38.96	11.11	34.74
PK	15.94992G	56.19	74.00	-17.81	15.45	3	Vertical	65	1.67	40.74	37.70	12.41	34.66

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64544G	37.70	54.00	-16.30	15.38	3	Horizontal	179	2.77	22.32	38.99	11.12	34.73
AV	15.94392G	42.82	54.00	-11.18	15.47	3	Horizontal	277	1.50	27.35	37.72	12.41	34.66
PK	10.63224G	50.86	74.00	-23.14	15.33	3	Horizontal	179	2.77	35.53	38.96	11.11	34.74
PK	15.91488G	56.93	74.00	-17.07	15.60	3	Horizontal	277	1.50	41.33	37.84	12.39	34.63

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.46G	48.45	54.00	-5.55	4.54	3	Vertical	241	1.94	43.91	32.62	6.64	34.72				
AV	5.5064G	102.20	Inf	-Inf	4.67	3	Vertical	241	1.94	97.53	32.70	6.69	34.72				
PK	5.46G	61.96	74.00	-12.04	4.54	3	Vertical	241	1.94	57.42	32.62	6.64	34.72				
PK	5.4672G	67.33	68.20	-0.87	4.56	3	Vertical	241	1.94	62.77	32.63	6.65	34.72				
PK	5.5076G	116.03	Inf	-Inf	4.67	3	Vertical	241	1.94	111.36	32.70	6.69	34.72				

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.4548G	43.28	54.00	-10.72	4.53	3	Horizontal	332	1.99	38.75	32.61	6.64	34.72				
AV	5.5136G	97.78	Inf	-Inf	4.67	3	Horizontal	332	1.99	93.11	32.70	6.69	34.72				
PK	5.4508G	56.11	74.00	-17.89	4.52	3	Horizontal	332	1.99	51.59	32.60	6.64	34.72				
PK	5.4644G	58.24	68.20	-9.96	4.56	3	Horizontal	332	1.99	53.68	32.63	6.65	34.72				
PK	5.5156G	110.87	Inf	-Inf	4.67	3	Horizontal	332	1.99	106.20	32.70	6.69	34.72				


5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.46G	49.31	54.00	-4.69	4.54	3	Vertical	238	2.01	44.77	32.62	6.64	34.72				
AV	5.5484G	104.47	Inf	-Inf	4.69	3	Vertical	238	2.01	99.78	32.70	6.72	34.73				
PK	5.4592G	66.65	74.00	-7.35	4.54	3	Vertical	238	2.01	62.11	32.62	6.64	34.72				
PK	5.4624G	67.60	68.20	-0.60	4.55	3	Vertical	238	2.01	63.05	32.62	6.65	34.72				
PK	5.5556G	118.02	Inf	-Inf	4.71	3	Vertical	238	2.01	113.31	32.71	6.73	34.73				

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.4564G	44.08	54.00	-9.92	4.53	3	Horizontal	338	2.04	39.55	32.61	6.64	34.72				
AV	5.5592G	100.17	Inf	-Inf	4.72	3	Horizontal	338	2.04	95.45	32.72	6.73	34.73				
PK	5.4556G	58.87	74.00	-15.13	4.53	3	Horizontal	338	2.04	54.34	32.61	6.64	34.72				
PK	5.47G	60.98	68.20	-7.22	4.57	3	Horizontal	338	2.04	56.41	32.64	6.65	34.72				
PK	5.5596G	112.76	Inf	-Inf	4.72	3	Horizontal	338	2.04	108.04	32.72	6.73	34.73				


5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.4598G	45.26	54.00	-8.74	4.54	3	Vertical	238	1.92	40.72	32.62	6.64	34.72				
AV	5.7574G	106.18	Inf	-Inf	5.74	3	Vertical	238	1.92	100.44	33.64	6.87	34.77				
PK	5.647G	67.11	68.20	-1.09	5.04	3	Vertical	238	1.92	62.07	32.99	6.80	34.75				
PK	5.7478G	118.95	Inf	-Inf	5.69	3	Vertical	238	1.92	113.26	33.59	6.87	34.77				
PK	5.947G	60.42	68.20	-7.78	6.22	3	Vertical	238	1.92	54.20	34.01	7.02	34.81				

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.4586G	45.14	54.00	-8.86	4.54	3	Horizontal	238	1.92	40.60	32.62	6.64	34.72				
AV	5.7478G	106.19	Inf	-Inf	5.69	3	Horizontal	238	1.92	100.50	33.59	6.87	34.77				
PK	5.6494G	66.88	68.20	-1.32	5.05	3	Horizontal	238	1.92	61.83	33.00	6.80	34.75				
PK	5.767G	118.88	Inf	-Inf	5.81	3	Horizontal	238	1.92	113.07	33.70	6.88	34.77				
PK	5.9254G	60.15	68.20	-8.05	6.25	3	Horizontal	238	1.92	53.90	34.05	7.01	34.81				


5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX



5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.801G	105.70	Inf	-Inf	6.02	3	Vertical	237	1.90	99.68	33.90	6.90	34.78
PK	5.645G	60.95	68.20	-7.25	5.03	3	Vertical	237	1.90	55.92	32.98	6.80	34.75
PK	5.8046G	117.88	Inf	-Inf	6.02	3	Vertical	237	1.90	111.86	33.90	6.90	34.78
PK	5.927G	65.15	68.20	-3.05	6.25	3	Vertical	237	1.90	58.90	34.05	7.01	34.81

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.7914G	104.28	Inf	-Inf	5.96	3	Horizontal	320	1.85	98.32	33.85	6.89	34.78
PK	5.6378G	59.34	68.20	-8.86	4.99	3	Horizontal	320	1.85	54.35	32.95	6.79	34.75
PK	5.7926G	116.29	Inf	-Inf	5.98	3	Horizontal	320	1.85	110.31	33.86	6.90	34.78
PK	5.9246G	66.12	68.50	-2.38	6.26	3	Horizontal	320	1.85	59.86	34.05	7.01	34.80


5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX



5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	46.15	54.00	-7.85	4.74	3	Vertical	233	2.13	41.41	33.09	6.41	34.76
AV	5.299G	98.88	Inf	-Inf	4.48	3	Vertical	233	2.13	94.40	32.70	6.52	34.74
AV	5.35G	51.57	54.00	-2.43	4.53	3	Vertical	233	2.13	47.04	32.70	6.56	34.73
PK	5.14G	59.35	74.00	-14.65	4.69	3	Vertical	233	2.13	54.66	33.04	6.41	34.76
PK	5.3G	111.56	Inf	-Inf	4.48	3	Vertical	233	2.13	107.08	32.70	6.52	34.74
PK	5.351G	70.50	74.00	-3.50	4.53	3	Vertical	233	2.13	65.97	32.70	6.56	34.73
PK	5.461G	63.29	68.20	-4.91	4.54	3	Vertical	233	2.13	58.75	32.62	6.64	34.72

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.84	54.00	-10.16	4.75	3	Horizontal	315	1.92	39.09	33.10	6.41	34.76
AV	5.3G	96.12	Inf	-Inf	4.48	3	Horizontal	315	1.92	91.64	32.70	6.52	34.74
AV	5.35G	49.32	54.00	-4.68	4.53	3	Horizontal	315	1.92	44.79	32.70	6.56	34.73
PK	5.145G	56.42	74.00	-17.58	4.72	3	Horizontal	315	1.92	51.70	33.07	6.41	34.76
PK	5.282G	108.34	Inf	-Inf	4.51	3	Horizontal	315	1.92	103.83	32.74	6.51	34.74
PK	5.35G	64.89	74.00	-9.11	4.53	3	Horizontal	315	1.92	60.36	32.70	6.56	34.73
PK	5.461G	56.87	68.20	-11.33	4.54	3	Horizontal	315	1.92	52.33	32.62	6.64	34.72


5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	43.53	54.00	-10.47	4.52	3	Vertical	226	2.01	39.01	32.70	6.55	34.73
AV	5.46G	53.67	54.00	-0.33	4.54	3	Vertical	226	2.01	49.13	32.62	6.64	34.72
AV	5.533G	98.98	Inf	-Inf	4.68	3	Vertical	226	2.01	94.30	32.70	6.71	34.73
PK	5.33G	56.02	68.20	-12.18	4.50	3	Vertical	226	2.01	51.52	32.70	6.54	34.74
PK	5.458G	65.75	74.00	-8.25	4.54	3	Vertical	226	2.01	61.21	32.62	6.64	34.72
PK	5.469G	67.69	68.20	-0.51	4.57	3	Vertical	226	2.01	63.12	32.64	6.65	34.72
PK	5.552G	111.41	Inf	-Inf	4.70	3	Vertical	226	2.01	106.71	32.70	6.73	34.73
PK	5.773G	57.27	68.20	-10.93	5.85	3	Vertical	226	2.01	51.42	33.74	6.88	34.77

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	42.85	54.00	-11.15	4.52	3	Horizontal	309	1.84	38.33	32.70	6.55	34.73
AV	5.46G	47.07	54.00	-6.93	4.54	3	Horizontal	309	1.84	42.53	32.62	6.64	34.72
AV	5.523G	94.84	Inf	-Inf	4.68	3	Horizontal	309	1.84	90.16	32.70	6.70	34.72
PK	5.297G	56.12	68.20	-12.08	4.49	3	Horizontal	309	1.84	51.63	32.71	6.52	34.74
PK	5.41G	59.06	74.00	-14.94	4.47	3	Horizontal	309	1.84	54.59	32.60	6.60	34.73
PK	5.464G	62.05	68.20	-6.15	4.56	3	Horizontal	309	1.84	57.49	32.63	6.65	34.72
PK	5.512G	106.78	Inf	-Inf	4.67	3	Horizontal	309	1.84	102.11	32.70	6.69	34.72
PK	5.758G	56.41	68.20	-11.79	5.75	3	Horizontal	309	1.84	50.66	33.65	6.87	34.77


5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.86	54.00	-8.14	4.54	3	Vertical	225	1.88	41.32	32.62	6.64	34.72
AV	5.592G	99.84	Inf	-Inf	4.80	3	Vertical	225	1.88	95.04	32.78	6.76	34.74
PK	5.451G	61.25	74.00	-12.75	4.52	3	Vertical	225	1.88	56.73	32.60	6.64	34.72
PK	5.463G	61.57	68.20	-6.63	4.56	3	Vertical	225	1.88	57.01	32.63	6.65	34.72
PK	5.594G	111.68	Inf	-Inf	4.81	3	Vertical	225	1.88	106.87	32.79	6.76	34.74
PK	5.725G	65.20	68.20	-3.00	5.58	3	Vertical	225	1.88	59.62	33.50	6.85	34.77

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.375G	43.49	54.00	-10.51	4.49	3	Horizontal	307	1.92	39.00	32.65	6.57	34.73
AV	5.605G	96.26	Inf	-Inf	4.85	3	Horizontal	307	1.92	91.41	32.82	6.77	34.74
PK	5.458G	55.87	74.00	-18.13	4.54	3	Horizontal	307	1.92	51.33	32.62	6.64	34.72
PK	5.47G	56.45	68.20	-11.75	4.57	3	Horizontal	307	1.92	51.88	32.64	6.65	34.72
PK	5.616G	109.63	Inf	-Inf	4.90	3	Horizontal	307	1.92	104.73	32.86	6.78	34.74
PK	5.729G	59.60	68.20	-8.60	5.60	3	Horizontal	307	1.92	54.00	33.52	6.85	34.77


5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7726G	98.96	Inf	-Inf	5.85	3	Vertical	227	1.97	93.11	33.74	6.88	34.77
PK	5.7822G	58.67	68.20	-9.53	4.77	3	Vertical	227	1.97	53.90	32.76	6.75	34.74
PK	5.7726G	111.99	Inf	-Inf	5.85	3	Vertical	227	1.97	106.14	33.74	6.88	34.77
PK	5.9358G	58.63	68.20	-9.57	6.24	3	Vertical	227	1.97	52.39	34.03	7.02	34.81

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7822G	97.25	Inf	-Inf	5.90	3	Horizontal	309	1.69	91.35	33.79	6.89	34.78
PK	5.6454G	66.93	68.20	-1.27	5.03	3	Horizontal	309	1.69	61.90	32.98	6.80	34.75
PK	5.7822G	110.25	Inf	-Inf	5.90	3	Horizontal	309	1.69	104.35	33.79	6.89	34.78
PK	5.9346G	66.63	68.20	-1.57	6.23	3	Horizontal	309	1.69	60.40	34.03	7.01	34.81

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX

