

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT
INTENTIONAL RADIATOR CERTIFICATION TO
FCC PART 22 SUBPART H, PART 24 SUBPART E and PART 27 SUBPART
F, L, H REQUIREMENT

OF

Applicant: Moxa Inc.
4TH FL 135 LANE 235 BAOQIAO RD XINDIAN DISTRICT
NEW TAIPEI CITY 231 TAIWAN

Product Name: Arm-based platform

Brand Name: MOXA

Model No.: UC-8220-T-LX

Model Difference: N/A

Report Number: T190327W11-RP

FCC ID: SLE-UC8200

FCC Rule Part: 2, 22H & 24E & 27F, L, H

Issue Date: Jun. 24, 2019

Date of Test: Apr. 01, 2019 ~ May 30, 2019

Date of EUT Received: Apr. 01, 2019

Issued by: Compliance Certification Services Inc. Wugu Lab.
No.11, Wugong 6th Rd., Wugu Dist., New Taipei City 24891,
Taiwan. (R.O.C.)
service@ccsrf.com

The test Result was tested by Compliance Certification Services Inc. The test data, data evaluation, test procedures, and equipment configurations shown in this report were given in ANSI C63.26: 2015 and compliance standards.

The test results of this report relate only to the tested sample (EUT) identified in this report
The test Report of full or partial shall not copy. Without written approval of Compliance Certification Services Inc. (Wugu Laboratory).

Tested By:

Henry Chiang

Henry Chiang / Engineer

Approved By:

Kevin Tsai

Kevin Tsai / Deputy Manager



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Revision History

Report Number	Revision	Description	Effected Page	Issue Date	Revised By
T190327W11-RP	Rev.00	Initial creation of document	All	Jun. 11, 2019	Elle Chang
T190327W11-RP	Rev.01	Updated section 8.5	Page 112~115	Jun. 24, 2019	Elle Chang

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Contents

1. GENERAL PRODUCT INFORMATION	4
2. SYSTEM TEST CONFIGURATION	9
3. SUMMARY OF TEST RESULTS	12
4. DESCRIPTION OF TEST MODES	13
5. MEASUREMENT UNCERTAINTY	19
6. RF CONDUCTED OUTPUT POWER MEASUREMENT	20
7. OCCUPIED BANDWIDTH MEASUREMENT	47
8. OUT OF BAND EMISSION AT ANTENNA TERMINALS	75
9. FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT	118
10. FREQUENCY STABILITY MEASUREMENT	178
11. PEAK TO AVERAGE RATIO	184

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1. GENERAL PRODUCT INFORMATION

1.1. Product Description

General:

Product Name:	Arm-based platform
Brand Name:	Moxa
Model No.:	UC-8220-T-LX
Model Difference:	N/A
Hardware Version:	N/A
Software Version:	N/A
Power Supply:	12~48Vdc

Antenna Designation

Vendor	Type	Antenna Part No.	Modulation	Frequency (MHz)	Peak Antenna Gain (dBi)
MOXA	Dipole	ANT-LTEUS-ASM-01	WCDMA / HSPA Band II	1852.4 ~ 1907.6	2
			WCDMA / HSPA Band V	826.4 ~ 846.6	1
			LTE Band 2	1850 ~ 1910	2
			LTE Band 4	1710 ~ 1755	2
			LTE Band 5	824 ~ 849	1
			LTE Band 13	777 ~ 787	1
			LTE Band 17	704 ~ 716	1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.2. WCDMA / LTE: Cellular Phone Standards Frequency Range

Operating Frequency (MHz)		
WCDMA / HSPA+ Band II	1852.4	- 1907.6
WCDMA / HSPA+ Band V	826.4	- 846.6

LTE Band	BW (MHz)	Operation Frequency (MHz)	
2	1.4	1850.7	- 1909.3
	3	1851.5	- 1908.5
	5	1852.5	- 1907.5
	10	1855.0	- 1905.0
	15	1857.5	- 1902.5
	20	1860.0	- 1900.0
4	1.4	1710.7	- 1754.3
	3	1711.5	- 1753.5
	5	1712.5	- 1752.5
	10	1715.0	- 1750.0
	15	1717.5	- 1747.5
	20	1720.0	- 1745.0
5	1.4	824.7	- 848.3
	3	825.5	- 847.5
	5	826.5	- 846.5
	10	829.0	- 844.0
13	5	779.5	- 784.5
	10	782	
17	5	706.5	- 713.5
	10	709.0	- 711.0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.3. Type of Emission & Max ERP/EIRP Power Measurement Result:

	ERP / EIRP (dBm)		W	Type of Emission
WCDMA Band II	25.12	EIRP	0.325	4M13F9W
HSDPA Band II	24.71	EIRP	0.296	4M14F9W
HSUPA Band II	24.71	EIRP	0.296	4M14F9W
WCDMA Band V	24.24	ERP	0.265	4M14F9W
HSDPA Band V	24.16	ERP	0.261	4M14F9W
HSUPA Band V	24.05	ERP	0.254	4M12F9W

LTE Band	BW	Modulation	ERP / EIRP (dBm)		(W)	Type of Emission
2	1.4	QPSK	25.15	EIRP	0.327	1M12G7D
		16QAM	24.12	EIRP	0.258	1M12D7W
2	3	QPSK	25.14	EIRP	0.327	2M71G7D
		16QAM	24.58	EIRP	0.287	2M71D7W
2	5	QPSK	25.34	EIRP	0.342	4M52G7D
		16QAM	24.80	EIRP	0.302	4M52D7W
2	10	QPSK	25.22	EIRP	0.333	9M05G7D
		16QAM	24.53	EIRP	0.284	9M00D7W
2	15	QPSK	25.07	EIRP	0.321	13M5G7D
		16QAM	24.90	EIRP	0.309	13M5D7W
2	20	QPSK	26.04	EIRP	0.402	17M9G7D
		16QAM	25.11	EIRP	0.324	17M9D7W

LTE Band	BW	Modulation	ERP / EIRP (dBm)		(W)	Type of Emission
4	1.4	QPSK	26.08	EIRP	0.406	1M12G7D
		16QAM	25.04	EIRP	0.319	1M11D7W
4	3	QPSK	25.75	EIRP	0.376	2M70G7D
		16QAM	25.17	EIRP	0.329	2M72D7W
4	5	QPSK	26.06	EIRP	0.404	4M52G7D
		16QAM	25.19	EIRP	0.330	4M52D7W
4	10	QPSK	26.42	EIRP	0.439	9M03G7D
		16QAM	24.84	EIRP	0.305	8M99D7W
4	15	QPSK	26.48	EIRP	0.445	13M5G7D
		16QAM	25.82	EIRP	0.382	13M5D7W
4	20	QPSK	26.05	EIRP	0.403	18M0G7D
		16QAM	25.13	EIRP	0.326	18M0D7W

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band	BW	Modulation	ERP / EIRP (dBm)		(W)	Type of Emission
5	1.4	QPSK	21.86	ERP	0.153	1M12G7D
		16QAM	21.00	ERP	0.126	1M11D7W
5	3	QPSK	21.91	ERP	0.155	2M71G7D
		16QAM	21.17	ERP	0.131	2M71D7W
5	5	QPSK	21.85	ERP	0.153	4M52G7D
		16QAM	21.00	ERP	0.126	4M52D7W
5	10	QPSK	21.47	ERP	0.140	9M02G7D
		16QAM	21.42	ERP	0.139	9M01D7W

LTE Band	BW	Modulation	ERP / EIRP (dBm)		(W)	Type of Emission
13	5	QPSK	21.81	ERP	0.152	4M51G7D
		16QAM	20.89	ERP	0.123	4M50D7W
13	10	QPSK	21.78	ERP	0.151	8M94G7D
		16QAM	20.80	ERP	0.120	8M92D7W

LTE Band	BW	Modulation	ERP / EIRP (dBm)		(W)	Type of Emission
17	5	QPSK	22.31	ERP	0.170	4M56G7D
		16QAM	21.64	ERP	0.146	4M53D7W
17	10	QPSK	21.82	ERP	0.152	9M00G7D
		16QAM	20.97	ERP	0.125	8M97D7W

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.4. Test Methodology of Applied Standards

CC 47 CFR Part 2, 22, 24, 27.

ANSI C63.26-2015

KDB971168 D01 Power Meas license Digital System v03

KDB941225 D01 SAR test for 3G devices v03r01 (SAR Measurement Procedures for 3G Devices, WCDMA / HSPA) was used for EUT and Base station setting.

TS 151 010-1 is used to set, and measure the output power.

Note: All test items have been performed and record as per the above standards.

1.5. Test Facility

Compliance Certification Services Inc. Wugu Lab. No.11, Wugong 6th Rd.,

Wugu Dist., New Taipei City 24891, Taiwan. (R.O.C.) (TAF code 1309)

FCC Designation number: TW1309

1.6. Special Accessories

No special accessories were used during testing.

1.7. Equipment Modifications

There were no modifications incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2. SYSTEM TEST CONFIGURATION

2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2. EUT Exercise

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

2.3. Test Procedure

2.3.1 Conducted Measurement at Antenna Port

According to measurement procured ANSI C63.26-2015, the EUT is placed on a turn table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

2.3.2 Radiated Emissions (ERP/EIRP)

According to measurement procured ANSI C63.26-2015, The EUT is a placed on as turn table, for emission measurements below 1 GHz is 0.8 m above ground plane, for emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna according to the requirements in Section 8 and 13.

2.4. Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Following shows an offset computation in physical test.

	RF cable loss (dB)	Attenuation factor(dB)	offset(dB)
Low Band (Below 1GHz)	3.6	10	13.6
High Band (Above 1 GHz)	3.9	10	13.9

2.5. Final Amplifier Voltage and Current Information:

Test Mode	DC voltage (V)	DC current (mA)
WCDMA B2	24	325
WCDMA B5		334
LTE Band 2		345
LTE Band 4		337
LTE Band 5		335
LTE Band 13		316
LTE Band 17		326

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2.6. Configuration of Tested System

Fig. 2-1 Configuration of Tested System (Fixed Channel-Conducted)




Fig. 2-2 Configuration of Tested System (Fixed Channel-Radiated)




Table 2-1 Equipment Used in Tested System

Item	Equipment	Mfr/Brand	Model/ Type No.	Series No.	Data Cable	Power Cord
1.	Radio Communication Analyser	Anritsu	MT8820C	6201465317	shielded	Un-shielded
2.	DC Power Supply	Anritsu	E3640A	MY52410006	N/A	Unshielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

3. SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§2.1046(a)	RF Power Output	Compliant
§2.1046(a) §22.913(a)(5) §24.232(c) §27.50(c)(10) 27.50(d)(4) §27.50(h)(2)	ERP/ EIRP measurement	Compliant
§2.1049(h)	99% & 26dB Occupied Bandwidth	Compliant
§2.1051 §22.917(a) §24.238(a) §27.53(g) (h) §27.53(m)(4)	Out of Band Emissions at Antenna Terminals and Band Edge / Emission mask requirements	Compliant
§2.1053 §22.917(a) §24.238(a) §27.53(g) (h) §27.53(m)(4)	Field Strength of Spurious Radiation	Compliant
§24.232(d)	Peak to Average Ratio	Compliant
§2.1055(a)(1) §22.355 §24.235 §27.54	Frequency Stability	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

4. DESCRIPTION OF TEST MODES

4.1. The Worst Test Modes and Channel Details

1. The EUT has been tested under operating condition.
2. Pre-Scan has been conducted to determine the worst-case mode from all possible combinations between available modulations, data rates, X(E1)Y(E2)Z(H) axis and antenna ports. The worst case was found as listed below. Following channel(s) was (were) selected for the final test as listed below:

BAND	RADIATED EMISSION
WCDMA/HSPA Band II	E2-plan
WCDMA/HSPA Band V	E2-plan
LTE Band 2	E2-plan
LTE Band 4	E2-plan
LTE Band 5	E2-plan
LTE Band 13	E2-plan
LTE Band 17	E2-plan

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA/HSPA MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE
ERP	4132 to 4233	4132, 4183, 4233	WCDMA/HSPA Band V
EIRP	9262 to 9538	9262, 9400, 9583	WCDMA/HSPA Band II
FREQUENCY STABILITY	4132 to 4233 9262 to 9538	4183 9400	WCDMA Band II WCDMA Band V
OCCUPIED BANDWIDTH	4132 to 4233 9262 to 9538	4132, 4183, 4233 9262, 9400, 9583	WCDMA/HSPA Band II WCDMA/HSPA Band V
PEAK TO AVERAGE RATIO	4132 to 4233 9262 to 9538	4132, 4183, 4233 9262, 9400, 9583	WCDMA/HSPA Band II WCDMA/HSPA Band V
BAND EDGE	4132 to 4233 9262 to 9538	4132, 4233 9262, 9583	WCDMA Band II WCDMA Band V
CONDCUDED EMISSION	4132 to 4233 9262 to 9538	4132, 4183, 4233 9262, 9400, 9583	WCDMA Band II WCDMA Band V
RADIATED EMISSION	4132 to 4233 9262 to 9538	4132, 4183, 4233 9262, 9400, 9583	WCDMA Band II WCDMA Band V

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 2 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
EIRP	18607 to 19193	18607, 18900, 19193	1.4MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,5 RB Offest
	18615 to 19185	18615, 18900, 19185	3MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,14 RB Offest
	18625 to 19175	18625, 18900, 19175	5MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,24 RB Offest
	18650 to 19150	18650, 18900, 19150	10MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,49 RB Offest
	18675 to 19125	18675, 18900, 19125	15MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,74 RB Offest
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,99 RB Offest
FREQUENCY STABILITY	18650 to 19150	18900	10MHz	QPSK,	Full RB
OCCUPIED BANDWIDTH	18607 to 19193	18607, 18900, 19193	1.4MHz	QPSK, 16QAM, 64QAM	Full RB
	18615 to 19185	18615, 18900, 19185	3MHz	QPSK, 16QAM, 64QAM	Full RB
	18625 to 19175	18625, 18900, 19175	5MHz	QPSK, 16QAM, 64QAM	Full RB
	18650 to 19150	18650, 18900, 19150	10MHz	QPSK, 16QAM, 64QAM	Full RB
	18675 to 19125	18675, 18900, 19125	15MHz	QPSK, 16QAM, 64QAM	Full RB
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK, 16QAM, 64QAM	Full RB
PEAK TO AVERAGE RATIO	18607 to 19193	18607, 18900, 19193	1.4MHz	64QAM	Full RB
	18615 to 19185	18615, 18900, 19185	3MHz	64QAM	Full RB
	18625 to 19175	18625, 18900, 19175	5MHz	64QAM	Full RB
	18650 to 19150	18650, 18900, 19150	10MHz	64QAM	Full RB
	18675 to 19125	18675, 18900, 19125	15MHz	64QAM	Full RB
	18700 to 19100	18700, 18900, 19100	20MHz	64QAM	Full RB
BAND EDGE	18607 to 19193	18607, 19193	1.4MHz	QPSK,	1 RB/ 0,5 RB Offes Full RB
	18615 to 19185	18615, 19185	3MHz	QPSK,	1 RB/ 0,14 RB Offest Full RB
	18625 to 19175	18625, 19175	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
	18650 to 19150	18650, 19150	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
	18675 to 19125	18675, 19125	15MHz	QPSK,	1 RB/ 0,74 RB Offest Full RB
	18700 to 19100	18700, 19100	20MHz	QPSK,	1 RB/ 0,99 RB Offest Full RB
CONDCUDED EMISSION	18607 to 19193	18607, 18900, 19193	1.4MHz	QPSK,	1 RB, 0 RB Offest
	18615 to 19185	18615, 18900, 19185	3MHz	QPSK,	1 RB, 0 RB Offest
	18625 to 19175	18625, 18900, 19175	5MHz	QPSK,	1 RB, 0 RB Offest
	18650 to 19150	18650, 18900, 19150	10MHz	QPSK,	1 RB, 0 RB Offest
	18675 to 19125	18675, 18900, 19125	15MHz	QPSK,	1 RB, 0 RB Offest
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMIS- SION	18700 to 19100	18700, 18900, 19100	20MHz	QPSK	1 RB, 0 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 4 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
EIRP	19957 to 19393	19957, 20175, 19393	1.4MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,5 RB Offest
	19965 to 22385	19965, 20175, 22385	3MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,14 RB Offest
	19975 to 20375	19975, 20175, 20375	5MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,24 RB Offest
	20000 to 20350	20000, 20175, 20350	10MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,49 RB Offest
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,74 RB Offest
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,99 RB Offest
FREQUENCY STABILITY	20000 to 20350	20175	10MHz	QPSK,	Full RB
OCCUPIED BANDWIDTH	19957 to 19393	19957, 20175, 19393	1.4MHz	QPSK, 16QAM, 64QAM	Full RB
	19965 to 22385	19965, 20175, 22385	3MHz	QPSK, 16QAM, 64QAM	Full RB
	19975 to 20375	19975, 20175, 20375	5MHz	QPSK, 16QAM, 64QAM	Full RB
	20000 to 20350	20000, 20175, 20350	10MHz	QPSK, 16QAM, 64QAM	Full RB
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK, 16QAM, 64QAM	Full RB
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK, 16QAM, 64QAM	Full RB
PEAK TO AVERAGE RATIO	19957 to 19393	19957, 20175, 19393	1.4MHz	64QAM	Full RB
	19965 to 22385	19965, 20175, 22385	3MHz	64QAM	Full RB
	19975 to 20375	19975, 20175, 20375	5MHz	64QAM	Full RB
	20000 to 20350	20000, 20175, 20350	10MHz	64QAM	Full RB
	20025 to 20325	20025, 20175, 20325	15MHz	64QAM	Full RB
	20050 to 20300	20050, 20175, 20300	20MHz	64QAM	Full RB
BAND EDGE	19957 to 19393	19957, 19393	1.4MHz	QPSK,	1 RB/ 0,5 RB Offes Full RB
	19965 to 22385	19965, 22385	3MHz	QPSK,	1 RB/ 0,14 RB Offest Full RB
	19975 to 20375	19975, 20375	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
	20000 to 20350	20000, 20350	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
	20025 to 20325	20025, 20325	15MHz	QPSK,	1 RB/ 0,74 RB Offest Full RB
	20050 to 20300	20050, 20300	20MHz	QPSK,	1 RB/ 0,99 RB Offest Full RB
CONDCUDED EMISSION	19957 to 19393	19957, 20175, 19393	1.4MHz	QPSK,	1 RB, 0 RB Offest
	19965 to 22385	19965, 20175, 22385	3MHz	QPSK,	1 RB, 0 RB Offest
	19975 to 20375	19975, 20175, 20375	5MHz	QPSK,	1 RB, 0 RB Offest
	20000 to 20350	20000, 20175, 20350	10MHz	QPSK,	1 RB, 0 RB Offest
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK,	1 RB, 0 RB Offest
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMIS- SION	20025 to 20325	20025, 20175, 20325	15MHz	QPSK,	1 RB,0 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 5 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
ERP	20470 to 20643	20470, 20525, 20643	1.4MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,5 RB Offest
	20415 to 20635	20415, 20525, 20635	3MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,14 RB Offest
	20425 to 20625	20425, 20525, 20625	5MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,24 RB Offest
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	20450 to 20600	20525	10MHz	QPSK	Full RB
OCCUPIED BAND-WIDTH	20470 to 20643	20470, 20525, 20643	1.4MHz	QPSK, 16QAM, 64QAM	Full RB
	20415 to 20635	20415, 20525, 20635	3MHz	QPSK, 16QAM, 64QAM	Full RB
	20425 to 20625	20425, 20525, 20625	5MHz	QPSK, 16QAM, 64QAM	Full RB
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK, 16QAM, 64QAM	Full RB
PEAK TO AVERAGE RATIO	20470 to 20643	20470, 20525, 20643	1.4MHz	64QAM	Full RB
	20415 to 20635	20415, 20525, 20635	3MHz	64QAM	Full RB
	20425 to 20625	20425, 20525, 20625	5MHz	64QAM	Full RB
	20450 to 20600	20450, 20525, 20600	10MHz	64QAM	Full RB
BAND EDGE	20470 to 20643	20470, 20643	1.4MHz	QPSK	1 RB/ 0,5 RB Offes Full RB
	20415 to 20635	20415, 20635	3MHz	QPSK	1 RB/ 0,14 RB Offest Full RB
	20425 to 20625	20425, 20625	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
	20450 to 20600	20450, 20600	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
CONDCUDED EMISSION	20470 to 20643	20470, 20525, 20643	1.4MHz	QPSK	1 RB, 0 RB Offest
	20415 to 20635	20415, 20525, 20635	3MHz	QPSK	1 RB, 0 RB Offest
	20425 to 20625	20425, 20525, 20625	5MHz	QPSK	1 RB, 0 RB Offest
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION	20415 to 20635	20415, 20525, 20635	3MHz	QPSK	1 RB, 14 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Band 13 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
ERP	23205 to 23255	23205, 23230, 23255	5MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,24 RB Offest
	23230	23230	10MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,49 RB Offest
FREQUENCY STA-BILITY	23230	23230	10MHz	QPSK,	Full RB
OCCUPIED BAND-WIDTH	23205 to 23255	23205, 23230, 23255	5MHz	QPSK, 16QAM, 64QAM	Full RB
	23230	23230	10MHz	QPSK, 16QAM, 64QAM	Full RB
PEAK TO AVERAGE RATIO	23205 to 23255	23205, 23230, 23255	5MHz	64QAM	Full RB
	23230	23230	10MHz	64QAM	Full RB
BAND EDGE	23205 to 23255	23205, 23255	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
	23230	23230	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
CONDCUETED EMISSION	23205 to 23255	23205, 23230, 23255	5MHz	QPSK,	1 RB, 0 RB Offest
	23230	23230	10MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMIS-SION	23205 to 23255	23205, 23230, 23255	5MHz	QPSK	1 RB/ 24 RB Offest

LTE Band 17 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
ERP	23755 to 23825	23755, 23790, 23825	5MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,24 RB Offest
	23780 to 23800	23780, 23790, 23800	10MHz	QPSK, 16QAM, 64QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	23780 to 23800	23790	10MHz	QPSK	Full RB
OCCUPIED BANDWIDTH	23755 to 23825	23755, 23790, 23825	5MHz	QPSK, 16QAM, 64QAM	Full RB
	23780 to 23800	23780, 23790, 23800	10MHz	QPSK, 16QAM, 64QAM	Full RB
PEAK TO AV-ERAGE RATIO	23755 to 23825	23755, 23790, 23825	5MHz	64QAM	Full RB
	23780 to 23800	23780, 23790, 23800	10MHz	64QAM	Full RB
BAND EDGE	23755 to 23825	23755, 23825	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
	23780 to 23800	23780, 23800	10MHz	QPSK	1 RB/ 0,49 RB Offest Full RB
CONDCUETED EMISSION	23755 to 23825	23755, 23790, 23825	5MHz	QPSK	1 RB, 0 RB Offest
	23780 to 23800	23780, 23790, 23800	10MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMISSION	23755 to 23825	23755, 23790, 23825	5MHz	QPSK	1 RB, 24 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5. MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
RF Output Power	+/- 1.15 dB
99% Occupied Bandwidth	+/- 0.89%
Out of Band Emissions at Antenna Terminals and Band Edge	+/- 0.89 dB
Frequency Stability vs. Temperature	+/- 2.64 Hz
3M Semi Anechoic Chamber / 30M~200M	+/- 4.12 dB
3M Semi Anechoic Chamber / 200MHz ~ 1GHz	+/- 4.68
3M Semi Anechoic Chamber / 1GHz ~ 8GHz	+/- 5.18
3M Semi Anechoic Chamber / 8GHz ~ 18GHz	+/- 5.47
3M Semi Anechoic Chamber / 18GHz ~ 26GHz	+/- 3.81
3M Semi Anechoic Chamber / 26GHz ~ 40GHz	+/- 3.87

Note:

1. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k=2$.
2. Determination of compliance is based on the results of the compliance measurement, not taking into account measurement instrumentation uncertainty.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

6. RF CONDUCTED OUTPUT POWER MEASUREMENT

6.1. Standard Applicable

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals.

ERP/EIRP LIMIT

According to FCC §2.1046

FCC 22.913(a) (5) mobile transmitters and auxiliary test transmitters must not exceed 7 watts.


FCC 24.232(b) Mobile and portable stations are limited to 2 W EIRP.

FCC 27.50(c)(10) Portable stations (hand-held devices) are limited to 3 watts ERP.

FCC 27.50(d)(4) Mobile and portable (hand-held) stations are limited to 1 watts EIRP.

FCC 27, 50(h)(2) Mobile and other user stations. Mobile stations are limited to 2 W EIRP

6.2. Test Set-up



Note: Measurement setup for testing on Antenna connector

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

6.3. Measurement Procedure

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading. TS 151 010-1 is reference to conduct the test measurement of output power.

The Procedure of KDB941225 (SAR Measurement Procedures for 3G devices, (WCD-MA/HSPA) was used for EUT and Base station setting. RMC 12.2kps is used for this testing, and KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results

All LTE bands conducted average power is obtained from the simulator telecommunication test set.

The following tests were conducted according to the test requirements outlined in section 6.2 of the 3GPP.

TEST PROCEDURE:

ANSI C63.26:2015

KDB 971168 Section 5.6

$$\text{ERP/EIRP} = \text{PMeas} + \text{GT-LC}$$

where: ERP/EIRP = effective or equivalent radiated power, respectively (expressed in the same units as PMeas, typically dBW or dBm);

PMeas = measured transmitter output power or PSD, in dBm or dBW;

GT = gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP);

LC = signal attenuation in the connecting cable between the transmitter and antenna, in dB.

For devices utilizing multiple antennas, KDB 662911 provides guidance for determining the effective array transmit antenna gain term to be used in the above equation.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

6.4. Measurement Equipment Used

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Radio Communication Analyser	Anritsu	MT8820C	6201465317	01/16/2019	01/15/2020

6.5. Measurement Result**RF Conducted Output Power WCDMA MODE:**

The following tests were completed according to the test requirements outlined in section 5.2 of the 3GPP TS34.121-1 V8.4.0 specification. The EUT supports power Class 3, which has a nominal maximum output power of 24 dBm (+1.7/-3.7). RMC 12.2kps is used for this testing.

Results:**WCDMA/HSUPA/HSDPA Band II Result:**

EUT Mode	Freq. (MHz)	CH	Conducted Avg. Power (dBm)	Antenna Gain (dBi)	ERP (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
WCDMA	1852.4	9262	21.98	2.00	21.83	23.98	33.00	-9.02
	1880.0	9400	23.12	2.00	22.97	25.12	33.00	-7.88
	1907.6	9538	23.06	2.00	22.91	25.06	33.00	-7.94
HSDPA	1852.4	9262	21.43	2.00	21.28	23.43	33.00	-9.57
	1880.0	9400	22.71	2.00	22.56	24.71	33.00	-8.29
	1907.6	9538	22.70	2.00	22.55	24.70	33.00	-8.30
HSUPA	1852.4	9262	21.47	2.00	21.32	23.47	33.00	-9.53
	1880.0	9400	22.56	2.00	22.41	24.56	33.00	-8.44
	1907.6	9538	22.71	2.00	22.56	24.71	33.00	-8.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA/HSUPA/HSDPA Band V Result:

EUT Mode	Freq. (MHz)	CH	Conducted Avg. Power (dBm)	Antenna Gain (dBi)	ERP (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
WCDMA	826.4	4132	23.24	1.00	22.09	24.24	38.50	-14.26
	836.6	4183	22.23	1.00	21.08	23.23	38.50	-15.27
	846.6	4233	23.19	1.00	22.04	24.19	38.50	-14.31
HSDPA	826.4	4132	23.16	1.00	22.01	24.16	38.50	-14.34
	836.6	4183	22.42	1.00	21.27	23.42	38.50	-15.08
	846.6	4233	23.15	1.00	22.00	24.15	38.50	-14.35
HSUPA	826.4	4132	23.05	1.00	21.90	24.05	38.50	-14.45
	836.6	4183	22.45	1.00	21.30	23.45	38.50	-15.05
	846.6	4233	23.05	1.00	21.90	24.05	38.50	-14.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE Result:

FDD Band 2

Antenna gain (dBi) 2

LTE Band 2_Uplink frequency band : 1850 to 1910 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
1.4	18607	1850.7	QPSK	1	0	21.95	23.95	33	-9.05
				1	5	21.71	23.71	33	-9.29
				3	2	21.91	23.91	33	-9.09
				6	0	21.01	23.01	33	-9.99
	18900	1880	QPSK	1	0	23.15	25.15	33	-7.85
				1	5	23.02	25.02	33	-7.98
				3	2	23.14	25.14	33	-7.86
				6	0	22.14	24.14	33	-8.86
	19193	1909.3	QPSK	1	0	22.71	24.71	33	-8.29
				1	5	22.51	24.51	33	-8.49
				3	2	22.60	24.60	33	-8.4
				6	0	21.61	23.61	33	-9.39
	18607	1850.7	16QAM	1	0	20.98	22.98	33	-10.02
				1	5	20.32	22.32	33	-10.68
				3	2	20.94	22.94	33	-10.06
				6	0	20.06	22.06	33	-10.94
	18900	1880	16QAM	1	0	22.00	24.00	33	-9
				1	5	21.83	23.83	33	-9.17
				3	2	22.12	24.12	33	-8.88
				6	0	21.36	23.36	33	-9.64
	19193	1909.3	16QAM	1	0	22.07	24.07	33	-8.93
				1	5	21.84	23.84	33	-9.16
				3	2	21.43	23.43	33	-9.57
				6	0	20.68	22.68	33	-10.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) 2

LTE Band 2_Uplink frequency band : 1850 to 1910 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
3	18615	1851.5	QPSK	1	0	21.86	23.86	33	-9.14
				1	14	21.76	23.76	33	-9.24
				8	4	20.98	22.98	33	-10.02
				15	0	20.89	22.89	33	-10.11
	18900	1880	QPSK	1	0	23.14	25.14	33	-7.86
				1	14	22.90	24.90	33	-8.1
				8	4	22.12	24.12	33	-8.88
				15	0	22.18	24.18	33	-8.82
	19185	1908.5	QPSK	1	0	22.94	24.94	33	-8.06
				1	14	22.43	24.43	33	-8.57
				8	4	21.75	23.75	33	-9.25
				15	0	21.80	23.80	33	-9.2
	18615	1851.5	16QAM	1	0	21.24	23.24	33	-9.76
				1	14	21.06	23.06	33	-9.94
				8	4	19.95	21.95	33	-11.05
				15	0	19.92	21.92	33	-11.08
	18900	1880	16QAM	1	0	22.58	24.58	33	-8.42
				1	14	22.30	24.30	33	-8.7
				8	4	21.32	23.32	33	-9.68
				15	0	21.19	23.19	33	-9.81
	19185	1908.5	16QAM	1	0	22.18	24.18	33	-8.82
				1	14	21.67	23.67	33	-9.33
				8	4	20.98	22.98	33	-10.02
				15	0	20.97	22.97	33	-10.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) 2

LTE Band 2_Uplink frequency band : 1850 to 1910 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
5	18625	1852.5	QPSK	1	0	22.00	24.00	33	-9
				1	24	21.73	23.73	33	-9.27
				12	6	20.91	22.91	33	-10.09
				25	0	20.83	22.83	33	-10.17
	18900	1880	QPSK	1	0	23.34	25.34	33	-7.66
				1	24	22.42	24.42	33	-8.58
				12	6	22.12	24.12	33	-8.88
				25	0	22.07	24.07	33	-8.93
	19175	1907.5	QPSK	1	0	23.30	25.30	33	-7.7
				1	24	22.46	24.46	33	-8.54
				12	6	22.03	24.03	33	-8.97
				25	0	21.97	23.97	33	-9.03
	18625	1852.5	16QAM	1	0	20.86	22.86	33	-10.14
				1	24	20.82	22.82	33	-10.18
				12	6	19.82	21.82	33	-11.18
				25	0	19.82	21.82	33	-11.18
	18900	1880	16QAM	1	0	22.47	24.47	33	-8.53
				1	24	21.93	23.93	33	-9.07
				12	6	21.18	23.18	33	-9.82
				25	0	21.04	23.04	33	-9.96
	19175	1907.5	16QAM	1	0	22.80	24.80	33	-8.2
				1	24	21.73	23.73	33	-9.27
				12	6	21.00	23.00	33	-10
				25	0	20.95	22.95	33	-10.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) 2

LTE Band 2_Uplink frequency band : 1850 to 1910 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10	18650	1855	QPSK	1	0	21.33	23.33	33	-9.67
				1	49	22.06	24.06	33	-8.94
				25	12	20.85	22.85	33	-10.15
				50	0	20.93	22.93	33	-10.07
	18900	1880	QPSK	1	0	22.27	24.27	33	-8.73
				1	49	22.54	24.54	33	-8.46
				25	12	22.15	24.15	33	-8.85
				50	0	20.85	22.85	33	-10.15
	19150	1905	QPSK	1	0	23.22	25.22	33	-7.78
				1	49	22.45	24.45	33	-8.55
				25	12	22.36	24.36	33	-8.64
				50	0	21.62	23.62	33	-9.38
	18650	1855	16QAM	1	0	21.23	23.23	33	-9.77
				1	49	21.34	23.34	33	-9.66
				25	12	19.97	21.97	33	-11.03
				50	0	19.96	21.96	33	-11.04
	18900	1880	16QAM	1	0	22.53	24.53	33	-8.47
				1	49	21.55	23.55	33	-9.45
				25	12	21.10	23.10	33	-9.9
				50	0	18.92	20.92	33	-12.08
	19150	1905	16QAM	1	0	22.48	24.48	33	-8.52
				1	49	20.21	22.21	33	-10.79
				25	12	21.34	23.34	33	-9.66
				50	0	20.58	22.58	33	-10.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) 2

LTE Band 2_Uplink frequency band : 1850 to 1910 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
15	18675	1857.5	QPSK	1	0	22.07	24.07	33	-8.93
				1	74	22.94	24.94	33	-8.06
				36	18	20.29	22.29	33	-10.71
				75	0	21.15	23.15	33	-9.85
	18900	1880	QPSK	1	0	23.07	25.07	33	-7.93
				1	74	22.47	24.47	33	-8.53
				36	18	22.14	24.14	33	-8.86
				75	0	22.11	24.11	33	-8.89
	19125	1902.5	QPSK	1	0	22.24	24.24	33	-8.76
				1	74	22.75	24.75	33	-8.25
				36	18	22.45	24.45	33	-8.55
				75	0	22.27	24.27	33	-8.73
	18675	1857.5	16QAM	1	0	21.48	23.48	33	-9.52
				1	74	22.34	24.34	33	-8.66
				36	18	19.99	21.99	33	-11.01
				75	0	17.70	19.70	33	-13.3
	18900	1880	16QAM	1	0	22.90	24.90	33	-8.1
				1	74	21.14	23.14	33	-9.86
				36	18	21.14	23.14	33	-9.86
				75	0	18.40	20.40	33	-12.6
	19125	1902.5	16QAM	1	0	20.72	22.72	33	-10.28
				1	74	22.06	24.06	33	-8.94
				36	18	21.50	23.50	33	-9.5
				75	0	21.07	23.07	33	-9.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) 2

LTE Band 2_Uplink frequency band : 1850 to 1910 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
20	18700	1860	QPSK	1	0	22.07	24.07	33	-8.93
				1	99	23.51	25.51	33	-7.49
				50	25	20.50	22.50	33	-10.5
				100	0	21.48	23.48	33	-9.52
	18900	1880	QPSK	1	0	24.04	26.04	33	-6.96
				1	99	22.00	24.00	33	-9
				50	25	22.13	24.13	33	-8.87
				100	0	22.13	24.13	33	-8.87
	19100	1900	QPSK	1	0	21.79	23.79	33	-9.21
				1	99	23.11	25.11	33	-7.89
				50	25	22.24	24.24	33	-8.76
				100	0	22.07	24.07	33	-8.93
	18700	1860	16QAM	1	0	21.35	23.35	33	-9.65
				1	99	22.03	24.03	33	-8.97
				50	25	20.27	22.27	33	-10.73
				100	0	20.48	22.48	33	-10.52
	18900	1880	16QAM	1	0	23.11	25.11	33	-7.89
				1	99	21.30	23.30	33	-9.7
				50	25	19.04	21.04	33	-11.96
				100	0	21.07	23.07	33	-9.93
	19100	1900	16QAM	1	0	21.34	23.34	33	-9.66
				1	99	22.41	24.41	33	-8.59
				50	25	21.17	23.17	33	-9.83
				100	0	20.27	22.27	33	-10.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 4

Antenna gain (dBi) 2

LTE Band 4_Uplink frequency band : 1710 to 1755 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
1.4	19957	1710.7	QPSK	1	0	22.81	24.81	30	-5.19
				1	5	22.78	24.78	30	-5.22
				3	2	22.80	24.80	30	-5.2
				6	0	21.80	23.80	30	-6.2
	20175	1732.5	QPSK	1	0	24.08	26.08	30	-3.92
				1	5	23.91	25.91	30	-4.09
				3	2	23.95	25.95	30	-4.05
				6	0	22.99	24.99	30	-5.01
	20393	1754.3	QPSK	1	0	23.45	25.45	30	-4.55
				1	5	23.58	25.58	30	-4.42
				3	2	23.48	25.48	30	-4.52
				6	0	22.51	24.51	30	-5.49
	19957	1710.7	16QAM	1	0	22.00	24.00	30	-6
				1	5	21.99	23.99	30	-6.01
				3	2	21.73	23.73	30	-6.27
				6	0	20.89	22.89	30	-7.11
	20175	1732.5	16QAM	1	0	23.04	25.04	30	-4.96
				1	5	22.92	24.92	30	-5.08
				3	2	22.99	24.99	30	-5.01
				6	0	22.15	24.15	30	-5.85
	20393	1754.3	16QAM	1	0	22.83	24.83	30	-5.17
				1	5	23.00	25.00	30	-5
				3	2	22.53	24.53	30	-5.47
				6	0	21.61	23.61	30	-6.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) 2

LTE Band 4_Uplink frequency band : 1710 to 1755 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
3	19965	1711.5	QPSK	1	0	22.50	24.50	30	-5.5
				1	14	22.81	24.81	30	-5.19
				8	4	21.77	23.77	30	-6.23
				15	0	21.79	23.79	30	-6.21
	20175	1732.5	QPSK	1	0	23.61	25.61	30	-4.39
				1	14	23.75	25.75	30	-4.25
				8	4	22.98	24.98	30	-5.02
				15	0	23.02	25.02	30	-4.98
	20385	1753.5	QPSK	1	0	23.14	25.14	30	-4.86
				1	14	23.61	25.61	30	-4.39
				8	4	22.45	24.45	30	-5.55
				15	0	22.41	24.41	30	-5.59
	19965	1711.5	16QAM	1	0	21.67	23.67	30	-6.33
				1	14	21.46	23.46	30	-6.54
				8	4	20.87	22.87	30	-7.13
				15	0	20.83	22.83	30	-7.17
	20175	1732.5	16QAM	1	0	23.17	25.17	30	-4.83
				1	14	23.12	25.12	30	-4.88
				8	4	21.94	23.94	30	-6.06
				15	0	22.05	24.05	30	-5.95
	20385	1753.5	16QAM	1	0	22.40	24.40	30	-5.6
				1	14	22.66	24.66	30	-5.34
				8	4	21.32	23.32	30	-6.68
				15	0	21.44	23.44	30	-6.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) 2

LTE Band 4_Uplink frequency band : 1710 to 1755 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
5	19975	1712.5	QPSK	1	0	22.80	24.80	30	-5.2
				1	24	22.88	24.88	30	-5.12
				12	6	21.80	23.80	30	-6.2
				25	0	21.78	23.78	30	-6.22
	20175	1732.5	QPSK	1	0	24.06	26.06	30	-3.94
				1	24	23.63	25.63	30	-4.37
				12	6	23.02	25.02	30	-4.98
				25	0	22.97	24.97	30	-5.03
	20375	1752.5	QPSK	1	0	23.06	25.06	30	-4.94
				1	24	23.63	25.63	30	-4.37
				12	6	22.29	24.29	30	-5.71
				25	0	22.32	24.32	30	-5.68
	19975	1712.5	16QAM	1	0	21.84	23.84	30	-6.16
				1	24	22.05	24.05	30	-5.95
				12	6	20.82	22.82	30	-7.18
				25	0	20.41	22.41	30	-7.59
	20175	1732.5	16QAM	1	0	23.19	25.19	30	-4.81
				1	24	22.65	24.65	30	-5.35
				12	6	22.00	24.00	30	-6
				25	0	21.96	23.96	30	-6.04
	20375	1752.5	16QAM	1	0	22.28	24.28	30	-5.72
				1	24	22.98	24.98	30	-5.02
				12	6	21.27	23.27	30	-6.73
				25	0	21.28	23.28	30	-6.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) 2

LTE Band 4_Uplink frequency band : 1710 to 1755 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10	20000	1715	QPSK	1	0	22.77	24.77	30	-5.23
				1	49	23.38	25.38	30	-4.62
				25	12	21.16	23.16	30	-6.84
				50	0	21.22	23.22	30	-6.78
	20175	1732.5	QPSK	1	0	24.42	26.42	30	-3.58
				1	49	21.84	23.84	30	-6.16
				25	12	23.02	25.02	30	-4.98
				50	0	22.97	24.97	30	-5.03
	20375	1750	QPSK	1	0	23.03	25.03	30	-4.97
				1	49	21.95	23.95	30	-6.05
				25	12	21.45	23.45	30	-6.55
				50	0	22.23	24.23	30	-5.77
	20000	1715	16QAM	1	0	21.92	23.92	30	-6.08
				1	49	22.64	24.64	30	-5.36
				25	12	20.92	22.92	30	-7.08
				50	0	20.91	22.91	30	-7.09
	20175	1732.5	16QAM	1	0	22.70	24.70	30	-5.3
				1	49	20.91	22.91	30	-7.09
				25	12	22.04	24.04	30	-5.96
				50	0	21.24	23.24	30	-6.76
	20375	1750	16QAM	1	0	22.21	24.21	30	-5.79
				1	49	22.84	24.84	30	-5.16
				25	12	20.38	22.38	30	-7.62
				50	0	21.21	23.21	30	-6.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) 2

LTE Band 4_Uplink frequency band : 1710 to 1755 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
15	20025	1717.5	QPSK	1	0	22.86	24.86	30	-5.14
				1	74	23.92	25.92	30	-4.08
				36	18	21.64	23.64	30	-6.36
				75	0	22.31	24.31	30	-5.69
	20175	1732.5	QPSK	1	0	24.48	26.48	30	-3.52
				1	74	23.40	25.40	30	-4.6
				36	18	23.04	25.04	30	-4.96
				75	0	20.93	22.93	30	-7.07
	20325	1747.5	QPSK	1	0	23.22	25.22	30	-4.78
				1	74	23.69	25.69	30	-4.31
				36	18	22.12	24.12	30	-5.88
				75	0	22.19	24.19	30	-5.81
	20025	1717.5	16QAM	1	0	22.24	24.24	30	-5.76
				1	74	21.32	23.32	30	-6.68
				36	18	21.16	23.16	30	-6.84
				75	0	20.85	22.85	30	-7.15
	20175	1732.5	16QAM	1	0	23.82	25.82	30	-4.18
				1	74	22.76	24.76	30	-5.24
				36	18	22.07	24.07	30	-5.93
				75	0	21.77	23.77	30	-6.23
	20325	1747.5	16QAM	1	0	22.40	24.40	30	-5.6
				1	74	22.88	24.88	30	-5.12
				36	18	20.78	22.78	30	-7.22
				75	0	21.19	23.19	30	-6.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) 2

LTE Band 4_Uplink frequency band : 1710 to 1755 MHz									
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
20	20050	1720	QPSK	1	0	22.95	24.95	30	-5.05
				1	99	24.05	26.05	30	-3.95
				50	25	18.19	20.19	30	-9.81
				100	0	22.56	24.56	30	-5.44
	20175	1732.5	QPSK	1	0	23.89	25.89	30	-4.11
				1	99	22.98	24.98	30	-5.02
				50	25	23.00	25.00	30	-5
				100	0	23.02	25.02	30	-4.98
	20300	1745	QPSK	1	0	23.44	25.44	30	-4.56
				1	99	22.46	24.46	30	-5.54
				50	25	22.01	24.01	30	-5.99
				100	0	22.22	24.22	30	-5.78
	20050	1720	16QAM	1	0	20.70	22.70	30	-7.3
				1	99	22.75	24.75	30	-5.25
				50	25	18.13	20.13	30	-9.87
				100	0	21.52	23.52	30	-6.48
	20175	1732.5	16QAM	1	0	23.13	25.13	30	-4.87
				1	99	22.31	24.31	30	-5.69
				50	25	21.95	23.95	30	-6.05
				100	0	21.98	23.98	30	-6.02
	20300	1745	16QAM	1	0	21.80	23.80	30	-6.2
				1	99	22.87	24.87	30	-5.13
				50	25	20.79	22.79	30	-7.21
				100	0	21.18	23.18	30	-6.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 5

Antenna gain (dBi)	1									
LTE Band 5_Uplink frequency band : 824 to 849 MHz										
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
1.4	20407	824.7	QPSK	1	0	22.81	21.66	23.81	38.45	-14.64
				1	5	22.97	21.82	23.97	38.45	-14.48
				3	2	23.01	21.86	24.01	38.45	-14.44
				6	0	21.94	20.79	22.94	38.45	-15.51
	20525	836.5	QPSK	1	0	21.86	20.71	22.86	38.45	-15.59
				1	5	22.06	20.91	23.06	38.45	-15.39
				3	2	21.99	20.84	22.99	38.45	-15.46
				6	0	21.21	20.06	22.21	38.45	-16.24
	20643	848.3	QPSK	1	0	22.77	21.62	23.77	38.45	-14.68
				1	5	22.76	21.61	23.76	38.45	-14.69
				3	2	22.78	21.63	23.78	38.45	-14.67
				6	0	21.82	20.67	22.82	38.45	-15.63
	20407	824.7	16QAM	1	0	22.01	20.86	23.01	38.45	-15.44
				1	5	22.12	20.97	23.12	38.45	-15.33
				3	2	21.83	20.68	22.83	38.45	-15.62
				6	0	21.00	19.85	22.00	38.45	-16.45
	20525	836.5	16QAM	1	0	20.94	19.79	21.94	38.45	-16.51
				1	5	20.66	19.51	21.66	38.45	-16.79
				3	2	21.16	20.01	22.16	38.45	-16.29
				6	0	20.19	19.04	21.19	38.45	-17.26
	20643	848.3	16QAM	1	0	22.15	21.00	23.15	38.45	-15.3
				1	5	22.14	20.99	23.14	38.45	-15.31
				3	2	21.78	20.63	22.78	38.45	-15.67
				6	0	20.96	19.81	21.96	38.45	-16.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) 1

LTE Band 5_Uplink frequency band : 824 to 849 MHz										
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
3	20415	825.5	QPSK	1	0	22.82	21.67	23.82	38.45	-14.63
				1	14	23.06	21.91	24.06	38.45	-14.39
				8	4	22.24	21.09	23.24	38.45	-15.21
				15	0	22.18	21.03	23.18	38.45	-15.27
	20525	836.5	QPSK	1	0	21.89	20.74	22.89	38.45	-15.56
				1	14	22.19	21.04	23.19	38.45	-15.26
				8	4	21.19	20.04	22.19	38.45	-16.26
				15	0	21.16	20.01	22.16	38.45	-16.29
	20635	847.5	QPSK	1	0	22.48	21.33	23.48	38.45	-14.97
				1	14	22.26	21.11	23.26	38.45	-15.19
				8	4	21.82	20.67	22.82	38.45	-15.63
				15	0	21.80	20.65	22.80	38.45	-15.65
	20415	825.5	16QAM	1	0	21.47	20.32	22.47	38.45	-15.98
				1	14	22.32	21.17	23.32	38.45	-15.13
				8	4	21.09	19.94	22.09	38.45	-16.36
				15	0	21.07	19.92	22.07	38.45	-16.38
	20525	836.5	16QAM	1	0	21.07	19.92	22.07	38.45	-16.38
				1	14	21.36	20.21	22.36	38.45	-16.09
				8	4	20.03	18.88	21.03	38.45	-17.42
				15	0	19.99	18.84	20.99	38.45	-17.46
	20635	847.5	16QAM	1	0	22.06	20.91	23.06	38.45	-15.39
				1	14	21.74	20.59	22.74	38.45	-15.71
				8	4	20.87	19.72	21.87	38.45	-16.58
				15	0	20.83	19.68	21.83	38.45	-16.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) 1

LTE Band 5_Uplink frequency band : 824 to 849 MHz										
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
5	20425	826.5	QPSK	1	0	23.00	21.85	24.00	38.45	-14.45
				1	24	22.75	21.60	23.75	38.45	-14.7
				12	6	22.24	21.09	23.24	38.45	-15.21
				25	0	22.19	21.04	23.19	38.45	-15.26
	20525	836.5	QPSK	1	0	22.09	20.94	23.09	38.45	-15.36
				1	24	22.22	21.07	23.22	38.45	-15.23
				12	6	21.20	20.05	22.20	38.45	-16.25
				25	0	21.20	20.05	22.20	38.45	-16.25
	20625	846.5	QPSK	1	0	22.70	21.55	23.70	38.45	-14.75
				1	24	22.53	21.38	23.53	38.45	-14.92
				12	6	21.82	20.67	22.82	38.45	-15.63
				25	0	21.83	20.68	22.83	38.45	-15.62
	20425	826.5	16QAM	1	0	22.15	21.00	23.15	38.45	-15.3
				1	24	21.69	20.54	22.69	38.45	-15.76
				12	6	21.14	19.99	22.14	38.45	-16.31
				25	0	21.07	19.92	22.07	38.45	-16.38
	20525	836.5	16QAM	1	0	21.46	20.31	22.46	38.45	-15.99
				1	24	21.54	20.39	22.54	38.45	-15.91
				12	6	20.07	18.92	21.07	38.45	-17.38
				25	0	20.08	18.93	21.08	38.45	-17.37
	20625	846.5	16QAM	1	0	22.07	20.92	23.07	38.45	-15.38
				1	24	21.54	20.39	22.54	38.45	-15.91
				12	6	20.80	19.65	21.80	38.45	-16.65
				25	0	20.70	19.55	21.70	38.45	-16.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) 1

LTE Band 5_Uplink frequency band : 824 to 849 MHz										
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10	20450	829	QPSK	1	0	22.39	21.24	23.39	38.45	-15.06
				1	49	22.35	21.20	23.35	38.45	-15.1
				25	12	21.98	20.83	22.98	38.45	-15.47
				50	0	20.97	19.82	21.97	38.45	-16.48
	20525	836.5	QPSK	1	0	22.21	21.06	23.21	38.45	-15.24
				1	49	22.62	21.47	23.62	38.45	-14.83
				25	12	21.22	20.07	22.22	38.45	-16.23
				50	0	21.32	20.17	22.32	38.45	-16.13
	20600	844	QPSK	1	0	22.41	21.26	23.41	38.45	-15.04
				1	49	22.52	21.37	23.52	38.45	-14.93
				25	12	20.83	19.68	21.83	38.45	-16.62
				50	0	21.64	20.49	22.64	38.45	-15.81
	20450	829	16QAM	1	0	22.57	21.42	23.57	38.45	-14.88
				1	49	21.64	20.49	22.64	38.45	-15.81
				25	12	20.79	19.64	21.79	38.45	-16.66
				50	0	20.87	19.72	21.87	38.45	-16.58
	20525	836.5	16QAM	1	0	21.45	20.30	22.45	38.45	-16
				1	49	21.89	20.74	22.89	38.45	-15.56
				25	12	19.02	17.87	20.02	38.45	-18.43
				50	0	20.19	19.04	21.19	38.45	-17.26
	20600	844	16QAM	1	0	21.41	20.26	22.41	38.45	-16.04
				1	49	21.51	20.36	22.51	38.45	-15.94
				25	12	20.79	19.64	21.79	38.45	-16.66
				50	0	20.72	19.57	21.72	38.45	-16.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 13

Antenna gain (dBi) 1

LTE Band 13_Uplink frequency band : 777 to 787 MHz										
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
5	23205	779.5	QPSK	1	0	20.81	19.66	21.81	34.77	-12.96
				1	24	22.96	21.81	23.96	34.77	-10.81
				12	6	21.12	19.97	22.12	34.77	-12.65
				25	0	21.28	20.13	22.28	34.77	-12.49
	23230	782	QPSK	1	0	21.96	20.81	22.96	34.77	-11.81
				1	24	21.91	20.76	22.91	34.77	-11.86
				12	6	21.70	20.55	22.70	34.77	-12.07
				25	0	21.52	20.37	22.52	34.77	-12.25
	23255	784.5	QPSK	1	0	22.76	21.61	23.76	34.77	-11.01
				1	24	22.48	21.33	23.48	34.77	-11.29
				12	6	20.90	19.75	21.90	34.77	-12.87
				25	0	21.20	20.05	22.20	34.77	-12.57
	23205	779.5	16QAM	1	0	20.14	18.99	21.14	34.77	-13.63
				1	24	21.81	20.66	22.81	34.77	-11.96
				12	6	20.02	18.87	21.02	34.77	-13.75
				25	0	20.25	19.10	21.25	34.77	-13.52
	23230	782	16QAM	1	0	20.76	19.61	21.76	34.77	-13.01
				1	24	21.02	19.87	22.02	34.77	-12.75
				12	6	20.74	19.59	21.74	34.77	-13.03
				25	0	20.49	19.34	21.49	34.77	-13.28
	23255	784.5	16QAM	1	0	22.04	20.89	23.04	34.77	-11.73
				1	24	21.94	20.79	22.94	34.77	-11.83
				12	6	20.05	18.90	21.05	34.77	-13.72
				25	0	20.25	19.10	21.25	34.77	-13.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) 1

LTE Band 13_Uplink frequency band : 777 to 787 MHz										
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10	23230	782	QPSK	1	0	20.65	19.50	21.65	34.77	-13.12
				1	49	22.93	21.78	23.93	34.77	-10.84
				25	12	20.81	19.66	21.81	34.77	-12.96
				50	0	21.14	19.99	22.14	34.77	-12.63
	23230	782	16QAM	1	0	19.96	18.81	20.96	34.77	-13.81
				1	49	21.95	20.80	22.95	34.77	-11.82
				25	12	20.42	19.27	21.42	34.77	-13.35
				50	0	20.12	18.97	21.12	34.77	-13.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FDD Band 17

Antenna gain (dBi) 1

LTE Band 17_Uplink frequency band : 704 to 716 MHz										
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
5	23755	706.5	QPSK	1	0	22.60	21.45	23.60	34.77	-11.17
				1	24	23.46	22.31	24.46	34.77	-10.31
				12	6	22.13	20.98	23.13	34.77	-11.64
				25	0	22.18	21.03	23.18	34.77	-11.59
	23790	710	QPSK	1	0	23.05	21.90	24.05	34.77	-10.72
				1	24	22.27	21.12	23.27	34.77	-11.5
				12	6	22.30	21.15	23.30	34.77	-11.47
				25	0	22.17	21.02	23.17	34.77	-11.6
	23825	713.5	QPSK	1	0	23.16	22.01	24.16	34.77	-10.61
				1	24	22.37	21.22	23.37	34.77	-11.4
				12	6	22.31	21.16	23.31	34.77	-11.46
				25	0	22.17	21.02	23.17	34.77	-11.6
	23755	706.5	16QAM	1	0	22.05	20.90	23.05	34.77	-11.72
				1	24	22.79	21.64	23.79	34.77	-10.98
				12	6	21.01	19.86	22.01	34.77	-12.76
				25	0	21.06	19.91	22.06	34.77	-12.71
	23790	710	16QAM	1	0	22.25	21.10	23.25	34.77	-11.52
				1	24	21.87	20.72	22.87	34.77	-11.9
				12	6	21.15	20.00	22.15	34.77	-12.62
				25	0	21.10	19.95	22.10	34.77	-12.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Antenna gain (dBi) 1

LTE Band 17_Uplink frequency band : 704 to 716 MHz										
BW (MHz)	UL Channel	Frequency (MHz)	Modulation	RB Size	RB Offset	Conducted Average (dBm)	ERP Average (dBm)	EIRP Average (dBm)	EIRP Limit (dBm)	Margin (dB)
10	23780	709	QPSK	1	0	22.54	21.39	23.54	34.77	-11.23
				1	49	21.96	20.81	22.96	34.77	-11.81
				25	12	22.26	21.11	23.26	34.77	-11.51
				50	0	21.84	20.69	22.84	34.77	-11.93
	23790	710	QPSK	1	0	22.71	21.56	23.71	34.77	-11.06
				1	49	22.14	20.99	23.14	34.77	-11.63
				25	12	22.21	21.06	23.21	34.77	-11.56
				50	0	21.87	20.72	22.87	34.77	-11.9
	23800	711	QPSK	1	0	22.97	21.82	23.97	34.77	-10.8
				1	49	22.22	21.07	23.22	34.77	-11.55
				25	12	21.92	20.77	22.92	34.77	-11.85
				50	0	21.87	20.72	22.87	34.77	-11.9
	23780	709	16QAM	1	0	22.12	20.97	23.12	34.77	-11.65
				1	49	20.65	19.50	21.65	34.77	-13.12
				25	12	21.01	19.86	22.01	34.77	-12.76
				50	0	20.87	19.72	21.87	34.77	-12.9
	23790	710	16QAM	1	0	21.52	20.37	22.52	34.77	-12.25
				1	49	21.20	20.05	22.20	34.77	-12.57
				25	12	21.11	19.96	22.11	34.77	-12.66
				50	0	20.93	19.78	21.93	34.77	-12.84
	23800	711	16QAM	1	0	22.02	20.87	23.02	34.77	-11.75
				1	49	21.15	20.00	22.15	34.77	-12.62
				25	12	20.96	19.81	21.96	34.77	-12.81
				50	0	20.97	19.82	21.97	34.77	-12.8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

HSDPA Release 6 MODE:

The following 4 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C10.1.4 & C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing.

HSDPA SUB-TEST Setting

Table C.10.1.4: β values for transmitter characteristics tests with HS-DPCCH(FOR HSDPA)

Sub-test	β_c	β_d	β_d (SF)	β_c/β_d	β_{HS} (Note 1, Note 2)	CM (dB) (Note 3)	MPR (dB) (Note 3)	RMC (Kbps)
1	2/15	15/15	64	2/15	4/15	0.0	0.0	12.2
2	12/15 (Note 4)	15/15 (Note 4)	64	12/15 (Note 4)	24/15	1.0	0.0	12.2
3	15/15	8/15	64	15/8	30/15	1.5	0.5	12.2
4	15/15	4/15	64	15/4	30/15	1.5	0.5	12.2

Note: The recommended HSDPA MPRs are implemented as per following sub-tests.

Results:

Mode	Sub test	Avg. Power (dBm)		
		Channel		
		9262.00	9400.00	9538.00
HSDPA II	1	21.43	22.71	22.70
	2	21.46	22.69	22.71
	3	21.03	22.28	22.30
	4	21.02	22.30	22.32

Mode	Sub test	Avg. Power (dBm)		
		Channel		
		4132.00	4183.00	4233.00
HSDPA V	1	23.16	22.42	23.15
	2	23.09	22.41	23.10
	3	22.66	21.99	22.70
	4	22.67	22.05	22.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

HSPA (HSDPA & HSUPA) Release 6 MODE

The following 5 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing

HSPA SUB-TEST Setting

Table C.11.1.3: β values for transmitter characteristics tests with HS-DPCCH and E-DCH(FOR HSUPA)

Sub-test	β_c	β_d	β_d (SF)	β_c/β_d	β_{HS}	β_{ec}	β_{ed}	β_{ed} (SF)	β_{ed} (Code s)	CM (dB)	MPR (dB)	AG Index	E-TFCI	RMC (Kbps)
1	11/15 (Note 3)	15/15 (Note 3)	64	11/15 (Note 3)	22/15	209/225	1309/225	4	1	1.0	0.0	20	75	12.2
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67	12.2
3	15/15	9/15	64	15/9	30/15	30/15	β_{ed1} : 47/15 β_{ed2} : 47/15	4 4	2	2.0	1.0	15	92	12.2
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71	12.2
5	15/15 (Note 4)	15/15 (Note 4)	64	15/15 (Note 4)	30/15	24/15	134/15	4	1	1.0	0.0	21	81	12.2

Note: The recommended HSUPA MPRs are implemented as per following sub-tests.

Results:

Mode	Sub test	Avg. Power (dBm)		
		Channel		
		9262.00	9400.00	9538.00
HSUPA II	1	21.47	22.56	22.71
	2	21.45	22.64	22.68
	3	21.03	22.26	22.28
	4	21.49	22.67	22.72
	5	21.01	22.25	22.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Mode	Sub test	Avg. Power (dBm)		
		Channel		
		4132.00	4183.00	4233.00
HSUPA V	1	23.05	22.45	23.05
	2	23.07	22.41	23.08
	3	22.62	22.00	22.57
	4	23.13	22.43	23.14
	5	22.62	21.96	22.57

WCDMA/HSDPA/HSUPA band V

The EUT output power was controlled by simulator. Set Communication Tester MT8820C function key "UE Power Control" and enter max rated power 24dBm. The EUT is going to be set to max output power to 24dBm. Then record the read (see page 15 for measurement data). The min. power was measures by a function key "minimum power" then record the read. It is -52.3dBm. The power variation can be 0.1dB step by setting.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

7. OCCUPIED BANDWIDTH MEASUREMENT

7.1. Standard Applicable

The occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power.

7.2. Test Set-up



7.3. Measurement Procedure

99% &26dB Bandwidth with detector peak

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% of emission BW, VBW= 3 times RBW, -26dBc display line was placed on the screen (or 26dB bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace. Then set RBW to 99% bandwidth, RBW= 1%, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

99% Bandwidth with detector sample

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% ~ 5% of emission BW, VBW= 3 times RBW, -20dBc display line was placed on the screen (or 20dB bandwidth). Set RBW to 99% bandwidth, RBW= 1% ~ 5%, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

7.4. Measurement Equipment Used

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Spectrum Analyzer	Agilent	N9010A	MY53400256	11/21/2018	11/20/2019
Radio Communication Analyzer	Anritsu	MT8820C	6201465317	01/16/2019	01/15/2020
DC Block	PASTERNAK	PE8210	RF256	02/26/2019	02/25/2020
Splitter	Woken	DOM35LW1A2	RF83	02/26/2019	02/25/2020
Attenuator	Marvelous	MVE2213-10	RF80	02/26/2019	02/25/2020

7.5. Measurement Result

Freq. (MHz)	CH	99% BW (MHz)			26 dB BW (MHz)		
		WCDMA II	HSDPA II	HSUPA II	WCDMA II	HSDPA II	HSUPA II
1852.40	9262	4.13056	4.10633	4.11710	4.710	4.659	4.661
1880.00	9400	4.12167	4.10991	4.10620	4.712	4.677	4.658
1907.60	9538	4.13084	4.13623	4.13583	4.686	4.718	4.747
Freq. (MHz)	CH	99% BW (MHz)			26 dB BW (MHz)		
		WCDMA V	HSDPA V	HSUPA V	WCDMA V	HSDPA V	HSUPA V
826.40	4132	4.11314	4.09898	4.09969	4.654	4.681	4.666
836.60	4183	4.14097	4.14333	4.12174	4.687	4.685	4.679
846.60	4233	4.10690	4.09859	4.11015	4.665	4.670	4.664

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 2 Channel bandwidth: 1.4MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
1850.7	18607	1.1179	1.1118	1.498	1.481
1880.0	18900	1.1191	1.1150	1.512	1.482
1909.3	19193	1.1163	1.1124	1.499	1.496

LTE BAND 2 Channel bandwidth: 3MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
1851.5	18615	2.7054	2.7062	3.148	3.203
1880.0	18900	2.7081	2.7050	3.158	3.141
1908.5	19185	2.7054	2.7088	3.163	3.195

LTE BAND 2 Channel bandwidth: 5MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
1852.5	18625	4.5216	4.5126	5.331	5.446
1880.0	18900	4.5134	4.5106	5.430	5.344
1907.5	19175	4.5171	4.5162	5.452	5.344

LTE BAND 2 Channel bandwidth: 10MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
1855.0	18650	9.0480	9.0031	11.325	10.707
1880.0	18900	9.0152	8.9923	11.495	10.305
1905.0	19150	9.0316	9.0015	11.478	10.125

LTE BAND 2 Channel bandwidth: 15MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
1857.5	18675	13.510	13.520	16.275	16.580
1880.0	18900	13.536	13.521	16.580	16.534
1902.5	19125	13.510	13.520	17.091	16.456

LTE BAND 2 Channel bandwidth: 20MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
1860.0	18700	17.931	17.943	20.067	19.765
1880.0	18900	17.915	17.933	20.175	19.923
1900.0	19100	17.854	17.897	20.120	19.895

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 4 Channel bandwidth: 1.4MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
1710.7	19957	1.1167	1.1134	1.499	1.457
1732.5	20175	1.1164	1.1104	1.451	1.464
1754.3	20393	1.1180	1.1134	1.507	1.469

LTE BAND 4 Channel bandwidth: 3MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
1711.5	19965	2.7037	2.7202	3.107	2.929
1732.5	20175	2.7024	2.7178	3.149	3.160
1753.5	20385	2.7038	2.7026	3.177	3.204

LTE BAND 4 Channel bandwidth: 5MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
1712.5	19957	4.5196	4.5197	5.398	5.377
1732.5	20175	4.5126	4.5109	5.342	5.391
1752.5	20375	4.5183	4.5141	5.453	5.349

LTE BAND 4 Channel bandwidth: 10MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
1715.0	20000	9.0268	8.9758	10.101	9.942
1732.5	20175	9.0063	8.9728	9.972	9.898
1750.0	20350	9.0258	8.9857	10.010	9.926

LTE BAND 4 Channel bandwidth: 15MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
1717.5	20025	13.459	13.474	14.774	14.763
1732.5	20175	13.463	13.470	14.762	14.722
1747.5	20325	13.480	13.495	14.800	14.849

LTE BAND 4 Channel bandwidth: 20MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
1720.0	20050	17.885	17.902	19.353	19.326
1732.5	20175	17.878	17.881	19.374	19.358
1745.0	20300	17.951	17.979	19.382	19.495

LTE BAND 5 Channel bandwidth: 1.4MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
824.7	20407	1.1152	1.1124	1.456	1.478
836.5	20525	1.1163	1.1124	1.483	1.483
848.3	20643	1.1168	1.1123	1.485	1.481

LTE BAND 5 Channel bandwidth: 3MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
825.5	20415	2.7036	2.7134	3.141	3.178
836.5	20525	2.7082	2.7147	3.171	3.184
847.5	20635	2.7124	2.7085	3.160	3.167

LTE BAND 5 Channel bandwidth: 5MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
826.5	20425	4.5068	4.4975	5.238	5.181
836.5	20525	4.5153	4.5154	5.304	5.164
846.5	20625	4.5059	4.5045	5.314	5.245

LTE BAND 5 Channel bandwidth: 10MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
829.0	20450	8.9894	8.9494	9.854	9.895
836.5	20525	9.0179	9.0090	9.985	9.991
844.0	20600	8.9548	8.9549	9.872	9.906

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 13 Channel bandwidth: 5MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
779.5	23205	4.5028	4.4953	5.147	5.093
782.0	23230	4.5056	4.5018	5.139	5.113
784.5	23255	4.5067	4.4988	5.154	5.110

LTE BAND 13 Channel bandwidth: 10MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
782.0	23230	8.940	8.923	9.814	9.842

LTE BAND 17 Channel bandwidth: 5MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
706.5	23755	4.5207	4.5182	5.556	5.628
710.0	23790	4.5224	4.5138	5.840	5.667
713.5	23825	4.5612	4.5345	6.709	6.969


LTE BAND 17 Channel bandwidth: 10MHz					
Freq. (MHz)	CH	99% BW (MHz)		26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM
709.0	23780	8.9588	8.9170	9.887	9.885
710.0	23790	8.9878	8.9433	9.963	9.866
711.0	23800	8.9998	8.9710	9.983	9.883

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


WCDMA B2 LowCH9262-1852.4




HSDPA B2 LowCH9262-1852.4




WCDMA B2 MidCH9400-1880




HSDPA B2 MidCH9400-1880



WCDMA B2 HighCH9538-1907.6



HSDPA B2 HighCH9538-1907.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


HSUPA B2 LowCH9262-1852.4




WCDMA B5 LowCH4132-826.4




HSUPA B2 MidCH9400-1880




WCDMA B5 MidCH4183-836.6



HSUPA B2 HighCH9538-1907.6



WCDMA B5 HighCH4233-846.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


HSDPA B5 LowCH4132-826.4




HSUPA B5 LowCH4132-826.4




HSDPA B5 MidCH4183-836.6




HSUPA B5 MidCH4183-836.6



HSDPA B5 HighCH4233-846.6



HSUPA B5 HighCH4233-846.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2 1 4MHz QPSK 6 0 Main LowCH18607-1850.7




Band2 1 4MHz 16QAM 6 0 Main LowCH18607-1850.7




Band2 1 4MHz QPSK 6 0 Main MidCH18900-1880




Band2 1 4MHz 16QAM 6 0 Main MidCH18900-1880



Band2 1 4MHz QPSK 6 0 Main HighCH19193-1909.3



Band2 1 4MHz 16QAM 6 0 Main HighCH19193-1909.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2 3MHz QPSK 15 0 Main LowCH18615-1851.5




Band2 3MHz 16QAM 15 0 Main LowCH18615-1851.5




Band2 3MHz QPSK 15 0 Main MidCH18900-1880




Band2 3MHz 16QAM 15 0 Main MidCH18900-1880



Band2 3MHz QPSK 15 0 Main HighCH19185-1908.5



Band2 3MHz 16QAM 15 0 Main HighCH19185-1908.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2 5MHz QPSK 25 0 Main LowCH18625-1852.5




Band2 5MHz 16QAM 25 0 Main LowCH18625-1852.5




Band2 5MHz QPSK 25 0 Main MidCH18900-1880




Band2 5MHz 16QAM 25 0 Main MidCH18900-1880



Band2 5MHz QPSK 25 0 Main HighCH19175-1907.5



Band2 5MHz 16QAM 25 0 Main HighCH19175-1907.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2 10MHz QPSK 50 0 Main LowCH18650-1855




Band2 10MHz 16QAM 50 0 Main LowCH18650-1855




Band2 10MHz QPSK 50 0 Main MidCH18900-1880




Band2 10MHz 16QAM 50 0 Main MidCH18900-1880



Band2 10MHz QPSK 50 0 Main HighCH19150-1905



Band2 10MHz 16QAM 50 0 Main HighCH19150-1905




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2 15MHz QPSK 75 0 Main LowCH18675-1857.5




Band2 15MHz 16QAM 75 0 Main LowCH18675-1857.5




Band2 15MHz QPSK 75 0 Main MidCH18900-1880




Band2 15MHz 16QAM 75 0 Main MidCH18900-1880



Band2 15MHz QPSK 75 0 Main HighCH19125-1902.5



Band2 15MHz 16QAM 75 0 Main HighCH19125-1902.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2 20MHz QPSK 100 0 Main LowCH18700-1860




Band2 20MHz 16QAM 100 0 Main LowCH18700-1860




Band2 20MHz QPSK 100 0 Main MidCH18900-1880




Band2 20MHz 16QAM 100 0 Main MidCH18900-1880



Band2 20MHz QPSK 100 0 Main HighCH19100-1900



Band2 20MHz 16QAM 100 0 Main HighCH19100-1900




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band4 1 4MHz QPSK 6 0 Main LowCH19957-1710.7




Band4 1 4MHz 16QAM 6 0 Main LowCH19957-1710.7




Band4 1 4MHz QPSK 6 0 Main MidCH20175-1732.5




Band4 1 4MHz 16QAM 6 0 Main MidCH20175-1732.5



Band4 1 4MHz QPSK 6 0 Main HighCH20393-1754.3



Band4 1 4MHz 16QAM 6 0 Main HighCH20393-1754.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band4 3MHz QPSK 15 0 Main LowCH19965-1711.5




Band4 3MHz 16QAM 15 0 Main LowCH19965-1711.5




Band4 3MHz QPSK 15 0 Main MidCH20175-1732.5




Band4 3MHz 16QAM 15 0 Main MidCH20175-1732.5



Band4 3MHz QPSK 15 0 Main HighCH20385-1753.5



Band4 3MHz 16QAM 15 0 Main HighCH20385-1753.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band4 5MHz QPSK 25 0 Main LowCH19975-1712.5




Band4 5MHz 16QAM 25 0 Main LowCH19975-1712.5




Band4 5MHz QPSK 25 0 Main MidCH20175-1732.5




Band4 5MHz 16QAM 25 0 Main MidCH20175-1732.5



Band4 5MHz QPSK 25 0 Main HighCH20375-1752.5



Band4 5MHz 16QAM 25 0 Main HighCH20375-1752.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band4 10MHz QPSK 50 0 Main LowCH20000-1715




Band4 10MHz 16QAM 50 0 Main LowCH20000-1715




Band4 10MHz QPSK 50 0 Main MidCH20175-1732.5




Band4 10MHz 16QAM 50 0 Main MidCH20175-1732.5



Band4 10MHz QPSK 50 0 Main HighCH20350-1750



Band4 10MHz 16QAM 50 0 Main HighCH20350-1750




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band4 15MHz QPSK 75 0 Main LowCH20025-1717.5




Band4 15MHz 16QAM 75 0 Main LowCH20025-1717.5




Band4 15MHz QPSK 75 0 Main MidCH20175-1732.5




Band4 15MHz 16QAM 75 0 Main MidCH20175-1732.5



Band4 15MHz QPSK 75 0 Main HighCH20325-1747.5



Band4 15MHz 16QAM 75 0 Main HighCH20325-1747.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band4 20MHz QPSK 100 0 Main LowCH20050-1720




Band4 20MHz 16QAM 100 0 Main LowCH20050-1720




Band4 20MHz QPSK 100 0 Main MidCH20175-1732.5




Band4 20MHz 16QAM 100 0 Main MidCH20175-1732.5



Band4 20MHz QPSK 100 0 Main HighCH20300-1745



Band4 20MHz 16QAM 100 0 Main HighCH20300-1745




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band5 1 4MHz QPSK 6 0 Main LowCH20407-824.7




Band5 1 4MHz 16QAM 6 0 Main LowCH20407-824.7




Band5 1 4MHz QPSK 6 0 Main MidCH20525-836.5




Band5 1 4MHz 16QAM 6 0 Main MidCH20525-836.5



Band5 1 4MHz QPSK 6 0 Main HighCH20643-848.3



Band5 1 4MHz 16QAM 6 0 Main HighCH20643-848.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.