


8.6. Test Result of Power Density

Product : MOXA IEEE 802.11 a/b/g/n
 Test Item : Power Density Data
 Test Site : No.3 OATS
 Test Mode : Mode 1: Transmit (802.11b 1Mbps) (2412MHz)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Limit (dBm)	Result
1	2412	7.99	< 8dBm	Pass


Figure Channel 1:



Product : MOXA IEEE 802.11 a/b/g/n
 Test Item : Power Density Data
 Test Site : No.3OATS
 Test Mode : Mode 1: Transmit (802.11b 1Mbps) (2437MHz)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Limit (dBm)	Result
6	2437	7.30	< 8dBm	Pass


Figure Channel 6:



Product : MOXA IEEE 802.11 a/b/g/n
Test Item : Power Density Data
Test Site : No.3 OATS
Test Mode : Mode 1: Transmit (802.11b 1Mbps) (2462MHz)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Limit (dBm)	Result
11	2462	6.56	< 8dBm	Pass


Figure Channel 11:



Product : MOXA IEEE 802.11 a/b/g/n
 Test Item : Power Density Data
 Test Site : No.3 OATS
 Test Mode : Mode 2: Transmit (802.11g 6Mbps) (2412MHz)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Limit (dBm)	Result
1	2412	5.59	< 8dBm	Pass


Figure Channel 1:



Product : MOXA IEEE 802.11 a/b/g/n
Test Item : Power Density Data
Test Site : No.3OATS
Test Mode : Mode 2: Transmit (802.11g 6Mbps) (2437MHz)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Limit (dBm)	Result
6	2437	7.70	< 8dBm	Pass


Figure Channel 6:



Product : MOXA IEEE 802.11 a/b/g/n
 Test Item : Power Density Data
 Test Site : No.3 OATS
 Test Mode : Mode 2: Transmit (802.11g 6Mbps) (2462MHz)

Channel No.	Frequency (MHz)	Measure Level (dBm)	Limit (dBm)	Result
11	2462	4.30	< 8dBm	Pass

Figure Channel 11:



Product : MOXA IEEE 802.11 a/b/g/n
 Test Item : Power Density Data
 Test Site : No.3 OATS
 Test Mode : Mode 4: Transmit - 802.11n-20BW_14.4Mbps(2.4G Band) (2412MHz)

CHAIN	PPSD/MHz (dBm)	Total PPSD/MHz (dBm)1	Limit	Result
A	3.230	6.240	< 8dBm	Pass
B	0.400	3.410	< 8dBm	Pass

Note 1: The quantity $10 \cdot \log 2$ (two antennas) is added to the spectrum peak value according to document 662911 D01.

Figure Channel 1: (Chain A)





Figure Channel 1: (Chain B)



Product : MOXA IEEE 802.11 a/b/g/n
Test Item : Power Density Data
Test Site : No.3OATS
Test Mode : Mode 4: Transmit - 802.11n-20BW_14.4Mbps(2.4G Band) (2437MHz)

CHAIN	PPSD/MHz (dBm)	Total PPSD/MHz (dBm)1	Limit	Result
A	2.860	5.870	< 8dBm	Pass
B	2.140	5.150	< 8dBm	Pass

Note 1: The quantity $10 \cdot \log 2$ (two antennas) is added to the spectrum peak value according to document 662911 D01.

Figure Channel 6: (Chain A)





Figure Channel 6: (Chain B)



Product : MOXA IEEE 802.11 a/b/g/n
 Test Item : Power Density Data
 Test Site : No.3 OATS
 Test Mode : Mode 4: Transmit - 802.11n-20BW_14.4Mbps(2.4G Band) (2462MHz)

CHAIN	PPSD/MHz (dBm)	Total PPSD/MHz (dBm)1	Limit	Result
A	2.900	5.910	< 8dBm	Pass
B	2.120	5.130	< 8dBm	Pass

Note 1: The quantity $10 \cdot \log 2$ (two antennas) is added to the spectrum peak value according to document 662911 D01.

Figure Channel 11: (Chain A)





Figure Channel 11: (Chain B)



Product : MOXA IEEE 802.11 a/b/g/n
 Test Item : Power Density Data
 Test Site : No.3 OATS
 Test Mode : Mode 5: Transmit - 802.11n-40BW_30Mbps(2.4G Band) (2422MHz)

CHAIN	PPSD/MHz (dBm)	Total PPSD/MHz (dBm)1	Limit	Result
A	-1.610	1.400	< 8dBm	Pass
B	-1.730	1.280	< 8dBm	Pass

Note 1: The quantity $10 \cdot \log 2$ (two antennas) is added to the spectrum peak value according to document 662911 D01.

Figure Channel 3: (Chain A)





Figure Channel 3: (Chain B)



Product : MOXA IEEE 802.11 a/b/g/n
Test Item : Power Density Data
Test Site : No.3OATS
Test Mode : Mode 5: Transmit - 802.11n-40BW_30Mbps(2.4G Band) (2437MHz)

CHAIN	PPSD/MHz (dBm)	Total PPSD/MHz (dBm)1	Limit	Result
A	3.750	6.760	< 8dBm	Pass
B	1.760	4.770	< 8dBm	Pass

Note 1: The quantity $10 \cdot \log 2$ (two antennas) is added to the spectrum peak value according to document 662911 D01.

Figure Channel 6: (Chain A)





Figure Channel 6: (Chain B)



Product : MOXA IEEE 802.11 a/b/g/n
Test Item : Power Density Data
Test Site : No.3 OATS
Test Mode : Mode 5: Transmit - 802.11n-40BW_30Mbps(2.4G Band) (2452MHz)

CHAIN	PPSD/MHz (dBm)	Total PPSD/MHz (dBm)1	Limit	Result
A	-0.790	2.220	< 8dBm	Pass
B	-1.980	1.030	< 8dBm	Pass

Note 1: The quantity $10 \cdot \log 2$ (two antennas) is added to the spectrum peak value according to document 662911 D01.

Figure Channel 9: (Chain A)





Figure Channel 9: (Chain B)



9. EMI Reduction Method During Compliance Testing

No modification was made during testing.