


Annex A.5 Spurious Emission at Antenna Terminals

GPRS

1. GPRS_GSM850


1.1. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.89	-13	Pass	401
0.15	30	0.01	Peak	0.7	-53.49	-13	Pass	2986
30	500	0.1	Peak	344.4	-43.18	-13	Pass	4701
500	1000	0.1	Peak	824.3	31.24	-13	N/A	5001
1000	10000	1	Peak	8200	-19.42	-13	Pass	9002




1.2. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.14	-13	Pass	401
0.15	30	0.01	Peak	0.5	-52.93	-13	Pass	2986
30	500	0.1	Peak	345	-43.56	-13	Pass	4701
500	1000	0.1	Peak	836.5	31.37	-13	N/A	5001
1000	10000	1	Peak	9869	-19.7	-13	Pass	9002



1.3. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.27	-13	Pass	401
0.15	30	0.01	Peak	0.63	-54.54	-13	Pass	2986
30	500	0.1	Peak	477.4	-43.6	-13	Pass	4701
500	1000	0.1	Peak	848.9	31.21	-13	N/A	5001
1000	10000	1	Peak	6971	-19.75	-13	Pass	9002



2. GPRS_PCS


2.1. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-61.63	-13	Pass	401
0.15	30	0.01	Peak	0.24	-59.91	-13	Pass	2986
30	1000	0.1	Peak	857.105	-48.71	-13	Pass	9701
1000	3000	1	Peak	1851	27.51	-13	N/A	2001
3000	20000	1	Peak	19682	-36.93	-13	Pass	17003




2.2. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-61.11	-13	Pass	401
0.15	30	0.01	Peak	0.32	-59.28	-13	Pass	2986
30	1000	0.1	Peak	817.7	-48.52	-13	Pass	9701
1000	3000	1	Peak	1880	28.93	-13	N/A	2001
3000	20000	1	Peak	19377	-38.28	-13	Pass	17003



2.3. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-58.94	-13	Pass	401
0.15	30	0.01	Peak	0.15	-59.74	-13	Pass	2986
30	1000	0.1	Peak	895.131	-48.7	-13	Pass	9701
1000	3000	1	Peak	1910	29.24	-13	N/A	2001
3000	20000	1	Peak	19394	-37.2	-13	Pass	17003




EGPRS

1. EGPRS_GSM850


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-56.97	-13	Pass	401
0.15	30	0.01	Peak	0.22	-54.36	-13	Pass	2986
30	500	0.1	Peak	422.9	-43.58	-13	Pass	4701
500	1000	0.1	Peak	824.3	26.59	-13	N/A	5001
1000	10000	1	Peak	7203	-19.36	-13	Pass	9002




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.75	-13	Pass	401
0.15	30	0.01	Peak	3.61	-54.26	-13	Pass	2986
30	500	0.1	Peak	482.1	-43.31	-13	Pass	4701
500	1000	0.1	Peak	836.4	15.46	-13	N/A	5001
1000	10000	1	Peak	7009	-19.75	-13	Pass	9002



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.92	-13	Pass	401
0.15	30	0.01	Peak	0.23	-54.66	-13	Pass	2986
30	500	0.1	Peak	411.7	-42.84	-13	Pass	4701
500	1000	0.1	Peak	848.8	28.17	-13	N/A	5001
1000	10000	1	Peak	6950	-19.39	-13	Pass	9002



2. EGPRS_PCS


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-62.32	-13	Pass	401
0.15	30	0.01	Peak	0.15	-58.23	-13	Pass	2986
30	1000	0.1	Peak	836.4	-48.59	-13	Pass	9701
1000	3000	1	Peak	1850	25.57	-13	N/A	2001
3000	20000	1	Peak	19934	-37.99	-13	Pass	17003




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-61.48	-13	Pass	401
0.15	30	0.01	Peak	0.24	-59.52	-13	Pass	2986
30	1000	0.1	Peak	939.56	-48.51	-13	Pass	9701
1000	3000	1	Peak	1881	18.88	-13	N/A	2001
3000	20000	1	Peak	19954	-37.62	-13	Pass	17003



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-61.9	-13	Pass	401
0.15	30	0.01	Peak	0.18	-59.25	-13	Pass	2986
30	1000	0.1	Peak	859.307	-48.47	-13	Pass	9701
1000	3000	1	Peak	1910	25.7	-13	N/A	2001
3000	20000	1	Peak	19423	-38.21	-13	Pass	17003




WCDMA

1. WCDMA_Band5


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.53	-13	Pass	401
0.15	30	0.01	Peak	0.16	-62.9	-13	Pass	2986
30	500	0.1	Peak	367.8	-53.71	-13	Pass	4701
500	1000	0.1	Peak	827.1	18.55	-13	N/A	5001
1000	10000	1	Peak	9430	-30.27	-13	Pass	9002




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.76	-13	Pass	401
0.15	30	0.01	Peak	0.3	-63.48	-13	Pass	2986
30	500	0.1	Peak	377.8	-53.41	-13	Pass	4701
500	1000	0.1	Peak	835.7	17.65	-13	N/A	5001
1000	10000	1	Peak	7501	-30	-13	Pass	9002



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-65.73	-13	Pass	401
0.15	30	0.01	Peak	0.24	-62.28	-13	Pass	2986
30	500	0.1	Peak	487.7	-53.57	-13	Pass	4701
500	1000	0.1	Peak	847.3	18.52	-13	N/A	5001
1000	10000	1	Peak	6974	-30.37	-13	Pass	9002




LTE

1. LTE_Band5


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.91	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.09	-13	Pass	7841
814	860	0.1	RMS	824.2	19.48	60	Pass	461
860	1000	0.1	RMS	929.9	-62.6	-13	Pass	1401
1000	3000	1	RMS	2646	-46.53	-13	Pass	2001
3000	10000	1	RMS	9959	-40.83	-13	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.18	-13	Pass	7841
814	860	0.1	RMS	824.3	18.57	60	Pass	461
860	1000	0.1	RMS	873.9	-63.78	-13	Pass	1401
1000	3000	1	RMS	2954	-48.31	-13	Pass	2001
3000	10000	1	RMS	6963	-41.08	-13	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.32	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.38	-13	Pass	2986
30	814	0.1	RMS	811.5	-63.63	-13	Pass	7841
814	860	0.1	RMS	836	19.33	60	Pass	461
860	1000	0.1	RMS	860.2	-63.77	-13	Pass	1401
1000	3000	1	RMS	2959	-48.35	-13	Pass	2001
3000	10000	1	RMS	6960	-41	-13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.56	-13	Pass	2986
30	814	0.1	RMS	811.5	-62.44	-13	Pass	7841
814	860	0.1	RMS	836	18.76	60	Pass	461
860	1000	0.1	RMS	922.6	-62.64	-13	Pass	1401
1000	3000	1	RMS	2651	-46.57	-13	Pass	2001
3000	10000	1	RMS	9958	-40.82	-13	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.44	-13	Pass	2986
30	814	0.1	RMS	812.7	-62.45	-13	Pass	7841
814	860	0.1	RMS	847.9	19.4	60	Pass	461
860	1000	0.1	RMS	933.5	-62.62	-13	Pass	1401
1000	3000	1	RMS	2651	-46.54	-13	Pass	2001
3000	10000	1	RMS	9958	-40.81	-13	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.41	-13	Pass	2986
30	814	0.1	RMS	807.5	-62.62	-13	Pass	7841
814	860	0.1	RMS	847.9	18.1	60	Pass	461
860	1000	0.1	RMS	944.3	-62.52	-13	Pass	1401
1000	3000	1	RMS	2642	-46.57	-13	Pass	2001
3000	10000	1	RMS	9968	-40.85	-13	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.52	-13	Pass	2986
30	814	0.1	RMS	809.6	-62.29	-13	Pass	7841
814	860	0.1	RMS	824.2	19.71	60	Pass	461
860	1000	0.1	RMS	883	-62.56	-13	Pass	1401
1000	3000	1	RMS	2651	-46.5	-13	Pass	2001
3000	10000	1	RMS	9954	-40.73	-13	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.73	-13	Pass	2986
30	814	0.1	RMS	813.9	-62.32	-13	Pass	7841
814	860	0.1	RMS	824.2	18.19	60	Pass	461
860	1000	0.1	RMS	929.5	-62.61	-13	Pass	1401
1000	3000	1	RMS	2642	-46.54	-13	Pass	2001
3000	10000	1	RMS	9959	-40.75	-13	Pass	7001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.16	-13	Pass	2986
30	814	0.1	RMS	808.9	-62.37	-13	Pass	7841
814	860	0.1	RMS	835.2	19.41	60	Pass	461
860	1000	0.1	RMS	918.9	-62.47	-13	Pass	1401
1000	3000	1	RMS	2645	-46.51	-13	Pass	2001
3000	10000	1	RMS	9959	-40.8	-13	Pass	7001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.52	-13	Pass	2986
30	814	0.1	RMS	810.7	-62.54	-13	Pass	7841
814	860	0.1	RMS	835.2	19.14	60	Pass	461
860	1000	0.1	RMS	916.4	-62.69	-13	Pass	1401
1000	3000	1	RMS	2643	-46.54	-13	Pass	2001
3000	10000	1	RMS	9975	-40.81	-13	Pass	7001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.78	-13	Pass	2986
30	814	0.1	RMS	782	-62.48	-13	Pass	7841
814	860	0.1	RMS	846.2	19.6	60	Pass	461
860	1000	0.1	RMS	913.4	-62.48	-13	Pass	1401
1000	3000	1	RMS	2650	-46.5	-13	Pass	2001
3000	10000	1	RMS	9971	-40.81	-13	Pass	7001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.64	-13	Pass	2986
30	814	0.1	RMS	811.7	-62.61	-13	Pass	7841
814	860	0.1	RMS	846.2	18.44	60	Pass	461
860	1000	0.1	RMS	937.2	-62.57	-13	Pass	1401
1000	3000	1	RMS	2643	-46.53	-13	Pass	2001
3000	10000	1	RMS	9955	-40.85	-13	Pass	7001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.73	-13	Pass	2986
30	814	0.1	RMS	811.4	-61.73	-13	Pass	7841
814	860	0.1	RMS	824.3	19.52	60	Pass	461
860	1000	0.1	RMS	928.2	-62.58	-13	Pass	1401
1000	3000	1	RMS	2645	-46.5	-13	Pass	2001
3000	10000	1	RMS	9960	-40.85	-13	Pass	7001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.27	-13	Pass	2986
30	814	0.1	RMS	811.6	-61.94	-13	Pass	7841
814	860	0.1	RMS	824.3	17.95	60	Pass	461
860	1000	0.1	RMS	923.4	-62.66	-13	Pass	1401
1000	3000	1	RMS	2644	-46.56	-13	Pass	2001
3000	10000	1	RMS	9952	-40.82	-13	Pass	7001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.73	-13	Pass	2986
30	814	0.1	RMS	808.1	-62.48	-13	Pass	7841
814	860	0.1	RMS	834.3	19.26	60	Pass	461
860	1000	0.1	RMS	923.1	-62.65	-13	Pass	1401
1000	3000	1	RMS	2645	-46.52	-13	Pass	2001
3000	10000	1	RMS	9947	-40.76	-13	Pass	7001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	Pass	2986
30	814	0.1	RMS	811.6	-63.49	-13	Pass	7841
814	860	0.1	RMS	834.3	18.18	60	Pass	461
860	1000	0.1	RMS	863.7	-63.87	-13	Pass	1401
1000	3000	1	RMS	2957	-48.31	-13	Pass	2001
3000	10000	1	RMS	6960	-40.99	-13	Pass	7001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.03	-13	Pass	2986
30	814	0.1	RMS	793	-62.52	-13	Pass	7841
814	860	0.1	RMS	844.3	19.56	60	Pass	461
860	1000	0.1	RMS	941.3	-62.59	-13	Pass	1401
1000	3000	1	RMS	2644	-46.49	-13	Pass	2001
3000	10000	1	RMS	9955	-40.74	-13	Pass	7001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.21	-13	Pass	2986
30	814	0.1	RMS	792.6	-62.37	-13	Pass	7841
814	860	0.1	RMS	844.3	18.07	60	Pass	461
860	1000	0.1	RMS	935.4	-62.51	-13	Pass	1401
1000	3000	1	RMS	2642	-46.5	-13	Pass	2001
3000	10000	1	RMS	9957	-40.82	-13	Pass	7001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.84	-13	Pass	2986
30	814	0.1	RMS	807	-54.54	-13	Pass	7841
814	860	0.1	RMS	824.6	19.95	60	Pass	461
860	1000	0.1	RMS	930.6	-62.48	-13	Pass	1401
1000	3000	1	RMS	2650	-46.52	-13	Pass	2001
3000	10000	1	RMS	9954	-40.77	-13	Pass	7001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.9	-13	Pass	2986
30	814	0.1	RMS	807	-57.07	-13	Pass	7841
814	860	0.1	RMS	824.6	18.76	60	Pass	461
860	1000	0.1	RMS	914.6	-62.62	-13	Pass	1401
1000	3000	1	RMS	2642	-46.53	-13	Pass	2001
3000	10000	1	RMS	9953	-40.8	-13	Pass	7001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.16	-13	Pass	2986
30	814	0.1	RMS	814	-62.07	-13	Pass	7841
814	860	0.1	RMS	832.1	20.06	60	Pass	461
860	1000	0.1	RMS	953.8	-62.58	-13	Pass	1401
1000	3000	1	RMS	2644	-46.53	-13	Pass	2001
3000	10000	1	RMS	9976	-40.86	-13	Pass	7001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.99	-13	Pass	401
0.15	30	0.01	RMS	0.35	-72.4	-13	Pass	2986
30	814	0.1	RMS	814	-62.89	-13	Pass	7841
814	860	0.1	RMS	832.1	19.05	60	Pass	461
860	1000	0.1	RMS	884	-63.68	-13	Pass	1401
1000	3000	1	RMS	2957	-48.34	-13	Pass	2001
3000	10000	1	RMS	6962	-41.05	-13	Pass	7001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-44.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.19	-13	Pass	2986
30	814	0.1	RMS	813.2	-62.04	-13	Pass	7841
814	860	0.1	RMS	839.6	20.23	60	Pass	461
860	1000	0.1	RMS	907.3	-62.53	-13	Pass	1401
1000	3000	1	RMS	2646	-46.52	-13	Pass	2001
3000	10000	1	RMS	9962	-40.73	-13	Pass	7001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.28	-13	Pass	2986
30	814	0.1	RMS	813.3	-62.08	-13	Pass	7841
814	860	0.1	RMS	839.6	19.11	60	Pass	461
860	1000	0.1	RMS	879.2	-62.54	-13	Pass	1401
1000	3000	1	RMS	2640	-46.54	-13	Pass	2001
3000	10000	1	RMS	9956	-40.74	-13	Pass	7001



2. LTE_Band18(part22)


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23965, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.93	-13	Pass	2986
30	814	0.1	RMS	811.4	-61.41	-13	Pass	7841
814	841	0.1	RMS	824.328	20.44	60	Pass	401
841	1000	0.1	RMS	841.6	-62.27	-13	Pass	1591
1000	3000	1	RMS	2641	-46.5	-13	Pass	2001
3000	10000	1	RMS	9951	-40.78	-13	Pass	7001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23965, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.94	-13	Pass	2986
30	814	0.1	RMS	811.2	-62.07	-13	Pass	7841
814	841	0.1	RMS	824.328	19.2	60	Pass	401
841	1000	0.1	RMS	841.7	-62.55	-13	Pass	1591
1000	3000	1	RMS	2653	-46.55	-13	Pass	2001
3000	10000	1	RMS	9957	-40.8	-13	Pass	7001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23970, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.44	-13	Pass	2986
30	814	0.1	RMS	811.9	-61.5	-13	Pass	7841
814	841	0.1	RMS	824.868	19.9	60	Pass	401
841	1000	0.1	RMS	842.1	-62.38	-13	Pass	1591
1000	3000	1	RMS	2652	-46.51	-13	Pass	2001
3000	10000	1	RMS	9947	-40.82	-13	Pass	7001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23970, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.55	-13	Pass	2986
30	814	0.1	RMS	811.9	-61.7	-13	Pass	7841
814	841	0.1	RMS	824.868	18.89	60	Pass	401
841	1000	0.1	RMS	918.9	-62.59	-13	Pass	1591
1000	3000	1	RMS	2643	-46.52	-13	Pass	2001
3000	10000	1	RMS	9952	-40.81	-13	Pass	7001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	Pass	2986
30	814	0.1	RMS	812.4	-62.68	-13	Pass	7841
814	841	0.1	RMS	825.34	20.52	60	Pass	401
841	1000	0.1	RMS	842.5	-62.62	-13	Pass	1591
1000	3000	1	RMS	2959	-48.35	-13	Pass	2001
3000	10000	1	RMS	6961	-41.08	-13	Pass	7001



2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.61	-13	Pass	2986
30	814	0.1	RMS	812.3	-61.75	-13	Pass	7841
814	841	0.1	RMS	825.34	19.64	60	Pass	401
841	1000	0.1	RMS	931.5	-62.51	-13	Pass	1591
1000	3000	1	RMS	2641	-46.51	-13	Pass	2001
3000	10000	1	RMS	9959	-40.81	-13	Pass	7001



1. LTE_Band18(part90)


1.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:23875, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.7	-13	Pass	401
0.15	30	0.01	Peak	0.16	-40.36	-13	Pass	2986
30	810	0.1	Peak	808.9	-47.84	-13	Pass	7801
810	829	0.1	Peak	815.368	24.91	60	Pass	401
829	1000	0.1	Peak	950.4	-51.72	-13	Pass	1711
1000	3000	1	Peak	2988	-35.01	-13	Pass	2001
3000	10000	1	Peak	7670	-29.01	-13	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:23875, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-37.87	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.17	-13	Pass	2986
30	810	0.1	Peak	808.9	-47.23	-13	Pass	7801
810	829	0.1	Peak	815.32	25.37	60	Pass	401
829	1000	0.1	Peak	919.7	-51.37	-13	Pass	1711
1000	3000	1	Peak	2740	-35.16	-13	Pass	2001
3000	10000	1	Peak	9914	-28.85	-13	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:23895, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-37.59	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.45	-13	Pass	2986
30	810	0.1	Peak	808.7	-46.35	-13	Pass	7801
810	829	0.1	Peak	817.268	25	60	Pass	401
829	1000	0.1	Peak	830.4	-51.09	-13	Pass	1711
1000	3000	1	Peak	2780	-35.14	-13	Pass	2001
3000	10000	1	Peak	9943	-29.35	-13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:23895, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.69	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.47	-13	Pass	2986
30	810	0.1	Peak	808.6	-48.43	-13	Pass	7801
810	829	0.1	Peak	817.268	24.71	60	Pass	401
829	1000	0.1	Peak	967.7	-51.78	-13	Pass	1711
1000	3000	1	Peak	2666	-34.78	-13	Pass	2001
3000	10000	1	Peak	7714	-28.22	-13	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:23915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.85	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.53	-13	Pass	2986
30	810	0.1	Peak	806.5	-51.24	-13	Pass	7801
810	829	0.1	Peak	819.31	24.97	60	Pass	401
829	1000	0.1	Peak	831.8	-51.4	-13	Pass	1711
1000	3000	1	Peak	2926	-35.13	-13	Pass	2001
3000	10000	1	Peak	9963	-28.96	-13	Pass	7001



1.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:23915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.61	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.18	-13	Pass	2986
30	810	0.1	Peak	777.9	-51.97	-13	Pass	7801
810	829	0.1	Peak	819.263	24.95	60	Pass	401
829	1000	0.1	Peak	941.9	-51.2	-13	Pass	1711
1000	3000	1	Peak	2805	-33.85	-13	Pass	2001
3000	10000	1	Peak	9533	-29.31	-13	Pass	7001



3. LTE_Band19


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:24025, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.32	-13	Pass	2986
30	820	0.1	RMS	817.8	-61.98	-13	Pass	7901
820	856	0.1	RMS	830.35	19.92	60	Pass	401
856	1000	0.1	RMS	930.8	-62.49	-13	Pass	1441
1000	3000	1	RMS	2647	-46.5	-13	Pass	2001
3000	10000	1	RMS	9962	-40.77	-13	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:24025, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-44.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.38	-13	Pass	2986
30	820	0.1	RMS	817.5	-62.07	-13	Pass	7901
820	856	0.1	RMS	830.35	18.59	60	Pass	401
856	1000	0.1	RMS	901.7	-62.54	-13	Pass	1441
1000	3000	1	RMS	2646	-46.54	-13	Pass	2001
3000	10000	1	RMS	9953	-40.82	-13	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:24075, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.83	-13	Pass	2986
30	820	0.1	RMS	819.5	-62.06	-13	Pass	7901
820	856	0.1	RMS	835.3	19.55	60	Pass	401
856	1000	0.1	RMS	944.8	-62.54	-13	Pass	1441
1000	3000	1	RMS	2639	-46.53	-13	Pass	2001
3000	10000	1	RMS	9957	-40.81	-13	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:24075, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.9	-13	Pass	401
0.15	30	0.01	RMS	0.16	-47.74	-13	Pass	2986
30	820	0.1	RMS	817.8	-62.18	-13	Pass	7901
820	856	0.1	RMS	835.3	18.9	60	Pass	401
856	1000	0.1	RMS	961.6	-62.66	-13	Pass	1441
1000	3000	1	RMS	2649	-46.54	-13	Pass	2001
3000	10000	1	RMS	9955	-40.81	-13	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:24125, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.75	-13	Pass	2986
30	820	0.1	RMS	819.3	-63.52	-13	Pass	7901
820	856	0.1	RMS	840.34	20.25	60	Pass	401
856	1000	0.1	RMS	949.4	-63.57	-13	Pass	1441
1000	3000	1	RMS	2955	-48.32	-13	Pass	2001
3000	10000	1	RMS	6959	-41.05	-13	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:24125, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.61	-13	Pass	2986
30	820	0.1	RMS	815.8	-62.44	-13	Pass	7901
820	856	0.1	RMS	840.34	18.91	60	Pass	401
856	1000	0.1	RMS	938	-62.44	-13	Pass	1441
1000	3000	1	RMS	2645	-46.51	-13	Pass	2001
3000	10000	1	RMS	9953	-40.8	-13	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:24050, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.61	-13	Pass	2986
30	820	0.1	RMS	813	-53.79	-13	Pass	7901
820	856	0.1	RMS	830.62	19.87	60	Pass	401
856	1000	0.1	RMS	906.6	-62.46	-13	Pass	1441
1000	3000	1	RMS	2643	-46.52	-13	Pass	2001
3000	10000	1	RMS	9952	-40.81	-13	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:24050, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.62	-13	Pass	2986
30	820	0.1	RMS	813	-55.82	-13	Pass	7901
820	856	0.1	RMS	830.62	18.84	60	Pass	401
856	1000	0.1	RMS	895	-62.53	-13	Pass	1441
1000	3000	1	RMS	2654	-46.55	-13	Pass	2001
3000	10000	1	RMS	9974	-40.82	-13	Pass	7001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:24075, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	Pass	2986
30	820	0.1	RMS	815.5	-53	-13	Pass	7901
820	856	0.1	RMS	833.05	19.88	60	Pass	401
856	1000	0.1	RMS	863.5	-63.64	-13	Pass	1441
1000	3000	1	RMS	1666	-47.95	-13	Pass	2001
3000	10000	1	RMS	6960	-41.03	-13	Pass	7001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:24075, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-46.8	-13	Pass	2986
30	820	0.1	RMS	815.5	-54.31	-13	Pass	7901
820	856	0.1	RMS	833.05	19.12	60	Pass	401
856	1000	0.1	RMS	917.1	-62.57	-13	Pass	1441
1000	3000	1	RMS	2643	-46.53	-13	Pass	2001
3000	10000	1	RMS	9948	-40.74	-13	Pass	7001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:24100, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.3	-13	Pass	2986
30	820	0.1	RMS	818	-52.59	-13	Pass	7901
820	856	0.1	RMS	835.57	20.21	60	Pass	401
856	1000	0.1	RMS	893.8	-62.47	-13	Pass	1441
1000	3000	1	RMS	2641	-46.54	-13	Pass	2001
3000	10000	1	RMS	9953	-40.83	-13	Pass	7001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:24100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.06	-13	Pass	2986
30	820	0.1	RMS	818	-54.49	-13	Pass	7901
820	856	0.1	RMS	835.57	19.07	60	Pass	401
856	1000	0.1	RMS	925.3	-62.56	-13	Pass	1441
1000	3000	1	RMS	2652	-46.56	-13	Pass	2001
3000	10000	1	RMS	9949	-40.87	-13	Pass	7001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:24075, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.89	-13	Pass	2986
30	820	0.1	RMS	817.5	-48.28	-13	Pass	7901
820	856	0.1	RMS	830.8	19.69	60	Pass	401
856	1000	0.1	RMS	929.8	-62.56	-13	Pass	1441
1000	3000	1	RMS	2645	-46.55	-13	Pass	2001
3000	10000	1	RMS	9953	-40.81	-13	Pass	7001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:24075, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.87	-13	Pass	2986
30	820	0.1	RMS	817.5	-50.01	-13	Pass	7901
820	856	0.1	RMS	830.8	18.54	60	Pass	401
856	1000	0.1	RMS	996.3	-62.58	-13	Pass	1441
1000	3000	1	RMS	2647	-46.55	-13	Pass	2001
3000	10000	1	RMS	9953	-40.74	-13	Pass	7001



4. LTE_Band26(part22)


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.74	-13	Pass	2986
30	814	0.1	RMS	811.7	-62.13	-13	Pass	7841
814	860	0.1	RMS	824.2	19.53	60	Pass	461
860	1000	0.1	RMS	929.6	-62.62	-13	Pass	1401
1000	3000	1	RMS	2639	-46.51	-13	Pass	2001
3000	10000	1	RMS	9954	-40.84	-13	Pass	7001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.58	-13	Pass	401
0.15	30	0.01	RMS	0.16	-47.05	-13	Pass	2986
30	814	0.1	RMS	810.2	-62.22	-13	Pass	7841
814	860	0.1	RMS	824.2	18.41	60	Pass	461
860	1000	0.1	RMS	999.2	-62.66	-13	Pass	1401
1000	3000	1	RMS	2653	-46.49	-13	Pass	2001
3000	10000	1	RMS	9954	-40.78	-13	Pass	7001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.16	-13	Pass	2986
30	814	0.1	RMS	813.1	-62.42	-13	Pass	7841
814	860	0.1	RMS	836	19.2	60	Pass	461
860	1000	0.1	RMS	955.4	-62.51	-13	Pass	1401
1000	3000	1	RMS	2642	-46.53	-13	Pass	2001
3000	10000	1	RMS	9956	-40.77	-13	Pass	7001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.8	-13	Pass	2986
30	814	0.1	RMS	792.4	-62.57	-13	Pass	7841
814	860	0.1	RMS	836	18.54	60	Pass	461
860	1000	0.1	RMS	929.8	-62.52	-13	Pass	1401
1000	3000	1	RMS	2641	-46.55	-13	Pass	2001
3000	10000	1	RMS	9960	-40.8	-13	Pass	7001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.82	-13	Pass	2986
30	814	0.1	RMS	810.6	-62.5	-13	Pass	7841
814	860	0.1	RMS	847.9	19.23	60	Pass	461
860	1000	0.1	RMS	954	-62.57	-13	Pass	1401
1000	3000	1	RMS	2649	-46.55	-13	Pass	2001
3000	10000	1	RMS	9959	-40.78	-13	Pass	7001




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.54	-13	Pass	2986
30	814	0.1	RMS	812.4	-62.52	-13	Pass	7841
814	860	0.1	RMS	847.9	18.26	60	Pass	461
860	1000	0.1	RMS	933.2	-62.61	-13	Pass	1401
1000	3000	1	RMS	2646	-46.52	-13	Pass	2001
3000	10000	1	RMS	9959	-40.79	-13	Pass	7001




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.89	-13	Pass	2986
30	814	0.1	RMS	813.8	-61.98	-13	Pass	7841
814	860	0.1	RMS	824.2	19.56	60	Pass	461
860	1000	0.1	RMS	930.5	-62.5	-13	Pass	1401
1000	3000	1	RMS	2640	-46.48	-13	Pass	2001
3000	10000	1	RMS	9951	-40.84	-13	Pass	7001




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.94	-13	Pass	2986
30	814	0.1	RMS	811.9	-62.29	-13	Pass	7841
814	860	0.1	RMS	824.2	18.32	60	Pass	461
860	1000	0.1	RMS	907.2	-62.63	-13	Pass	1401
1000	3000	1	RMS	2641	-46.52	-13	Pass	2001
3000	10000	1	RMS	9955	-40.79	-13	Pass	7001



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.54	-13	Pass	2986
30	814	0.1	RMS	808.9	-62.48	-13	Pass	7841
814	860	0.1	RMS	835.2	19.52	60	Pass	461
860	1000	0.1	RMS	940.3	-62.56	-13	Pass	1401
1000	3000	1	RMS	2646	-46.53	-13	Pass	2001
3000	10000	1	RMS	9962	-40.81	-13	Pass	7001



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.58	-13	Pass	2986
30	814	0.1	RMS	789.4	-62.41	-13	Pass	7841
814	860	0.1	RMS	835.2	18.61	60	Pass	461
860	1000	0.1	RMS	928.3	-62.54	-13	Pass	1401
1000	3000	1	RMS	2647	-46.51	-13	Pass	2001
3000	10000	1	RMS	9956	-40.73	-13	Pass	7001



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.08	-13	Pass	2986
30	814	0.1	RMS	795.2	-62.48	-13	Pass	7841
814	860	0.1	RMS	846.2	19.67	60	Pass	461
860	1000	0.1	RMS	924.7	-62.46	-13	Pass	1401
1000	3000	1	RMS	2644	-46.55	-13	Pass	2001
3000	10000	1	RMS	9952	-40.86	-13	Pass	7001



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.43	-13	Pass	2986
30	814	0.1	RMS	813	-62.57	-13	Pass	7841
814	860	0.1	RMS	846.2	18.53	60	Pass	461
860	1000	0.1	RMS	923.9	-62.55	-13	Pass	1401
1000	3000	1	RMS	2647	-46.52	-13	Pass	2001
3000	10000	1	RMS	9957	-40.79	-13	Pass	7001



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.69	-13	Pass	2986
30	814	0.1	RMS	813.4	-62.22	-13	Pass	7841
814	860	0.1	RMS	824.3	19.47	60	Pass	461
860	1000	0.1	RMS	917.5	-62.6	-13	Pass	1401
1000	3000	1	RMS	2646	-46.54	-13	Pass	2001
3000	10000	1	RMS	9963	-40.75	-13	Pass	7001



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.3	-13	Pass	2986
30	814	0.1	RMS	808.5	-62.25	-13	Pass	7841
814	860	0.1	RMS	824.3	18.18	60	Pass	461
860	1000	0.1	RMS	944.2	-62.56	-13	Pass	1401
1000	3000	1	RMS	2640	-46.54	-13	Pass	2001
3000	10000	1	RMS	9949	-40.86	-13	Pass	7001



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.57	-13	Pass	2986
30	814	0.1	RMS	811.4	-62.34	-13	Pass	7841
814	860	0.1	RMS	834.3	19.4	60	Pass	461
860	1000	0.1	RMS	939.1	-62.62	-13	Pass	1401
1000	3000	1	RMS	2645	-46.5	-13	Pass	2001
3000	10000	1	RMS	9950	-40.83	-13	Pass	7001



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.8	-13	Pass	2986
30	814	0.1	RMS	809.8	-62.39	-13	Pass	7841
814	860	0.1	RMS	834.3	18.74	60	Pass	461
860	1000	0.1	RMS	965	-62.67	-13	Pass	1401
1000	3000	1	RMS	2642	-46.53	-13	Pass	2001
3000	10000	1	RMS	9955	-40.84	-13	Pass	7001



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.67	-13	Pass	2986
30	814	0.1	RMS	796.3	-62.46	-13	Pass	7841
814	860	0.1	RMS	844.3	19.57	60	Pass	461
860	1000	0.1	RMS	890.5	-62.72	-13	Pass	1401
1000	3000	1	RMS	2641	-46.53	-13	Pass	2001
3000	10000	1	RMS	9951	-40.84	-13	Pass	7001



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.98	-13	Pass	2986
30	814	0.1	RMS	812.8	-62.42	-13	Pass	7841
814	860	0.1	RMS	844.3	18.32	60	Pass	461
860	1000	0.1	RMS	926.7	-62.63	-13	Pass	1401
1000	3000	1	RMS	2644	-46.56	-13	Pass	2001
3000	10000	1	RMS	9957	-40.83	-13	Pass	7001



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.1	-13	Pass	2986
30	814	0.1	RMS	807	-50.66	-13	Pass	7841
814	860	0.1	RMS	824.6	20.06	60	Pass	461
860	1000	0.1	RMS	953.1	-62.56	-13	Pass	1401
1000	3000	1	RMS	2645	-46.54	-13	Pass	2001
3000	10000	1	RMS	9954	-40.79	-13	Pass	7001



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.64	-13	Pass	2986
30	814	0.1	RMS	807	-53.59	-13	Pass	7841
814	860	0.1	RMS	824.6	18.87	60	Pass	461
860	1000	0.1	RMS	923.4	-62.56	-13	Pass	1401
1000	3000	1	RMS	2638	-46.55	-13	Pass	2001
3000	10000	1	RMS	9958	-40.8	-13	Pass	7001



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.68	-13	Pass	2986
30	814	0.1	RMS	814	-61.61	-13	Pass	7841
814	860	0.1	RMS	832.1	20.06	60	Pass	461
860	1000	0.1	RMS	894.2	-62.58	-13	Pass	1401
1000	3000	1	RMS	2641	-46.56	-13	Pass	2001
3000	10000	1	RMS	9957	-40.81	-13	Pass	7001



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.1	-13	Pass	2986
30	814	0.1	RMS	814	-61.4	-13	Pass	7841
814	860	0.1	RMS	832.1	19.56	60	Pass	461
860	1000	0.1	RMS	937.5	-62.52	-13	Pass	1401
1000	3000	1	RMS	2651	-46.55	-13	Pass	2001
3000	10000	1	RMS	9949	-40.82	-13	Pass	7001



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.82	-13	Pass	2986
30	814	0.1	RMS	813.2	-62.05	-13	Pass	7841
814	860	0.1	RMS	839.6	20.29	60	Pass	461
860	1000	0.1	RMS	907.4	-62.42	-13	Pass	1401
1000	3000	1	RMS	2643	-46.54	-13	Pass	2001
3000	10000	1	RMS	9956	-40.82	-13	Pass	7001



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.64	-13	Pass	2986
30	814	0.1	RMS	812.3	-62.41	-13	Pass	7841
814	860	0.1	RMS	839.6	19.17	60	Pass	461
860	1000	0.1	RMS	927.3	-62.48	-13	Pass	1401
1000	3000	1	RMS	2643	-46.57	-13	Pass	2001
3000	10000	1	RMS	9955	-40.84	-13	Pass	7001



4.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.21	-13	Pass	2986
30	814	0.1	RMS	811.5	-52.31	-13	Pass	7841
814	860	0.1	RMS	824.8	19.35	60	Pass	461
860	1000	0.1	RMS	931.4	-62.66	-13	Pass	1401
1000	3000	1	RMS	2641	-46.51	-13	Pass	2001
3000	10000	1	RMS	9948	-40.8	-13	Pass	7001



4.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.37	-13	Pass	2986
30	814	0.1	RMS	811.5	-53.35	-13	Pass	7841
814	860	0.1	RMS	824.8	18.07	60	Pass	461
860	1000	0.1	RMS	977	-62.6	-13	Pass	1401
1000	3000	1	RMS	2648	-46.55	-13	Pass	2001
3000	10000	1	RMS	9953	-40.82	-13	Pass	7001



4.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.96	-13	Pass	2986
30	814	0.1	RMS	809.9	-54.16	-13	Pass	7841
814	860	0.1	RMS	829.8	19.43	60	Pass	461
860	1000	0.1	RMS	948.4	-62.62	-13	Pass	1401
1000	3000	1	RMS	2641	-46.54	-13	Pass	2001
3000	10000	1	RMS	9949	-40.82	-13	Pass	7001



4.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.84	-13	Pass	2986
30	814	0.1	RMS	809.9	-56.3	-13	Pass	7841
814	860	0.1	RMS	829.8	18.28	60	Pass	461
860	1000	0.1	RMS	914.2	-62.59	-13	Pass	1401
1000	3000	1	RMS	2649	-46.51	-13	Pass	2001
3000	10000	1	RMS	9953	-40.77	-13	Pass	7001



4.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.41	-13	Pass	2986
30	814	0.1	RMS	808.2	-52.01	-13	Pass	7841
814	860	0.1	RMS	834.8	19.28	60	Pass	461
860	1000	0.1	RMS	934.8	-62.64	-13	Pass	1401
1000	3000	1	RMS	2640	-46.51	-13	Pass	2001
3000	10000	1	RMS	9954	-40.78	-13	Pass	7001



4.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.72	-13	Pass	2986
30	814	0.1	RMS	808.2	-53.42	-13	Pass	7841
814	860	0.1	RMS	834.8	18.7	60	Pass	461
860	1000	0.1	RMS	931	-62.66	-13	Pass	1401
1000	3000	1	RMS	2645	-46.57	-13	Pass	2001
3000	10000	1	RMS	9963	-40.79	-13	Pass	7001



2. LTE_Band26(part90)


2.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.98	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.1	-13	Pass	2986
30	809	0.1	Peak	808.9	-50.68	-13	Pass	7791
809	829	0.1	Peak	814.3	24.92	60	Pass	401
829	1000	0.1	Peak	897.9	-51.04	-13	Pass	1711
1000	3000	1	Peak	2769	-34.65	-13	Pass	2001
3000	10000	1	Peak	9982	-28.79	-13	Pass	7001




2.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-37.35	-13	Pass	401
0.15	30	0.01	Peak	0.16	-38.45	-13	Pass	2986
30	809	0.1	Peak	808.9	-51.78	-13	Pass	7791
809	829	0.1	Peak	814.3	25.34	60	Pass	401
829	1000	0.1	Peak	936	-51.89	-13	Pass	1711
1000	3000	1	Peak	2995	-34.26	-13	Pass	2001
3000	10000	1	Peak	9994	-28.39	-13	Pass	7001




2.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-38.04	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.96	-13	Pass	2986
30	809	0.1	Peak	800.2	-51.58	-13	Pass	7791
809	829	0.1	Peak	818.55	24.43	60	Pass	401
829	1000	0.1	Peak	836.4	-51.97	-13	Pass	1711
1000	3000	1	Peak	2620	-35.08	-13	Pass	2001
3000	10000	1	Peak	9973	-28.64	-13	Pass	7001




2.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-62.53	-13	Pass	401
0.15	30	0.01	Peak	0.27	-63.29	-13	Pass	2986
30	809	0.1	Peak	766.9	-52.88	-13	Pass	7791
809	829	0.1	Peak	818.5	25.46	60	Pass	401
829	1000	0.1	Peak	963.3	-52.3	-13	Pass	1711
1000	3000	1	Peak	2800	-36.99	-13	Pass	2001
3000	10000	1	Peak	6961	-29.71	-13	Pass	7001




2.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-38.78	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.52	-13	Pass	2986
30	809	0.1	Peak	778	-51.87	-13	Pass	7791
809	829	0.1	Peak	822.9	24.6	60	Pass	401
829	1000	0.1	Peak	948.7	-51.75	-13	Pass	1711
1000	3000	1	Peak	2932	-35.05	-13	Pass	2001
3000	10000	1	Peak	9915	-28.86	-13	Pass	7001




2.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-36.03	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.54	-13	Pass	2986
30	809	0.1	Peak	808.4	-51.87	-13	Pass	7791
809	829	0.1	Peak	822.85	25.1	60	Pass	401
829	1000	0.1	Peak	957.6	-51.82	-13	Pass	1711
1000	3000	1	Peak	2655	-34.76	-13	Pass	2001
3000	10000	1	Peak	7723	-29.01	-13	Pass	7001




2.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.43	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.94	-13	Pass	2986
30	809	0.1	Peak	809	-41.45	-13	Pass	7791
809	829	0.1	Peak	814.3	24.64	60	Pass	401
829	1000	0.1	Peak	829	-33.19	-13	Pass	1711
1000	3000	1	Peak	2950	-35.01	-13	Pass	2001
3000	10000	1	Peak	9505	-28.18	-13	Pass	7001




2.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.73	-13	Pass	401
0.15	30	0.01	Peak	0.16	-40.46	-13	Pass	2986
30	809	0.1	Peak	809	-44.35	-13	Pass	7791
809	829	0.1	Peak	814.2	24.83	60	Pass	401
829	1000	0.1	Peak	994.6	-51.98	-13	Pass	1711
1000	3000	1	Peak	2676	-34.7	-13	Pass	2001
3000	10000	1	Peak	9928	-29.06	-13	Pass	7001




2.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.97	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.78	-13	Pass	2986
30	809	0.1	Peak	792.4	-51.94	-13	Pass	7791
809	829	0.1	Peak	817.75	24.6	60	Pass	401
829	1000	0.1	Peak	848.8	-52.02	-13	Pass	1711
1000	3000	1	Peak	2740	-35.17	-13	Pass	2001
3000	10000	1	Peak	9935	-28.54	-13	Pass	7001




2.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.04	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.45	-13	Pass	2986
30	809	0.1	Peak	741.1	-51.43	-13	Pass	7791
809	829	0.1	Peak	817.8	24.77	60	Pass	401
829	1000	0.1	Peak	912.2	-51.49	-13	Pass	1711
1000	3000	1	Peak	2893	-35.28	-13	Pass	2001
3000	10000	1	Peak	7663	-27.81	-13	Pass	7001




2.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-38.8	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.45	-13	Pass	2986
30	809	0.1	Peak	740.9	-51.68	-13	Pass	7791
809	829	0.1	Peak	821.3	24.7	60	Pass	401
829	1000	0.1	Peak	906.4	-51.48	-13	Pass	1711
1000	3000	1	Peak	2758	-34.82	-13	Pass	2001
3000	10000	1	Peak	9960	-29.37	-13	Pass	7001




2.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-38.78	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.22	-13	Pass	2986
30	809	0.1	Peak	696.9	-51.81	-13	Pass	7791
809	829	0.1	Peak	821.25	24.49	60	Pass	401
829	1000	0.1	Peak	927.3	-51.72	-13	Pass	1711
1000	3000	1	Peak	2672	-35.24	-13	Pass	2001
3000	10000	1	Peak	9495	-29.29	-13	Pass	7001




2.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.93	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.01	-13	Pass	2986
30	809	0.1	Peak	807.9	-44.71	-13	Pass	7791
809	829	0.1	Peak	814.35	24.59	60	Pass	401
829	1000	0.1	Peak	898.5	-51.92	-13	Pass	1711
1000	3000	1	Peak	2615	-34.98	-13	Pass	2001
3000	10000	1	Peak	9929	-29.03	-13	Pass	7001




2.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.06	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.82	-13	Pass	2986
30	809	0.1	Peak	807.9	-44.62	-13	Pass	7791
809	829	0.1	Peak	814.3	25.03	60	Pass	401
829	1000	0.1	Peak	960.5	-51.34	-13	Pass	1711
1000	3000	1	Peak	2951	-34.97	-13	Pass	2001
3000	10000	1	Peak	9913	-29.03	-13	Pass	7001




2.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.11	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.85	-13	Pass	2986
30	809	0.1	Peak	808.2	-44.67	-13	Pass	7791
809	829	0.1	Peak	816.85	24.82	60	Pass	401
829	1000	0.1	Peak	947.3	-51.11	-13	Pass	1711
1000	3000	1	Peak	2996	-34.75	-13	Pass	2001
3000	10000	1	Peak	9943	-28.52	-13	Pass	7001




2.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.61	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.01	-13	Pass	2986
30	809	0.1	Peak	808.2	-39.86	-13	Pass	7791
809	829	0.1	Peak	816.8	25.18	60	Pass	401
829	1000	0.1	Peak	829.8	-51.47	-13	Pass	1711
1000	3000	1	Peak	2724	-35.03	-13	Pass	2001
3000	10000	1	Peak	7690	-28.86	-13	Pass	7001




2.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-38.05	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.2	-13	Pass	2986
30	809	0.1	Peak	806.1	-51.86	-13	Pass	7791
809	829	0.1	Peak	819.35	24.17	60	Pass	401
829	1000	0.1	Peak	918.2	-51.24	-13	Pass	1711
1000	3000	1	Peak	2652	-35.43	-13	Pass	2001
3000	10000	1	Peak	9656	-28.82	-13	Pass	7001




2.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-34.2	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.94	-13	Pass	2986
30	809	0.1	Peak	735.3	-52.25	-13	Pass	7791
809	829	0.1	Peak	819.3	24.24	60	Pass	401
829	1000	0.1	Peak	986.4	-50.96	-13	Pass	1711
1000	3000	1	Peak	2625	-34.87	-13	Pass	2001
3000	10000	1	Peak	9930	-28.7	-13	Pass	7001




2.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.1	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.83	-13	Pass	2986
30	809	0.1	Peak	808.3	-39.93	-13	Pass	7791
809	829	0.1	Peak	814.6	24.9	60	Pass	401
829	1000	0.1	Peak	832.2	-37.81	-13	Pass	1711
1000	3000	1	Peak	2644	-34.33	-13	Pass	2001
3000	10000	1	Peak	9941	-29.11	-13	Pass	7001



2.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.16	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.29	-13	Pass	2986
30	809	0.1	Peak	808.2	-39.5	-13	Pass	7791
809	829	0.1	Peak	814.55	24.85	60	Pass	401
829	1000	0.1	Peak	832.2	-37.72	-13	Pass	1711
1000	3000	1	Peak	2923	-34.52	-13	Pass	2001
3000	10000	1	Peak	9958	-29.17	-13	Pass	7001



--BLANK BELOW--