





11AC20SISO-Ant2-5745-PASS




11AC20SISO-Ant2-5785-PASS




11AC20SISO-Ant2-5825-PASS




11AC40SISO-Ant2-5190-PASS




11AC40SISO-Ant2-5230-PASS




11AC40SISO-Ant2-5270-PASS




11AC40SISO-Ant2-5310-PASS




11AC40SISO-Ant2-5510-PASS




11AC40SISO-Ant2-5550-PASS




11AC40SISO-Ant2-5670-PASS




11AC40SISO-Ant2-5755-PASS



11AC40SISO-Ant2-5795-PASS




11AC80SISO-Ant2-5210-PASS




11AC80SISO-Ant2-5290-PASS



11AC80SISO-Ant2-5530-PASS



11AC80SISO-Ant2-5610-PASS



MIMO

Test Mode	Frequency [MHz]	Ant 1 Result [dBm/MHz]	Ant 2 Result [dBm/MHz]	MIMO Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11N20SISO	5180	3.64	4.45	7.07	≤11.00	PASS
11N20SISO	5220	2.31	3.42	5.91	≤11.00	PASS
11N20SISO	5240	2.45	3.76	6.16	≤11.00	PASS
11N20SISO	5260	3.91	3.83	6.88	≤11.00	PASS
11N20SISO	5300	3.32	3.16	6.25	≤11.00	PASS
11N20SISO	5320	3.37	3.19	6.29	≤11.00	PASS
11N20SISO	5500	4.77	4.50	7.65	≤11.00	PASS
11N20SISO	5580	4.22	4.29	7.27	≤11.00	PASS
11N20SISO	5700	5.21	4.66	7.95	≤11.00	PASS
11N20SISO	5745	1.85	2.39	5.14	≤30.00	PASS
11N20SISO	5785	0.63	1.04	3.85	≤30.00	PASS
11N20SISO	5825	1.16	1.64	4.42	≤30.00	PASS
11N40SISO	5190	0.67	1.44	4.08	≤11.00	PASS
11N40SISO	5230	-0.69	0.60	3.01	≤11.00	PASS
11N40SISO	5270	0.96	1.28	4.13	≤11.00	PASS
11N40SISO	5310	0.16	0.27	3.23	≤11.00	PASS
11N40SISO	5510	0.95	1.25	4.11	≤11.00	PASS
11N40SISO	5550	0.09	0.98	3.57	≤11.00	PASS
11N40SISO	5670	2.33	2.86	5.61	≤11.00	PASS
11N40SISO	5755	-1.17	-0.51	2.18	≤30.00	PASS
11N40SISO	5795	-2.29	-1.80	0.97	≤30.00	PASS
11AC20SISO	5180	3.98	4.22	7.11	≤11.00	PASS
11AC20SISO	5220	3.14	3.37	6.27	≤11.00	PASS
11AC20SISO	5240	2.93	3.55	6.26	≤11.00	PASS
11AC20SISO	5260	3.61	3.74	6.69	≤11.00	PASS
11AC20SISO	5300	3.07	3.37	6.23	≤11.00	PASS
11AC20SISO	5320	3.23	2.96	6.11	≤11.00	PASS
11AC20SISO	5500	3.92	4.48	7.22	≤11.00	PASS
11AC20SISO	5580	3.80	4.07	6.95	≤11.00	PASS
11AC20SISO	5700	4.44	4.73	7.60	≤11.00	PASS
11AC20SISO	5745	1.84	2.34	5.11	≤30.00	PASS
11AC20SISO	5785	0.93	0.90	3.93	≤30.00	PASS
11AC20SISO	5825	1.21	1.64	4.44	≤30.00	PASS
11AC40SISO	5190	1.09	1.25	4.18	≤11.00	PASS
11AC40SISO	5230	-0.12	0.81	3.38	≤11.00	PASS
11AC40SISO	5270	0.73	1.47	4.13	≤11.00	PASS
11AC40SISO	5310	0.24	0.23	3.25	≤11.00	PASS
11AC40SISO	5510	0.99	1.31	4.16	≤11.00	PASS

11AC40SISO	5550	0.13	0.84	3.51	≤11.00	PASS
11AC40SISO	5670	2.18	2.42	5.31	≤11.00	PASS
11AC40SISO	5755	-1.58	-0.98	1.74	≤30.00	PASS
11AC40SISO	5795	-2.14	-2.24	0.82	≤30.00	PASS
11AC80SISO	5210	-3.38	-3.09	-0.22	≤11.00	PASS
11AC80SISO	5290	-3.34	-3.27	-0.29	≤11.00	PASS
11AC80SISO	5530	-3.39	-3.02	-0.19	≤11.00	PASS
11AC80SISO	5610	-2.60	-2.19	0.62	≤11.00	PASS
11AC80SISO	5775	-5.27	-5.51	-2.38	≤30.00	PASS

Appendix E: Band edge measurements

Ant 1

Test Result B1/2/3

Test Mode	Antenna	Ch Name	Frequency[MHz]	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	Low	5180	-46.56	≤-27	PASS
11A	Ant1	High	5320	-48.99	≤-27	PASS
11A	Ant1	Low	5500	-48.29	≤-27	PASS
11A	Ant1	High	5700	-46.38	≤-27	PASS
11N20SISO	Ant1	Low	5180	-46.55	≤-27	PASS
11N20SISO	Ant1	High	5320	-48.4	≤-27	PASS
11N20SISO	Ant1	Low	5500	-47.62	≤-27	PASS
11N20SISO	Ant1	High	5700	-42.7	≤-27	PASS
11N40SISO	Ant1	Low	5190	-47.07	≤-27	PASS
11N40SISO	Ant1	High	5310	-47.72	≤-27	PASS
11N40SISO	Ant1	Low	5510	-47.55	≤-27	PASS
11N40SISO	Ant1	High	5670	-47.13	≤-27	PASS
11AC20SISO	Ant1	Low	5180	-46.98	≤-27	PASS
11AC20SISO	Ant1	High	5320	-48.1	≤-27	PASS
11AC20SISO	Ant1	Low	5500	-46.87	≤-27	PASS
11AC20SISO	Ant1	High	5700	-45.83	≤-27	PASS
11AC40SISO	Ant1	Low	5190	-46.13	≤-27	PASS
11AC40SISO	Ant1	High	5310	-46.95	≤-27	PASS
11AC40SISO	Ant1	Low	5510	-46.8	≤-27	PASS
11AC40SISO	Ant1	High	5670	-46.94	≤-27	PASS
11AC80SISO	Ant1	Low	5210	-41.56	≤-27	PASS
11AC80SISO	Ant1	High	5290	-46.47	≤-27	PASS
11AC80SISO	Ant1	Low	5530	-43.3	≤-27	PASS
11AC80SISO	Ant1	High	5610	-48	≤-27	PASS


Test Result B4


TestMode	Antenna	ChName	Frequency[MHz]	FreqRange[MHz]	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	Low	5745	5720~5725	-45.46	≤16.87	PASS
11A	Ant1	Low	5745	5700~5720	-48.77	≤10.25	PASS
11A	Ant1	Low	5745	5650~5700	-49.01	≤-26.19	PASS
11A	Ant1	Low	5745	5645~5650	-48.25	≤-27	PASS
11A	Ant1	High	5825	5850~5855	-48.41	≤16.34	PASS
11A	Ant1	High	5825	5855~5875	-48.77	≤10.89	PASS
11A	Ant1	High	5825	5875~5925	-46.96	≤-26.51	PASS

11A	Ant1	High	5825	5925~5935	-48.61	≤-27	PASS
11N20SI SO	Ant1	Low	5745	5720~5725	-46	≤16.08	PASS
11N20SI SO	Ant1	Low	5745	5700~5720	-48.76	≤10.25	PASS
11N20SI SO	Ant1	Low	5745	5650~5700	-49.07	≤-26.10	PASS
11N20SI SO	Ant1	Low	5745	5645~5650	-48.67	≤-27	PASS
11N20SI SO	Ant1	High	5825	5850~5855	-47.99	≤16.03	PASS
11N20SI SO	Ant1	High	5825	5855~5875	-49.63	≤10.17	PASS
11N20SI SO	Ant1	High	5825	5875~5925	-49.11	≤-26.81	PASS
11N20SI SO	Ant1	High	5825	5925~5935	-48.03	≤-27	PASS
11N40SI SO	Ant1	Low	5755	5720~5725	-37.93	≤15.74	PASS
11N40SI SO	Ant1	Low	5755	5700~5720	-38.73	≤15.31	PASS
11N40SI SO	Ant1	Low	5755	5650~5700	-49.08	≤-26.20	PASS
11N40SI SO	Ant1	Low	5755	5645~5650	-48.23	≤-27	PASS
11N40SI SO	Ant1	High	5795	5850~5855	-48.91	≤16.79	PASS
11N40SI SO	Ant1	High	5795	5855~5875	-49.26	≤10.02	PASS
11N40SI SO	Ant1	High	5795	5875~5925	-47.19	≤-25.49	PASS
11N40SI SO	Ant1	High	5795	5925~5935	-47.93	≤-27	PASS
11AC20S ISO	Ant1	Low	5745	5720~5725	-43.77	≤16.87	PASS
11AC20S ISO	Ant1	Low	5745	5700~5720	-48.58	≤10.09	PASS
11AC20S ISO	Ant1	Low	5745	5650~5700	-49.16	≤-26.53	PASS
11AC20S ISO	Ant1	Low	5745	5645~5650	-49.05	≤-27	PASS
11AC20S ISO	Ant1	High	5825	5850~5855	-47.55	≤17.57	PASS

11AC20S ISO	Ant1	High	5825	5855~5875	-49.62	≤10.10	PASS
11AC20S ISO	Ant1	High	5825	5875~5925	-48.47	≤-26.81	PASS
11AC20S ISO	Ant1	High	5825	5925~5935	-48.23	≤-27	PASS
11AC40S ISO	Ant1	Low	5755	5720~5725	-36.45	≤16.97	PASS
11AC40S ISO	Ant1	Low	5755	5700~5720	-34.36	≤15.50	PASS
11AC40S ISO	Ant1	Low	5755	5650~5700	-49.27	≤-26.40	PASS
11AC40S ISO	Ant1	Low	5755	5645~5650	-48.81	≤-27	PASS
11AC40S ISO	Ant1	High	5795	5850~5855	-50.08	≤15.66	PASS
11AC40S ISO	Ant1	High	5795	5855~5875	-49.33	≤10.02	PASS
11AC40S ISO	Ant1	High	5795	5875~5925	-46.52	≤-25.49	PASS
11AC40S ISO	Ant1	High	5795	5925~5935	-47.43	≤-27	PASS
11AC80S ISO	Ant1	Low	5775	5720~5725	-43.68	≤15.65	PASS
11AC80S ISO	Ant1	Low	5775	5700~5720	-41.83	≤10.70	PASS
11AC80S ISO	Ant1	Low	5775	5650~5700	-49.48	≤-26.80	PASS
11AC80S ISO	Ant1	Low	5775	5645~5650	-47.36	≤-27	PASS
11AC80S ISO	Ant1	High	5775	5850~5855	-47.99	≤16.26	PASS
11AC80S ISO	Ant1	High	5775	5855~5875	-47.96	≤10.50	PASS
11AC80S ISO	Ant1	High	5775	5875~5925	-48.76	≤-26.19	PASS
11AC80S ISO	Ant1	High	5775	5925~5935	-48.1	≤-27	PASS

Test Graphs B1/2/3







11A-Ant1-5500-PASS




11A-Ant1-5700-PASS



11N20SISO-Ant1-5180-PASS




11N20SISO-Ant1-5320-PASS




11N20SISO-Ant1-5500-PASS




11N20SISO-Ant1-5700-PASS



11N40SISO-Ant1-5190-PASS




11N40SISO-Ant1-5310-PASS




11N40SISO-Ant1-5510-PASS




11N40SISO-Ant1-5670-PASS



11AC20SISO-Ant1-5180-PASS




11AC20SISO-Ant1-5320-PASS




11AC20SISO-Ant1-5500-PASS




11AC20SISO-Ant1-5700-PASS




11AC40SISO-Ant1-5190-PASS




11AC40SISO-Ant1-5310-PASS



11AC40SISO-Ant1-5510-PASS



11AC40SISO-Ant1-5670-PASS




11AC80SISO-Ant1-5210-PASS



11AC80SISO-Ant1-5290-PASS





11AC80SISO-Ant1-5530-PASS



11AC80SISO-Ant1-5610-PASS

Test Graphs B4







11N20SISO-Ant1-5745-PASS




11N20SISO-Ant1-5825-PASS




11N40SISO-Ant1-5755-PASS



11N40SISO-Ant1-5795-PASS



11AC20SISO-Ant1-5745-PASS



11AC20SISO-Ant1-5825-PASS