






11AX40SISO-Ant2-5230-PASS




11AX40SISO-Ant2-5270-PASS




11AX40SISO-Ant2-5310-PASS




11AX40SISO-Ant2-5510-PASS




11AX40SISO-Ant2-5550-PASS




11AX40SISO-Ant2-5670-PASS




11AX40SISO-Ant2-5755-PASS



11AX40SISO-Ant2-5795-PASS




11AX80SISO-Ant2-5210-PASS



11AX80SISO-Ant2-5290-PASS



11AX80SISO-Ant2-5530-PASS



11AX80SISO-Ant2-5610-PASS



MIMO

Test Mode	Frequency [MHz]	Ant 1 Result [dBm/MHz]	Ant 2 Result [dBm/MHz]	MIMO Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11N20SISO	5180	0.49	2.96	4.91	≤11.00	PASS
11N20SISO	5200	1.28	2.96	5.21	≤11.00	PASS
11N20SISO	5240	2.85	1.35	5.17	≤11.00	PASS
11N20SISO	5260	2.96	1.56	5.33	≤11.00	PASS
11N20SISO	5280	3.36	2.21	5.83	≤11.00	PASS
11N20SISO	5320	2.93	0.88	5.04	≤11.00	PASS
11N20SISO	5500	2.63	2.86	5.76	≤11.00	PASS
11N20SISO	5580	3.11	2.73	5.93	≤11.00	PASS
11N20SISO	5700	1.54	3.06	5.38	≤11.00	PASS
11N20SISO	5745	-0.37	0.80	3.26	≤30.00	PASS
11N20SISO	5785	-0.70	0.34	2.86	≤30.00	PASS
11N20SISO	5825	-0.47	0.58	3.10	≤30.00	PASS
11N40SISO	5190	-0.17	1.73	3.89	≤11.00	PASS
11N40SISO	5230	0.25	0.06	3.17	≤11.00	PASS
11N40SISO	5270	1.39	0.79	4.11	≤11.00	PASS
11N40SISO	5310	1.32	-0.49	3.52	≤11.00	PASS
11N40SISO	5510	0.41	1.44	3.97	≤11.00	PASS
11N40SISO	5550	0.44	1.43	3.97	≤11.00	PASS
11N40SISO	5670	0.66	2.57	4.73	≤11.00	PASS
11N40SISO	5755	-2.94	-1.15	1.06	≤30.00	PASS
11N40SISO	5795	-2.41	-1.22	1.24	≤30.00	PASS
11AC20SISO	5180	1.69	2.84	5.31	≤11.00	PASS
11AC20SISO	5200	1.44	2.72	5.14	≤11.00	PASS
11AC20SISO	5240	2.78	1.27	5.10	≤11.00	PASS
11AC20SISO	5260	2.96	1.60	5.34	≤11.00	PASS
11AC20SISO	5280	3.10	2.15	5.66	≤11.00	PASS
11AC20SISO	5320	2.73	0.64	4.82	≤11.00	PASS
11AC20SISO	5500	2.60	2.81	5.72	≤11.00	PASS
11AC20SISO	5580	2.84	2.81	5.84	≤11.00	PASS
11AC20SISO	5700	1.45	3.35	5.51	≤11.00	PASS
11AC20SISO	5745	-0.70	0.73	3.08	≤30.00	PASS
11AC20SISO	5785	-0.76	0.26	2.79	≤30.00	PASS
11AC20SISO	5825	-0.42	0.35	2.99	≤30.00	PASS
11AC40SISO	5190	-0.43	1.93	3.92	≤11.00	PASS
11AC40SISO	5230	0.17	0.23	3.21	≤11.00	PASS
11AC40SISO	5270	1.06	0.83	3.96	≤11.00	PASS
11AC40SISO	5310	1.38	-0.57	3.52	≤11.00	PASS
11AC40SISO	5510	0.53	1.28	3.93	≤11.00	PASS

11AC40SISO	5550	0.35	1.58	4.02	≤11.00	PASS
11AC40SISO	5670	0.67	2.43	4.65	≤11.00	PASS
11AC40SISO	5755	-2.98	-1.14	1.05	≤30.00	PASS
11AC40SISO	5795	-2.38	-0.73	1.53	≤30.00	PASS
11AC80SISO	5210	-3.80	-1.66	0.41	≤11.00	PASS
11AC80SISO	5290	-2.03	-3.08	0.49	≤11.00	PASS
11AC80SISO	5530	-3.03	-2.05	0.50	≤11.00	PASS
11AC80SISO	5610	-1.15	-1.25	1.81	≤11.00	PASS
11AC80SISO	5775	-6.45	-4.86	-2.57	≤30.00	PASS
11AX20SISO	5180	2.28	3.07	5.70	≤11.00	PASS
11AX20SISO	5200	2.01	3.11	5.61	≤11.00	PASS
11AX20SISO	5240	3.16	1.60	5.46	≤11.00	PASS
11AX20SISO	5260	3.51	2.67	6.12	≤11.00	PASS
11AX20SISO	5280	3.84	2.70	6.32	≤11.00	PASS
11AX20SISO	5320	3.02	1.09	5.17	≤11.00	PASS
11AX20SISO	5500	3.16	2.97	6.08	≤11.00	PASS
11AX20SISO	5580	3.28	3.24	6.27	≤11.00	PASS
11AX20SISO	5700	2.06	3.52	5.86	≤11.00	PASS
11AX20SISO	5745	-0.30	1.06	3.44	≤30.00	PASS
11AX20SISO	5785	-0.57	0.82	3.19	≤30.00	PASS
11AX20SISO	5825	0.34	0.50	3.43	≤30.00	PASS
11AX40SISO	5190	-0.35	1.53	3.70	≤11.00	PASS
11AX40SISO	5230	0.18	0.21	3.21	≤11.00	PASS
11AX40SISO	5270	1.16	0.80	3.99	≤11.00	PASS
11AX40SISO	5310	1.15	-0.45	3.43	≤11.00	PASS
11AX40SISO	5510	0.74	1.21	3.99	≤11.00	PASS
11AX40SISO	5550	0.03	1.27	3.70	≤11.00	PASS
11AX40SISO	5670	0.79	2.56	4.77	≤11.00	PASS
11AX40SISO	5755	-2.55	-0.94	1.34	≤30.00	PASS
11AX40SISO	5795	-2.48	-1.48	1.06	≤30.00	PASS
11AX80SISO	5210	-3.85	-4.02	-0.92	≤11.00	PASS
11AX80SISO	5290	-2.13	-3.21	0.37	≤11.00	PASS
11AX80SISO	5530	-3.15	-2.83	0.02	≤11.00	PASS
11AX80SISO	5610	-1.73	-2.49	0.92	≤11.00	PASS
11AX80SISO	5775	-6.53	-5.64	-3.05	≤30.00	PASS

Appendix E: Band edge measurements

Ant 1

Test Result B1/2/3

Test Mode	Antenna	Ch Name	Frequency[MHz]	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	Low	5180	-47	≤-27	PASS
11A	Ant1	High	5320	-48.19	≤-27	PASS
11A	Ant1	Low	5500	-47.41	≤-27	PASS
11A	Ant1	High	5700	-48.47	≤-27	PASS
11N20SISO	Ant1	Low	5180	-46.83	≤-27	PASS
11N20SISO	Ant1	High	5320	-48.24	≤-27	PASS
11N20SISO	Ant1	Low	5500	-46.89	≤-27	PASS
11N20SISO	Ant1	High	5700	-48.23	≤-27	PASS
11N40SISO	Ant1	Low	5190	-46.88	≤-27	PASS
11N40SISO	Ant1	High	5310	-47.93	≤-27	PASS
11N40SISO	Ant1	Low	5510	-47.34	≤-27	PASS
11N40SISO	Ant1	High	5670	-47.7	≤-27	PASS
11AC20SISO	Ant1	Low	5180	-47	≤-27	PASS
11AC20SISO	Ant1	High	5320	-48.15	≤-27	PASS
11AC20SISO	Ant1	Low	5500	-47.79	≤-27	PASS
11AC20SISO	Ant1	High	5700	-47.72	≤-27	PASS
11AC40SISO	Ant1	Low	5190	-46.9	≤-27	PASS
11AC40SISO	Ant1	High	5310	-48.11	≤-27	PASS
11AC40SISO	Ant1	Low	5510	-47.51	≤-27	PASS
11AC40SISO	Ant1	High	5670	-48.36	≤-27	PASS
11AC80SISO	Ant1	Low	5210	-49.94	≤-27	PASS
11AC80SISO	Ant1	High	5290	-48.40	≤-27	PASS
11AC80SISO	Ant1	Low	5530	-41.08	≤-27	PASS
11AC80SISO	Ant1	High	5610	-47.02	≤-27	PASS
11AX20SISO	Ant1	Low	5180	-46.31	≤-27	PASS
11AX20SISO	Ant1	High	5320	-47.73	≤-27	PASS
11AX20SISO	Ant1	Low	5500	-47.35	≤-27	PASS
11AX20SISO	Ant1	High	5700	-47.54	≤-27	PASS
11AX40SISO	Ant1	Low	5190	-47.16	≤-27	PASS
11AX40SISO	Ant1	High	5310	-48.22	≤-27	PASS
11AX40SISO	Ant1	Low	5510	-47.24	≤-27	PASS
11AX40SISO	Ant1	High	5670	-47.91	≤-27	PASS
11AX80SISO	Ant1	Low	5210	-50.04	≤-27	PASS
11AX80SISO	Ant1	High	5290	-48.13	≤-27	PASS
11AX80SISO	Ant1	Low	5530	-42.97	≤-27	PASS
11AX80SISO	Ant1	High	5610	-47.25	≤-27	PASS

Test Result B4


Test Mode	Antenna	ChName	Frequency[MHz]	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5720~5725	-46.67	≤16.08	PASS
11A	Ant1	Low	5745	5700~5720	-47.68	≤10.54	PASS
11A	Ant1	Low	5745	5650~5700	-48.5	≤-26.87	PASS
11A	Ant1	Low	5745	5645~5650	-48.37	≤-27	PASS
11A	Ant1	High	5825	5850~5855	-46.02	≤16.03	PASS
11A	Ant1	High	5825	5855~5875	-46.82	≤10.06	PASS
11A	Ant1	High	5825	5875~5925	-48.99	≤-26.81	PASS
11A	Ant1	High	5825	5925~5935	-47.5	≤-27	PASS
11N20SI SO	Ant1	Low	5745	5720~5725	-47.61	≤15.82	PASS
11N20SI SO	Ant1	Low	5745	5700~5720	-46.47	≤10.38	PASS
11N20SI SO	Ant1	Low	5745	5650~5700	-48.32	≤-26.79	PASS
11N20SI SO	Ant1	Low	5745	5645~5650	-47.8	≤-27	PASS
11N20SI SO	Ant1	High	5825	5850~5855	-47.39	≤15.73	PASS
11N20SI SO	Ant1	High	5825	5855~5875	-46.38	≤10.21	PASS
11N20SI SO	Ant1	High	5825	5875~5925	-48.61	≤-26.91	PASS
11N20SI SO	Ant1	High	5825	5925~5935	-47.87	≤-27	PASS
11N40SI SO	Ant1	Low	5755	5720~5725	-45.37	≤16.66	PASS
11N40SI SO	Ant1	Low	5755	5700~5720	-46.64	≤10.40	PASS
11N40SI SO	Ant1	Low	5755	5650~5700	-47.43	≤-26.90	PASS
11N40SI SO	Ant1	Low	5755	5645~5650	-46.42	≤-27	PASS
11N40SI SO	Ant1	High	5795	5850~5855	-47.55	≤15.66	PASS
11N40SI SO	Ant1	High	5795	5855~5875	-46.71	≤10.53	PASS
11N40SI SO	Ant1	High	5795	5875~5925	-48.6	≤-26.59	PASS
11N40SI	Ant1	High	5795	5925~5935	-47.96	≤-27	PASS


SO							
11AC20S ISO	Ant1	Low	5745	5720~5725	-45.69	≤15.82	PASS
11AC20S ISO	Ant1	Low	5745	5700~5720	-46.76	≤10.06	PASS
11AC20S ISO	Ant1	Low	5745	5650~5700	-48.77	≤-26.87	PASS
11AC20S ISO	Ant1	Low	5745	5645~5650	-47.38	≤-27	PASS
11AC20S ISO	Ant1	High	5825	5850~5855	-46.55	≤15.73	PASS
11AC20S ISO	Ant1	High	5825	5855~5875	-46.17	≤10.44	PASS
11AC20S ISO	Ant1	High	5825	5875~5925	-48.35	≤-26.71	PASS
11AC20S ISO	Ant1	High	5825	5925~5935	-47.55	≤-27	PASS
11AC40S ISO	Ant1	Low	5755	5720~5725	-44.33	≤16.66	PASS
11AC40S ISO	Ant1	Low	5755	5700~5720	-46.67	≤10.02	PASS
11AC40S ISO	Ant1	Low	5755	5650~5700	-48.56	≤-26.70	PASS
11AC40S ISO	Ant1	Low	5755	5645~5650	-47.79	≤-27	PASS
11AC40S ISO	Ant1	High	5795	5850~5855	-47.83	≤15.66	PASS
11AC40S ISO	Ant1	High	5795	5855~5875	-47.24	≤10.16	PASS
11AC40S ISO	Ant1	High	5795	5875~5925	-47.71	≤-26.59	PASS
11AC40S ISO	Ant1	High	5795	5925~5935	-47.69	≤-27	PASS
11AC80S ISO	Ant1	Low	5775	5720~5725	-46.37	≤15.65	PASS
11AC80S ISO	Ant1	Low	5775	5700~5720	-46.58	≤10.01	PASS
11AC80S ISO	Ant1	Low	5775	5650~5700	-49.42	≤-26.91	PASS
11AC80S ISO	Ant1	Low	5775	5645~5650	-48.25	≤-27	PASS
11AC80S ISO	Ant1	High	5775	5850~5855	-43.4	≤18.37	PASS

11AC80S ISO	Ant1	High	5775	5855~5875	-45.28	≤10.71	PASS
11AC80S ISO	Ant1	High	5775	5875~5925	-48.45	≤-26.46	PASS
11AC80S ISO	Ant1	High	5775	5925~5935	-47.72	≤-27	PASS
11AX20SI SO	Ant1	Low	5745	5720~5725	-46.56	≤16.08	PASS
11AX20SI SO	Ant1	Low	5745	5700~5720	-47.96	≤10.12	PASS
11AX20SI SO	Ant1	Low	5745	5650~5700	-47.92	≤-26.87	PASS
11AX20SI SO	Ant1	Low	5745	5645~5650	-47.57	≤-27	PASS
11AX20SI SO	Ant1	High	5825	5850~5855	-46.44	≤16.96	PASS
11AX20SI SO	Ant1	High	5825	5855~5875	-47.08	≤10.25	PASS
11AX20SI SO	Ant1	High	5825	5875~5925	-48.91	≤-26.91	PASS
11AX20SI SO	Ant1	High	5825	5925~5935	-47.41	≤-27	PASS
11AX40SI SO	Ant1	Low	5755	5720~5725	-45.89	≤15.74	PASS
11AX40SI SO	Ant1	Low	5755	5700~5720	-47.11	≤10.25	PASS
11AX40SI SO	Ant1	Low	5755	5650~5700	-48.41	≤-26.00	PASS
11AX40SI SO	Ant1	Low	5755	5645~5650	-47.95	≤-27	PASS
11AX40SI SO	Ant1	High	5795	5850~5855	-46.71	≤15.66	PASS
11AX40SI SO	Ant1	High	5795	5855~5875	-47.47	≤10.25	PASS
11AX40SI SO	Ant1	High	5795	5875~5925	-49.16	≤-26.46	PASS
11AX40SI SO	Ant1	High	5795	5925~5935	-46.95	≤-27	PASS
11AX80SI SO	Ant1	Low	5775	5720~5725	-46.23	≤15.65	PASS
11AX80SI SO	Ant1	Low	5775	5700~5720	-45.29	≤10.66	PASS
11AX80SI SO	Ant1	Low	5775	5650~5700	-49.19	≤-26.69	PASS

11AX80SI SO	Ant1	Low	5775	5645~5650	-47.66	≤-27	PASS
11AX80SI SO	Ant1	High	5775	5850~5855	-46.2	≤15.84	PASS
11AX80SI SO	Ant1	High	5775	5855~5875	-47.4	≤10.29	PASS
11AX80SI SO	Ant1	High	5775	5875~5925	-48.24	≤-26.32	PASS
11AX80SI SO	Ant1	High	5775	5925~5935	-48.69	≤-27	PASS

Test Graphs B1/2/3







11A-Ant1-5500-PASS




11A-Ant1-5700-PASS




11N20SISO-Ant1-5180-PASS




11N20SISO-Ant1-5320-PASS




11N20SISO-Ant1-5500-PASS




11N20SISO-Ant1-5700-PASS




11N40SISO-Ant1-5190-PASS




11N40SISO-Ant1-5310-PASS




11N40SISO-Ant1-5510-PASS




11N40SISO-Ant1-5670-PASS




11AC20SISO-Ant1-5180-PASS




11AC20SISO-Ant1-5320-PASS




11AC20SISO-Ant1-5500-PASS



11AC20SISO-Ant1-5700-PASS




11AC40SISO-Ant1-5190-PASS




11AC40SISO-Ant1-5310-PASS




11AC40SISO-Ant1-5510-PASS




11AC40SISO-Ant1-5670-PASS




11AC80SISO-Ant1-5210-PASS




11AC80SISO-Ant1-5290-PASS




11AC80SISO-Ant1-5530-PASS




11AC80SISO-Ant1-5610-PASS



11AX20SISO-Ant1-5180-PASS




11AX20SISO-Ant1-5320-PASS




11AX20SISO-Ant1-5500-PASS




11AX20SISO-Ant1-5700-PASS




11AX40SISO-Ant1-5190-PASS



11AX40SISO-Ant1-5310-PASS



11AX40SISO-Ant1-5510-PASS



11AX40SISO-Ant1-5670-PASS