






11AX80SISO-Ant1-5210-PASS



11AX80SISO-Ant1-5290-PASS





11AX80SISO-Ant1-5530-PASS




11AX80SISO-Ant1-5610-PASS

Test Graphs B4





11N20SISO-Ant1-5745-PASS




11N20SISO-Ant1-5825-PASS



11N40SISO-Ant1-5755-PASS



11N40SISO-Ant1-5795-PASS



11AC20SISO-Ant1-5745-PASS



11AC20SISO-Ant1-5825-PASS



11AC40SISO-Ant1-5755-PASS




11AC40SISO-Ant1-5795-PASS



11AC80SISO-Ant1-5775-PASS



11AC80SISO-Ant1-5775-PASS



11AX20SISO-Ant1-5745-PASS




11AX20SISO-Ant1-5825-PASS




11AX40SISO-Ant1-5755-PASS



11AX40SISO-Ant1-5795-PASS



11AX80SISO-Ant1-5775-PASS



11AX80SISO-Ant1-5775-PASS

Ant 2

Test Result B1/2/3

Test Mode	Antenna	Ch Name	Frequency[MHz]	Result[dBm]	Limit[dBm]	Verdict
11A	Ant2	Low	5180	-47.04	≤-27	PASS
11A	Ant2	High	5320	-48.87	≤-27	PASS
11A	Ant2	Low	5500	-47.81	≤-27	PASS
11A	Ant2	High	5700	-47.63	≤-27	PASS
11N20SISO	Ant2	Low	5180	-46.71	≤-27	PASS
11N20SISO	Ant2	High	5320	-48.63	≤-27	PASS
11N20SISO	Ant2	Low	5500	-48.13	≤-27	PASS
11N20SISO	Ant2	High	5700	-47.72	≤-27	PASS
11N40SISO	Ant2	Low	5190	-46.98	≤-27	PASS
11N40SISO	Ant2	High	5310	-48.2	≤-27	PASS
11N40SISO	Ant2	Low	5510	-47.17	≤-27	PASS
11N40SISO	Ant2	High	5670	-48.2	≤-27	PASS
11AC20SISO	Ant2	Low	5180	-46.74	≤-27	PASS
11AC20SISO	Ant2	High	5320	-48.16	≤-27	PASS
11AC20SISO	Ant2	Low	5500	-48.16	≤-27	PASS
11AC20SISO	Ant2	High	5700	-47.91	≤-27	PASS
11AC40SISO	Ant2	Low	5190	-47.17	≤-27	PASS
11AC40SISO	Ant2	High	5310	-48.64	≤-27	PASS
11AC40SISO	Ant2	Low	5510	-47.51	≤-27	PASS
11AC40SISO	Ant2	High	5670	-46.8	≤-27	PASS
11AC80SISO	Ant2	Low	5210	-48.56	≤-27	PASS
11AC80SISO	Ant2	High	5290	-47.56	≤-27	PASS
11AC80SISO	Ant2	Low	5530	-42.82	≤-27	PASS
11AC80SISO	Ant2	High	5610	-47.92	≤-27	PASS
11AX20SISO	Ant2	Low	5180	-46.99	≤-27	PASS
11AX20SISO	Ant2	High	5320	-48.92	≤-27	PASS
11AX20SISO	Ant2	Low	5500	-47.91	≤-27	PASS
11AX20SISO	Ant2	High	5700	-48.29	≤-27	PASS
11AX40SISO	Ant2	Low	5190	-46.51	≤-27	PASS
11AX40SISO	Ant2	High	5310	-49.02	≤-27	PASS
11AX40SISO	Ant2	Low	5510	-47.91	≤-27	PASS
11AX40SISO	Ant2	High	5670	-47.11	≤-27	PASS
11AX80SISO	Ant2	Low	5210	-49.31	≤-27	PASS
11AX80SISO	Ant2	High	5290	-48.11	≤-27	PASS
11AX80SISO	Ant2	Low	5530	-44.17	≤-27	PASS
11AX80SISO	Ant2	High	5610	-48.88	≤-27	PASS

Test Result B4


Test Mode	Antenna	ChName	Frequency[MHz]	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant2	Low	5745	5720~5725	-47.14	≤17.13	PASS
11A	Ant2	Low	5745	5700~5720	-48.09	≤10.18	PASS
11A	Ant2	Low	5745	5650~5700	-50.06	≤-26.96	PASS
11A	Ant2	Low	5745	5645~5650	-49.49	≤-27	PASS
11A	Ant2	High	5825	5850~5855	-48.22	≤15.73	PASS
11A	Ant2	High	5825	5855~5875	-47.42	≤10.29	PASS
11A	Ant2	High	5825	5875~5925	-48.45	≤-26.21	PASS
11A	Ant2	High	5825	5925~5935	-48.36	≤-27	PASS
11N20SI SO	Ant2	Low	5745	5720~5725	-47.63	≤16.08	PASS
11N20SI SO	Ant2	Low	5745	5700~5720	-48.31	≤10.35	PASS
11N20SI SO	Ant2	Low	5745	5650~5700	-49.02	≤-26.87	PASS
11N20SI SO	Ant2	Low	5745	5645~5650	-47.45	≤-27	PASS
11N20SI SO	Ant2	High	5825	5850~5855	-48.12	≤16.34	PASS
11N20SI SO	Ant2	High	5825	5855~5875	-46.75	≤10.51	PASS
11N20SI SO	Ant2	High	5825	5875~5925	-49.01	≤-26.81	PASS
11N20SI SO	Ant2	High	5825	5925~5935	-47.68	≤-27	PASS
11N40SI SO	Ant2	Low	5755	5720~5725	-45.83	≤16.04	PASS
11N40SI SO	Ant2	Low	5755	5700~5720	-46.48	≤11.01	PASS
11N40SI SO	Ant2	Low	5755	5650~5700	-49.88	≤-26.90	PASS
11N40SI SO	Ant2	Low	5755	5645~5650	-48.81	≤-27	PASS
11N40SI SO	Ant2	High	5795	5850~5855	-48.33	≤15.66	PASS
11N40SI SO	Ant2	High	5795	5855~5875	-48.1	≤10.25	PASS
11N40SI SO	Ant2	High	5795	5875~5925	-49.56	≤-26.83	PASS
11N40SI SO	Ant2	High	5795	5925~5935	-47.97	≤-27	PASS


11AC20S ISO	Ant2	Low	5745	5720~5725	-46.22	≤16.34	PASS
11AC20S ISO	Ant2	Low	5745	5700~5720	-47.8	≤10.51	PASS
11AC20S ISO	Ant2	Low	5745	5650~5700	-48.05	≤-26.79	PASS
11AC20S ISO	Ant2	Low	5745	5645~5650	-48.34	≤-27	PASS
11AC20S ISO	Ant2	High	5825	5850~5855	-48.21	≤16.34	PASS
11AC20S ISO	Ant2	High	5825	5855~5875	-46.96	≤10.63	PASS
11AC20S ISO	Ant2	High	5825	5875~5925	-48.56	≤-26.51	PASS
11AC20S ISO	Ant2	High	5825	5925~5935	-48.08	≤-27	PASS
11AC40S ISO	Ant2	Low	5755	5720~5725	-44.7	≤15.74	PASS
11AC40S ISO	Ant2	Low	5755	5700~5720	-47.63	≤10.70	PASS
11AC40S ISO	Ant2	Low	5755	5650~5700	-48.91	≤-25.90	PASS
11AC40S ISO	Ant2	Low	5755	5645~5650	-48.01	≤-27	PASS
11AC40S ISO	Ant2	High	5795	5850~5855	-48.32	≤15.66	PASS
11AC40S ISO	Ant2	High	5795	5855~5875	-46.77	≤10.99	PASS
11AC40S ISO	Ant2	High	5795	5875~5925	-48.85	≤-26.95	PASS
11AC40S ISO	Ant2	High	5795	5925~5935	-48.17	≤-27	PASS
11AC80S ISO	Ant2	Low	5775	5720~5725	-43.76	≤19.18	PASS
11AC80S ISO	Ant2	Low	5775	5700~5720	-44.46	≤11.01	PASS
11AC80S ISO	Ant2	Low	5775	5650~5700	-50.02	≤-26.91	PASS
11AC80S ISO	Ant2	Low	5775	5645~5650	-48.82	≤-27	PASS
11AC80S ISO	Ant2	High	5775	5850~5855	-44.64	≤16.26	PASS
11AC80S ISO	Ant2	High	5775	5855~5875	-44.6	≤10.60	PASS

11AC80S ISO	Ant2	High	5775	5875~5925	-48.29	≤-26.73	PASS
11AC80S ISO	Ant2	High	5775	5925~5935	-48.28	≤-27	PASS
11AX20SI SO	Ant2	Low	5745	5720~5725	-35.14	≤26.30	PASS
11AX20SI SO	Ant2	Low	5745	5700~5720	-48.45	≤10.54	PASS
11AX20SI SO	Ant2	Low	5745	5650~5700	-48.6	≤-26.53	PASS
11AX20SI SO	Ant2	Low	5745	5645~5650	-49.01	≤-27	PASS
11AX20SI SO	Ant2	High	5825	5850~5855	-47.32	≤15.73	PASS
11AX20SI SO	Ant2	High	5825	5855~5875	-47.6	≤10.10	PASS
11AX20SI SO	Ant2	High	5825	5875~5925	-48.27	≤-26.91	PASS
11AX20SI SO	Ant2	High	5825	5925~5935	-47.58	≤-27	PASS
11AX40SI SO	Ant2	Low	5755	5720~5725	-44.16	≤16.04	PASS
11AX40SI SO	Ant2	Low	5755	5700~5720	-47.33	≤10.25	PASS
11AX40SI SO	Ant2	Low	5755	5650~5700	-48.45	≤-25.61	PASS
11AX40SI SO	Ant2	Low	5755	5645~5650	-49	≤-27	PASS
11AX40SI SO	Ant2	High	5795	5850~5855	-46.69	≤16.79	PASS
11AX40SI SO	Ant2	High	5795	5855~5875	-48.04	≤10.29	PASS
11AX40SI SO	Ant2	High	5795	5875~5925	-48.52	≤-26.46	PASS
11AX40SI SO	Ant2	High	5795	5925~5935	-47.87	≤-27	PASS
11AX80SI SO	Ant2	Low	5775	5720~5725	-47.63	≤15.65	PASS
11AX80SI SO	Ant2	Low	5775	5700~5720	-46.52	≤10.70	PASS
11AX80SI SO	Ant2	Low	5775	5650~5700	-50.02	≤-26.80	PASS
11AX80SI SO	Ant2	Low	5775	5800~5650	-50.11	≤-27	PASS


11AX80SI SO	Ant2	High	5775	5850~5855	-46.7	≤15.84	PASS
11AX80SI SO	Ant2	High	5775	5855~5875	-44.81	≤11.07	PASS
11AX80SI SO	Ant2	High	5775	5875~5925	-50.15	≤-26.87	PASS
11AX80SI SO	Ant2	High	5775	5925~5935	-48.87	≤-27	PASS

Test Graphs B1/2/3







11A-Ant2-5500-PASS




11A-Ant2-5700-PASS




11N20SISO-Ant2-5180-PASS




11N20SISO-Ant2-5320-PASS




11N20SISO-Ant2-5500-PASS




11N20SISO-Ant2-5700-PASS




11N40SISO-Ant2-5190-PASS




11N40SISO-Ant2-5310-PASS




11N40SISO-Ant2-5510-PASS




11N40SISO-Ant2-5670-PASS



11AC20SISO-Ant2-5180-PASS




11AC20SISO-Ant2-5320-PASS




11AC20SISO-Ant2-5500-PASS




11AC20SISO-Ant2-5700-PASS




11AC40SISO-Ant2-5190-PASS



11AC40SISO-Ant2-5310-PASS




11AC40SISO-Ant2-5510-PASS



11AC40SISO-Ant2-5670-PASS




11AC80SISO-Ant2-5210-PASS




11AC80SISO-Ant2-5290-PASS




11AC80SISO-Ant2-5530-PASS




11AC80SISO-Ant2-5610-PASS



11AX20SISO-Ant2-5180-PASS



11AX20SISO-Ant2-5320-PASS



11AX20SISO-Ant2-5500-PASS



11AX20SISO-Ant2-5700-PASS