


Above 1G (1GHz~40GHz)


Test mode:11N40

Test Channel:38

VERTICAL



HORIZONTAL




Above 1G (1GHz~40GHz)

Test mode:11N40

Test Channel:46

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5150.000	49.76	-0.06	49.70	54.00	-4.30	AVG		
2		5150.000	63.00	-0.06	62.94	74.00	-11.06	peak		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5150.000	49.94	-0.06	49.88	74.00	-24.12	peak		
2	*	5150.000	62.41	-0.06	62.35	74.00	-11.65	peak		


Above 1G (1GHz~40GHz)

Test mode:11N40

Test Channel:62

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5350.000	47.29	0.55	47.84	54.00	-6.16	AVG		
2		5350.000	65.21	0.55	65.76	74.00	-8.24	peak		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5350.000	52.07	0.55	52.62	54.00	-1.38	AVG		
2		5350.000	68.51	0.55	69.06	74.00	-4.94	peak		


Above 1G (1GHz~40GHz)

Test mode:11N40

Test Channel:102

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5460.000	44.80	0.88	45.68	54.00	-8.32	AVG		
2		5460.000	56.83	0.88	57.71	74.00	-16.29	peak		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5460.000	49.56	0.88	50.44	54.00	-3.56	AVG		
2		5460.000	68.24	0.88	69.12	74.00	-4.88	peak		


Above 1G (1GHz~40GHz)

Test mode:11N40

Test Channel:110

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over	Antenna	Table	
		MHz	Level	Factor	ment			Height	Degree	
			dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5460.000	49.55	0.88	50.43	54.00	-3.57	AVG		
2		5460.000	61.54	0.88	62.42	74.00	-11.58	peak		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over	Antenna	Table	
		MHz	Level	Factor	ment			Height	Degree	
			dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5460.000	49.50	0.88	50.38	54.00	-3.62	AVG		
2		5460.000	63.08	0.88	63.96	74.00	-10.04	peak		


Above 1G (1GHz~40GHz)

Test mode:11N40

Test Channel:134

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5460.000	50.82	0.88	51.70	54.00	-2.30	AVG		
2		5460.000	66.44	0.88	67.32	74.00	-6.68	peak		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5460.000	50.86	0.88	51.74	54.00	-2.26	AVG		
2		5460.000	65.88	0.88	66.76	74.00	-7.24	peak		


Above 1G (1GHz~40GHz)

Test mode:11N40

Test Channel:151

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5715.000	71.65	1.66	73.31	109.40	-36.09	peak		
2		5725.000	75.36	1.69	77.05	122.20	-45.15	peak		
3		5850.000	56.51	2.07	58.58	122.20	-63.62	peak		
4		5860.000	56.50	2.10	58.60	109.40	-50.80	peak		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5715.000	77.51	1.66	79.17	109.40	-30.23	peak		
2		5725.000	81.52	1.69	83.21	122.20	-38.99	peak		
3		5850.000	56.54	2.07	58.61	122.20	-63.59	peak		
4		5860.000	56.03	2.10	58.13	109.40	-51.27	peak		


Above 1G (1GHz~40GHz)

Test mode:11N40

Test Channel:159

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5715.000	57.33	1.66	58.99	109.40	-50.41	peak		
2		5725.000	58.51	1.69	60.20	122.20	-62.00	peak		
3		5850.000	61.64	2.07	63.71	122.20	-58.49	peak		
4	*	5860.000	59.56	2.10	61.66	109.40	-47.74	peak		

HORIZONTAL

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5715.000	60.71	1.66	62.37	109.40	-47.03	peak		
2		5725.000	62.19	1.69	63.88	122.20	-58.32	peak		
3		5850.000	63.79	2.07	65.86	122.20	-56.34	peak		
4		5860.000	59.57	2.10	61.67	109.40	-47.73	peak		

Above 1G (1GHz~40GHz)


Test mode:11AC20

Test Channel: 36

VERTICAL



HORIZONTAL




Above 1G (1GHz~40GHz)

Test mode:11AC20

Test Channel:48

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5150.000	49.66	-0.06	49.60	54.00	-4.40	AVG		
2		5150.000	62.44	-0.06	62.38	74.00	-11.62	peak		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5150.000	49.73	-0.06	49.67	54.00	-4.33	AVG		
2		5150.000	62.02	-0.06	61.96	74.00	-12.04	peak		


Above 1G (1GHz~40GHz)

Test mode:11AC20

Test Channel:64

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5350.000	44.29	0.55	44.84	54.00	-9.16	AVG		
2		5350.000	63.74	0.55	64.29	74.00	-9.71	peak		

HORIZONTAL

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	67.24	0.55	67.79	74.00	-6.21	peak		
2	*	5350.000	49.25	0.55	49.80	54.00	-4.20	AVG		

Above 1G (1GHz~40GHz)


Test mode:11AC20

Test Channel:100

VERTICAL



HORIZONTAL




Above 1G (1GHz~40GHz)

Test mode:11AC20

Test Channel:116

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5460.000	49.60	0.88	50.48	54.00	-3.52	AVG		
2		5460.000	61.99	0.88	62.87	74.00	-11.13	peak		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5460.000	49.33	0.88	50.21	54.00	-3.79	AVG		
2		5460.000	61.80	0.88	62.68	74.00	-11.32	peak		


Above 1G (1GHz~40GHz)

Test mode:11AC20

Test Channel:140

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	5460.000	49.36	0.88	50.24	54.00	-3.76	AVG	
2		5460.000	62.39	0.88	63.27	74.00	-10.73	peak	

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	5460.000	49.37	0.88	50.25	54.00	-3.75	AVG	
2		5460.000	61.96	0.88	62.84	74.00	-11.16	peak	


Above 1G (1GHz~40GHz)

Test mode:11AC20

Test Channel:149

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5715.000	63.51	1.66	65.17	109.40	-44.23	peak		
2		5725.000	72.94	1.69	74.63	122.20	-47.57	peak		
3		5850.000	56.91	2.07	58.98	122.20	-63.22	peak		
4		5860.000	55.89	2.10	57.99	109.40	-51.41	peak		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5715.000	71.44	1.66	73.10	109.40	-36.30	peak		
2		5725.000	78.99	1.69	80.68	122.20	-41.52	peak		
3		5850.000	56.31	2.07	58.38	122.20	-63.82	peak		
4		5860.000	56.72	2.10	58.82	109.40	-50.58	peak		


Above 1G (1GHz~40GHz)

Test mode:11AC20

Test Channel:157

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5715.000	56.33	1.66	57.99	109.40	-51.41	peak		
2		5725.000	56.28	1.69	57.97	122.20	-64.23	peak		
3		5850.000	56.45	2.07	58.52	122.20	-63.68	peak		
4	*	5860.000	56.47	2.10	58.57	109.40	-50.83	peak		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5715.000	55.82	1.66	57.48	109.40	-51.92	peak		
2		5725.000	56.67	1.69	58.36	122.20	-63.84	peak		
3		5850.000	56.22	2.07	58.29	122.20	-63.91	peak		
4	*	5860.000	57.48	2.10	59.58	109.40	-49.82	peak		


Above 1G (1GHz~40GHz)

Test mode:11AC20

Test Channel:165

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over	Antenna	Table	
		MHz	Level	Factor	ment			Height	Degree	
			dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5715.000	56.78	1.66	58.44	109.40	-50.96	peak		
2		5725.000	55.97	1.69	57.66	122.20	-64.54	peak		
3		5850.000	68.74	2.07	70.81	122.20	-51.39	peak		
4 *		5860.000	60.21	2.10	62.31	109.40	-47.09	peak		

HORIZONTAL

Radiated Emission




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over	Antenna	Table	
		MHz	Level	Factor	ment			Height	Degree	
			dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5715.000	56.70	1.66	58.36	109.40	-51.04	peak		
2		5725.000	56.36	1.69	58.05	122.20	-64.15	peak		
3		5850.000	69.53	2.07	71.60	122.20	-50.60	peak		
4 *		5860.000	63.61	2.10	65.71	109.40	-43.69	peak		

Above 1G (1GHz~40GHz)


Test mode:11AC40

Test Channel:38

VERTICAL



HORIZONTAL




Above 1G (1GHz~40GHz)

Test mode:11AC40

Test Channel:46

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5150.000	49.62	-0.06	49.56	54.00	-4.44	AVG		
2		5150.000	62.06	-0.06	62.00	74.00	-12.00	peak		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5150.000	49.65	-0.06	49.59	54.00	-4.41	AVG		
2		5150.000	63.34	-0.06	63.28	74.00	-10.72	peak		


Above 1G (1GHz~40GHz)

Test mode:11AC40

Test Channel:62

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	46.46	0.55	47.01	54.00	-6.99	AVG		
2	*	5350.000	67.79	0.55	68.34	74.00	-5.66	peak		

HORIZONTAL

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	51.67	0.55	52.22	54.00	-1.78	AVG		
2	*	5350.000	72.47	0.55	73.02	74.00	-0.98	peak		

Above 1G (1GHz~40GHz)


Test mode:11AC40

Test Channel:102

VERTICAL



HORIZONTAL




Above 1G (1GHz~40GHz)

Test mode:11AC40

Test Channel:110

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5460.000	49.46	0.88	50.34	54.00	-3.66	AVG		
2		5460.000	62.77	0.88	63.65	74.00	-10.35	peak		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5460.000	49.68	0.88	50.56	54.00	-3.44	AVG		
2		5460.000	63.09	0.88	63.97	74.00	-10.03	peak		


Above 1G (1GHz~40GHz)

Test mode:11AC40

Test Channel:134

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over	Antenna	Table	
		MHz	Level	Factor	ment			Height	Degree	
			dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5460.000	50.73	0.88	51.61	54.00	-2.39	AVG		
2		5460.000	61.64	0.88	62.52	74.00	-11.48	peak		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over	Antenna	Table	
		MHz	Level	Factor	ment			Height	Degree	
			dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5460.000	50.70	0.88	51.58	54.00	-2.42	AVG		
2		5460.000	62.05	0.88	62.93	74.00	-11.07	peak		


Above 1G (1GHz~40GHz)

Test mode:11AC40

Test Channel:151

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5715.000	71.68	1.66	73.34	109.40	-36.06	peak		
2		5725.000	77.36	1.69	79.05	122.20	-43.15	peak		
3		5850.000	56.03	2.07	58.10	122.20	-64.10	peak		
4		5860.000	56.80	2.10	58.90	109.40	-50.50	peak		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5715.000	77.92	1.66	79.58	109.40	-29.82	peak		
2		5725.000	80.26	1.69	81.95	122.20	-40.25	peak		
3		5850.000	58.64	2.07	60.71	122.20	-61.49	peak		
4		5860.000	58.44	2.10	60.54	109.40	-48.86	peak		


Above 1G (1GHz~40GHz)

Test mode:11AC40

Test Channel:159

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5715.000	55.88	1.66	57.54	109.40	-51.86	peak		
2		5725.000	56.65	1.69	58.34	122.20	-63.86	peak		
3		5850.000	60.31	2.07	62.38	122.20	-59.82	peak		
4 *		5860.000	58.14	2.10	60.24	109.40	-49.16	peak		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5715.000	55.88	1.66	57.54	109.40	-51.86	peak		
2		5725.000	56.65	1.69	58.34	122.20	-63.86	peak		
3		5850.000	60.31	2.07	62.38	122.20	-59.82	peak		
4 *		5860.000	58.14	2.10	60.24	109.40	-49.16	peak		


Above 1G (1GHz~40GHz)

Test mode:11AC80

Test Channel:42

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5150.000	47.39	-0.06	47.33	54.00	-6.67	AVG		
2		5150.000	61.11	-0.06	61.05	74.00	-12.95	peak		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5150.000	51.17	-0.06	51.11	54.00	-2.89	AVG		
2		5150.000	66.07	-0.06	66.01	74.00	-7.99	peak		


Above 1G (1GHz~40GHz)

Test mode:11AC80

Test Channel:58

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5350.000	44.61	0.55	45.16	54.00	-8.84	AVG		
2		5350.000	60.35	0.55	60.90	74.00	-13.10	peak		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5350.000	49.38	0.55	49.93	54.00	-4.07	AVG		
2		5350.000	66.37	0.55	66.92	74.00	-7.08	peak		


Above 1G (1GHz~40GHz)

Test mode:11AC80

Test Channel:106

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5460.000	44.52	0.88	45.40	54.00	-8.60	AVG		
2		5460.000	58.76	0.88	59.64	74.00	-14.36	peak		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5460.000	50.48	0.88	51.36	54.00	-2.64	AVG		
2		5460.000	65.99	0.88	66.87	74.00	-7.13	peak		


Above 1G (1GHz~40GHz)

Test mode:11AC80

Test Channel:122

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5460.000	46.80	0.88	47.68	54.00	-6.32	AVG		
2		5460.000	63.01	0.88	63.89	74.00	-10.11	peak		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5460.000	47.05	0.88	47.93	54.00	-6.07	AVG		
2		5460.000	62.40	0.88	63.28	74.00	-10.72	peak		


Above 1G (1GHz~40GHz)

Test mode:11AC80

Test Channel:155

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over	Antenna	Table	
		MHz	Level	Factor	ment			Height	Degree	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1	*	5715.000	72.81	1.66	74.47	109.40	-34.93	peak		
2		5725.000	79.42	1.69	81.11	122.20	-41.09	peak		
3		5850.000	71.93	2.07	74.00	122.20	-48.20	peak		
4		5860.000	69.08	2.10	71.18	109.40	-38.22	peak		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over	Antenna	Table	
		MHz	Level	Factor	ment			Height	Degree	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1	*	5715.000	78.26	1.66	79.92	109.40	-29.48	peak		
2		5725.000	78.43	1.69	80.12	122.20	-42.08	peak		
3		5850.000	71.63	2.07	73.70	122.20	-48.50	peak		
4		5860.000	66.80	2.10	68.90	109.40	-40.50	peak		

3.3 Spectrum Bandwidth

3.3.1 Limit

FCC Part15, Subpart E (15.407)			
Section	Test Item	Limit	Frequency Range (MHz)
15.407(a)	26 dB Bandwidth	-	5150-5250
	26 dB Bandwidth	-	5250-5350
15.407(e)	26 dB Bandwidth	-	5470-5725
	6 dB Bandwidth	Minimum 500 kHz	5725-5850

3.3.2 Test Peripherals

Support Equipment				
No.	Equipment	Brand Name	Model Name	Remarks
1	Type-C Cable	AWM	E101344	0.9m, No Shielding
2	Record PC	Lenovo	M4500T	NA

3.3.3 Test Procedure

Test Method	
☒ Conducted Measurement	☐ Radiated Measurement
Test Channels	
☒ Lowest, Middle and Highest Channel	☐ Lowest and Highest Channel
Environmental conditions	
☒ Normal	☐ Normal and Extreme
Note: ● : Test ○ : No Test	

a) The EUT shall be connected to the spectrum analyser, and the spectrum analyser is set as follow:

For 26 dB Bandwidth

Centre Frequency	The centre frequency of the channel under test
RBW	$\geq 1\% \times \text{Nominal Channel Bandwidth}$
VBW	$\geq 3 \times \text{RBW}$
Frequency span	2 x Nominal Channel Bandwidth
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

For 6 dB Bandwidth


Centre Frequency	The centre frequency of the channel under test
RBW	100 kHz
VBW	300 kHz
Frequency span	2 x Nominal Channel Bandwidth
Detector Mode	Peak
Trace Mode	Max Hold

Sweep Time

Auto Couple

- b) Wait for the trace to stabilize then find the peak value of the trace and place the analyser marker on this peak.
- c) Use the -26/-6dB bandwidth function of the spectrum analyser to measure the -26/-6dB Bandwidth of the EUT. This value shall be recorded.
- d) Make sure that the power envelope is sufficiently above the noise floor of the analyser to avoid the noise signals left and right from the power envelope being taken into account by this measurement.

3.3.4 Test Setup



3.3.5 Test Result

3.3.5.1 26 dB Bandwidth

TestMode	Antenna	Channel	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	32.560	5164.640	5197.200	---	---
	Ant2	5180	30.880	5163.880	5194.760	---	---
	Ant1	5220	33.760	5202.800	5236.560	---	---
	Ant2	5220	31.280	5203.560	5234.840	---	---
	Ant1	5240	32.360	5224.320	5256.680	---	---
	Ant2	5240	32.720	5223.440	5256.160	---	---
	Ant1	5260	31.840	5244.320	5276.160	---	---
	Ant2	5260	30.040	5245.840	5275.880	---	---
	Ant1	5300	33.120	5282.400	5315.520	---	---
	Ant2	5300	31.800	5283.560	5315.360	---	---
	Ant1	5320	33.760	5303.440	5337.200	---	---
	Ant2	5320	29.840	5304.920	5334.760	---	---
	Ant1	5500	30.440	5484.880	5515.320	---	---
	Ant2	5500	29.440	5483.920	5513.360	---	---
	Ant1	5580	33.280	5562.640	5595.920	---	---
	Ant2	5580	30.320	5564.960	5595.280	---	---
	Ant1	5700	31.800	5683.360	5715.160	---	---
	Ant2	5700	26.080	5688.680	5714.760	---	---
11N20MIMO	Ant1	5180	25.600	5167.200	5192.800	---	---
	Ant2	5180	30.960	5163.920	5194.880	---	---
	Ant1	5220	25.800	5209.160	5234.960	---	---
	Ant2	5220	33.200	5202.000	5235.200	---	---
	Ant1	5240	31.600	5226.440	5258.040	---	---
	Ant2	5240	32.200	5223.600	5255.800	---	---
	Ant1	5260	29.720	5246.440	5276.160	---	---
	Ant2	5260	30.440	5245.920	5276.360	---	---
	Ant1	5300	32.920	5282.960	5315.880	---	---
	Ant2	5300	29.200	5286.480	5315.680	---	---
	Ant1	5320	22.560	5309.080	5331.640	---	---
	Ant2	5320	20.280	5310.120	5330.400	---	---
	Ant1	5500	28.360	5485.160	5513.520	---	---
	Ant2	5500	22.400	5488.760	5511.160	---	---
	Ant1	5580	32.720	5563.480	5596.200	---	---
	Ant2	5580	31.080	5564.720	5595.800	---	---
	Ant1	5700	32.560	5683.480	5716.040	---	---
	Ant2	5700	30.040	5686.520	5716.560	---	---
11N40MIMO	Ant1	5190	39.440	5170.320	5209.760	---	---
	Ant2	5190	42.240	5170.160	5212.400	---	---

	Ant1	5230	59.840	5198.560	5258.400	---	---
	Ant2	5230	61.200	5194.720	5255.920	---	---
	Ant1	5270	45.840	5248.000	5293.840	---	---
	Ant2	5270	59.600	5236.240	5295.840	---	---
	Ant1	5310	39.360	5290.320	5329.680	---	---
	Ant2	5310	39.600	5290.560	5330.160	---	---
	Ant1	5510	39.920	5490.240	5530.160	---	---
	Ant2	5510	40.160	5490.000	5530.160	---	---
	Ant1	5550	48.560	5522.080	5570.640	---	---
	Ant2	5550	58.960	5519.440	5578.400	---	---
	Ant1	5670	55.600	5636.640	5692.240	---	---
	Ant2	5670	42.720	5648.240	5690.960	---	---
11AC20MIMO	Ant1	5180	20.560	5169.880	5190.440	---	---
	Ant2	5180	31.040	5164.760	5195.800	---	---
	Ant1	5220	24.200	5207.640	5231.840	---	---
	Ant2	5220	30.680	5202.960	5233.640	---	---
	Ant1	5240	22.080	5230.000	5252.080	---	---
	Ant2	5240	29.880	5225.040	5254.920	---	---
	Ant1	5260	23.880	5249.200	5273.080	---	---
	Ant2	5260	31.720	5243.800	5275.520	---	---
	Ant1	5300	33.160	5283.320	5316.480	---	---
	Ant2	5300	31.920	5283.560	5315.480	---	---
	Ant1	5320	21.360	5309.960	5331.320	---	---
	Ant2	5320	21.400	5309.760	5331.160	---	---
	Ant1	5500	30.600	5483.480	5514.080	---	---
	Ant2	5500	20.920	5489.600	5510.520	---	---
	Ant1	5580	30.440	5564.400	5594.840	---	---
	Ant2	5580	24.960	5566.480	5591.440	---	---
	Ant1	5700	34.680	5681.920	5716.600	---	---
	Ant2	5700	26.280	5687.480	5713.760	---	---
11AC40MIMO	Ant1	5190	39.520	5170.240	5209.760	---	---
	Ant2	5190	40.080	5169.760	5209.840	---	---
	Ant1	5230	55.760	5198.240	5254.000	---	---
	Ant2	5230	61.360	5194.080	5255.440	---	---
	Ant1	5270	58.720	5237.440	5296.160	---	---
	Ant2	5270	56.720	5240.000	5296.720	---	---
	Ant1	5310	40.720	5290.560	5331.280	---	---
	Ant2	5310	39.840	5290.000	5329.840	---	---
	Ant1	5510	39.600	5490.080	5529.680	---	---
	Ant2	5510	40.640	5489.440	5530.080	---	---
	Ant1	5550	59.760	5515.920	5575.680	---	---
	Ant2	5550	49.840	5521.920	5571.760	---	---

	Ant1	5670	58.560	5635.920	5694.480	---	---
	Ant2	5670	40.240	5650.320	5690.560	---	---
11AC80MIMO	Ant1	5210	80.640	5169.680	5250.320	---	---
	Ant2	5210	80.800	5169.680	5250.480	---	---
	Ant1	5290	82.080	5248.880	5330.960	---	---
	Ant2	5290	81.280	5249.840	5331.120	---	---
	Ant1	5530	80.000	5490.160	5570.160	---	---
	Ant2	5530	80.640	5489.680	5570.320	---	---
	Ant1	5610	105.120	5545.520	5650.640	---	---
	Ant2	5610	92.960	5558.160	5651.120	---	---


11A_Ant1_5180



11A_Ant2_5180



11A_Ant1_5220



11A_Ant2_5220



11A_Ant1_5240



11A_Ant2_5240



11A_Ant1_5260



11A_Ant2_5260



11A_Ant1_5300



11A_Ant2_5300



11A_Ant1_5320



11A_Ant2_5320



11A_Ant1_5500




11A_Ant2_5500



11A_Ant1_5580



11A_Ant2_5580



11A_Ant1_5700



11A_Ant2_5700



11N20MIMO_Ant1_5180



11N20MIMO_Ant2_5180




11N20MIMO_Ant1_5220



11N20MIMO_Ant2_5220



11N20MIMO_Ant1_5240



11N20MIMO_Ant2_5240



11N20MIMO_Ant1_5260



11N20MIMO_Ant2_5260



11N20MIMO_Ant1_5300



11N20MIMO_Ant2_5300



11N20MIMO_Ant1_5320



11N20MIMO_Ant2_5320



11N20MIMO_Ant1_5500



11N20MIMO_Ant2_5500



11N20MIMO_Ant1_5580



11N20MIMO_Ant2_5580



11N20MIMO_Ant1_5700




11N20MIMO_Ant2_5700



11N40MIMO_Ant1_5190



11N40MIMO_Ant2_5190



11N40MIMO_Ant1_5230



11N40MIMO_Ant2_5230



11N40MIMO_Ant1_5270