

Test Report No.60362204 001

Appendix D: Radiated and Mains Spurious Emission Data

(File: 60362204 001AppendixD)

Contents


Spurious Emissions, Band Edges for BLE 1M	2
Spurious Emissions, TX Mode, 9kHz-30MHz for BLE 1M	14
Spurious Emissions, TX Mode, 30MHz-1GHz for BLE 1M	16
Spurious Emissions, TX Mode, 1GHz-26.5GHz for BLE 1M	18
Spurious Emissions, Band Edges for BLE 2M	24
Spurious Emissions, TX Mode, 1GHz-26.5GHz for BLE 2M	36

Spurious Emissions, Band Edges for BLE 1M


2402MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2377.260	41.02	3.73	37.29	54.00	-12.98	351	34	Average	Horizontal
2 *	2402.000	102.87	65.50	37.37	54.00	48.87	351	34	Average	Horizontal
3	2529.952	41.87	4.14	37.73	54.00	-12.13	351	34	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2373.484	40.23	2.95	37.28	54.00	-13.77	306	97	Average	Vertical
2 *	2402.000	99.57	62.20	37.37	54.00	45.57	306	97	Average	Vertical
3	2900.000	41.57	3.25	38.32	54.00	-12.43	306	97	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2377.024	53.50	16.21	37.29	74.00	-20.50	351	34	Peak	Horizontal
2 *	2402.000	103.84	66.47	37.37	74.00	29.84	351	34	Peak	Horizontal
3	2651.610	55.05	17.20	37.85	74.00	-18.95	351	34	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2365.578	52.85	15.60	37.25	74.00	-21.15	306	97	Peak	Vertical
2 *	2402.000	100.54	63.17	37.37	74.00	26.54	306	97	Peak	Vertical
3	2797.576	54.94	17.03	37.91	74.00	-19.06	306	97	Peak	Vertical




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2312.006	40.51	3.43	37.08	54.00	-13.49	382	27	Average	Horizontal
2 *	2440.000	101.88	64.39	37.49	54.00	47.88	382	27	Average	Horizontal
3	2897.522	41.84	3.53	38.31	54.00	-12.16	382	27	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2311.652	40.31	3.23	37.08	74.00	-33.69	294	102	Average	Vertical
2 *	2440.000	97.96	60.47	37.49	74.00	23.96	294	102	Average	Vertical
3	2821.648	41.65	3.68	37.97	74.00	-32.35	294	102	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2343.040	53.39	16.20	37.19	74.00	-20.61	382	27	Peak	Horizontal
2 *	2440.000	102.85	65.36	37.49	74.00	28.85	382	27	Peak	Horizontal
3	2758.518	54.85	16.99	37.86	74.00	-19.15	382	27	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2347.170	53.60	16.41	37.19	74.00	-20.40	294	102	Peak	Vertical
2 *	2440.000	98.99	61.50	37.49	74.00	24.99	294	102	Peak	Vertical
3	2781.764	55.23	17.34	37.89	74.00	-18.77	294	102	Peak	Vertical




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2352.008	41.41	4.20	37.21	54.00	-12.59	368	32	Average	Horizontal
2 *	2480.000	102.42	64.86	37.56	54.00	48.42	368	32	Average	Horizontal
3	2483.500	43.67	6.11	37.56	54.00	-10.33	368	32	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2351.890	40.39	3.18	37.21	54.00	-13.61	322	100	Average	Vertical
2 *	2480.000	99.65	62.09	37.56	54.00	45.65	322	100	Average	Vertical
3	2483.578	42.37	4.81	37.56	54.00	-11.63	322	100	Average	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2369.354	52.97	15.70	37.27	74.00	-21.03	368	32	Peak	Horizontal
2 *	2480.000	103.44	65.88	37.56	74.00	29.44	368	32	Peak	Horizontal
3	2885.132	54.76	16.52	38.24	74.00	-19.24	368	32	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2331.594	54.16	17.02	37.14	74.00	-19.84	322	100	Peak	Vertical
2 *	2480.000	100.67	63.11	37.56	74.00	26.67	322	100	Peak	Vertical
3	2483.500	56.98	19.42	37.56	74.00	-17.02	322	100	Peak	Vertical

Spurious Emissions, TX Mode, 9kHz-30MHz for BLE 1M


2402MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.013	78.56	1.73	76.83	125.18	-46.62	100	245	QP	vertical
2	0.032	68.33	-1.73	70.06	117.44	-49.11	100	89	QP	vertical
3	0.061	61.83	-1.66	63.49	111.86	-50.03	100	354	QP	vertical
4	0.094	56.25	-3.69	59.94	108.11	-51.86	100	89	QP	vertical
5	0.124	55.76	-2.12	57.88	105.76	-50.00	100	313	QP	vertical
6	0.145	53.07	-3.59	56.66	104.39	-51.32	100	310	QP	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.481	59.62	12.55	47.07	93.95	-34.33	100	186	QP	vertical
2	2.580	50.94	12.52	38.42	69.50	-18.56	100	258	QP	vertical
3	11.565	50.07	12.81	37.26	69.50	-19.43	100	131	QP	vertical
4	18.848	50.35	13.84	36.51	69.50	-19.15	100	68	QP	vertical
5	20.597	49.38	13.24	36.14	69.50	-20.12	100	324	QP	vertical
6	23.961	48.08	13.17	34.91	69.50	-21.42	100	108	QP	vertical

Spurious Emissions, TX Mode, 30MHz-1GHz for BLE 1M


2402MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	181.029	24.88	33.48	-8.60	43.50	-18.62	200	230	QP	horizontal
2	283.073	29.06	35.94	-6.88	46.00	-16.94	100	239	QP	horizontal
3	329.536	37.42	43.25	-5.83	46.00	-8.58	100	54	QP	horizontal
4	361.934	37.63	43.10	-5.47	46.00	-8.37	100	227	QP	horizontal
5	406.360	29.66	34.23	-4.57	46.00	-16.34	100	201	QP	horizontal
6	740.622	30.53	29.60	0.93	46.00	-15.47	362	360	QP	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	140.871	21.22	29.04	-7.82	43.50	-22.28	200	314	QP	vertical
2	326.529	25.23	31.14	-5.91	46.00	-20.77	100	277	QP	vertical
3	363.001	27.94	33.37	-5.43	46.00	-18.06	300	289	QP	vertical
4	647.308	28.68	29.27	-0.59	46.00	-17.32	205	12	QP	vertical
5	710.940	29.88	29.58	0.30	46.00	-16.12	400	305	QP	vertical
6	815.700	32.08	30.05	2.03	46.00	-13.92	100	355	QP	vertical

Spurious Emissions, TX Mode, 1GHz-26.5GHz for BLE 1M


2402MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	7206.000	48.20	55.85	-7.65	54.00	-5.80	310	137	Average	horizontal
2	7206.000	57.95	65.60	-7.65	74.00	-16.05	310	137	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	7206.000	48.47	56.12	-7.65	54.00	-5.53	109	90	Average	vertical
2	7206.000	58.04	65.69	-7.65	74.00	-15.96	109	90	Peak	vertical



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	7320.000	47.31	55.09	-7.78	54.00	-6.69	281	130	Average	horizontal
2	7320.000	57.15	64.93	-7.78	74.00	-16.85	281	130	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	7320.000	47.86	55.64	-7.78	54.00	-6.14	100	92	Average	vertical
2	7320.000	57.81	65.59	-7.78	74.00	-16.19	100	92	Peak	vertical



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	7440.000	46.96	54.68	-7.72	54.00	-7.04	264	127	Average	horizontal
2	7440.000	56.83	64.55	-7.72	74.00	-17.17	264	127	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	7440.000	47.37	55.09	-7.72	54.00	-6.63	115	91	Average	vertical
2	7440.000	57.21	64.93	-7.72	74.00	-16.79	115	91	Peak	vertical

Spurious Emissions, Band Edges for BLE 2M


2402MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2379.974	40.90	3.60	37.30	54.00	-13.10	349	31	Average	Horizontal
2 *	2402.000	101.07	63.70	37.37	54.00	47.07	349	31	Average	Horizontal
3	2888.082	41.62	3.36	38.26	54.00	-12.38	349	31	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2376.198	40.38	3.09	37.29	54.00	-13.62	307	99	Average	Vertical
2 *	2402.000	97.79	60.42	37.37	54.00	43.79	307	99	Average	Vertical
3	2892.448	41.70	3.42	38.28	54.00	-12.30	307	99	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2358.262	53.77	16.53	37.24	74.00	-20.23	349	31	Peak	Horizontal
2 *	2402.000	103.82	66.45	37.37	74.00	29.82	349	31	Peak	Horizontal
3	2858.346	54.91	16.81	38.10	74.00	-19.09	349	31	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2335.960	53.31	16.15	37.16	74.00	-20.69	307	99	Peak	Vertical
2 *	2402.000	100.51	63.14	37.37	74.00	26.51	307	99	Peak	Vertical
3	2892.566	54.97	16.69	38.28	74.00	-19.03	307	99	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2371.006	40.35	3.08	37.27	74.00	-33.65	382	27	Average	Horizontal
2 *	2440.000	100.10	62.61	37.49	74.00	26.10	382	27	Average	Horizontal
3	2832.858	41.56	3.54	38.02	74.00	-32.44	382	27	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2324.160	40.49	3.36	37.13	54.00	-13.51	294	101	Average	Vertical
2 *	2440.000	96.25	58.76	37.49	54.00	42.25	294	101	Average	Vertical
3	2829.082	41.73	3.73	38.00	54.00	-12.27	294	101	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2379.620	52.79	15.49	37.30	74.00	-21.21	382	27	Peak	Horizontal
2 *	2440.000	102.86	65.37	37.49	74.00	28.86	382	27	Peak	Horizontal
3	2888.200	54.78	16.52	38.26	74.00	-19.22	382	27	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2339.146	53.13	15.96	37.17	74.00	-20.87	294	101	Peak	Vertical
2 *	2440.000	99.05	61.56	37.49	74.00	25.05	294	101	Peak	Vertical
3	2891.032	54.92	16.65	38.27	74.00	-19.08	294	101	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2351.890	40.62	3.41	37.21	54.00	-13.38	367	32	Average	Horizontal
2 *	2480.000	100.44	62.88	37.56	54.00	46.44	367	32	Average	Horizontal
3	2483.500	46.57	9.01	37.56	54.00	-7.43	367	32	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2352.480	40.28	3.07	37.21	54.00	-13.72	322	100	Average	Vertical
2 *	2480.000	97.79	60.23	37.56	54.00	43.79	322	100	Average	Vertical
3	2483.500	44.76	7.20	37.56	54.00	-9.24	322	100	Average	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2382.688	53.62	16.31	37.31	74.00	-20.38	367	32	Peak	Horizontal
2 *	2480.000	103.49	65.93	37.56	74.00	29.49	367	32	Peak	Horizontal
3	2483.578	58.29	20.73	37.56	74.00	-15.71	367	32	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2311.416	52.93	15.85	37.08	74.00	-21.07	322	100	Peak	Vertical
2 *	2480.000	100.61	63.05	37.56	74.00	26.61	322	100	Peak	Vertical
3	2484.050	56.82	19.26	37.56	74.00	-17.18	322	100	Peak	Vertical

Spurious Emissions, TX Mode, 1GHz-26.5GHz for BLE 2M


2402MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	7206.000	48.26	55.91	-7.65	54.00	-5.74	299	134	Average	horizontal
2	7206.000	57.97	65.62	-7.65	74.00	-16.03	299	134	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	7206.000	48.43	56.08	-7.65	54.00	-5.57	108	89	Average	vertical
2	7206.000	57.96	65.61	-7.65	74.00	-16.04	108	89	Peak	vertical



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	7320.000	47.79	55.57	-7.78	54.00	-6.21	282	130	Average	horizontal
2	7320.000	57.24	65.02	-7.78	74.00	-16.76	282	130	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	7320.000	48.28	56.06	-7.78	54.00	-5.72	100	93	Average	vertical
2	7320.000	57.79	65.57	-7.78	74.00	-16.21	100	93	Peak	vertical



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	7440.000	47.25	54.97	-7.72	54.00	-6.75	293	130	Average	horizontal
2	7440.000	56.97	64.69	-7.72	74.00	-17.03	293	130	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	7440.000	47.79	55.51	-7.72	54.00	-6.21	119	90	Average	vertical
2	7440.000	57.42	65.14	-7.72	74.00	-16.58	119	90	Peak	vertical