






	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5411.36	57.00	13.79	43.21	74.00	-17.00	340	356	Peak	Horizontal
2	5460.91	55.45	12.33	43.12	68.20	-12.75	340	356	Peak	Horizontal
3 *	5670.00	106.43	63.31	43.12	68.20	38.23	340	356	Peak	Horizontal
4 !	5727.73	66.24	22.90	43.34	68.20	-1.96	340	356	Peak	Horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5368.64	56.58	13.41	43.17	74.00	-17.42	291	59 Peak	Vertical
2	5461.14	56.13	13.01	43.12	68.20	-12.07	291	59 Peak	Vertical
3 *	5670.00	106.93	63.81	43.12	68.20	38.73	291	59 Peak	Vertical
4 !	5725.91	63.87	20.52	43.35	68.20	-4.33	291	59 Peak	Vertical




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5755.00	99.64	56.31	43.33	54.00	45.64	397	324	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5755.00	99.41	56.08	43.33	54.00	45.41	341	38	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5645.68	66.33	23.36	42.97	68.20	-1.87	397	324	Peak	Horizontal
2	5697.50	77.19	33.83	43.36	103.36	-26.17	397	324	Peak	Horizontal
3	5717.73	88.35	44.99	43.36	110.16	-21.81	397	324	Peak	Horizontal
4	5722.96	89.42	46.07	43.35	117.54	-28.12	397	324	Peak	Horizontal
5	5755.00	109.49	66.16	43.33	122.20	-12.71	397	324	Peak	Horizontal
6	5851.59	69.11	25.60	43.51	118.57	-49.46	397	324	Peak	Horizontal
7	5871.36	67.50	23.86	43.64	106.22	-38.72	397	324	Peak	Horizontal
8	5880.23	63.97	20.27	43.70	101.32	-37.35	397	324	Peak	Horizontal
9	5936.14	58.88	14.88	44.00	68.20	-9.32	397	324	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5649.32	65.90	22.96	42.94	68.20	-2.30	341	38	Peak	Vertical
2	5697.27	75.44	32.08	43.36	103.19	-27.75	341	38	Peak	Vertical
3	5719.77	89.12	45.76	43.36	110.74	-21.62	341	38	Peak	Vertical
4	5723.64	90.97	47.62	43.35	119.09	-28.12	341	38	Peak	Vertical
5	5755.00	109.57	66.24	43.33	122.20	-12.63	341	38	Peak	Vertical
6	5851.36	69.61	26.10	43.51	119.09	-49.48	341	38	Peak	Vertical
7	5871.36	66.40	22.76	43.64	106.22	-39.82	341	38	Peak	Vertical
8	5880.46	62.77	19.07	43.70	101.15	-38.38	341	38	Peak	Vertical
9	5929.32	57.77	13.79	43.98	68.20	-10.43	341	38	Peak	Vertical




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5795.00	100.04	56.60	43.44	54.00	46.04	391	347	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5795.00	101.17	57.73	43.44	54.00	47.17	293	48	Average	VERTICAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5648.18	59.60	16.65	42.95	68.20	-8.60	391	347	Peak	Horizontal
2	5699.32	71.57	28.20	43.37	104.70	-33.13	391	347	Peak	Horizontal
3	5711.36	73.44	30.07	43.37	108.38	-34.94	391	347	Peak	Horizontal
4	5724.77	73.33	29.98	43.35	121.68	-48.35	391	347	Peak	Horizontal
5	5795.00	109.71	66.27	43.44	122.20	-12.49	391	347	Peak	Horizontal
6	5851.59	79.71	36.20	43.51	118.57	-38.86	391	347	Peak	Horizontal
7	5855.00	77.30	33.77	43.53	110.80	-33.50	391	347	Peak	Horizontal
8	5879.09	70.34	26.65	43.69	102.16	-31.82	391	347	Peak	Horizontal
9	5931.59	64.25	20.26	43.99	68.20	-3.95	391	347	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5648.18	62.01	19.06	42.95	68.20	-6.19	293	48	Peak	VERTICAL
2	5691.14	72.01	28.70	43.31	98.66	-26.65	293	48	Peak	VERTICAL
3	5711.14	72.61	29.24	43.37	108.32	-35.71	293	48	Peak	VERTICAL
4	5722.50	73.63	30.27	43.36	116.50	-42.87	293	48	Peak	VERTICAL
5	5795.00	110.80	67.36	43.44	122.20	-11.40	293	48	Peak	VERTICAL
6	5851.36	78.94	35.43	43.51	119.09	-40.15	293	48	Peak	VERTICAL
7	5855.68	74.57	31.04	43.53	110.61	-36.04	293	48	Peak	VERTICAL
8	5891.14	68.78	25.00	43.78	93.22	-24.44	293	48	Peak	VERTICAL
9	5931.36	63.92	19.93	43.99	68.20	-4.28	293	48	Peak	VERTICAL




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5149.67	48.85	6.29	42.56	54.00	-5.15	317	0	Average	Horizontal
2 *	5210.00	90.18	47.34	42.84	54.00	36.18	317	0	Average	Horizontal
3	5351.50	44.77	1.66	43.11	54.00	-9.23	317	0	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5146.83	53.37	10.83	42.54	54.00	-0.63	100	328	Average	Vertical
2 *	5210.00	89.12	46.28	42.84	54.00	35.12	100	328	Average	Vertical
3	5369.67	44.71	1.54	43.17	54.00	-9.29	100	328	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.50	59.55	16.99	42.56	74.00	-14.45	317	0	Peak	Horizontal
2 *	5210.00	100.18	57.34	42.84	74.00	26.18	317	0	Peak	Horizontal
3	5364.50	56.54	13.39	43.15	74.00	-17.46	317	0	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5145.33	66.56	24.03	42.53	74.00	-7.44	100	328	Peak	Vertical
2 *	5210.00	98.54	55.70	42.84	74.00	24.54	100	328	Peak	Vertical
3	5369.67	57.42	14.25	43.17	74.00	-16.58	100	328	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.09	46.58	4.02	42.56	54.00	-7.42	306	343	Average	Horizontal
2 *	5290.00	92.76	49.61	43.15	54.00	38.76	306	343	Average	Horizontal
3 !	5350.00	50.24	7.13	43.11	54.00	-3.76	306	343	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5144.09	45.25	2.72	42.53	54.00	-8.75	208	54	Average	Vertical
2 *	5290.00	91.79	48.64	43.15	54.00	37.79	208	54	Average	Vertical
3 !	5350.46	52.85	9.74	43.11	54.00	-1.15	208	54	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5142.05	57.75	15.23	42.52	74.00	-16.25	306	343	Peak	Horizontal
2 *	5290.00	101.81	58.66	43.15	74.00	27.81	306	343	Peak	Horizontal
3	5353.64	63.94	20.81	43.13	74.00	-10.06	306	343	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5146.14	56.84	14.31	42.53	74.00	-17.16	208	54	Peak	Vertical
2 *	5290.00	102.23	59.08	43.15	74.00	28.23	208	54	Peak	Vertical
3	5358.86	67.06	23.92	43.14	74.00	-6.94	208	54	Peak	Vertical




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5441.36	48.72	5.61	43.11	54.00	-5.28	325	348	Average	Horizontal
2 *	5530.00	91.84	48.71	43.13	54.00	37.84	325	348	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5456.14	52.94	9.83	43.11	54.00	-1.06	194	60	Average	Vertical
2 *	5530.00	92.26	49.13	43.13	54.00	38.26	194	60	Average	Vertical




	Freq	Level	Read Level	Factor	Limit	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5449.77	61.46	18.37	43.09	74.00	-12.54	325	348	Peak	Horizontal
2 !	5466.36	64.18	21.05	43.13	68.20	-4.02	325	348	Peak	Horizontal
3 *	5530.00	100.97	57.84	43.13	68.20	32.77	325	348	Peak	Horizontal
4	5791.36	57.63	14.20	43.43	68.20	-10.57	325	348	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5456.82	64.40	21.29	43.11	74.00	-9.60	194	60	Peak	Vertical
2 !	5464.77	65.54	22.41	43.13	68.20	-2.66	194	60	Peak	Vertical
3 *	5530.00	101.60	58.47	43.13	68.20	33.40	194	60	Peak	Vertical
4	5750.68	56.94	13.62	43.32	68.20	-11.26	194	60	Peak	Vertical




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5458.41	49.06	5.94	43.12	54.00	-4.94	330	354	Average	Horizontal
2 *	5610.00	96.16	53.01	43.15	54.00	42.16	330	354	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5451.82	50.28	7.19	43.09	54.00	-3.72	191	62	Average	Vertical
2 *	5610.00	96.06	52.91	43.15	54.00	42.06	191	62	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5457.27	59.99	16.88	43.11	74.00	-14.01	330	354	Peak	Horizontal
2	5469.77	61.66	18.51	43.15	68.20	-6.54	330	354	Peak	Horizontal
3 *	5610.00	104.66	61.51	43.15	68.20	36.46	330	354	Peak	Horizontal
4 !	5735.91	65.35	22.01	43.34	68.20	-2.85	330	354	Peak	Horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5458.86	61.71	18.59	43.12	74.00	-12.29	191	62 Peak	Vertical
2	5467.73	61.80	18.66	43.14	68.20	-6.40	191	62 Peak	Vertical
3 *	5610.00	104.69	61.54	43.15	68.20	36.49	191	62 Peak	Vertical
4 !	5725.91	63.94	20.59	43.35	68.20	-4.26	191	62 Peak	Vertical




TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5775.00	96.44	53.05	43.39	54.00	42.44	360	347	Average	HORIZONTAL



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 *	5775.00	97.72	54.33	43.39	54.00	43.72	296	50	Average	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	5645.46	66.42	23.45	42.97	68.20	-1.78	360	347	Peak	HORIZONTAL
2	5699.77	74.43	31.05	43.38	105.03	-30.60	360	347	Peak	HORIZONTAL
3	5719.09	83.20	39.84	43.36	110.55	-27.35	360	347	Peak	HORIZONTAL
4	5724.09	82.88	39.53	43.35	120.13	-37.25	360	347	Peak	HORIZONTAL
5	5775.00	106.48	63.09	43.39	122.20	-15.72	360	347	Peak	HORIZONTAL
6	5854.55	78.49	34.96	43.53	111.84	-33.35	360	347	Peak	HORIZONTAL
7	5855.68	79.34	35.81	43.53	110.61	-31.27	360	347	Peak	HORIZONTAL
8	5878.86	74.45	30.76	43.69	102.33	-27.88	360	347	Peak	HORIZONTAL
9 !	5927.50	62.29	18.33	43.96	68.20	-5.91	360	347	Peak	HORIZONTAL




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5636.82	67.94	24.93	43.01	68.20	-0.26	296	50	Peak	Vertical
2	5688.18	75.39	32.11	43.28	96.48	-21.09	296	50	Peak	Vertical
3	5719.09	81.04	37.68	43.36	110.55	-29.51	296	50	Peak	Vertical
4	5725.00	84.55	41.20	43.35	122.20	-37.65	296	50	Peak	Vertical
5	5775.00	107.21	63.82	43.39	122.20	-14.99	296	50	Peak	Vertical
6	5853.18	76.61	33.09	43.52	114.94	-38.33	296	50	Peak	Vertical
7	5859.77	76.67	33.11	43.56	109.46	-32.79	296	50	Peak	Vertical
8	5875.91	73.84	30.16	43.68	104.52	-30.68	296	50	Peak	Vertical
9	5928.86	61.52	17.54	43.98	68.20	-6.68	296	50	Peak	Vertical

Spurious Emissions, TX Mode, 9kHz-30MHz


5580MHz, a




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	0.01	83.29	3.57	79.72	128.31	-45.02	100	322 QP	vertical
2	0.02	77.24	2.57	74.67	123.18	-45.94	100	12 QP	vertical
3	0.03	69.28	0.04	69.24	116.78	-47.50	100	327 QP	vertical
4	0.05	64.09	-1.00	65.09	113.64	-49.55	100	315 QP	vertical
5	0.07	60.32	-1.73	62.05	110.36	-50.04	100	67 QP	vertical
6	0.11	55.97	-2.74	58.71	106.82	-50.85	100	12 QP	vertical




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	0.39	61.51	12.91	48.60	95.81	-34.30	100	139 QP	vertical
2	4.36	50.23	11.90	38.33	69.50	-19.27	100	291 QP	vertical
3	8.26	49.87	11.88	37.99	69.50	-19.63	100	36 QP	vertical
4	13.34	49.76	12.28	37.48	69.50	-19.74	100	236 QP	vertical
5	20.74	48.95	12.84	36.11	69.50	-20.55	100	265 QP	vertical
6	28.62	49.68	13.26	36.42	69.50	-19.82	100	43 QP	vertical




	Freq	Level	Read		Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit				
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	77.49	1.42	76.07	124.42	-46.93	100	70	QP	vertical
2	0.03	70.02	-0.05	70.07	117.45	-47.43	100	128	QP	vertical
3	0.06	62.46	-1.71	64.17	112.58	-50.12	100	42	QP	vertical
4	0.08	58.44	-2.50	60.94	109.13	-50.69	100	223	QP	vertical
5	0.11	56.29	-2.45	58.74	106.87	-50.58	100	223	QP	vertical
6	0.13	54.01	-3.69	57.70	105.55	-51.54	100	301	QP	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.38	60.11	11.39	48.72	95.94	-35.83	100	234	QP	vertical
2	2.16	49.54	10.92	38.62	69.50	-19.96	100	285	QP	vertical
3	7.81	50.05	11.92	38.13	69.50	-19.45	100	121	QP	vertical
4	14.73	50.28	12.59	37.69	69.50	-19.22	100	146	QP	vertical
5	19.13	49.07	12.65	36.42	69.50	-20.43	100	175	QP	vertical
6	29.79	51.51	12.25	39.26	69.50	-17.99	100	243	QP	vertical




	Freq	Level	Read		Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit				
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	82.39	3.94	78.45	127.06	-44.67	100	332	QP	vertical
2	0.02	76.70	2.43	74.27	122.85	-46.15	100	0	QP	vertical
3	0.03	71.08	0.31	70.77	118.09	-47.01	100	45	QP	vertical
4	0.06	64.19	0.17	64.02	112.42	-48.23	100	340	QP	vertical
5	0.08	59.62	-1.98	61.60	109.88	-50.26	100	50	QP	vertical
6	0.09	57.57	-2.55	60.12	108.25	-50.68	100	314	QP	vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.20	67.85	14.50	53.35	101.42	-33.57	100	65	QP	vertical
2	2.21	50.23	11.62	38.61	69.50	-19.27	100	0	QP	vertical
3	6.23	50.12	11.77	38.35	69.50	-19.38	100	0	QP	vertical
4	12.90	50.05	12.65	37.40	69.50	-19.45	100	215	QP	vertical
5	16.60	49.52	12.23	37.29	69.50	-19.98	100	245	QP	vertical
6	23.42	48.12	12.83	35.29	69.50	-21.38	100	49	QP	vertical



	Freq	Level	Read		Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit				
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	81.40	3.23	78.17	126.71	-45.31	100	276	QP	vertical
2	0.02	74.26	1.48	72.78	121.74	-47.48	100	232	QP	vertical
3	0.04	68.05	-1.09	69.14	116.70	-48.65	100	67	QP	vertical
4	0.06	61.93	-1.85	63.78	112.16	-50.23	100	202	QP	vertical
5	0.08	59.33	-2.09	61.42	109.70	-50.37	100	260	QP	vertical
6	0.12	55.12	-3.24	58.36	106.36	-51.24	100	245	QP	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.26	64.51	12.95	51.56	99.19	-34.68	100	235	QP	vertical
2	3.84	49.91	11.60	38.31	69.50	-19.59	100	339	QP	vertical
3	9.10	49.50	11.74	37.76	69.50	-20.00	100	99	QP	vertical
4	15.41	49.82	12.17	37.65	69.50	-19.68	100	83	QP	vertical
5	20.17	48.52	12.29	36.23	69.50	-20.98	100	156	QP	vertical
6	25.61	46.63	12.45	34.18	69.50	-22.87	100	175	QP	vertical

Spurious Emissions, TX Mode, 30MHz-1GHz


5580MHz, a




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	0.01	83.29	3.57	79.72	128.31	-45.02	100	322 QP	vertical
2	0.02	77.24	2.57	74.67	123.18	-45.94	100	12 QP	vertical
3	0.03	69.28	0.04	69.24	116.78	-47.50	100	327 QP	vertical
4	0.05	64.09	-1.00	65.09	113.64	-49.55	100	315 QP	vertical
5	0.07	60.32	-1.73	62.05	110.36	-50.04	100	67 QP	vertical
6	0.11	55.97	-2.74	58.71	106.82	-50.85	100	12 QP	vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.39	61.51	12.91	48.60	95.81	-34.30	100	139	QP	vertical
2	4.36	50.23	11.90	38.33	69.50	-19.27	100	291	QP	vertical
3	8.26	49.87	11.88	37.99	69.50	-19.63	100	36	QP	vertical
4	13.34	49.76	12.28	37.48	69.50	-19.74	100	236	QP	vertical
5	20.74	48.95	12.84	36.11	69.50	-20.55	100	265	QP	vertical
6	28.62	49.68	13.26	36.42	69.50	-19.82	100	43	QP	vertical




	Freq	Level	Read		Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit				
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	77.49	1.42	76.07	124.42	-46.93	100	70	QP	vertical
2	0.03	70.02	-0.05	70.07	117.45	-47.43	100	128	QP	vertical
3	0.06	62.46	-1.71	64.17	112.58	-50.12	100	42	QP	vertical
4	0.08	58.44	-2.50	60.94	109.13	-50.69	100	223	QP	vertical
5	0.11	56.29	-2.45	58.74	106.87	-50.58	100	223	QP	vertical
6	0.13	54.01	-3.69	57.70	105.55	-51.54	100	301	QP	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.38	60.11	11.39	48.72	95.94	-35.83	100	234	QP	vertical
2	2.16	49.54	10.92	38.62	69.50	-19.96	100	285	QP	vertical
3	7.81	50.05	11.92	38.13	69.50	-19.45	100	121	QP	vertical
4	14.73	50.28	12.59	37.69	69.50	-19.22	100	146	QP	vertical
5	19.13	49.07	12.65	36.42	69.50	-20.43	100	175	QP	vertical
6	29.79	51.51	12.25	39.26	69.50	-17.99	100	243	QP	vertical




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read		Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit				
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	95.96	30.73	44.11	-13.38	43.50	-12.77	200	76	QP	horizontal
2	195.77	33.86	43.74	-9.88	43.50	-9.64	200	178	QP	horizontal
3	236.61	34.23	42.67	-8.44	46.00	-11.77	200	159	QP	horizontal
4	369.79	33.90	39.11	-5.21	46.00	-12.10	100	134	QP	horizontal
5 !	532.07	42.38	45.04	-2.66	46.00	-3.62	200	148	QP	horizontal
6	960.04	35.72	31.35	4.37	54.00	-18.28	100	360	QP	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	32.81	28.89	37.90	-9.01	40.00	-11.11	240	0	QP	vertical
2	125.45	30.55	40.21	-9.66	43.50	-12.95	100	90	QP	vertical
3	369.79	27.53	32.74	-5.21	46.00	-18.47	165	360	QP	vertical
4	532.07	39.12	41.78	-2.66	46.00	-6.88	100	342	QP	vertical
5	717.83	33.90	33.44	0.46	46.00	-12.10	100	200	QP	vertical
6	845.29	35.20	32.86	2.34	46.00	-10.80	200	22	QP	vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	167.93	37.82	45.03	-7.21	43.50	-5.68	200	186 QP		horizontal
2	263.96	38.80	46.49	-7.69	46.00	-7.20	100	173 QP		horizontal
3	311.98	39.12	45.34	-6.22	46.00	-6.88	100	284 QP		horizontal
4	532.07	38.81	41.47	-2.66	46.00	-7.19	200	278 QP		horizontal
5	717.83	36.83	36.37	0.46	46.00	-9.17	100	145 QP		horizontal
6	960.13	35.36	30.99	4.37	54.00	-18.64	100	0 QP		horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	120.02	29.56	39.75	-10.19	43.50	-13.94	100	202	QP	vertical
2	167.93	30.21	37.42	-7.21	43.50	-13.29	200	266	QP	vertical
3	311.98	30.89	37.11	-6.22	46.00	-15.11	100	250	QP	vertical
4	531.98	34.92	37.58	-2.66	46.00	-11.08	200	237	QP	vertical
5	717.83	33.80	33.34	0.46	46.00	-12.20	200	198	QP	vertical
6	845.87	33.01	30.66	2.35	46.00	-12.99	200	273	QP	vertical

Spurious Emissions, TX Mode, 1GHz-40GHz


5180MHz, a




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10360.00	51.69	55.50	-3.81	68.20	-16.51	179	330	Peak	horizontal
2	15540.00	44.90	41.57	3.33	54.00	-9.10	204	6	Average	horizontal
3	15540.00	58.04	54.71	3.33	74.00	-15.96	204	6	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10360.00	51.77	55.58	-3.81	68.20	-16.43	100	310	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10400.00	46.71	50.43	-3.72	68.20	-21.49	181	360	Peak	horizontal
2	15600.00	43.66	40.24	3.42	54.00	-10.34	210	0	Average	horizontal
3	15600.00	57.00	53.58	3.42	74.00	-17.00	210	0	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10400.00	51.78	55.50	-3.72	68.20	-16.42	100	315	Peak	vertical
2	15600.00	40.65	37.23	3.42	54.00	-13.35	100	52	Average	vertical
3	15600.00	54.44	51.02	3.42	74.00	-19.56	100	52	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10480.00	47.05	50.69	-3.64	68.20	-21.15	200	310	Peak	horizontal
2	15720.00	42.67	39.03	3.64	54.00	-11.33	212	0	Average	horizontal
3	15720.00	56.74	53.10	3.64	74.00	-17.26	212	0	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10480.00	50.99	54.63	-3.64	68.20	-17.21	100	297	Peak	vertical
2	15720.00	50.06	46.42	3.64	74.00	-23.94	100	12	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10520.00	48.33	51.89	-3.56	68.20	-19.87	200	318	Peak	horizontal
2	15780.00	44.96	41.36	3.60	54.00	-9.04	200	360	Average	horizontal
3	15780.00	60.15	56.55	3.60	74.00	-13.85	200	360	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10520.00	46.74	50.30	-3.56	68.20	-21.46	100	58	Peak	vertical
2	15780.00	40.81	37.21	3.60	54.00	-13.19	100	326	Average	vertical
3	15780.00	55.93	52.33	3.60	74.00	-18.07	100	326	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10600.00	49.98	53.28	-3.30	68.20	-18.22	200	326	Peak	horizontal
2 !	15900.00	48.14	44.12	4.02	54.00	-5.86	200	0	Average	horizontal
3	15900.00	64.41	60.39	4.02	74.00	-9.59	200	0	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10600.00	48.84	52.14	-3.30	68.20	-19.36	400	340	Peak	vertical
2	15900.00	41.19	37.17	4.02	54.00	-12.81	200	198	Average	vertical
3	15900.00	53.58	49.56	4.02	74.00	-20.42	200	198	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	15960.00	42.21	38.22	3.99	54.00	-11.79	200	360	Average	horizontal
2	15960.00	57.75	53.76	3.99	74.00	-16.25	200	360	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	15959.87	48.66	44.67	3.99	74.00	-25.34	400	303	Peak	vertical




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 ! 16500.00	62.21	56.77	5.44	68.20	-5.99	206	360	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	16500.00	52.73	47.29	5.44	68.20	-15.47	300	32	Peak	vertical




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	Level	Factor	Line	Limit			
		dBuV	dB/m	dBuV/m	dB	cm	deg	
1 ! 16740.00	68.11	61.62	6.49	68.20	-0.09	200	29 Peak	horizontal




Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 ! 16740.00	67.85	61.36	6.49	68.20	-0.35	300	301	Peak	vertical




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.00	43.34	45.18	-1.84	74.00	-30.66	300	65	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.00	42.94	44.78	-1.84	74.00	-31.06	100	330	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	47.35	49.07	-1.72	74.00	-26.65	221	0	Peak	horizontal
2	17235.00	64.59	58.23	6.36	68.20	-3.61	300	37	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	33.83	35.55	-1.72	54.00	-20.17	300	23	Average	vertical
2	11490.00	47.54	49.26	-1.72	74.00	-26.46	300	23	Peak	vertical
3 !	17235.00	68.04	61.68	6.36	68.20	-0.16	300	321	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	46.98	48.50	-1.52	74.00	-27.02	227	0	Peak	horizontal
2	17355.00	65.19	58.67	6.52	68.20	-3.01	100	346	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	46.11	47.63	-1.52	74.00	-27.89	226	0	Peak	vertical
2 !	17355.00	67.22	60.70	6.52	68.20	-0.98	319	323	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	47.58	48.94	-1.36	74.00	-26.42	200	315	Peak	horizontal
2	17475.00	64.76	58.39	6.37	68.20	-3.44	400	346	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	47.25	48.61	-1.36	74.00	-26.75	300	27	Peak	vertical
2 !	17475.00	66.47	60.10	6.37	68.20	-1.73	319	324	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10360.00	51.69	55.50	-3.81	68.20	-16.51	179	330	Peak	horizontal
2	15540.00	44.90	41.57	3.33	54.00	-9.10	204	6	Average	horizontal
3	15540.00	58.04	54.71	3.33	74.00	-15.96	204	6	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10360.00	51.77	55.58	-3.81	68.20	-16.43	100	310	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10400.00	46.71	50.43	-3.72	68.20	-21.49	181	360	Peak	horizontal
2	15600.00	43.66	40.24	3.42	54.00	-10.34	210	0	Average	horizontal
3	15600.00	57.00	53.58	3.42	74.00	-17.00	210	0	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10400.00	51.78	55.50	-3.72	68.20	-16.42	100	315	Peak	vertical
2	15600.00	40.65	37.23	3.42	54.00	-13.35	100	52	Average	vertical
3	15600.00	54.44	51.02	3.42	74.00	-19.56	100	52	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10480.00	47.05	50.69	-3.64	68.20	-21.15	200	310	Peak	horizontal
2	15720.00	42.67	39.03	3.64	54.00	-11.33	212	0	Average	horizontal
3	15720.00	56.74	53.10	3.64	74.00	-17.26	212	0	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10480.00	50.99	54.63	-3.64	68.20	-17.21	100	297	Peak	vertical
2	15720.00	50.06	46.42	3.64	74.00	-23.94	100	12	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10520.00	48.33	51.89	-3.56	68.20	-19.87	200	318	Peak	horizontal
2	15780.00	44.96	41.36	3.60	54.00	-9.04	200	360	Average	horizontal
3	15780.00	60.15	56.55	3.60	74.00	-13.85	200	360	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10520.00	46.74	50.30	-3.56	68.20	-21.46	100	58	Peak	vertical
2	15780.00	40.81	37.21	3.60	54.00	-13.19	100	326	Average	vertical
3	15780.00	55.93	52.33	3.60	74.00	-18.07	100	326	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10600.00	49.98	53.28	-3.30	68.20	-18.22	200	326	Peak	horizontal
2 !	15900.00	48.14	44.12	4.02	54.00	-5.86	200	0	Average	horizontal
3	15900.00	64.41	60.39	4.02	74.00	-9.59	200	0	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10600.00	48.84	52.14	-3.30	68.20	-19.36	400	340	Peak	vertical
2	15900.00	41.19	37.17	4.02	54.00	-12.81	200	198	Average	vertical
3	15900.00	53.58	49.56	4.02	74.00	-20.42	200	198	Peak	vertical



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	15960.00	42.21	38.22	3.99	54.00	-11.79	200	360	Average	horizontal
2	15960.00	57.75	53.76	3.99	74.00	-16.25	200	360	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	15959.87	48.66	44.67	3.99	74.00	-25.34	400	303	Peak	vertical



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 ! 16500.00	62.21	56.77	5.44	68.20	-5.99	206	360	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	16500.00	52.73	47.29	5.44	68.20	-15.47	300	32	Peak	vertical



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	Level	Factor	Line	Limit			
		dBuV	dB/m	dBuV/m	dB	cm	deg	
1 ! 16740.00	68.11	61.62	6.49	68.20	-0.09	200	29 Peak	horizontal




Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 ! 16740.00	67.85	61.36	6.49	68.20	-0.35	300	301	Peak	vertical



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.00	43.34	45.18	-1.84	74.00	-30.66	300	65	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.00	42.94	44.78	-1.84	74.00	-31.06	100	330	Peak	vertical



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	47.35	49.07	-1.72	74.00	-26.65	221	0	Peak	horizontal
2 !	17235.00	64.59	58.23	6.36	68.20	-3.61	300	37	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	33.83	35.55	-1.72	54.00	-20.17	300	23	Average	vertical
2	11490.00	47.54	49.26	-1.72	74.00	-26.46	300	23	Peak	vertical
3 !	17235.00	68.04	61.68	6.36	68.20	-0.16	300	321	Peak	vertical




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	46.98	48.50	-1.52	74.00	-27.02	227	0	Peak	horizontal
2	17355.00	65.19	58.67	6.52	68.20	-3.01	100	346	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	46.11	47.63	-1.52	74.00	-27.89	226	0	Peak	vertical
2 !	17355.00	67.22	60.70	6.52	68.20	-0.98	319	323	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	47.58	48.94	-1.36	74.00	-26.42	200	315	Peak	horizontal
2	17475.00	64.76	58.39	6.37	68.20	-3.44	400	346	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	47.25	48.61	-1.36	74.00	-26.75	300	27	Peak	vertical
2 !	17475.00	66.47	60.10	6.37	68.20	-1.73	319	324	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10380.00	42.88	46.65	-3.77	68.20	-25.32	200	2	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10380.00	42.77	46.54	-3.77	68.20	-25.43	100	24	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10460.00	44.11	47.78	-3.67	68.20	-24.09	400	77	Peak	horizontal
2	15690.00	40.90	37.27	3.63	54.00	-13.10	200	358	Average	horizontal
3	15690.00	53.66	50.03	3.63	74.00	-20.34	200	358	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10460.00	45.31	48.98	-3.67	68.20	-22.89	100	298	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	15810.00	43.20	39.57	3.63	54.00	-10.80	165	6	Average	horizontal
2	15810.00	56.82	53.19	3.63	74.00	-17.18	165	6	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10540.00	42.93	46.43	-3.50	68.20	-25.27	100	288	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10620.00	41.73	44.99	-3.26	74.00	-32.27	286	0	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10620.00	42.12	45.38	-3.26	74.00	-31.88	363	360	Peak	vertical




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11020.00	41.74	44.50	-2.76	74.00	-32.26	100	341	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11020.00	40.84	43.60	-2.76	74.00	-33.16	299	0	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11100.00	43.52	46.09	-2.57	74.00	-30.48	300	148	Peak	horizontal
2	16650.00	64.41	58.31	6.10	68.20	-3.79	205	0	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11100.00	46.51	49.08	-2.57	74.00	-27.49	100	2	Peak	vertical
2	16650.00	62.37	56.27	6.10	68.20	-5.83	400	45	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11340.00	41.91	43.90	-1.99	74.00	-32.09	200	126	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11340.00	42.39	44.38	-1.99	74.00	-31.61	200	34	Peak	vertical
2	17010.00	62.10	55.56	6.54	68.20	-6.10	332	322	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11510.00	45.90	47.57	-1.67	74.00	-28.10	200	342	Peak	horizontal
2 !	17265.00	63.83	57.46	6.37	68.20	-4.37	234	315	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11510.00	46.43	48.10	-1.67	74.00	-27.57	400	18	Peak	vertical
2 !	17265.00	67.47	61.10	6.37	68.20	-0.73	300	325	Peak	vertical




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 ! 17385.00	64.02	57.42	6.60	68.20	-4.18	100	344	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11590.00	46.01	47.47	-1.46	74.00	-27.99	300	172	Peak	vertical
2 !	17385.00	65.86	59.26	6.60	68.20	-2.34	319	324	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10420.00	42.72	46.42	-3.70	68.20	-25.48	186	360	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10420.00	42.84	46.54	-3.70	68.20	-25.36	300	175	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10580.00	40.93	44.29	-3.36	68.20	-27.27	100	310	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10580.00	40.84	44.20	-3.36	68.20	-27.36	400	302	Peak	vertical



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11060.00	43.53	46.19	-2.66	74.00	-30.47	100	123	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11060.00	44.60	47.26	-2.66	74.00	-29.40	400	354	Peak	vertical



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11220.00	45.98	48.25	-2.27	74.00	-28.02	296	0	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11220.00	43.63	45.90	-2.27	74.00	-30.37	400	186	Peak	vertical



TUV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	17325.00	61.95	55.50	6.45	68.20	-6.25	100	360	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	17325.00	63.76	57.31	6.45	68.20	-4.44	322	322	Peak	vertical

Spurious Emissions, AC Mains




TUV Rheinland Taiwan Ltd.
11F., No.758, Sec.4 Bade Road, Songshan Dist, Taipei City 105
Tel:+886-2172-7000 Fax:+886-2528-0018



Trace: 1

	Freq	Read Level	Factor	Level	Limit Line	Over Limit	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	
1	0.155	38.83	9.61	48.44	65.71	-17.27	QP
2	0.155	19.08	9.61	28.69	55.71	-27.02	Average
3	0.383	23.44	9.62	33.06	58.22	-25.16	QP
4	0.383	18.55	9.62	28.17	48.22	-20.05	Average
5	2.159	16.75	9.64	26.39	56.00	-29.61	QP
6	2.159	10.60	9.64	20.24	46.00	-25.76	Average
7	3.643	16.30	9.67	25.97	56.00	-30.03	QP
8	3.643	6.23	9.67	15.90	46.00	-30.10	Average
9	7.140	19.75	9.70	29.45	60.00	-30.55	QP
10	7.140	13.86	9.70	23.56	50.00	-26.44	Average
11	18.044	15.59	9.78	25.37	60.00	-34.63	QP
12	18.044	10.47	9.78	20.25	50.00	-29.75	Average



Trace: 1

	Freq	Read Level	Factor	Level	Limit Line	Over Limit	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	
1	0.154	38.32	9.62	47.94	65.79	-17.85	QP
2	0.154	18.47	9.62	28.09	55.79	-27.70	Average
3	0.398	25.06	9.63	34.69	57.89	-23.20	QP
4	0.398	15.01	9.63	24.64	47.89	-23.25	Average
5	1.135	10.85	9.63	20.48	56.00	-35.52	QP
6	1.135	4.47	9.63	14.10	46.00	-31.90	Average
7	3.060	12.06	9.66	21.72	56.00	-34.28	QP
8	3.060	6.27	9.66	15.93	46.00	-30.07	Average
9	7.105	18.21	9.71	27.92	60.00	-32.08	QP
10	7.105	12.90	9.71	22.61	50.00	-27.39	Average
11	15.005	10.00	9.80	19.80	60.00	-40.20	QP
12	15.005	4.74	9.80	14.54	50.00	-35.46	Average