

Test Report No.60362193 001

Appendix D: Radiated and Mains Spurious Emission Data

(File: 60362193 001Appendix D)

Contents


Spurious Emissions, Band Edges, BLE 1M	2
Spurious Emissions, Band Edges, BLE 2M	14
Spurious Emissions, TX Mode, 9kHz-30MHz, BLE 1M	26
Spurious Emissions, TX Mode, 30MHz-1GHz, BLE 1M	28
Spurious Emissions, TX Mode, 1GHz-26.5GHz, BLE 1M	30
Spurious Emissions, TX Mode, 1GHz-26.5GHz, BLE 2M	36

Spurious Emissions, Band Edges, BLE 1M


2402MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2377.260	40.31	3.15	37.16	54.00	-13.69	318	219	Average	Horizontal
2 *	2402.000	101.68	64.53	37.15	54.00	47.68	318	219	Average	Horizontal
3	2852.446	41.50	3.41	38.09	54.00	-12.50	318	219	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2377.260	40.50	3.34	37.16	54.00	-13.50	115	258	Average	Vertical
2 *	2402.000	100.31	63.16	37.15	54.00	46.31	115	258	Average	Vertical
3	2767.840	41.37	3.28	38.09	54.00	-12.63	115	258	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2373.720	52.36	15.21	37.15	74.00	-21.64	318	219	Peak	Horizontal
2 *	2402.000	102.70	65.55	37.15	74.00	28.70	318	219	Peak	Horizontal
3	2745.007	53.58	15.55	38.03	74.00	-20.42	318	219	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2364.752	52.66	15.50	37.16	74.00	-21.34	115	258	Peak	Vertical
2 *	2402.000	101.32	64.17	37.15	74.00	27.32	115	258	Peak	Vertical
3	2675.210	53.48	15.86	37.62	74.00	-20.52	115	258	Peak	Vertical




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2379.148	39.73	2.58	37.15	54.00	-14.27	280	226	Average	Horizontal
2 *	2440.000	101.55	64.20	37.35	54.00	47.55	280	226	Average	Horizontal
3	2823.772	41.70	3.59	38.11	54.00	-12.30	280	226	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2379.148	39.99	2.84	37.15	54.00	-14.01	102	277	Average	Vertical
2 *	2440.000	100.61	63.26	37.35	54.00	46.61	102	277	Average	Vertical
3	2781.646	41.48	3.38	38.10	54.00	-12.52	102	277	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2367.348	52.38	15.21	37.17	74.00	-21.62	280	226	Peak	Horizontal
2 *	2440.000	102.57	65.22	37.35	74.00	28.57	280	226	Peak	Horizontal
3	2843.478	53.58	15.49	38.09	74.00	-20.42	280	226	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2375.018	51.86	14.70	37.16	74.00	-22.14	102	277	Peak	Vertical
2 *	2440.000	101.61	64.26	37.35	74.00	27.61	102	277	Peak	Vertical
3	2863.066	54.37	16.30	38.07	74.00	-19.63	102	277	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2352.008	40.15	2.97	37.18	54.00	-13.85	369	216	Average	Horizontal
2 *	2480.000	100.01	62.45	37.56	54.00	46.01	369	216	Average	Horizontal
3	2483.696	42.17	4.60	37.57	54.00	-11.83	369	216	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2351.890	40.24	3.06	37.18	54.00	-13.76	251	277	Average	Vertical
2 *	2480.000	100.04	62.48	37.56	54.00	46.04	251	277	Average	Vertical
3	2483.578	42.03	4.46	37.57	54.00	-11.97	251	277	Average	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2349.766	51.41	14.24	37.17	74.00	-22.59	369	216	Peak	Horizontal
2 *	2480.000	101.04	63.48	37.56	74.00	27.04	369	216	Peak	Horizontal
3	2809.966	53.57	15.45	38.12	74.00	-20.43	369	216	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2381.980	52.07	14.92	37.15	74.00	-21.93	251	277	Peak	Vertical
2 *	2480.000	101.09	63.53	37.56	74.00	27.09	251	277	Peak	Vertical
3	2812.798	54.14	16.03	38.11	74.00	-19.86	251	277	Peak	Vertical

Spurious Emissions, Band Edges, BLE 2M


2402MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2377.142	39.83	2.67	37.16	54.00	-14.17	280	76	Average	Horizontal
2 *	2402.000	99.82	62.67	37.15	54.00	45.82	280	76	Average	Horizontal
3	2864.954	40.71	2.63	38.08	54.00	-13.29	280	76	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2383.396	39.18	2.03	37.15	54.00	-14.82	124	301	Average	Vertical
2 *	2402.000	98.26	61.11	37.15	54.00	44.26	124	301	Average	Vertical
3	2844.422	40.60	2.51	38.09	54.00	-13.40	124	301	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2330.060	52.35	15.20	37.15	74.00	-21.65	280	76	Peak	Horizontal
2 *	2402.000	102.61	65.46	37.15	74.00	28.61	280	76	Peak	Horizontal
3	2862.476	53.95	15.87	38.08	74.00	-20.05	280	76	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2364.752	51.34	14.18	37.16	74.00	-22.66	124	301	Peak	Vertical
2 *	2402.000	100.95	63.80	37.15	74.00	26.95	124	301	Peak	Vertical
3	2567.594	53.42	15.55	37.87	74.00	-20.58	124	301	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2385.284	38.89	1.74	37.15	54.00	-15.11	278	225	Average	Horizontal
2 *	2440.000	99.74	62.39	37.35	54.00	45.74	278	225	Average	Horizontal
3	2833.212	40.66	2.56	38.10	54.00	-13.34	278	225	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2372.304	39.01	1.85	37.16	54.00	-14.99	102	277	Average	Vertical
2 *	2440.000	98.85	61.50	37.35	54.00	44.85	102	277	Average	Vertical
3	2842.062	40.73	2.63	38.10	54.00	-13.27	102	277	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2315.310	52.07	14.94	37.13	74.00	-21.93	278	225	Peak	Horizontal
2 *	2440.000	102.42	65.07	37.35	74.00	28.42	278	225	Peak	Horizontal
3	2799.818	53.50	15.37	38.13	74.00	-20.50	278	225	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2386.346	51.52	14.37	37.15	74.00	-22.48	102	277	Peak	Vertical
2 *	2440.000	101.57	64.22	37.35	74.00	27.57	102	277	Peak	Vertical
3	2844.422	53.90	15.81	38.09	74.00	-20.10	102	277	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2351.890	39.36	2.18	37.18	54.00	-14.64	369	214	Average	Horizontal
2 *	2480.000	98.70	61.14	37.56	54.00	44.70	369	214	Average	Horizontal
3	2483.500	44.07	6.50	37.57	54.00	-9.93	369	214	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2351.654	39.76	2.58	37.18	54.00	-14.24	100	274	Average	Vertical
2 *	2480.000	98.15	60.59	37.56	54.00	44.15	100	274	Average	Vertical
3	2483.500	43.47	5.90	37.57	54.00	-10.53	100	274	Average	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2339.500	52.42	15.26	37.16	74.00	-21.58	369	214	Peak	Horizontal
2 *	2480.000	101.43	63.87	37.56	74.00	27.43	369	214	Peak	Horizontal
3	2483.696	56.11	18.54	37.57	74.00	-17.89	369	214	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2330.650	51.81	14.66	37.15	74.00	-22.19	100	274	Peak	Vertical
2 *	2480.000	100.85	63.29	37.56	74.00	26.85	100	274	Peak	Vertical
3	2483.500	55.63	18.06	37.57	74.00	-18.37	100	274	Peak	Vertical

Spurious Emissions, TX Mode, 9kHz-30MHz, BLE 1M


2402MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	0.014	78.21	2.20	76.01	124.36	-46.15	100	61 QP	vertical
2	0.028	72.48	1.34	71.14	118.71	-46.23	100	330 QP	vertical
3	0.056	64.37	0.10	64.27	112.70	-48.33	100	278 QP	vertical
4	0.091	59.83	-0.47	60.30	108.39	-48.56	100	324 QP	vertical
5	0.118	55.71	-2.52	58.23	106.18	-50.47	100	186 QP	vertical
6	0.143	54.50	-2.24	56.74	104.47	-49.97	100	254 QP	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1.598	51.44	12.23	39.21	63.53	-12.09	100	360	QP	vertical
2	4.111	49.85	11.52	38.33	69.50	-19.65	100	275	QP	vertical
3	10.033	49.89	12.31	37.58	69.50	-19.61	100	360	QP	vertical
4	16.239	50.04	12.61	37.43	69.50	-19.46	100	168	QP	vertical
5	21.791	48.29	12.38	35.91	69.50	-21.21	100	255	QP	vertical
6	26.836	46.93	12.63	34.30	69.50	-22.57	100	59	QP	vertical

Spurious Emissions, TX Mode, 30MHz-1GHz, BLE 1M


2402MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	83.932	26.65	38.21	-11.56	40.00	-13.35	300	156	QP	horizontal
2	132.141	33.77	41.28	-7.51	43.50	-9.73	200	190	QP	horizontal
3	143.884	32.51	38.89	-6.38	43.50	-10.99	249	176	QP	horizontal
4	288.602	32.30	37.36	-5.06	46.00	-13.70	100	317	QP	horizontal
5	684.944	32.39	31.17	1.22	46.00	-13.61	100	57	QP	horizontal
6	865.073	34.84	31.23	3.61	46.00	-11.16	100	88	QP	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	104.496	27.41	37.68	-10.27	43.50	-16.09	100	202	QP	vertical
2	143.684	27.12	33.51	-6.39	43.50	-16.38	300	235	QP	vertical
3	321.194	25.64	29.94	-4.30	46.00	-20.36	100	151	QP	vertical
4	497.734	29.97	31.87	-1.90	46.00	-16.03	100	351	QP	vertical
5	627.035	31.15	30.70	0.45	46.00	-14.85	300	263	QP	vertical
6	804.545	33.78	30.90	2.88	46.00	-12.22	300	163	QP	vertical

Spurious Emissions, TX Mode, 1GHz-26.5GHz, BLE 1M


2402MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4804.000	49.46	58.90	-9.44	54.00	-4.54	200	339	Average	horizontal
2	4804.000	52.52	61.96	-9.44	74.00	-21.48	200	339	Peak	horizontal
3 !	7206.000	51.88	58.70	-6.82	54.00	-2.12	100	326	Average	horizontal
4	7206.000	56.59	63.41	-6.82	74.00	-17.41	100	326	Peak	horizontal
5	9608.000	47.24	51.48	-4.24	74.00	-26.76	100	265	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4804.000	52.91	62.35	-9.44	54.00	-1.09	200	326	Average	vertical
2	4804.000	56.35	65.79	-9.44	74.00	-17.65	200	326	Peak	vertical
3	7206.000	50.37	57.19	-6.82	74.00	-23.63	200	190	Peak	vertical
4	9608.000	48.43	52.67	-4.24	74.00	-25.57	100	317	Peak	vertical



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4880.000	49.28	59.19	-9.91	54.00	-4.72	200	24	Average	horizontal
2	4880.000	52.52	62.43	-9.91	74.00	-21.48	200	24	Peak	horizontal
3 !	7320.000	48.75	56.22	-7.47	54.00	-5.25	100	318	Average	horizontal
4	7320.000	52.98	60.45	-7.47	74.00	-21.02	100	318	Peak	horizontal
5	9760.000	42.64	47.56	-4.92	74.00	-31.36	400	304	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4880.000	49.60	59.51	-9.91	54.00	-4.40	101	360	Average	vertical
2	4880.000	52.75	62.66	-9.91	74.00	-21.25	101	360	Peak	vertical
3	7320.000	47.14	54.61	-7.47	74.00	-26.86	300	303	Peak	vertical
4	9760.000	44.84	49.76	-4.92	74.00	-29.16	300	0	Peak	vertical



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4960.000	48.59	57.72	-9.13	54.00	-5.41	100	38	Average	horizontal
2	4960.000	52.10	61.23	-9.13	74.00	-21.90	100	38	Peak	horizontal
3	7440.000	48.34	55.04	-6.70	74.00	-25.66	200	224	Peak	horizontal
4	9920.000	46.08	49.72	-3.64	74.00	-27.92	214	0	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4960.000	48.32	57.45	-9.13	54.00	-5.68	100	0	Average	vertical
2	4960.000	52.24	61.37	-9.13	74.00	-21.76	100	0	Peak	vertical
3	7440.000	44.69	51.39	-6.70	74.00	-29.31	100	308	Peak	vertical
4	9920.000	46.08	49.72	-3.64	74.00	-27.92	100	308	Peak	vertical

Spurious Emissions, TX Mode, 1GHz-26.5GHz, BLE 2M


2402MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.000	47.55	56.99	-9.44	54.00	-6.45	122	347	Average	horizontal
2	4804.000	54.58	64.02	-9.44	74.00	-19.42	122	347	Peak	horizontal
3	7206.000	51.59	58.41	-6.82	54.00	-2.41	100	322	Average	horizontal
4	7206.000	58.43	65.25	-6.82	74.00	-15.57	100	322	Peak	horizontal
5	9608.000	45.76	50.00	-4.24	74.00	-28.24	100	118	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4804.000	48.72	58.16	-9.44	54.00	-5.28	100	5	Average	vertical
2	4804.000	55.47	64.91	-9.44	74.00	-18.53	100	5	Peak	vertical
3	7206.000	44.03	50.85	-6.82	54.00	-9.97	106	224	Average	vertical
4	7206.000	51.95	58.77	-6.82	74.00	-22.05	106	224	Peak	vertical
5	9608.000	43.02	47.26	-4.24	54.00	-10.98	100	319	Average	vertical
6	9608.000	51.92	56.16	-4.24	74.00	-22.08	100	319	Peak	vertical




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4880.000	48.24	57.55	-9.31	54.00	-5.76	106	119	Average	horizontal
2	4880.000	55.20	64.51	-9.31	74.00	-18.80	106	119	Peak	horizontal
3 !	7320.000	49.73	56.43	-6.70	54.00	-4.27	100	309	Average	horizontal
4	7320.000	56.83	63.53	-6.70	74.00	-17.17	100	309	Peak	horizontal
5	9760.000	46.08	49.95	-3.87	74.00	-27.92	300	242	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4880.000	48.59	57.90	-9.31	54.00	-5.41	107	360	Average	vertical
2	4880.000	55.02	64.33	-9.31	74.00	-18.98	107	360	Peak	vertical
3	7320.000	42.75	49.45	-6.70	54.00	-11.25	100	315	Average	vertical
4	7320.000	50.66	57.36	-6.70	74.00	-23.34	100	315	Peak	vertical
5	9760.000	45.70	49.57	-3.87	74.00	-28.30	283	0	Peak	vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.000	47.18	56.31	-9.13	54.00	-6.82	141	41	Average	horizontal
2	4960.000	54.05	63.18	-9.13	74.00	-19.95	141	41	Peak	horizontal
3	7440.000	46.96	53.66	-6.70	54.00	-7.04	102	307	Average	horizontal
4	7440.000	53.24	59.94	-6.70	74.00	-20.76	102	307	Peak	horizontal
5	9920.000	41.63	45.27	-3.64	54.00	-12.37	100	289	Average	horizontal
6	9920.000	50.65	54.29	-3.64	74.00	-23.35	100	289	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.000	47.13	56.26	-9.13	54.00	-6.87	100	352	Average	vertical
2	4960.000	54.30	63.43	-9.13	74.00	-19.70	100	352	Peak	vertical
3	7440.000	45.71	52.41	-6.70	74.00	-28.29	400	202	Peak	vertical
4	9920.000	46.80	50.44	-3.64	74.00	-27.20	100	293	Peak	vertical