

Item	Description	Qty	Designator
80-9957-00-00	VXI;DYNO;BLUETOOTH DEVICE;HDST;;HDST/CH;GB;BKGL;US/CA- GRO7A;;;VXI;GREEN, HYBRID; ISMD;;;NEW BOM STRUCTURE;LITHIUM-BATT;HE; INDA;DYNO;BLUETOOTH		
83-009957-000-000	DEVICE;HDST;;HDST/CH;GB;BKGL;US/CA- GRO7A;;;VXI;GREEN, HYBRID; ISMD	1	
53-009957-000-000	INDA HEADSET MAIN;DYNO;;;;US/CA;;;	1	
29-002120-002-100	SOLDER PASTE;;500G/JAR;;;LEAD FREE;	0.000258	
53-009957-002-000	INDA HEADSET BATT;DYNO;;;;US/CA;;;	1	
29-002120-006-700	SOLDER PASTE;;500G/JAR;;;LEAD FREE; INDA-CASA/PKGA;DYNO;BLUETOOTH	0.000002	
54-009957-000-000	DEVICE;HDST;;HDST/CH;GB;BKGL;US/CA- GRO7A;;;VXI;GREEN, HYBRID; ISMD	1	
15-001033-000-700	HOT MELT GLUE;HOT MELT GLUE;28G/PC. 75;UL94H8;WHT;;;	0.0002	
16-001038-000-600	MASKING TAPE;MASKING TAPE;50M/ROLL;12W;1S- ADH;;;	0.00308	
29-002000-008-700	SOLDER MAT' L;;1KG/ROLL;;D=0.81MM;LEAD FREE; PROTECTIVE	0.0005	
97-000045-005-700	TAPE;0.05T;195M/RL;;CLEAR;PVC;;;195M;40MM	0.0007	
97-004024-000-700	STRETCH FILM;STRETCH FILM;PE STRETCH FILM;0.017*45CM*450Y;CLEAR;PVC;;;450Y;45CM PACKING	0.000444	
97-005001-002-700	TAPE;;45L, 60W, 0.025T;60ROLL/BOX;CLEAR;BOPP;;;45M;60MM	0.0033	
97-005011-090-700	INK RIBBON;35MM*300M;ROLL;1C;BK;POLYESTER FILM;;1.0;;300M;35MM	0.000047	
97-005069-030-700	INK RIBBON;;50MM;ROLL;1C;BK;POLYESTER FILM;1.0;;300M;50MM	0.000047	
85-009957-000-000	PRDA HEADSET;DYNO;;HEADSET;MAIN;;BKGL;US/CA;;	1	
52-009957-000-000	CASA;DYNO;;HEADSET;MAIN;;BKGL;US/CA;;;	1	
10-001124-001-100	SCREW (VTTS);PTS;STL;M2.6X5.0XWD9.0;WASHER PB(+);UNDEFINED;BLUE ZN;3+CR;	1	
10-001136-000-200	SCREW;PTS;STL;M2.0X4.0XWD6.0;WASHER;PB(+);BLUE ZN;3+CR;	4	
10-003050-002-200	SCREW;PTS;STL;M2.0X5.0;PB(+);BLACK ZN;3+CR;	22	
10-005065-000-200	SCREW;PTS;STL;M2.0X6.0;PB(+);BLACK ZN;3+CR;	16	
10-005186-000-100	SCREW;STS;STL;D1.7X6;PH;UNDEFINED;BLACK ZN 3+CR;;	8	
28-003002-000-100	RECEIVER;DYNAMIC;32R;123+/-3DB;NORMAL;W/O WIRE;D40MM;H6MM;;	2	SPK1;SPK201
30-016595-000-100	TOP HS; (CAS-V02) HOUSING RIGHT;DYNO;HS;BLACK;PC;TEXTURED HIGH GLOSS;SINGLE INJECTION;RO;;	1	
30-016596-000-100	TOP HS; (CAS-V02) HOUSING LEFT;DYNO;HS;BLACK;PC;TEXTURED HIGH GLOSS;SINGLE INJECTION;RO;;	1	
30-016597-000-100	BTM HS; (CAS-V02) HOUSING RIGHT;DYNO;HS;BLACK;PC;TEXTURED HIGH GLOSS;SINGLE INJECTION;RO;;	1	
30-016598-000-100	BTM HS; (CAS-V02) HOUSING LEFT;DYNO;HS;BLACK;PC;TEXTURED HIGH GLOSS;SINGLE INJECTION;RO;;	1	
30-016599-000-100	KEY; (CAS-V02) POWER;DYNO;HS;BLACK;ABS;TEXTURED;SINGLE INJECTION;RO;;	1	
30-016600-000-100	KEY; (CAS-V02) CRYSTAL;DYNO;HS;TRANSPARENT;PMMA;HIGH GLOSS;SINGLE INJECTION;RO;;	1	
30-016601-000-100	HANGER; (CAS-V02) HEAD BEND HOUSIN;DYNO;HS;BLACK;TR90;TEXTURED;SINGLE INJECTION;RO;;	1	
30-016602-000-100	COVER; (CAS-V02) HEADBEND;DYNO;HS;BLACK;PC;TEXTURED;SINGLE INJECTION;RO;;	2	
30-016603-000-100	HANGER; (CAS-V02) COVER TOP;DYNO;HS;BLACK;PC;TEXTURED;SINGLE INJECTION;RO;;	2	
30-016604-000-100	HANGER; (CAS-V02) COVER BTM;DYNO;HS;BLACK;PC;TEXTURED;SINGLE INJECTION;RO;;	2	
30-016605-000-100	COVER; (CAS-V02) SPK COVER TOP;DYNO;HS;BLACK;ABS;TEXTURED;SINGLE INJECTION;RO;;	2	
30-016606-000-100	COVER; (CAS-V02) SPK COVER BTM;DYNO;HS;BLACK;PC;TEXTURED;SINGLE INJECTION;RO;;	2	
30-016607-000-100	COVER; (CAS-V02) SPK ROTATE COVER;DYNO;HS;BLACK;ABS;TEXTURED;SINGLE INJECTION;RO;;	2	

30-016608-000-100	BRACKET; (CAS-V02) SPK SCREW; DYNO; HS; BLACK; ABS; TEXTURED; SINGLE INJECTION; RO;;	2
30-016609-000-100	BRACKET; (CAS-V02) HEADBEND CABLE G; DYNO; HS; BLACK; NYLON; TEXTURED; SINGLE INJECTION; RO;;	2
30-016611-000-100	COVER; (CAS-V02) MIC; DYNO; HS; BLACK; NYLON; TEXTURED; SINGLE INJECTION; RO;;	1
30-016612-000-100	HOLDER; (CAS-V02) MIC BOOM; DYNO; HS; BLACK; NYLON; TEXTURED; SINGLE INJECTION; RO;;	1
30-016613-000-100	LIGHT GUIDE; (CAS-V02) ; DYNO; HS; TRANSPARENT; PMMA; TEXTURED; SINGLE INJECTION; RO;;	1
30-016614-000-100	BRACKET; (CAS-V02) RUBBER; DYNO; HS; WHITE; NYLON; TEXTURED; SINGLE INJECTION; RO;;	1
30-016632-000-100	KEY; (CAS-V02) SIDE KEY FWD; DYNO; HS; BLACK; ABS; TEXTURED; SINGLE INJECTION; RO;;	1
30-016633-000-100	KEY; (CAS-V02) SIDE KEY BWD; DYNO; HS; BLACK; ABS; TEXTURED; SINGLE INJECTION; RO;;	1
31-006958-000-100	METAL SHEET PART; METAL HINGE RIGHT; DYNO; HS;; ZN ALLOY; 1.2MM;; RO;;	1
31-006969-000-100	METAL SHEET PART; METAL HINGE LEFT; DYNO; HS;; ZN ALLOY; 1.2MM;; RO;;	1
31-006970-000-100	METAL SHEET PART; METAL HINGE STOPPER; DYNO; HS;; SST; 0.7MM;; RO;;	2
31-006971-000-100	METAL SHEET PART; METAL HEAD BEND STRIPE; DYNO; HS;; SST; 0.8MM;; RO;;	2
31-006973-000-100	METAL SHEET PART; STRIP MOUNTING BRACKET; DYNO; HS;; SST; 0.6MM;; RO;;	4
32-000513-000-100	FILM SHT PART W/O ADH; BKE ADHESIVE; DYNO; HS; WHITE; 3M9448; 0.1MM;; RO;;	2
32-000526-000-100	FILM SHT PART W/ADH; LOGO; DYNO; HS; TRANS; PC; 0.2MM;; RO;;	1
34-006553-000-100	METAL SPRING; SPRING; DYNO; HS;; SUS304; 12MM;; RO;;	1
39-007349-000-700	SPONGE; HS BATTERY DOOR SPONGE; PHILIS CD680;; BLACK; SPONGE; NATURE; RO;;	2
39-010110-001-400	CUSHION FOAM; SPK CUSHION; B350; HS; BLK; EVA;; 1-S ADH; RO;;	2
39-010203-000-100	CUSHION FOAM; EAR CUSHION; DYNO; HS; BLACK; SPONGE;; NIL; RO;;	2
39-010213-000-400	SPONGE; TOP; DYNO; HS; WHITE; SPONGE;; NA; RO;;	1
39-030170-000-400	HOLDER RUBBER; 0 RING; DYNO; HS; BLACK; RUBBER;; GLOSS; RO;;	2
39-030173-000-400	CUSHION RUBBER; SIDE KEY RUBBER; DYNO; HS; BLACK; RUBBER;; NIL; RO;;	2
39-030175-000-400	COVER RUBBER; HEAD BEND RUBBER HOUSING; DYNO; HS; BLACK; RUBBER;; TEXTURED; RO;;	1
39-080051-000-400	KEYPAD COND & ASSY P+R; KEYPAD; DYMO; HS; BLACK; P+R;; TEXTURED; RO;;	1
46-045014-000-400	CABLE ASSY W/O PLUG;; 480; 10T; 30V; BLK;; 2.4MM;;	1
46-045015-000-400	CABLE ASSY W/O PLUG;; 130MM; 20T; 30V; BLACK;; 1.3MM;;	1
46-045016-000-400	CABLE ASSY W/O PLUG;; 75MM; 5T; 30V; BLACK;; 1.0;;	2
49-001502-000-100	METAL DOME; DYNO; 0.3MM; PET AND METAL; RO;;	1
5T-009957-000-000	PCBA T/U HEADSET MAIN; DYNO;; US/CA;;	1
47-001075-000-100	ANTENNA; (CAS-V02) FLEX ANT; HEADSET; B350 XT; BLK; FPCB; L32MMXW21MM; GOLD PLATE; RO;;	1 J4
50-009957-000-000	PCBA HEADSET MAIN; DYNO;; US/CA;;	1
20-001178-000-100	X' TR BELOW 1W; N- CHANNEL; MOSFET; FDV301N; SOT23; SMD; RL;;	2 Q1; Q3
20-008188-001-100	X' TR BELOW 1W; SWITCH; PNP-NPN DUAL; BC847BPDW1T1G; SOT363; SMD; TAPE & RL;;	1 Q2
20-008216-000-100	X' TR OVER 1W; PWR; PNP; BCX51;; SOT-89; SMD;;	1 Q4
21-001094-000-100	DIODE SMD; SKY; BAT54; SOT23; SMD; SINGLE DIODE;;	1 D3
21-001196-001-100	DIODE SMD; SKY; BAT54C; SOT23; SMD; DUAL DIODE;;	1 D1
21-006159-000-100	DIODE; SKY; BAT54S; SOT23; SMD;;	2 D2; D4
21-006339-000-100	DIODE SMD; 5-LINE ESD PROTECTION; GMF05LC-HSF- GS08; LLP75-6L; SMD; RL;;	1 D5
22-003103-016-101	CAP; CER; 10NF; 25V; 10%; 0402; RL;;	4 C11; C17; C6; C7
22-003104-006-100	CAP; CER; 100N; 16V; +10%; 0402; RL; X7R;;	3 C46; C5; C82
22-003105-006-102	CAP; CER; 1UF; 16V; 10%; 0603; RL; X5R;;	2 C42; C43
22-003105-007-105	CAP CER-MLCC SMD; 1U; 16V; 20%; 1210; RL;;	1 C37
22-003105-0C6-101	CAP; CER; 1UF; 6.3V; 10%; 0402; RL; X5R;;	2 C44; C45
22-003150-025-109	CAP; CER; 15P; 50V; 5%; 0402; RL; C0G;;	3 C10; C31; C32
22-003154-0B6-101	CAP CER-MLCC SMD; 150N; 10V; 10%; 0402; RL; X5R;;	2 C27; C28
22-003224-0B6-101	CAP; CER; 220N; 10V; 10%; 0402; RL; X5R;; DAP;	1 C13
22-003225-0B6-112	CAP; CER-MLCC; 2U2; 10V; 10%; 0603; RL; X5R;;	1 C1
22-003225-0C6-101	CAP; CER-MLCC; 2U2; 6V3; 10%; 0402; RL; X5R;;	9 C124; C14; C2; C3; C34; C35; C38; C39; C4

22-003508-020-100	CAP;CER;0. 5P;50V;0. 25P;0603;RL;COG;;;	2 C18, C20
22-003470-025-101	CAP;CER;47P;50V;5%;0402;RL;COG;;;	5 C22;C33;C36;C40;C41
22-003474-0C6-101	CAP;CER;0. 47UF;6. 3V;10%;SMD 0402;RL;X5R;;;	1 C12
22-003475-0C6-102	CAP;CER-MLCC;4U7;6V3;10%;0603;RL;X5R;;;	3 C125;C8;C9
23-000000-086-1A1	RES;SMD;0; 1/16W;5%;SMD;0402;RL;;	24 C23;C24;R1;R100;R154;R155;R2;R20;R24;R25;R28;R29;R3;R30;R42;R43; R44;R5;R78;R82;R83;R84;R85;R87
23-000101-086-1A1	RES;SMD;100R;1/16W;5%;SMD;0402;RL;;	1 R12
23-000102-086-1A1	RES;SMD;1K;1/16W;5%;SMD;0402;RL;;	7 R10;R11;R17;R18;R19;R6;R8
23-000103-086-1A1	RES;CR;10K;1/16W;5%;SMD;0402;RL;RI0402103JL;	2 R98;R99
23-000104-086-1A1	RES;CR;100K;1/16W;5%;SMD;0402;RL;;	3 R39;R40;R41
23-000123-086-1A1	RES;CR;12K;1/16W;5%;SMD;0402;RL;;	4 R32;R33;R35;R36
23-000159-086-1A1	RES;CR;1R5;1/16W;5%;SMD;0402;RL;;	1 R4
23-000224-086-1A1	RES;CR;220K;1/16W;5%;SMD;0402;RL;;	1 R9
23-000229-086-1A1	RES;SMD;2R2;1/16W;5%;;0402;RL;;	1 R79
23-000303-086-1A1	RES;CR;30K;1/16W;5%;SMD;0402;RL;;	4 R31;R34;R37;R38
23-000511-086-1A1	RES;SMD;510;1/16W;5%;;0402;RL;;	1 R7
23-00220A-0G0-1A1	RES CF SMD;;0R22;1/16W;1%;0402;RL;;	1 R157
23-00680A-0J3-1A2	RES CF SMD;;0R68;1/10W;1%;0603;RL;;	1 R156
25-003771-000-101	CRYSTAL;SMD3225;;;;26. 000MHZ 10PPM;CL=9PF;	1 X1
25-003851-000-100	FILTER;CHIP;;2450MHZ;0805;LFB21;2. 45G;LFB212G4 5SG8A192;	1 U2
25-00715A-000-100	INDUCTOR;15N 5%;SGHI1005H15NJTf;SMD 0402;;;	2 L3;L4
25-007479-015-100	INDUCTOR;4U7 +-10%;0805 SMD;;;;	2 L1;L2
27-005489-000-100	IC AUDIO AMP;STEREO;MAX9722AEUE+T;16 TSSOP;;;;	1 U6
27-008388-000-100	IC TRANSCEIVER;TRANSCEIVER;CSR8670;VFBGA 112- BALL;;;;GREEN;BLUETOOTH;;	1 U1
27-010092-000-100	IC SWITCH;DUAL SPDT;ADG884BRMZ- REEL7;MSOP;;;;	1 U7
27-060049-000-100	IC INTERFACE;NFC DETECTION;NTAG203F;HXSON4;;;;GREEN;;;	1 U3
35-400052-000-100	PCB 4L GOLD;MAIN;DYNO;BS;;FR4;1. 2;GOLD;;;HE ;;57. 55;52. 20;1. 2	1
40-001055-000-100	AUDIO JACK;6PIN;30V;HOR;SMD;14LX8. 8WX5MM;;;;	1 J5
40-004603-002-100	USB CONN;FEMALE;5PIN;0. 65MM;AC 30V;HOR;INS;L5XW6. 9XH1. 85;;;;	1 J1
40-004620-001-100	FPC CONN;FEMALE;1X4PIN;0. 5MM;AC50V/0. 4A;HOR;SMD;L1 0. 4XW6. 9XH2. 5;LIFT LID;;TIN-PLATING;	1 J4
40-004712-000-100	FPC CONN;FEMALE;1X4PIN;0. 5MM;AC50V/0. 5A;HOR;SMD;L4 . 5XW5XH1. 2;;;;	1 J6
42-009017-000-100	SWITCH;TACT SW;DS6121;;1P1T;5V 10MA;SMD;	2 SW5;SW6
42-009074-001-100	SWITCH;SLIDE SW;CARELINE;;MK12C02G2- B;1P2T;SMOOTH PLASTIC LENGTH 2. 0MM;	1 K1
43-012031-000-600	LED SMD;CLEAR;RED/BLUE;BICOLOR;;;SIDE VIEW;;3. 0LX2. 0WX1. 0T;;;;	1 LED1
6F-010329-0A0-000	PMS;DYNO;HEADSET;MCU MTP FLASH;RO;US/CA;BLUETOOTH	0 U1
50-009957-001-000	PCBA HEADSET MIC;DYNO;;;;US/CA;;; MIC; (CAS-V02) MEMS;-42+/-3DB;-;NO	1
28-004001-000-100	WIRE/SMD (BGA);RECTANGLE 3. 75X2. 24MM;H1. 0MM;TAPE;	2 MIC1;MIC2
35-200394-000-100	PCB DS PTH OSP;MIC;DYNO;FPC;;BS;0. 3;GOLD;;;HE ;;132. 85;4. 85;0. 3	1
50-009957-002-000	PCBA HEADSET BATT;DYNO;;;;US/CA;;;	1
35-200393-000-100	PCB DS PTH GOLD;BAT;DYNO;BS;;FR4;1. 2;GOLD;;;HE ;;27. 85;9;1. 2	1
40-002206-000-100	BATT SNAP;MALE;2X1PIN;1. 25MM;DC125V;VER;SMD;7. 55LX5 . 3WX3. 6HMM;TIN PLATE;;;	1 J2
85-009957-001-000	PKGA;DYNO;;;;BKGL;US/CA;HDST;	1
26-450070-8JP-100	ADPT SMPS ODM;J60065 (H14);AC100- 240V;DC5V;700MA;SMPS;0MM;BLK;L60XW23. 7XH36. 4MM ;LEVEL V;NO WIRE (USB SOCKET);CS3B;	1
29-337068-400-100	BATT LITHIUM; (CAS-V02) ;LITHIUM-ION POLYMER;QUADRATE L52XW34XH3. 8MM;;3. 7V;680MAH;;WITH SOCKET WIRE=20MM;	1
46-036004-000-400	USB CABLE; (CAS-V02) #28AWGX4C;1200MM X 2W;USB A/M + MICRO USB 5P/M;DC300V;BLACK;PU;1. 35X3. 5MM;COP-PLATE;;;;	1