U.S. Technologies, Inc. FCC Part 15, Class B Certification

Report Number: 06-0105 Issue Date: July 6, 2006

Customer: Nivis, LLC

Model: Nivis NRD Module Model IC-NRD2-01-01

2.9 Peak Radiated Spurious Emission in the Frequency Range 30 -25000 MHz (FCC Section 15.247(c))

The EUT was hop-stopped and when possible, placed into a continuous transmit mode of operation. A preliminary scan was performed on the EUT to determine frequencies that were caused by the transmitter portion of the product. Significant emissions that fell within restricted bands were then measured on an OAT's site. Radiated measurements below 1 GHz were tested with a RBW = 120 kHz. Radiated measurements above 1 GHz were measured using a RBW = VBW = 1 MHz. The results of peak radiated spurious emissions falling within restricted bands are given in Table 4a – 4c and Figure 5a – Figure 5c.

U.S. Technologies, Inc. FCC Part 15, Class B Certification

Report Number: 06-0105 Issue Date: July 6, 2006

Customer: Nivis, LLC

Model: Nivis NRD Module Model IC-NRD2-01-01

Table 4a. PEAK RADIATED SPURIOUS EMISSIONS Low Channel

Radiated Emissions											
Test By:	Test:	Spurious Harmonics			Client: Nivis, L.L.C.						
		Low Channel									
A. T.	Project:	06-0105		Class:	Configuration:		p9-06 w/ dual band				
Frequency	Test	AF	Test	AF+CA-	Results	Limits	Distance /	Margin	PK = n		
	Data		Data	AMP							
(MHz)	(dBm)	Table	(dBuV)	(dB)	(uV/m)	(uV/m)	Polarity	(dB)	/QP		
910.41	-8.6	2HN3mH	98.4	25.3	1528077.2		3m./HORZ				
1820.901	-54.9	2HN3mH	52.1	-5.8	206.5	152807.7	3m./HORZ	57.4			
2731.5	-60.3	2HN3mH	46.7	-1.6	180.7	500.0	3m./HORZ	8.8			
3641.9	-64.3	2HN3mH	42.7	1.6	164.2	500.0	3m./HORZ	9.7			
4552.6	-58.9	2HN3mH	48.1	4.6	429.3	5000.0	3m./HORZ	21.3	Peak		
4552.5	-62.6	2HN3mH	44.4	4.6	280.4	500.0	3m./HORZ	5.0	Average		
5463.1	-66.8	2HN3mH	40.2	7.9	253.0	152807.7	3m./HORZ	55.6			
6373.3	-68.2	2HN3mH	38.8	9.1	247.6	152807.7	3m./HORZ	55.8			
7284.1	-64.2	2HN3mH	42.8	10.8	480.1	5000.0	3m./HORZ	20.4	Peak		
7283.9	-68.2	2HN3mH	38.8	10.8	302.9	500.0	3m./HORZ	4.4	Average		
8194.4	-68.7	2HN3mH	38.3	11.8	321.7	5000.0	3m./HORZ	23.8	Peak		
8194.4	-76.9	2HN3mH	30.1	11.8	125.1	500.0	3m./HORZ	12.0	Average		
9104.9	-66.1	2HN3mH	40.9	12.8	483.8	5000.0	3m./HORZ	20.3	Peak		
9105	-73.2	2HN3mH	33.8	12.8	213.6	500.0	3m./HORZ	7.4	Average		

Data corrected by 0.1 dB for loss of high pass filter except for fundamental frequency
** Data conversion from 1 meter to 3 meters = -9.54

SAMPLE CALCULATION:

RESULTS (uV/m @ 3m) = Antilog ((-54.9 + -5.8 + 107)/20) = 206.6 CONVERSION FROM dBm TO dBuV = 107 dB

Test Date: May 20, 21, 2006

Tested by

Signature:

Name: Austin Thompson

U.S. Technologies, Inc. FCC Part 15, Class B Certification

Report Number: 06-0105 Issue Date: July 6, 2006

Customer: Nivis, LLC

Model: Nivis NRD Module Model IC-NRD2-01-01

Table 4a. PEAK RADIATED SPURIOUS EMISSIONS Low Channel (Continued)

Radiated Emissions											
Test By:		Spurious H Channel	armonics	Low	Client: Nivis						
	Project:	06-01	05	Class:	Configuration:		p9-06 w/ dual band				
Frequency	Test Data	AF	Test Data	AF+CA- AMP	Results	Limits	Distance /	Margin	PK = n		
(MHz)	(dBm)	Table	(dBuV)	(dB)	(uV/m)	(uV/m)	Polarity	(dB)	/ QP		
910.41	-8.6	2HN3mH	98.4	25.3	1528077.2		3m./HORZ				
10015.2	-66.0	2HN3mH	41.0	13.8	549.9	152807.7	3m./HORZ	48.9	Peak		
10015.4	-72.2	2HN3mH	34.8	13.8	269.4	15280.8	3m./HORZ	35.1	Average		
10925.9	-68.2	2HN3mH	38.8	16.6	586.2	5000.0	3m./HORZ	18.6	Peak		
10925.9	-77.8	2HN3mH	29.2	16.6	194.1	500.0	3m./HORZ	8.2	Average		

Data corrected by 1 dB for loss of high pass filter except for fundamental frequency
** Data conversion from 1 meter to 3 meters = -9.54

SAMPLE CALCULATION:

RESULTS (uV/m @ 3m) = Antilog ((-66.0 + 13.8 + 107)/20) = 549.9 CONVERSION FROM dBm TO dBuV = 107 dB

Test Date: May 20, 21, 2006

Tested by

Signature: Name: Austin Thompson

FCC Part 15, Class B Certification


Report Number: 06-0105 Issue Date: July 6, 2006

Customer: Nivis, LLC

Figure 5a-1

Peak Radiated Spurious Emission 15.247(c) Low –

Fundamental




FCC Part 15, Class B Certification

Report Number: 06-0105 Issue Date: July 6, 2006

Customer: Nivis, LLC

Figure 5a-2

Peak Radiated Spurious Emission 15.247(c) Low – 2nd Harmonic



FCC Part 15, Class B Certification

Report Number: 06-0105 Issue Date: July 6, 2006

Customer: Nivis, LLC

Figure 5a-3

Peak Radiated Spurious Emission 15.247(c) Low – 3rd Harmonic



FCC Part 15, Class B Certification


Report Number: 06-0105 Issue Date: July 6, 2006

Customer: Nivis, LLC

Figure 5a-4

Peak Radiated Spurious Emission 15.247(c) Low –

4^{rh} Harmonic




FCC Part 15, Class B Certification

Report Number: 06-0105 Issue Date: July 6, 2006

Customer: Nivis, LLC

Figure 5a-5

Peak Radiated Spurious Emission 15.247(c) Low – 5^{rh} Harmonic (Peak)



FCC Part 15, Class B Certification

Report Number: 06-0105 Issue Date: July 6, 2006

Customer: Nivis, LLC

Figure 5a-6

Peak Radiated Spurious Emission 15.247(c) Low – 5^{rh} Harmonic (Average)



U.S. Technologies, Inc.


FCC Part 15, Class B Certification

Report Number: 06-0105 Issue Date: July 6, 2006

Customer: Nivis, LLC

Figure 5a-7

Peak Radiated Spurious Emission 15.247(c) Low – 6^{rh} Harmonic



U.S. Technologies, Inc.


FCC Part 15, Class B Certification

Report Number: 06-0105 Issue Date: July 6, 2006

Customer: Nivis, LLC

Figure 5a-8

Peak Radiated Spurious Emission 15.247(c) Low – 7^{rh} Harmonic




U.S. Technologies, Inc.

FCC Part 15, Class B Certification

Report Number: 06-0105 Issue Date: July 6, 2006

Customer: Nivis, LLC

Figure 5a-9
Peak Radiated Spurious Emission 15.247(c) Low – 8^{rh} Harmonic (Peak)



U.S. Technologies, Inc.

FCC Part 15, Class B Certification


Report Number: 06-0105 Issue Date: July 6, 2006

Customer: Nivis, LLC

Figure 5a-10

Peak Radiated Spurious Emission 15.247(c) Low –

8^{rh} Harmonic (Average)



U.S. Technologies, Inc.

FCC Part 15, Class B Certification


Report Number: 06-0105 Issue Date: July 6, 2006

Customer: Nivis, LLC

Figure 5a-11

Peak Radiated Spurious Emission 15.247(c) Low –

9^{rh} Harmonic (Peak)



U.S. Technologies, Inc.

FCC Part 15, Class B Certification


Report Number: 06-0105 Issue Date: July 6, 2006

Customer: Nivis, LLC

Figure 5a-12

Peak Radiated Spurious Emission 15.247(c) Low –

9^{rh} Harmonic (Average)



U.S. Technologies, Inc.


FCC Part 15, Class B Certification

Report Number: 06-0105 Issue Date: July 6, 2006

Customer: Nivis, LLC

Figure 5a-13

Peak Radiated Spurious Emission 15.247(c) Low – 10^{rh} Harmonic (Peak)




FCC Part 15, Class B Certification

Report Number: 06-0105 Issue Date: July 6, 2006

Customer: Nivis, LLC

Figure 5a-14

Peak Radiated Spurious Emission 15.247(c) Low – 10^{rh} Harmonic (Average)



U.S. Technologies, Inc.

FCC Part 15, Class B Certification

Report Number: 06-0105

Nivis, LLC

Customer: Model:

Issue Date: July 6, 2006

Figure 5a-15 Peak Radiated Spurious Emission 15.247(c) Low -11^{rh} Harmonic (Peak)



FCC Part 15, Class B Certification


Report Number: 06-0105 Issue Date: July 6, 2006

Customer: Nivis, LLC

Figure 5a-16

Peak Radiated Spurious Emission 15.247(c) Low –

11^{rh} Harmonic (Average)




U.S. Technologies, Inc.

FCC Part 15, Class B Certification

Report Number: 06-0105 Issue Date: July 6, 2006

Customer: Nivis, LLC

Figure 5a-17
Peak Radiated Spurious Emission 15.247(c) Low – 12^{rh} Harmonic (Peak)



U.S. Technologies, Inc. FCC Part 15, Class B Certification

Report Number: 06-0105 Issue Date: July 6, 2006

Customer: Nivis, LLC

Figure 5a-18

Peak Radiated Spurious Emission 15.247(c) Low –

12^{rh} Harmonic (Average)

