


Appendix B

RF Power Output




Marker 1 [T1] RBW 3 MHz RF Att 50 dB
Ref Lvl 26.75 dBm VBW 3 MHz
36 dBm 1.85016994 GHz SWT 5 ms Unit dBm



Title: Output power conducted / Channel: 512
Comment A: Mobile Tracking Unit / GNX-10
Date: 21.SEP.2004 20:32:21




Marker 1 [T1] RBW 3 MHz RF Att 50 dB
Ref Lvl 25.55 dBm VBW 3 MHz
36 dBm 1.88009018 GHz SWT 5 ms Unit dBm



Title: Output power conducted / Channel: 661
Comment A: Mobile Tracking Unit / GNX-10
Date: 21.SEP.2004 20:33:40




Marker 1 [T1] RBW 3 MHz RF Att 50 dB
Ref Lvl 25.84 dBm VBW 3 MHz
36 dBm 1.90976994 GHz SWT 5 ms Unit dBm



Title: Output power conducted / Channel: 810
Comment A: Mobile Tracking Unit / GNX-10
Date: 21.SEP.2004 20:34:35




Marker 1 [T1] RBW 3 MHz RF Att 50 dB
Ref Lvl 30.68 dBm VBW 3 MHz
36 dBm 824.10981964 MHz SWT 5 ms Unit dBm



Title: Output power conducted / Channel: 128
Comment A: Mobile Tracking Unit / GNX-10
Date: 21.SEP.2004 20:59:28




Marker 1 [T1] RBW 3 MHz RF Att 50 dB
Ref Lvl 30.68 dBm VBW 3 MHz
36 dBm 836.16993988 MHz SWT 5 ms Unit dBm



Title: Output power conducted / Channel: 188
Comment A: Mobile Tracking Unit / GNX-10
Date: 21.SEP.2004 21:01:01



Marker 1 [T1] RBW 3 MHz RF Att 50 dB
Ref Lvl 30.65 dBm VBW 3 MHz
36 dBm 848.70981964 MHz SWT 5 ms Unit dBm




Title: Output power conducted / Channel: 251
Comment A: Mobile Tracking Unit / GNX-10
Date: 21.SEP.2004 21:02:31

Appendix C

ERP, EIRP


**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 512
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0
Comment 2: Freq: 1.850GHz, Pmax: 13.64dBm, RBW: 3MHz




**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 512
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S24.232
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0
Comment 2: Freq: 1.850GHz, Pmax: 28.32dBm, RBW: 3MHz




**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 661
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0
Comment 2: Freq: 1.880GHz, Pmax: 13.05dBm, RBW: 3MHz




**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 661
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S24.232
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0
Comment 2: Freq: 1.880GHz, Pmax: 27.93dBm, RBW: 3MHz




**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 810
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S24.232
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0
Comment 2: Freq: 1.910GHz, Pmax: 13.64dBm, RBW: 3MHz




**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 810
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0
Comment 2: Freq: 1.910GHz, Pmax: 26.21dBm, RBW: 3MHz




**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 128
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 824.306MHz, Pmax: 16.37dBm, RBW: 3MHz




**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 128
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 824.167MHz, Pmax: 31.96dBm, RBW: 3MHz




**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 188
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 836.213MHz, Pmax: 16.56dBm, RBW: 3MHz




**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 188
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 836.240MHz, Pmax: 31.38dBm, RBW: 3MHz




Effective Radiated Power
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 251
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 849.080MHz, Pmax: 16.79dBm, RBW: 3MHz



**Effective Radiated Power
FCC RULES PART 22 SUBPART H**

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 251
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 848.840MHz, Pmax: 32.55dBm, RBW: 3MHz



Appendix D

Modulation Requirements

Appendix E

Audio Filter Characteristics

Appendix F


Emission Limitation

Appendix G

Occupied Bandwidth




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 18.67 dBm VBW 3 kHz
36 dBm 1.85026914 GHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth \ Channel: 512
Comment A: Mobile Tracking Unit / GNX-10
Date: 21.SEP.2004 20:37:52




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 18.09 dBm VBW 3 kHz
36 dBm 1.87998697 GHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth / Channel: 661
Comment A: Mobile Tracking Unit / GNX-10
Date: 21.SEP.2004 20:40:06




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 17.84 dBm VBW 3 kHz
36 dBm 1.90986914 GHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth / Channel: 810
Comment A: Mobile Tracking Unit / GNX-10
Date: 21.SEP.2004 20:42:11




Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
Ref Lvl ndB 26.00 dB VBW 3 kHz
36 dBm BW 306.61322645 kHz SWT 280 ms Unit dBm



Title: Emission Bandwidth / Channel: 512
Comment A: Mobile Tracking Unit / GNX-10
Date: 21.SEP.2004 20:44:02




Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
Ref Lvl ndB 26.00 dB VBW 3 kHz
36 dBm BW 290.58116232 kHz SWT 280 ms Unit dBm



Title: Emission Bandwidth / Channel: 661
Comment A: Mobile Tracking Unit / GNX-10
Date: 21.SEP.2004 20:45:03




Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
Ref Lvl ndB 26.00 dB VBW 3 kHz
36 dBm BW 280.56112224 kHz SWT 280 ms Unit dBm



Title: Emission Bandwidth / Channel: 810
Comment A: Mobile Tracking Unit / GNX-10
Date: 21.SEP.2004 20:46:21




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 21.97 dBm VBW 3 kHz
36 dBm 824.26913828 MHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth / Channel: 128
Comment A: Mobile Tracking Unit / GNX-10
Date: 21.SEP.2004 21:08:20




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 20.70 dBm VBW 3 kHz
36 dBm 836.22505010 MHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth / Channel: 188
Comment A: Mobile Tracking Unit / GNX-10
Date: 21.SEP.2004 21:10:48




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 22.23 dBm VBW 3 kHz
36 dBm 848.80901804 MHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth / Channel: 251
Comment A: Mobile Tracking Unit / GNX-10
Date: 21.SEP.2004 21:13:08




Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
Ref Lvl ndB 26.00 dB VBW 3 kHz
36 dBm BW 280.56112224 kHz SWT 280 ms Unit dBm



Title: Emission Bandwidth (-26 dB) / Channel: 128
Comment A: Mobile Tracking Unit / GNX-10
Date: 21.SEP.2004 21:19:55




Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
Ref Lvl ndB 26.00 dB VBW 3 kHz
36 dBm BW 278.55711423 kHz SWT 280 ms Unit dBm



Title: Emission Bandwidth (-26 dB) / Channel: 188
Comment A: Mobile Tracking Unit / GNX-10
Date: 21.SEP.2004 21:21:09



Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
Ref Lvl ndB 26.00 dB VBW 3 kHz
36 dBm BW 304.60921844 kHz SWT 280 ms Unit dBm



Title: Emission Bandwidth (-26 dB) / Channel: 251
Comment A: Mobile Tracking Unit / GNX-10
Date: 21.SEP.2004 21:23:46

Appendix H


Out of Band Emission at Antenna Terminals Mobile Emissions In Base
Frequency Range

Appendix I

Field Strength of Spurious Radiation


Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 128
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 57.956MHz, Pmax: -52.46dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 128
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 37.744MHz, Pmax: -51.74dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 128
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 987.833MHz, Pmax: -39.89dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 128
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 823.978MHz, Pmax: -20.98dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 128
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.630GHz, Pmax: -23.15dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 128
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Schlaps
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.950GHz, Pmax: -23.00dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 128
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.987GHz, Pmax: -45.32dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 128
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.951GHz, Pmax: -44.71dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 128
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.729GHz, Pmax: -40.70dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 128
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.764GHz, Pmax: -39.98dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 188
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 181.300MHz, Pmax: -53.08dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 188
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 43.411MHz, Pmax: -51.87dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 188
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 915.158MHz, Pmax: -37.59dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 188
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 854.487MHz, Pmax: -38.77dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 188
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Schlaps
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 4.000GHz, Pmax: -22.44dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 188
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.323GHz, Pmax: -23.29dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 188
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.991GHz, Pmax: -44.04dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 188
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.973GHz, Pmax: -44.34dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 188
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.773GHz, Pmax: -39.44dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 188
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.747GHz, Pmax: -39.72dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 251
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 200.000MHz, Pmax: -51.09dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 251
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 38.878MHz, Pmax: -52.66dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 251
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 992.862MHz, Pmax: -38.86dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 251
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 849.000MHz, Pmax: -20.47dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 251
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Schlaps
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 4.000GHz, Pmax: -22.54dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 251
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.967GHz, Pmax: -22.44dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 251
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.596GHz, Pmax: -44.56dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 251
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.987GHz, Pmax: -44.59dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 251
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.649GHz, Pmax: -40.95dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 251
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.729GHz, Pmax: -39.78dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 512
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 60.033MHz, Pmax: -52.66dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 512
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 61.733MHz, Pmax: -52.67dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 512
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 939.556MHz, Pmax: -39.77dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 512
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 868.444MHz, Pmax: -38.62dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 512
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.940GHz, Pmax: -22.42dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 512
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.296GHz, Pmax: -22.90dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 512
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.404GHz, Pmax: -33.98dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 512
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.404GHz, Pmax: -34.60dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 512
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.756GHz, Pmax: -41.02dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 512
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.742GHz, Pmax: -40.29dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 512
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.427GHz, Pmax: -31.75dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 512
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.453GHz, Pmax: -31.09dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 512
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 26.443GHz, Pmax: -25.31dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 512
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 18.331GHz, Pmax: -25.42dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 661
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 45.300MHz, Pmax: -52.63dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 661
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 46.811MHz, Pmax: -52.07dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 661
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 713.778MHz, Pmax: -40.39dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 661
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 863.111MHz, Pmax: -38.26dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 661
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.898GHz, Pmax: -23.43dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 661
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.963GHz, Pmax: -23.01dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 661
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.520GHz, Pmax: -40.64dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 661
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.520GHz, Pmax: -40.15dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 661
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.769GHz, Pmax: -40.25dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 661
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.698GHz, Pmax: -40.71dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 661
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.733GHz, Pmax: -31.65dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 661
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.447GHz, Pmax: -31.48dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 661
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 18.406GHz, Pmax: -25.33dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 661
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 18.434GHz, Pmax: -25.06dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 810
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 37.178MHz, Pmax: -52.88dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 810
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 49.456MHz, Pmax: -52.47dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 810
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 998.222MHz, Pmax: -40.11dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 810
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL 223
Comment 2: Freq: 854.222MHz, Pmax: -39.14dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 810
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.738GHz, Pmax: -23.48dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 810
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.520GHz, Pmax: -22.84dBm, RBW: 1MHz/3kHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 810
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.640GHz, Pmax: -41.58dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 810
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.640GHz, Pmax: -41.86dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 810
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.813GHz, Pmax: -40.70dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 810
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.738GHz, Pmax: -39.99dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 810
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.427GHz, Pmax: -31.50dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 810
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 17.427GHz, Pmax: -30.98dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 810
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 18.510GHz, Pmax: -25.09dBm, RBW: 1MHz



Radiated Emissions Tx
FCC RULES PART 24 SUBPART E

Applicant: GenX Mobile, Inc.
EUT : Mobile Tracking Unit GPRS 850/1900 w/GPS
Model/Channel : GNX-10 / 810
Temperature/ Voltage: Temp.: 23°C, Unom.: 12 VDC
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S24.238
Comment 1: Dist.: 3m, Ant.: HL025, amplif.
Comment 2: Freq: 18.444GHz, Pmax: -24.74dBm, RBW: 1MHz



Appendix J

Line Conducted Emissions

Appendix K

Frequency Stability vs. Temperature

No diagrams

Refer to point 13.2

Appendix L

Frequency Stability vs. Voltage

No diagrams
Refer to point 14.2