



# RF TEST REPORT

|                   |                 |
|-------------------|-----------------|
| <b>Applicant</b>  | ZTE Corporation |
| <b>FCC ID</b>     | SRQ-MF928       |
| <b>Product</b>    | LTE ufi Hotspot |
| <b>Model</b>      | MF928           |
| <b>Report No.</b> | R2006A0416-R2   |
| <b>Issue Date</b> | July 16, 2020   |

TA Technology (Shanghai) Co., Ltd. tested the above equipment in accordance with the requirements in **FCC CFR47 Part 2 (2019)/ FCC CFR 47 Part 24E (2019)**. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report.

*Performed by: Peng Tao*

*Approved by: Kai Xu*

## TA Technology (Shanghai) Co., Ltd.

*No.145, Jintang Rd, Tangzhen Industry Park, Pudong Shanghai, China*

*TEL: +86-021-50791141/2/3*

*FAX: +86-021-50791141/2/3-8000*



## TABLE OF CONTENT

|                                                         |    |
|---------------------------------------------------------|----|
| 1. Test Laboratory .....                                | 4  |
| 1.1. Notes of the test report.....                      | 4  |
| 1.2. Testing Location .....                             | 4  |
| 2. General Description of Equipment under Test.....     | 5  |
| 2.1. Applicant and Manufacturer Information .....       | 5  |
| 2.2. General information .....                          | 5  |
| 3. Applied Standards.....                               | 7  |
| 4. Test Configuration.....                              | 8  |
| 5. Test Case Results.....                               | 9  |
| 5.1. RF Power Output and Effective Radiated Power ..... | 9  |
| 5.2. Occupied Bandwidth .....                           | 17 |
| 5.3. Band Edge Compliance.....                          | 26 |
| 5.4. Peak-to-Average Power Ratio (PAPR) .....           | 35 |
| 5.5. Frequency Stability.....                           | 37 |
| 5.6. Spurious Emissions at Antenna Terminals .....      | 40 |
| 5.7. Radiates Spurious Emission .....                   | 50 |
| 6. Main Test Instruments .....                          | 62 |

## Summary of measurement results

| No.                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Test Case                                              | Clause in FCC rules        | Verdict |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|----------------------------|---------|
| 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | RF Power Output and Effective Isotropic Radiated Power | 2.1046<br>24.232(c)        | PASS    |
| 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Occupied Bandwidth                                     | 2.1049                     | PASS    |
| 3                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Band Edge Compliance                                   | 2.1051 / 24.238(a)         | PASS    |
| 4                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Peak-to-Average Power Ratio                            | 24.232/KDB 971168 D01(5.7) | PASS    |
| 5                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Frequency Stability                                    | 2.1055 / 24.235            | PASS    |
| 6                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Spurious Emissions at Antenna Terminals                | 2.1051 / 24.238(a)         | PASS    |
| 7                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Radiates Spurious Emission                             | 2.1053 / 24.238(a)         | PASS    |
| Date of Testing: March 9, 2018 ~ March 27, 2018 and June 23, 2020 ~ July 14, 2020                                                                                                                                                                                                                                                                                                                                                                                 |                                                        |                            |         |
| <p>Note: PASS: The EUT complies with the essential requirements in the standard.</p> <p>FAIL: The EUT does not comply with the essential requirements in the standard.</p> <p>All indications of Pass/Fail in this report are opinions expressed by TA Technology (Shanghai) Co., Ltd. based on interpretations and/or observations of test results. Measurement Uncertainties were not taken into account and are published for informational purposes only.</p> |                                                        |                            |         |



## 1. Test Laboratory

### 1.1. Notes of the test report

This report shall not be reproduced in full or partial, without the written approval of **TA technology (shanghai) co., Ltd.** The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein. Measurement Uncertainties were not taken into account and are published for informational purposes only. This report is written to support regulatory compliance of the applicable standards stated above.

### 1.2. Test facility

#### **FCC (Designation number: CN1179, Test Firm Registration Number: 446626)**

TA Technology (Shanghai) Co., Ltd. has been listed on the US Federal Communications Commission list of test facilities recognized to perform electromagnetic emissions measurements.

#### **A2LA (Certificate Number: 3857.01)**

TA Technology (Shanghai) Co., Ltd. has been listed by American Association for Laboratory Accreditation to perform electromagnetic emission measurement.

### 1.3. Testing Location

Company: TA Technology (Shanghai) Co., Ltd.  
Address: No.145, Jintang Rd, Tangzhen Industry Park, Pudong  
City: Shanghai  
Post code: 201201  
Country: P. R. China  
Contact: Xu Kai  
Telephone: +86-021-50791141/2/3  
Fax: +86-021-50791141/2/3-8000  
Website: <http://www.ta-shanghai.com>  
E-mail: [xukai@ta-shanghai.com](mailto:xukai@ta-shanghai.com)

## 2. General Description of Equipment under Test

### 2.3. Applicant and Manufacturer Information

|                      |                                                                                                                |
|----------------------|----------------------------------------------------------------------------------------------------------------|
| Applicant            | ZTE Corporation                                                                                                |
| Applicant address    | ZTE Plaza, Keji Road South, Hi-Tech, Industrial Park, Nanshan District, Shenzhen, Guangdong, 518057, P.R.China |
| Manufacturer         | ZTE Corporation                                                                                                |
| Manufacturer address | ZTE Plaza, Keji Road South, Hi-Tech, Industrial Park, Nanshan District, Shenzhen, Guangdong, 518057, P.R.China |

### 2.4. General information

| EUT Description            |                                                                              |             |             |
|----------------------------|------------------------------------------------------------------------------|-------------|-------------|
| Model                      | MF928                                                                        |             |             |
| IMEI                       | 866987050000794                                                              |             |             |
| Hardware Version           | MF928-1.0.0                                                                  |             |             |
| Software Version           | BD_RWMF928V0.0.0B02                                                          |             |             |
| Power Supply               | Battery/AC adapter                                                           |             |             |
| Antenna Type               | Internal Antenna                                                             |             |             |
| Antenna Gain               | 2.23 dBi                                                                     |             |             |
| Test Mode(s)               | LTE Band 2;                                                                  |             |             |
| Test Modulation            | (LTE)QPSK,16QAM                                                              |             |             |
| LTE Category               | 4                                                                            |             |             |
| Maximum E.I.R.P            | LTE Band 2:                                                                  | 25.73 dBm   |             |
| Rated Power Supply Voltage | 3.8V                                                                         |             |             |
| Extreme Voltage            | Minimum: 3.4V     Maximum: 4.35V                                             |             |             |
| Extreme Temperature        | Lowest: -20°C     Highest: +55°C                                             |             |             |
| Frequency Range(s)         | Band                                                                         | Tx (MHz)    | Rx (MHz)    |
|                            | LTE Band 2                                                                   | 1850 ~ 1910 | 1930 ~ 1990 |
| EUT Accessory              |                                                                              |             |             |
| Adapter 1                  | Manufacturer: DONGGUAN AOHAI POWER TECHNOLOGY CO., LTD.<br>Model: STC-A51D-Z |             |             |
| Adapter 2                  | Manufacturer: SHENZHEN RUIJING INDUSTRIAL CO LTD<br>Model: STC-A51D-Z        |             |             |
| Battery                    | Manufacturer: HARBIN COSLIGHT POWER CO LTD<br>Model: Li3820T43P3h715345      |             |             |
| USB Cable 1                | Manufacturer: LUXSHARE-ICT<br>100cm Cable, Shielded                          |             |             |
| USB Cable 2                | Manufacturer: kingpower-tech<br>100cm Cable, Shielded                        |             |             |



Note: 1. The EUT is sent from the applicant to TA and the information of the EUT is declared by the applicant.

2. There is more than USB cable, each one should be applied throughout the compliance test respectively, and however, only the worst case (USB cable 1) will be recorded in this report.

### 3. Applied Standards

According to the specifications of the manufacturer, it must comply with the requirements of the following standards:

**Test standards:**

**FCC CFR 47 Part 24E (2019)**

**ANSI C63.26 (2015)**

**Reference standard:**

**FCC CFR47 Part 2 (2019)**

**KDB 971168 D01 Power Meas License Digital Systems v03r01**

## 4. Test Configuration

Radiated measurements are performed by rotating the EUT in three different orthogonal test planes. EUT stand-up position (Z axis), lie-down position (X, Y axis). Receiver antenna polarization (horizontal and vertical), the worst emission was found in position (Z axis, horizontal polarization) and the worst case was recorded.

All mode and data rates and positions and RB size and modulations were investigated.

Subsequently, only the worst case emissions are reported.

The following testing in LTE is set based on the maximum RF Output Power.

Test modes are chosen to be reported as the worst case configuration below for LTE Band 2:

| Test items                                             | Bandwidth (MHz)                                                                                                                       |   |   |    |    |    | Modulation |       | RB |     |      | Test Channel |   |   |
|--------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|---|---|----|----|----|------------|-------|----|-----|------|--------------|---|---|
|                                                        | 1.4                                                                                                                                   | 3 | 5 | 10 | 15 | 20 | QPSK       | 16QAM | 1  | 50% | 100% | L            | M | H |
| RF Power Output and Effective Isotropic Radiated Power | O                                                                                                                                     | O | O | O  | O  | O  | O          | O     | O  | O   | O    | O            | O | O |
| Occupied Bandwidth                                     | O                                                                                                                                     | O | O | O  | O  | O  | O          | O     | -  | -   | O    | O            | O | O |
| Band Edge Compliance                                   | O                                                                                                                                     | O | O | O  | O  | O  | O          | O     | O  | -   | O    | O            | - | O |
| Peak-to-Average Power Ratio                            | O                                                                                                                                     | O | O | O  | O  | O  | O          | O     | -  | -   | O    | O            | O | O |
| Frequency Stability                                    | O                                                                                                                                     | O | O | O  | O  | O  | O          | O     | O  | O   | O    | O            | O | O |
| Conducted Spurious Emissions                           | O                                                                                                                                     | O | O | O  | O  | O  | O          | -     | O  | -   | -    | O            | O | O |
| Radiates Spurious Emission                             | O                                                                                                                                     | - | O | -  | -  | O  | O          | -     | O  | -   | -    | O            | O | O |
| Note                                                   | 1. The mark "O" means that this configuration is chosen for testing.<br>2. The mark "-" means that this configuration is not testing. |   |   |    |    |    |            |       |    |     |      |              |   |   |

## 5. Test Case Results

### 5.1. RF Power Output and Effective Isotropic Radiated Power

#### Ambient condition

| Temperature | Relative humidity | Pressure |
|-------------|-------------------|----------|
| 23°C ~25°C  | 45%~50%           | 101.5kPa |

#### Methods of Measurement


During the process of the testing, The EUT is controlled by the Base Station Simulator to ensure max power transmission and proper modulation.

The testing follows FCC KDB 971168 v03r01 Section 5.8 and ANSI C63.26 (2015).


- Connect the equipment as illustrated. Mount the equipment with the manufacturer specified antenna in a vertical orientation on a manufacturer specified mounting surface located on a non-conducting rotating platform of a RF anechoic chamber (preferred) or a standard radiation site.
- Key the transmitter, then rotate the EUT 360° azimuthally and record spectrum analyzer power level (LVL) measurements at angular increments that are sufficiently small to permit resolution of all peaks. If a standard radiation test site is used, raise and lower the test antenna to obtain a maximum reading at each angular increment. (Note: several batteries may be needed to offset the effect of battery voltage droop, which should not exceed 5% of the manufactured specified battery voltage during transmission).
- Replace the transmitter under test with a vertically polarized half-wave dipole (or an antenna whose gain is known relative to an ideal half-wave dipole). The center of the antenna should be at the same location as the center of the antenna under test.
- Connect the antenna to a signal generator with a known output power and record the path loss (in dB) as LOSS. If a standard radiation test site is used, raise and lower the test antenna to obtain a maximum reading.  $LOSS = \text{Generator Output Power (dBm)} - \text{Analyzer reading (dBm)}$
- Determine the effective radiated output power at each angular position from the readings in steps b) and d) using the following equation:  $ERP \text{ (dBm)} = \text{LVL (dBm)} + \text{LOSS (dB)}$
- The maximum ERP is the maximum value determined in the preceding step.
- When calculating ERP, in addition to knowing the antenna radiation and matching characteristics, it is necessary to know the loss values of all elements (e.g. transmission line attenuation, mismatches, filters, combiners) interposed between the point where transmitter output power is measured, and the point where power is applied to the antenna. ERP can then be calculated as follows:  
 $EIRP \text{ (dBm)} = \text{Output Power (dBm)} - \text{Losses (dB)} + \text{Antenna Gain (dBi)}$   
where: dBd refers to gain relative to an ideal dipole.  
 $EIRP \text{ (dBm)} = ERP \text{ (dBm)} + 2.15 \text{ (dB.)}$

The RB allocation refers to section 5.1, using the maximum output power configuration.

## Test Setup



The loss between RF output port of the EUT and the input port of the tester has been taken into consideration.



## Limits

No specific RF power output requirements in part 2.1046.

Rule Part 24.232(c) Mobile and portable stations are limited to 2 watts EIRP.

Rule Part 24.232(e) Peak transmit power must be measured over any interval of continuous transmission using instrumentation calibrated in terms of an rms-equivalent voltage.

|       |                             |
|-------|-----------------------------|
| Limit | $\leq 2 \text{ W}$ (33 dBm) |
|-------|-----------------------------|

## Measurement Uncertainty

The assessed measurement uncertainty to ensure 95% confidence level for the normal distribution is with the coverage factor  $k = 2$ ,  $U = 0.4 \text{ dB}$  for RF power output,  $k = 2$ ,  $U = 1.19 \text{ dB}$  for EIRP.



## Test Results

| Band      | Bandwidth (MHz) | UL Channel | RB Size | RB Position | Modulation | Power (dBm) | EIRP (dBm) |
|-----------|-----------------|------------|---------|-------------|------------|-------------|------------|
| LTE Band2 | 1.4             | 18607      | 1       | #0          | QPSK       | 23.30       | 25.53      |
| LTE Band2 | 1.4             | 18607      | 1       | #Mid        | QPSK       | 23.29       | 25.52      |
| LTE Band2 | 1.4             | 18607      | 1       | #Max        | QPSK       | 23.22       | 25.45      |
| LTE Band2 | 1.4             | 18607      | 3       | #0          | QPSK       | 23.12       | 25.35      |
| LTE Band2 | 1.4             | 18607      | 3       | #Mid        | QPSK       | 23.11       | 25.34      |
| LTE Band2 | 1.4             | 18607      | 3       | #Max        | QPSK       | 23.13       | 25.36      |
| LTE Band2 | 1.4             | 18607      | 6       | #0          | QPSK       | 22.05       | 24.28      |
| LTE Band2 | 1.4             | 18607      | 1       | #0          | QAM16      | 22.33       | 24.56      |
| LTE Band2 | 1.4             | 18607      | 1       | #Mid        | QAM16      | 22.44       | 24.67      |
| LTE Band2 | 1.4             | 18607      | 1       | #Max        | QAM16      | 22.18       | 24.41      |
| LTE Band2 | 1.4             | 18607      | 3       | #0          | QAM16      | 22.27       | 24.50      |
| LTE Band2 | 1.4             | 18607      | 3       | #Mid        | QAM16      | 22.27       | 24.50      |
| LTE Band2 | 1.4             | 18607      | 3       | #Max        | QAM16      | 22.30       | 24.53      |
| LTE Band2 | 1.4             | 18607      | 6       | #0          | QAM16      | 20.98       | 23.21      |
| LTE Band2 | 1.4             | 18900      | 1       | #0          | QPSK       | 22.90       | 25.13      |
| LTE Band2 | 1.4             | 18900      | 1       | #Mid        | QPSK       | 23.07       | 25.30      |
| LTE Band2 | 1.4             | 18900      | 1       | #Max        | QPSK       | 22.96       | 25.19      |
| LTE Band2 | 1.4             | 18900      | 3       | #0          | QPSK       | 23.35       | 25.58      |
| LTE Band2 | 1.4             | 18900      | 3       | #Mid        | QPSK       | 23.34       | 25.57      |
| LTE Band2 | 1.4             | 18900      | 3       | #Max        | QPSK       | 23.30       | 25.53      |
| LTE Band2 | 1.4             | 18900      | 6       | #0          | QPSK       | 22.10       | 24.33      |
| LTE Band2 | 1.4             | 18900      | 1       | #0          | QAM16      | 22.72       | 24.95      |
| LTE Band2 | 1.4             | 18900      | 1       | #Mid        | QAM16      | 22.65       | 24.88      |
| LTE Band2 | 1.4             | 18900      | 1       | #Max        | QAM16      | 22.51       | 24.74      |
| LTE Band2 | 1.4             | 18900      | 3       | #0          | QAM16      | 21.89       | 24.12      |
| LTE Band2 | 1.4             | 18900      | 3       | #Mid        | QAM16      | 21.97       | 24.20      |
| LTE Band2 | 1.4             | 18900      | 3       | #Max        | QAM16      | 21.99       | 24.22      |
| LTE Band2 | 1.4             | 18900      | 6       | #0          | QAM16      | 20.96       | 23.19      |
| LTE Band2 | 1.4             | 19193      | 1       | #0          | QPSK       | 23.42       | 25.65      |
| LTE Band2 | 1.4             | 19193      | 1       | #Mid        | QPSK       | 23.26       | 25.49      |
| LTE Band2 | 1.4             | 19193      | 1       | #Max        | QPSK       | 23.19       | 25.42      |
| LTE Band2 | 1.4             | 19193      | 3       | #0          | QPSK       | 23.30       | 25.53      |
| LTE Band2 | 1.4             | 19193      | 3       | #Mid        | QPSK       | 23.30       | 25.53      |
| LTE Band2 | 1.4             | 19193      | 3       | #Max        | QPSK       | 23.05       | 25.28      |
| LTE Band2 | 1.4             | 19193      | 6       | #0          | QPSK       | 22.16       | 24.39      |
| LTE Band2 | 1.4             | 19193      | 1       | #0          | QAM16      | 22.33       | 24.56      |
| LTE Band2 | 1.4             | 19193      | 1       | #Mid        | QAM16      | 22.07       | 24.30      |
| LTE Band2 | 1.4             | 19193      | 1       | #Max        | QAM16      | 21.97       | 24.20      |
| LTE Band2 | 1.4             | 19193      | 3       | #0          | QAM16      | 22.34       | 24.57      |



|           |     |       |    |      |       |       |       |
|-----------|-----|-------|----|------|-------|-------|-------|
| LTE Band2 | 1.4 | 19193 | 3  | #Mid | QAM16 | 22.34 | 24.57 |
| LTE Band2 | 1.4 | 19193 | 3  | #Max | QAM16 | 22.14 | 24.37 |
| LTE Band2 | 1.4 | 19193 | 6  | #0   | QAM16 | 21.19 | 23.42 |
| LTE Band2 | 3   | 18615 | 1  | #0   | QPSK  | 23.25 | 25.48 |
| LTE Band2 | 3   | 18615 | 1  | #Mid | QPSK  | 23.16 | 25.39 |
| LTE Band2 | 3   | 18615 | 1  | #Max | QPSK  | 23.19 | 25.42 |
| LTE Band2 | 3   | 18615 | 8  | #0   | QPSK  | 22.07 | 24.30 |
| LTE Band2 | 3   | 18615 | 8  | #Mid | QPSK  | 22.07 | 24.30 |
| LTE Band2 | 3   | 18615 | 8  | #Max | QPSK  | 22.09 | 24.32 |
| LTE Band2 | 3   | 18615 | 15 | #0   | QPSK  | 22.06 | 24.29 |
| LTE Band2 | 3   | 18615 | 1  | #0   | QAM16 | 22.40 | 24.63 |
| LTE Band2 | 3   | 18615 | 1  | #Mid | QAM16 | 22.43 | 24.66 |
| LTE Band2 | 3   | 18615 | 1  | #Max | QAM16 | 22.46 | 24.69 |
| LTE Band2 | 3   | 18615 | 8  | #0   | QAM16 | 20.87 | 23.10 |
| LTE Band2 | 3   | 18615 | 8  | #Mid | QAM16 | 20.88 | 23.11 |
| LTE Band2 | 3   | 18615 | 8  | #Max | QAM16 | 20.81 | 23.04 |
| LTE Band2 | 3   | 18615 | 15 | #0   | QAM16 | 20.96 | 23.19 |
| LTE Band2 | 3   | 18900 | 1  | #0   | QPSK  | 23.32 | 25.55 |
| LTE Band2 | 3   | 18900 | 1  | #Mid | QPSK  | 23.34 | 25.57 |
| LTE Band2 | 3   | 18900 | 1  | #Max | QPSK  | 23.34 | 25.57 |
| LTE Band2 | 3   | 18900 | 8  | #0   | QPSK  | 22.13 | 24.36 |
| LTE Band2 | 3   | 18900 | 8  | #Mid | QPSK  | 22.13 | 24.36 |
| LTE Band2 | 3   | 18900 | 8  | #Max | QPSK  | 22.09 | 24.32 |
| LTE Band2 | 3   | 18900 | 15 | #0   | QPSK  | 22.09 | 24.32 |
| LTE Band2 | 3   | 18900 | 1  | #0   | QAM16 | 22.52 | 24.75 |
| LTE Band2 | 3   | 18900 | 1  | #Mid | QAM16 | 22.81 | 25.04 |
| LTE Band2 | 3   | 18900 | 1  | #Max | QAM16 | 22.78 | 25.01 |
| LTE Band2 | 3   | 18900 | 8  | #0   | QAM16 | 21.42 | 23.65 |
| LTE Band2 | 3   | 18900 | 8  | #Mid | QAM16 | 21.42 | 23.65 |
| LTE Band2 | 3   | 18900 | 8  | #Max | QAM16 | 21.38 | 23.61 |
| LTE Band2 | 3   | 18900 | 15 | #0   | QAM16 | 21.27 | 23.50 |
| LTE Band2 | 3   | 19185 | 1  | #0   | QPSK  | 23.18 | 25.41 |
| LTE Band2 | 3   | 19185 | 1  | #Mid | QPSK  | 23.25 | 25.48 |
| LTE Band2 | 3   | 19185 | 1  | #Max | QPSK  | 23.31 | 25.54 |
| LTE Band2 | 3   | 19185 | 8  | #0   | QPSK  | 22.26 | 24.49 |
| LTE Band2 | 3   | 19185 | 8  | #Mid | QPSK  | 22.26 | 24.49 |
| LTE Band2 | 3   | 19185 | 8  | #Max | QPSK  | 22.42 | 24.65 |
| LTE Band2 | 3   | 19185 | 15 | #0   | QPSK  | 22.16 | 24.39 |
| LTE Band2 | 3   | 19185 | 1  | #0   | QAM16 | 22.00 | 24.23 |
| LTE Band2 | 3   | 19185 | 1  | #Mid | QAM16 | 21.65 | 23.88 |
| LTE Band2 | 3   | 19185 | 1  | #Max | QAM16 | 21.59 | 23.82 |
| LTE Band2 | 3   | 19185 | 8  | #0   | QAM16 | 21.20 | 23.43 |
| LTE Band2 | 3   | 19185 | 8  | #Mid | QAM16 | 21.17 | 23.40 |



|           |   |       |    |      |       |       |       |
|-----------|---|-------|----|------|-------|-------|-------|
| LTE Band2 | 3 | 19185 | 8  | #Max | QAM16 | 21.05 | 23.28 |
| LTE Band2 | 3 | 19185 | 15 | #0   | QAM16 | 21.23 | 23.46 |
| LTE Band2 | 5 | 18625 | 1  | #0   | QPSK  | 23.00 | 25.23 |
| LTE Band2 | 5 | 18625 | 1  | #Mid | QPSK  | 23.04 | 25.27 |
| LTE Band2 | 5 | 18625 | 1  | #Max | QPSK  | 22.92 | 25.15 |
| LTE Band2 | 5 | 18625 | 12 | #0   | QPSK  | 21.99 | 24.22 |
| LTE Band2 | 5 | 18625 | 12 | #Mid | QPSK  | 22.09 | 24.32 |
| LTE Band2 | 5 | 18625 | 12 | #Max | QPSK  | 21.99 | 24.22 |
| LTE Band2 | 5 | 18625 | 25 | #0   | QPSK  | 22.03 | 24.26 |
| LTE Band2 | 5 | 18625 | 1  | #0   | QAM16 | 22.43 | 24.66 |
| LTE Band2 | 5 | 18625 | 1  | #Mid | QAM16 | 22.41 | 24.64 |
| LTE Band2 | 5 | 18625 | 1  | #Max | QAM16 | 22.40 | 24.63 |
| LTE Band2 | 5 | 18625 | 12 | #0   | QAM16 | 20.97 | 23.20 |
| LTE Band2 | 5 | 18625 | 12 | #Mid | QAM16 | 20.97 | 23.20 |
| LTE Band2 | 5 | 18625 | 12 | #Max | QAM16 | 20.95 | 23.18 |
| LTE Band2 | 5 | 18625 | 25 | #0   | QAM16 | 21.16 | 23.39 |
| LTE Band2 | 5 | 18900 | 1  | #0   | QPSK  | 23.10 | 25.33 |
| LTE Band2 | 5 | 18900 | 1  | #Mid | QPSK  | 23.22 | 25.45 |
| LTE Band2 | 5 | 18900 | 1  | #Max | QPSK  | 23.13 | 25.36 |
| LTE Band2 | 5 | 18900 | 12 | #0   | QPSK  | 22.05 | 24.28 |
| LTE Band2 | 5 | 18900 | 12 | #Mid | QPSK  | 22.15 | 24.38 |
| LTE Band2 | 5 | 18900 | 12 | #Max | QPSK  | 22.11 | 24.34 |
| LTE Band2 | 5 | 18900 | 25 | #0   | QPSK  | 22.11 | 24.34 |
| LTE Band2 | 5 | 18900 | 1  | #0   | QAM16 | 22.34 | 24.57 |
| LTE Band2 | 5 | 18900 | 1  | #Mid | QAM16 | 22.41 | 24.64 |
| LTE Band2 | 5 | 18900 | 1  | #Max | QAM16 | 22.33 | 24.56 |
| LTE Band2 | 5 | 18900 | 12 | #0   | QAM16 | 20.82 | 23.05 |
| LTE Band2 | 5 | 18900 | 12 | #Mid | QAM16 | 20.77 | 23.00 |
| LTE Band2 | 5 | 18900 | 12 | #Max | QAM16 | 20.58 | 22.81 |
| LTE Band2 | 5 | 18900 | 25 | #0   | QAM16 | 20.92 | 23.15 |
| LTE Band2 | 5 | 19175 | 1  | #0   | QPSK  | 23.21 | 25.44 |
| LTE Band2 | 5 | 19175 | 1  | #Mid | QPSK  | 23.10 | 25.33 |
| LTE Band2 | 5 | 19175 | 1  | #Max | QPSK  | 23.07 | 25.30 |
| LTE Band2 | 5 | 19175 | 12 | #0   | QPSK  | 22.11 | 24.34 |
| LTE Band2 | 5 | 19175 | 12 | #Mid | QPSK  | 22.11 | 24.34 |
| LTE Band2 | 5 | 19175 | 12 | #Max | QPSK  | 22.08 | 24.31 |
| LTE Band2 | 5 | 19175 | 25 | #0   | QPSK  | 22.16 | 24.39 |
| LTE Band2 | 5 | 19175 | 1  | #0   | QAM16 | 22.13 | 24.36 |
| LTE Band2 | 5 | 19175 | 1  | #Mid | QAM16 | 21.84 | 24.07 |
| LTE Band2 | 5 | 19175 | 1  | #Max | QAM16 | 21.80 | 24.03 |
| LTE Band2 | 5 | 19175 | 12 | #0   | QAM16 | 21.27 | 23.50 |
| LTE Band2 | 5 | 19175 | 12 | #Mid | QAM16 | 21.17 | 23.40 |
| LTE Band2 | 5 | 19175 | 12 | #Max | QAM16 | 21.04 | 23.27 |



|           |    |       |    |      |       |       |       |
|-----------|----|-------|----|------|-------|-------|-------|
| LTE Band2 | 5  | 19175 | 25 | #0   | QAM16 | 21.20 | 23.43 |
| LTE Band2 | 10 | 18650 | 1  | #0   | QPSK  | 23.04 | 25.27 |
| LTE Band2 | 10 | 18650 | 1  | #Mid | QPSK  | 23.03 | 25.26 |
| LTE Band2 | 10 | 18650 | 1  | #Max | QPSK  | 23.04 | 25.27 |
| LTE Band2 | 10 | 18650 | 25 | #0   | QPSK  | 21.98 | 24.21 |
| LTE Band2 | 10 | 18650 | 25 | #Mid | QPSK  | 21.97 | 24.20 |
| LTE Band2 | 10 | 18650 | 25 | #Max | QPSK  | 22.01 | 24.24 |
| LTE Band2 | 10 | 18650 | 50 | #0   | QPSK  | 21.89 | 24.12 |
| LTE Band2 | 10 | 18650 | 1  | #0   | QAM16 | 21.88 | 24.11 |
| LTE Band2 | 10 | 18650 | 1  | #Mid | QAM16 | 22.50 | 24.73 |
| LTE Band2 | 10 | 18650 | 1  | #Max | QAM16 | 21.64 | 23.87 |
| LTE Band2 | 10 | 18650 | 25 | #0   | QAM16 | 21.01 | 23.24 |
| LTE Band2 | 10 | 18650 | 25 | #Mid | QAM16 | 21.02 | 23.25 |
| LTE Band2 | 10 | 18650 | 25 | #Max | QAM16 | 21.08 | 23.31 |
| LTE Band2 | 10 | 18650 | 50 | #0   | QAM16 | 20.92 | 23.15 |
| LTE Band2 | 10 | 18900 | 1  | #0   | QPSK  | 23.17 | 25.40 |
| LTE Band2 | 10 | 18900 | 1  | #Mid | QPSK  | 23.45 | 25.68 |
| LTE Band2 | 10 | 18900 | 1  | #Max | QPSK  | 23.10 | 25.33 |
| LTE Band2 | 10 | 18900 | 25 | #0   | QPSK  | 22.09 | 24.32 |
| LTE Band2 | 10 | 18900 | 25 | #Mid | QPSK  | 22.10 | 24.33 |
| LTE Band2 | 10 | 18900 | 25 | #Max | QPSK  | 22.05 | 24.28 |
| LTE Band2 | 10 | 18900 | 50 | #0   | QPSK  | 22.09 | 24.32 |
| LTE Band2 | 10 | 18900 | 1  | #0   | QAM16 | 22.14 | 24.37 |
| LTE Band2 | 10 | 18900 | 1  | #Mid | QAM16 | 22.95 | 25.18 |
| LTE Band2 | 10 | 18900 | 1  | #Max | QAM16 | 22.66 | 24.89 |
| LTE Band2 | 10 | 18900 | 25 | #0   | QAM16 | 21.24 | 23.47 |
| LTE Band2 | 10 | 18900 | 25 | #Mid | QAM16 | 21.03 | 23.26 |
| LTE Band2 | 10 | 18900 | 25 | #Max | QAM16 | 21.19 | 23.42 |
| LTE Band2 | 10 | 18900 | 50 | #0   | QAM16 | 21.08 | 23.31 |
| LTE Band2 | 10 | 19150 | 1  | #0   | QPSK  | 23.02 | 25.25 |
| LTE Band2 | 10 | 19150 | 1  | #Mid | QPSK  | 23.43 | 25.66 |
| LTE Band2 | 10 | 19150 | 1  | #Max | QPSK  | 23.27 | 25.50 |
| LTE Band2 | 10 | 19150 | 25 | #0   | QPSK  | 22.12 | 24.35 |
| LTE Band2 | 10 | 19150 | 25 | #Mid | QPSK  | 22.12 | 24.35 |
| LTE Band2 | 10 | 19150 | 25 | #Max | QPSK  | 22.19 | 24.42 |
| LTE Band2 | 10 | 19150 | 50 | #0   | QPSK  | 22.26 | 24.49 |
| LTE Band2 | 10 | 19150 | 1  | #0   | QAM16 | 21.72 | 23.95 |
| LTE Band2 | 10 | 19150 | 1  | #Mid | QAM16 | 21.98 | 24.21 |
| LTE Band2 | 10 | 19150 | 1  | #Max | QAM16 | 21.64 | 23.87 |
| LTE Band2 | 10 | 19150 | 25 | #0   | QAM16 | 21.29 | 23.52 |
| LTE Band2 | 10 | 19150 | 25 | #Mid | QAM16 | 21.29 | 23.52 |
| LTE Band2 | 10 | 19150 | 25 | #Max | QAM16 | 21.22 | 23.45 |
| LTE Band2 | 10 | 19150 | 50 | #0   | QAM16 | 21.27 | 23.50 |



|           |    |       |    |      |       |       |       |
|-----------|----|-------|----|------|-------|-------|-------|
| LTE Band2 | 15 | 18675 | 1  | #0   | QPSK  | 23.12 | 25.35 |
| LTE Band2 | 15 | 18675 | 1  | #Mid | QPSK  | 23.18 | 25.41 |
| LTE Band2 | 15 | 18675 | 1  | #Max | QPSK  | 23.05 | 25.28 |
| LTE Band2 | 15 | 18675 | 36 | #0   | QPSK  | 21.91 | 24.14 |
| LTE Band2 | 15 | 18675 | 36 | #Mid | QPSK  | 21.92 | 24.15 |
| LTE Band2 | 15 | 18675 | 36 | #Max | QPSK  | 22.04 | 24.27 |
| LTE Band2 | 15 | 18675 | 75 | #0   | QPSK  | 21.91 | 24.14 |
| LTE Band2 | 15 | 18675 | 1  | #0   | QAM16 | 22.09 | 24.32 |
| LTE Band2 | 15 | 18675 | 1  | #Mid | QAM16 | 22.16 | 24.39 |
| LTE Band2 | 15 | 18675 | 1  | #Max | QAM16 | 21.33 | 23.56 |
| LTE Band2 | 15 | 18675 | 36 | #0   | QAM16 | 20.81 | 23.04 |
| LTE Band2 | 15 | 18675 | 36 | #Mid | QAM16 | 20.81 | 23.04 |
| LTE Band2 | 15 | 18675 | 36 | #Max | QAM16 | 20.89 | 23.12 |
| LTE Band2 | 15 | 18675 | 75 | #0   | QAM16 | 20.96 | 23.19 |
| LTE Band2 | 15 | 18900 | 1  | #0   | QPSK  | 22.79 | 25.02 |
| LTE Band2 | 15 | 18900 | 1  | #Mid | QPSK  | 23.23 | 25.46 |
| LTE Band2 | 15 | 18900 | 1  | #Max | QPSK  | 23.00 | 25.23 |
| LTE Band2 | 15 | 18900 | 36 | #0   | QPSK  | 22.04 | 24.27 |
| LTE Band2 | 15 | 18900 | 36 | #Mid | QPSK  | 22.04 | 24.27 |
| LTE Band2 | 15 | 18900 | 36 | #Max | QPSK  | 21.96 | 24.19 |
| LTE Band2 | 15 | 18900 | 75 | #0   | QPSK  | 21.91 | 24.14 |
| LTE Band2 | 15 | 18900 | 1  | #0   | QAM16 | 22.35 | 24.58 |
| LTE Band2 | 15 | 18900 | 1  | #Mid | QAM16 | 22.63 | 24.86 |
| LTE Band2 | 15 | 18900 | 1  | #Max | QAM16 | 22.38 | 24.61 |
| LTE Band2 | 15 | 18900 | 36 | #0   | QAM16 | 20.96 | 23.19 |
| LTE Band2 | 15 | 18900 | 36 | #Mid | QAM16 | 21.06 | 23.29 |
| LTE Band2 | 15 | 18900 | 36 | #Max | QAM16 | 21.02 | 23.25 |
| LTE Band2 | 15 | 18900 | 75 | #0   | QAM16 | 20.95 | 23.18 |
| LTE Band2 | 15 | 19125 | 1  | #0   | QPSK  | 23.03 | 25.26 |
| LTE Band2 | 15 | 19125 | 1  | #Mid | QPSK  | 23.05 | 25.28 |
| LTE Band2 | 15 | 19125 | 1  | #Max | QPSK  | 22.88 | 25.11 |
| LTE Band2 | 15 | 19125 | 36 | #0   | QPSK  | 22.07 | 24.30 |
| LTE Band2 | 15 | 19125 | 36 | #Mid | QPSK  | 21.97 | 24.20 |
| LTE Band2 | 15 | 19125 | 36 | #Max | QPSK  | 22.08 | 24.31 |
| LTE Band2 | 15 | 19125 | 75 | #0   | QPSK  | 21.98 | 24.21 |
| LTE Band2 | 15 | 19125 | 1  | #0   | QAM16 | 21.54 | 23.77 |
| LTE Band2 | 15 | 19125 | 1  | #Mid | QAM16 | 21.72 | 23.95 |
| LTE Band2 | 15 | 19125 | 1  | #Max | QAM16 | 21.66 | 23.89 |
| LTE Band2 | 15 | 19125 | 36 | #0   | QAM16 | 21.04 | 23.27 |
| LTE Band2 | 15 | 19125 | 36 | #Mid | QAM16 | 21.03 | 23.26 |
| LTE Band2 | 15 | 19125 | 36 | #Max | QAM16 | 21.11 | 23.34 |
| LTE Band2 | 15 | 19125 | 75 | #0   | QAM16 | 21.03 | 23.26 |
| LTE Band2 | 20 | 18700 | 1  | #0   | QPSK  | 22.92 | 25.15 |



|           |    |       |     |      |       |       |       |
|-----------|----|-------|-----|------|-------|-------|-------|
| LTE Band2 | 20 | 18700 | 1   | #Mid | QPSK  | 23.25 | 25.48 |
| LTE Band2 | 20 | 18700 | 1   | #Max | QPSK  | 22.73 | 24.96 |
| LTE Band2 | 20 | 18700 | 50  | #0   | QPSK  | 21.89 | 24.12 |
| LTE Band2 | 20 | 18700 | 50  | #Mid | QPSK  | 21.88 | 24.11 |
| LTE Band2 | 20 | 18700 | 50  | #Max | QPSK  | 21.96 | 24.19 |
| LTE Band2 | 20 | 18700 | 100 | #0   | QPSK  | 21.87 | 24.10 |
| LTE Band2 | 20 | 18700 | 1   | #0   | QAM16 | 22.22 | 24.45 |
| LTE Band2 | 20 | 18700 | 1   | #Mid | QAM16 | 22.34 | 24.57 |
| LTE Band2 | 20 | 18700 | 1   | #Max | QAM16 | 22.16 | 24.39 |
| LTE Band2 | 20 | 18700 | 50  | #0   | QAM16 | 20.92 | 23.15 |
| LTE Band2 | 20 | 18700 | 50  | #Mid | QAM16 | 20.91 | 23.14 |
| LTE Band2 | 20 | 18700 | 50  | #Max | QAM16 | 20.99 | 23.22 |
| LTE Band2 | 20 | 18700 | 100 | #0   | QAM16 | 21.02 | 23.25 |
| LTE Band2 | 20 | 18900 | 1   | #0   | QPSK  | 23.05 | 25.28 |
| LTE Band2 | 20 | 18900 | 1   | #Mid | QPSK  | 23.50 | 25.73 |
| LTE Band2 | 20 | 18900 | 1   | #Max | QPSK  | 23.03 | 25.26 |
| LTE Band2 | 20 | 18900 | 50  | #0   | QPSK  | 21.91 | 24.14 |
| LTE Band2 | 20 | 18900 | 50  | #Mid | QPSK  | 21.92 | 24.15 |
| LTE Band2 | 20 | 18900 | 50  | #Max | QPSK  | 21.98 | 24.21 |
| LTE Band2 | 20 | 18900 | 100 | #0   | QPSK  | 21.97 | 24.20 |
| LTE Band2 | 20 | 18900 | 1   | #0   | QAM16 | 21.41 | 23.64 |
| LTE Band2 | 20 | 18900 | 1   | #Mid | QAM16 | 21.77 | 24.00 |
| LTE Band2 | 20 | 18900 | 1   | #Max | QAM16 | 21.48 | 23.71 |
| LTE Band2 | 20 | 18900 | 50  | #0   | QAM16 | 20.85 | 23.08 |
| LTE Band2 | 20 | 18900 | 50  | #Mid | QAM16 | 20.91 | 23.14 |
| LTE Band2 | 20 | 18900 | 50  | #Max | QAM16 | 21.02 | 23.25 |
| LTE Band2 | 20 | 18900 | 100 | #0   | QAM16 | 21.03 | 23.26 |
| LTE Band2 | 20 | 19100 | 1   | #0   | QPSK  | 23.20 | 25.43 |
| LTE Band2 | 20 | 19100 | 1   | #Mid | QPSK  | 23.06 | 25.29 |
| LTE Band2 | 20 | 19100 | 1   | #Max | QPSK  | 23.09 | 25.32 |
| LTE Band2 | 20 | 19100 | 50  | #0   | QPSK  | 22.01 | 24.24 |
| LTE Band2 | 20 | 19100 | 50  | #Mid | QPSK  | 21.97 | 24.20 |
| LTE Band2 | 20 | 19100 | 50  | #Max | QPSK  | 22.14 | 24.37 |
| LTE Band2 | 20 | 19100 | 100 | #0   | QPSK  | 22.03 | 24.26 |
| LTE Band2 | 20 | 19100 | 1   | #0   | QAM16 | 22.16 | 24.39 |
| LTE Band2 | 20 | 19100 | 1   | #Mid | QAM16 | 22.42 | 24.65 |
| LTE Band2 | 20 | 19100 | 1   | #Max | QAM16 | 21.93 | 24.16 |
| LTE Band2 | 20 | 19100 | 50  | #0   | QAM16 | 21.12 | 23.35 |
| LTE Band2 | 20 | 19100 | 50  | #Mid | QAM16 | 21.12 | 23.35 |
| LTE Band2 | 20 | 19100 | 50  | #Max | QAM16 | 21.01 | 23.24 |
| LTE Band2 | 20 | 19100 | 100 | #0   | QAM16 | 21.19 | 23.42 |

## 5.2.Occupied Bandwidth

### Ambient condition

| Temperature | Relative humidity | Pressure |
|-------------|-------------------|----------|
| 23°C ~25°C  | 45%~50%           | 101.5kPa |

### Method of Measurement

The EUT was connected to Spectrum Analyzer and Base Station Simulator via power Splitter. The occupied bandwidth is measured using spectrum analyzer.


RBW is set to 51kHz, VBW is set to 160kHz for LTE Band 2 (1.4MHz),

RBW is set to 100kHz,VBW is set to 300kHz for LTE Band 2 (3MHz/5MHz),

RBW is set to 300kHz,VBW is set to 1MHz for LTE Band 2 (10MHz/15MHz/20MHz).

99% power and -26dBc occupied bandwidths are recorded. Spectrum analyzer plots are included on the following pages.

### Test Setup



### Limits

No specific occupied bandwidth requirements in part 2.1049.

### Measurement Uncertainty

The assessed measurement uncertainty to ensure 95% confidence level for the normal distribution is with the coverage factor  $k = 2$ ,  $U = 624\text{Hz}$ .

## Test Result


| LTE Band 2 |                 |         |                 |                          |                       |
|------------|-----------------|---------|-----------------|--------------------------|-----------------------|
| Modulation | Bandwidth (MHz) | Channel | Frequency (MHz) | 99% Power Bandwidth(MHz) | -26dBc Bandwidth(MHz) |
| QPSK       | 1.4             | 18607   | 1850.7          | 1.1246                   | 1.363                 |
|            |                 | 18900   | 1880.0          | 1.1240                   | 1.363                 |
|            |                 | 19193   | 1909.3          | 1.1347                   | 1.371                 |
|            | 3               | 18615   | 1851.5          | 2.7455                   | 3.075                 |
|            |                 | 18900   | 1880            | 2.7518                   | 3.060                 |
|            |                 | 19185   | 1908.5          | 2.7461                   | 3.070                 |
|            | 5               | 18625   | 1852.5          | 4.5306                   | 5.009                 |
|            |                 | 18900   | 1880            | 4.5130                   | 5.024                 |
|            |                 | 19175   | 1907.5          | 4.5066                   | 5.008                 |
|            | 10              | 18650   | 1855            | 9.0447                   | 10.100                |
|            |                 | 18900   | 1880            | 9.0102                   | 10.090                |
|            |                 | 19150   | 1905            | 9.0438                   | 10.050                |
|            | 15              | 18675   | 1857.5          | 13.4590                  | 14.830                |
|            |                 | 18900   | 1880            | 13.4130                  | 14.690                |
|            |                 | 19125   | 1902.5          | 13.4740                  | 14.720                |
|            | 20              | 18700   | 1860            | 17.8610                  | 19.190                |
|            |                 | 18900   | 1880            | 17.8610                  | 19.240                |
|            |                 | 19100   | 1900            | 17.9130                  | 19.520                |
| 16QAM      | 1.4             | 18607   | 1850.7          | 1.1298                   | 1.351                 |
|            |                 | 18900   | 1880.0          | 1.1226                   | 1.318                 |
|            |                 | 19193   | 1909.3          | 1.1257                   | 1.382                 |
|            | 3               | 18615   | 1851.5          | 2.7652                   | 3.073                 |
|            |                 | 18900   | 1880            | 2.7367                   | 3.066                 |
|            |                 | 19185   | 1908.5          | 2.7354                   | 3.084                 |
|            | 5               | 18625   | 1852.5          | 4.5114                   | 5.047                 |
|            |                 | 18900   | 1880            | 4.5315                   | 5.041                 |
|            |                 | 19175   | 1907.5          | 4.5341                   | 5.035                 |
|            | 10              | 18650   | 1855            | 9.0465                   | 9.992                 |
|            |                 | 18900   | 1880            | 9.0077                   | 10.030                |
|            |                 | 19150   | 1905            | 9.0258                   | 10.070                |




|  |    |       |        |         |        |
|--|----|-------|--------|---------|--------|
|  | 15 | 18675 | 1857.5 | 13.4420 | 14.720 |
|  |    | 18900 | 1880   | 13.4260 | 14.680 |
|  |    | 19125 | 1902.5 | 13.4620 | 14.780 |
|  | 20 | 18700 | 1860   | 17.8940 | 19.300 |
|  |    | 18900 | 1880   | 17.8700 | 19.410 |
|  |    | 19100 | 1900   | 17.8820 | 19.360 |




## LTE Band 2 1.4MHz QPSK CH-Low




## LTE Band 2 3MHz QPSK CH-Low




## LTE Band 2 1.4MHz QPSK CH-Middle




## LTE Band 2 3MHz QPSK CH-Middle



## LTE Band 2 1.4MHz QPSK CH-High




## LTE Band 2 3MHz QPSK CH-High







## LTE Band 2 5MHz QPSK CH-Low




## LTE Band 2 10MHz QPSK CH-Low




## LTE Band 2 5MHz QPSK CH-Middle




## LTE Band 2 10MHz QPSK CH-Middle



## LTE Band 2 5MHz QPSK CH-High




## LTE Band 2 10MHz QPSK CH-High







## LTE Band 2 15MHz QPSK CH-Low




## LTE Band 2 20MHz QPSK CH-Low




## LTE Band 2 15MHz QPSK CH-Middle




## LTE Band 2 20MHz QPSK CH-Middle



## LTE Band 2 15MHz QPSK CH-High




## LTE Band 2 20MHz QPSK CH-High







## LTE Band 2 1.4MHz 16QAM CH-Low




## LTE Band 2 3MHz 16QAM CH-Low




## LTE Band 2 1.4MHz 16QAM CH-Middle




## LTE Band 2 3MHz 16QAM CH-Middle



## LTE Band 2 1.4MHz 16QAM CH-High




## LTE Band 2 3MHz 16QAM CH-High







## LTE Band 2 5MHz 16QAM CH-Low




## LTE Band 2 10MHz 16QAM CH-Low




## LTE Band 2 5MHz 16QAM CH-Middle




## LTE Band 2 10MHz 16QAM CH-Middle



## LTE Band 2 5MHz 16QAM CH-High




## LTE Band 2 10MHz 16QAM CH-High







## LTE Band 2 15MHz 16QAM CH-Low




## LTE Band 2 20MHz 16QAM CH-Low




## LTE Band 2 15MHz 16QAM CH-Middle




## LTE Band 2 20MHz 16QAM CH-Middle



## LTE Band 2 15MHz 16QAM CH-High



## LTE Band 2 20MHz 16QAM CH-High



### 5.3. Band Edge Compliance

#### Ambient condition


| Temperature | Relative humidity | Pressure |
|-------------|-------------------|----------|
| 23°C ~25°C  | 45%~50%           | 101.5kPa |

#### Method of Measurement

The EUT was connected to Spectrum Analyzer and Base Station Simulator via power Splitter. The band edge of the lowest and highest channels were measured. The Average detector is used and RBW is set to 15kHz, VBW is set to 51kHz for LTE Band 2 (1.4MHz), RBW is set to 30kHz, VBW is set to 100kHz for LTE Band 2 (3MHz), RBW is set to 51kHz, VBW is set to 160kHz for LTE Band 2 (5MHz), RBW is set to 100kHz, VBW is set to 300kHz for LTE Band 2 (10MHz), RBW is set to 150kHz, VBW is set to 510kHz for LTE Band 2 (15MHz), RBW is set to 200kHz, VBW is set to 620kHz for LTE Band 2 (20MHz).

Spectrum analyzer plots are included on the following pages.

#### Test Setup



#### Limits

Rule Part 24.238(a) specifies that “on any frequency outside a licensee's frequency block, the power of any emission shall be attenuated below the transmitter power (P) by at least  $43 + 10 \log_{10} (P)$  dB.”

| Limit | -13 dBm |
|-------|---------|
|-------|---------|


#### Measurement Uncertainty

The assessed measurement uncertainty to ensure 95% confidence level for the normal distribution is with the coverage factor  $k = 1.96$ ,  $U=0.684$ dB.




## Test Result:


LTE Band 2 1.4MHz QPSK 1RB CH-Low




LTE Band 2 1.4MHz QPSK 1RB CH-High




LTE Band 2 1.4MHz QPSK 100%RB CH-Low




LTE Band 2 1.4MHz QPSK 100%RB CH-High



LTE Band 2 3MHz QPSK 1RB CH-Low




LTE Band 2 3MHz QPSK 1RB CH-High







## LTE Band 2 3MHz QPSK 100%RB CH-Low




## LTE Band 2 3MHz QPSK 100%RB CH-High




## LTE Band 2 5MHz QPSK 1RB CH-Low



## LTE Band 2 5MHz QPSK 1RB CH-High




## LTE Band 2 5MHz QPSK 100%RB CH-Low




## LTE Band 2 5MHz QPSK 100%RB CH-High




LTE Band 2 10MHz QPSK 1RB CH-Low




LTE Band 2 10MHz QPSK 1RB CH-High




LTE Band 2 10MHz QPSK 100%RB CH-Low



LTE Band 2 10MHz QPSK 100%RB CH-High



LTE Band 2 15MHz QPSK 1RB CH-Low



LTE Band 2 15MHz QPSK 1RB CH-High

