




SRD 20MHz_Ant0_5735.5




SRD 20MHz_Ant1_5735.5




SRD 20MHz_Ant0_5787.5



SRD 20MHz_Ant1_5787.5



SRD 20MHz_Ant0_5839.5




SRD 20MHz_Ant1_5839.5



Date: 5 JUN 2024 08:02:01

SRD 40MHz_Ant0_5745.5




Date: 5 JUN 2024 08:04:37

SRD 40MHz_Ant1_5745.5




Date: 5 JUN 2024 08:10:54

SRD 40MHz_Ant0_5787.5



Date: 5 JUN 2024 06:12:16

SRD 40MHz_Ant1_5787.5




Date: 5 JUN 2024 08:35:06

SRD 40MHz_Ant0_5829.5




Date: 5 JUN 2024 08:36:27


SRD 40MHz_Ant1_5829.5




SRD 60MHz_Ant0_5755.5



SRD 60MHz_Ant1_5755.5




SRD 60MHz_Ant0_5787.5




Date: 5 JUN 2024 09:13:04

SRD 60MHz_Ant1_5787.5




Date: 5 JUN 2024 09:29:54

SRD 60MHz_Ant0_5819.5




Date: 5 JUN 2024 09:30:59


SRD 60MHz_Ant1_5819.5




SRD 80MHz_Ant0_5765.5




SRD 80MHz_Ant1_5765.5




SRD 80MHz_Ant0_5787.5



SRD 80MHz_Ant1_5787.5



SRD 80MHz_Ant0_5809.5



SRD 80MHz_Ant1_5809.5

10.4. APPENDIX D: MAXIMUM AVERAGE CONDUCTED OUTPUT POWER

10.4.1. Test Result

Mode	Frequency (MHz)	Average Conducted Power (dBm)			Antenna Gain (dBi)	Limit (dBm)	EIRP (dBm)
		ANT0	ANT1	Total			
10M	5157	-0.17	0.47	3.17	1.10	24	4.27
	5158	2.10	3.04	5.61	1.10	24	6.71
	5159	3.33	4.27	6.84	1.10	24	7.94
	5160	4.91	5.69	8.33	1.10	24	9.43
	5161	5.86	6.68	9.30	1.10	24	10.40
	5162	6.78	7.71	10.28	1.10	24	11.38
	5163	8.47	9.37	11.95	1.10	24	13.05
	5165	9.46	10.36	12.94	1.10	24	14.04
	5166	11.02	11.77	14.42	1.10	24	15.52
	5167	12.52	13.31	15.94	1.10	24	17.04
	5168	12.95	14.64	16.89	1.10	24	17.99
	5169	14.27	15.12	17.73	1.10	24	18.83
	5170	14.30	15.13	17.75	1.10	24	18.85
	5171	15.13	15.97	18.58	1.10	24	19.68
	5200	15.86	16.17	19.03	1.10	24	20.13
	5245	15.23	16.05	18.67	1.10	24	19.77
	5730.5	24.22	25.58	27.96	2.10	30	30.06
	5787.5	24.87	25.26	28.08	2.10	30	30.18
	5844.5	24.82	25.83	28.36	2.10	30	30.46
20M	5161	3.27	4.11	6.72	1.10	24	7.82
	5162	5.29	6.08	8.71	1.10	24	9.81
	5163	6.24	7.08	9.69	1.10	24	10.79
	5165	7.28	8.10	10.72	1.10	24	11.82
	5166	8.33	9.24	11.82	1.10	24	12.92
	5167	9.33	10.30	12.85	1.10	24	13.95
	5168	10.42	11.28	13.88	1.10	24	14.98
	5169	11.42	12.25	14.87	1.10	24	15.97
	5170	11.92	12.74	15.36	1.10	24	16.46
	5171	14.60	15.45	18.06	1.10	24	19.16
	5172	15.63	16.51	19.10	1.10	24	20.20
	5200	15.80	15.51	18.67	1.10	24	19.77
	5240	15.55	15.89	18.73	1.10	24	19.83
	5735.5	24.85	25.97	28.46	2.10	30	30.56
	5787.5	25.10	25.47	28.30	2.10	30	30.40
5839.5	25.12	26.14	28.67	2.10	30	30.77	

40M	5170	4.23	4.35	7.30	1.10	24	8.40
	5171	7.43	8.15	10.82	1.10	24	11.92
	5172	8.74	9.70	12.26	1.10	24	13.36
	5173	9.78	10.69	13.27	1.10	24	14.37
	5174	10.81	11.67	14.27	1.10	24	15.37
	5177	11.84	12.59	15.24	1.10	24	16.34
	5182	12.83	13.63	16.26	1.10	24	17.36
	5187	14.61	15.52	18.10	1.10	24	19.20
	5188	15.64	16.48	19.09	1.10	24	20.19
	5200	16.17	16.54	19.37	1.10	24	20.47
	5230	14.71	17.05	19.05	1.10	24	20.15
	5745.5	23.83	24.99	27.46	2.10	30	29.56
	5787.5	24.98	25.35	28.18	2.10	30	30.28
	5829.5	23.31	24.36	26.88	2.10	30	28.98
	60M	5755.5	21.09	22.24	24.71	2.10	30
5787.5		21.45	22.22	24.86	2.10	30	26.96
5819.5		21.02	22.88	25.06	2.10	30	27.16
80M	5765.5	20.52	22.50	24.63	2.10	30	26.73
	5787.5	21.54	22.35	24.97	2.10	30	27.07
	5809.5	20.72	21.84	24.33	2.10	30	26.43

Mode	Frequency (MHz)	Average Conducted Power (dBm)			Antenna Gain (dBi)	Limit (dBm)	EIRP (dBm)
		ANT0	ANT3	Total			
10M	5157	-1.97	-2.18	0.94	2.50	24	3.44
	5158	-0.65	0.64	3.05	2.50	24	5.55
	5159	1.48	1.47	4.49	2.50	24	6.99
	5160	2.21	3.49	5.91	2.50	24	8.41
	5161	3.31	5.08	7.29	2.50	24	9.79
	5162	3.78	5.41	7.68	2.50	24	10.18
	5163	5.82	7.72	9.88	2.50	24	12.38
	5165	7.71	7.56	10.65	2.50	24	13.15
	5166	9.47	9.22	12.36	2.50	24	14.86
	5167	10.57	10.51	13.55	2.50	24	16.05
	5168	11.20	12.64	14.99	2.50	24	17.49
	5169	12.32	12.82	15.59	2.50	24	18.09
	5170	11.40	12.53	15.01	2.50	24	17.51
	5171	13.23	13.02	16.14	2.50	24	18.64
	5200	13.21	13.37	16.30	2.50	24	18.80
	5245	12.73	14.05	16.45	2.50	24	18.95

	5730.5	22.84	24.11	26.53	3.00	30	29.53
	5787.5	23.29	23.67	26.49	3.00	30	29.49
	5844.5	23.52	24.04	26.80	3.00	30	29.80
20M	5161	1.07	2.31	4.74	2.50	24	7.24
	5162	3.19	4.48	6.89	2.50	24	9.39
	5163	4.54	5.43	8.02	2.50	24	10.52
	5165	5.48	5.10	8.30	2.50	24	10.80
	5166	5.73	7.24	9.56	2.50	24	12.06
	5167	6.78	8.30	10.62	2.50	24	13.12
	5168	8.57	8.63	11.61	2.50	24	14.11
	5169	9.42	9.90	12.68	2.50	24	15.18
	5170	9.72	10.64	13.21	2.50	24	15.71
	5171	11.80	12.45	15.15	2.50	24	17.65
	5172	12.68	14.61	16.76	2.50	24	19.26
	5200	14.06	13.72	16.90	2.50	24	19.40
	5240	13.87	14.32	17.11	2.50	24	19.61
	5735.5	23.48	24.52	27.04	3.00	30	30.04
	5787.5	23.67	24.01	26.85	3.00	30	29.85
	5839.5	23.36	24.57	27.02	3.00	30	30.02
	40M	5170	2.66	3.05	5.87	2.50	24
5171		5.93	6.25	9.10	2.50	24	11.60
5172		6.99	6.75	9.88	2.50	24	12.38
5173		7.48	9.04	11.34	2.50	24	13.84
5174		8.71	9.92	12.37	2.50	24	14.87
5177		10.09	11.09	13.63	2.50	24	16.13
5182		11.08	11.28	14.19	2.50	24	16.69
5187		13.11	12.57	15.86	2.50	24	18.36
5188		14.09	14.23	17.17	2.50	24	19.67
5200		13.72	13.89	16.82	2.50	24	19.32
5230		12.91	15.54	17.43	2.50	24	19.93
5745.5		22.45	23.47	26.00	3.00	30	29.00
5787.5		23.54	23.77	26.67	3.00	30	29.67
5829.5		21.51	23.05	25.36	3.00	30	28.36
60M	5755.5	19.38	20.85	23.19	3.00	30	26.19
	5787.5	19.85	20.74	23.33	3.00	30	26.33
	5819.5	19.54	21.37	23.56	3.00	30	26.56
80M	5765.5	18.73	21.03	23.04	3.00	30	26.04
	5787.5	20.04	20.73	23.41	3.00	30	26.41
	5809.5	19.29	20.35	22.86	3.00	30	25.86

Mode	Frequency (MHz)	Average Conducted Power (dBm)			Antenna Gain (dBi)	Limit (dBm)	EIRP (dBm)
		ANT0	ANT5	Total			
10M	5157	-0.60	-0.02	2.71	1.10	3.81	3.81
	5158	1.75	2.74	5.28	1.10	6.38	6.38
	5159	2.75	3.87	6.36	1.10	7.46	7.46
	5160	4.49	5.22	7.88	1.10	8.98	8.98
	5161	5.53	6.35	8.97	1.10	10.07	10.07
	5162	6.29	7.12	9.74	1.10	10.84	10.84
	5163	8.09	8.94	11.55	1.10	12.65	12.65
	5165	8.95	9.79	12.40	1.10	13.50	13.50
	5166	10.62	11.33	14.00	1.10	15.10	15.10
	5167	11.94	12.76	15.38	1.10	16.48	16.48
	5168	12.57	14.28	16.52	1.10	17.62	17.62
	5169	13.91	14.60	17.28	1.10	18.38	18.38
	5170	13.72	14.70	17.25	1.10	18.35	18.35
	5171	14.66	15.62	18.18	1.10	19.28	19.28
	5200	15.50	15.57	18.55	1.10	19.65	19.65
	5245	14.70	15.72	18.25	1.10	19.35	19.35
	5730.5	23.74	24.98	27.41	2.10	29.51	29.51
	5787.5	24.42	24.69	27.57	2.10	29.67	29.67
	5844.5	24.32	25.42	27.92	2.10	30.02	30.02
20M	5161	2.95	3.78	6.40	1.10	7.50	7.50
	5162	4.75	5.71	8.27	1.10	9.37	9.37
	5163	5.82	6.59	9.23	1.10	10.33	10.33
	5165	6.97	7.68	10.35	1.10	11.45	11.45
	5166	7.78	8.93	11.40	1.10	12.50	12.50
	5167	8.76	9.77	12.30	1.10	13.40	13.40
	5168	9.88	10.83	13.39	1.10	14.49	14.49
	5169	11.04	11.68	14.38	1.10	15.48	15.48
	5170	11.46	12.25	14.88	1.10	15.98	15.98
	5171	14.02	14.88	17.48	1.10	18.58	18.58
	5172	15.30	16.11	18.73	1.10	19.83	19.83
	5200	15.32	15.00	18.17	1.10	19.27	19.27
	5240	14.96	15.32	18.15	1.10	19.25	19.25
	5735.5	24.48	25.41	27.98	2.10	30.08	30.08
	5787.5	24.52	25.10	27.83	2.10	29.93	29.93
	5839.5	24.68	25.68	28.22	2.10	30.32	30.32
40M	5170	3.86	3.81	6.85	1.10	7.95	7.95

	5171	7.02	7.71	10.39	1.10	11.49	11.49
	5172	8.19	9.25	11.76	1.10	12.86	12.86
	5173	9.23	10.31	12.81	1.10	13.91	13.91
	5174	10.37	11.19	13.81	1.10	14.91	14.91
	5177	11.34	12.19	14.80	1.10	15.90	15.90
	5182	12.24	13.09	15.70	1.10	16.80	16.80
	5187	14.21	15.12	17.70	1.10	18.80	18.80
	5188	15.17	16.15	18.70	1.10	19.80	19.80
	5200	15.85	16.08	18.98	1.10	20.08	20.08
	5230	14.27	16.63	18.62	1.10	19.72	19.72
	5745.5	23.23	24.60	26.98	2.10	29.08	29.08
	5787.5	24.52	24.75	27.65	2.10	29.75	29.75
	5829.5	22.83	23.96	26.44	2.10	28.54	28.54
60M	5755.5	20.56	21.70	24.18	2.10	26.28	26.28
	5787.5	21.09	21.71	24.42	2.10	26.52	26.52
	5819.5	20.59	22.31	24.54	2.10	26.64	26.64
80M	5765.5	19.94	21.91	24.05	2.10	26.15	26.15
	5787.5	20.99	21.92	24.49	2.10	26.59	26.59
	5809.5	20.22	21.32	23.82	2.10	25.92	25.92

Mode	Frequency (MHz)	Average Conducted Power (dBm)			Antenna Gain (dBi)	Limit (dBm)	EIRP (dBm)
		ANT0	ANT7	Total			
10M	5157	-1.77	-1.48	1.39	2.50	24	3.89
	5158	-0.75	1.54	3.55	2.50	24	6.05
	5159	0.98	1.82	4.43	2.50	24	6.93
	5160	3.01	3.54	6.29	2.50	24	8.79
	5161	3.61	5.18	7.48	2.50	24	9.98
	5162	4.83	5.41	8.14	2.50	24	10.64
	5163	5.92	7.32	9.69	2.50	24	12.19
	5165	7.01	8.66	10.92	2.50	24	13.42
	5166	9.22	8.77	12.01	2.50	24	14.51
	5167	10.77	11.36	14.09	2.50	24	16.59
	5168	11.35	11.69	14.53	2.50	24	17.03
	5169	12.77	12.32	15.56	2.50	24	18.06
	5170	12.55	12.18	15.38	2.50	24	17.88
	5171	12.73	13.62	16.21	2.50	24	18.71
	5200	13.46	13.32	16.40	2.50	24	18.90
	5245	12.23	13.80	16.10	2.50	24	18.60
5730.5	23.02	24.08	26.59	3.00	30	29.59	

	5787.5	23.52	23.97	26.76	3.00	30	29.76
	5844.5	23.74	24.39	27.09	3.00	30	30.09
20M	5161	1.32	1.56	4.45	2.50	24	6.95
	5162	3.59	3.73	6.67	2.50	24	9.17
	5163	4.24	4.93	7.61	2.50	24	10.11
	5165	5.33	6.35	8.88	2.50	24	11.38
	5166	6.83	7.29	10.08	2.50	24	12.58
	5167	7.63	8.65	11.18	2.50	24	13.68
	5168	8.27	9.03	11.68	2.50	24	14.18
	5169	9.87	9.30	12.60	2.50	24	15.10
	5170	10.32	11.04	13.71	2.50	24	16.21
	5171	12.05	12.85	15.48	2.50	24	17.98
	5172	12.88	14.51	16.78	2.50	24	19.28
	5200	13.96	13.59	16.79	2.50	24	19.29
	5240	13.75	13.09	16.44	2.50	24	18.94
	5735.5	23.56	24.41	27.02	3.00	30	30.02
	5787.5	23.90	24.09	27.01	3.00	30	30.01
	5839.5	23.38	24.55	27.01	3.00	30	30.01
40M	5170	1.63	1.60	4.63	2.50	24	7.13
	5171	5.58	5.25	8.43	2.50	24	10.93
	5172	6.39	6.70	9.56	2.50	24	12.06
	5173	8.23	8.29	11.27	2.50	24	13.77
	5174	9.01	9.97	12.53	2.50	24	15.03
	5177	9.84	10.09	12.98	2.50	24	15.48
	5182	10.98	11.28	14.14	2.50	24	16.64
	5187	12.56	12.57	15.58	2.50	24	18.08
	5188	13.14	14.18	16.70	2.50	24	19.20
	5200	14.67	13.59	17.17	2.50	24	19.67
	5230	11.76	15.10	16.75	2.50	24	19.25
	5745.5	22.66	23.61	26.17	3.00	30	29.17
	5787.5	23.27	23.58	26.44	3.00	30	29.44
	5829.5	22.14	23.10	25.66	3.00	30	28.66
60M	5755.5	19.56	20.68	23.17	3.00	30	26.17
	5787.5	20.19	21.05	23.65	3.00	30	26.65
	5819.5	19.52	21.47	23.61	3.00	30	26.61
80M	5765.5	18.87	21.30	23.26	3.00	30	26.26
	5787.5	20.31	21.15	23.76	3.00	30	26.76
	5809.5	19.67	20.79	23.28	3.00	30	26.28

Mode	Frequency (MHz)	Average Conducted Power (dBm)			Antenna Gain (dBi)	Limit (dBm)	EIRP (dBm)
		ANT1	ANT2	Total			
10M	5157	-0.68	-0.13	2.61	1.10	24	3.71
	5158	1.67	2.64	5.19	1.10	24	6.29
	5159	2.90	3.95	6.47	1.10	24	7.57
	5160	4.57	5.34	7.98	1.10	24	9.08
	5161	5.49	6.26	8.90	1.10	24	10.00
	5162	6.26	7.24	9.79	1.10	24	10.89
	5163	7.88	8.98	11.48	1.10	24	12.58
	5165	9.06	9.95	12.54	1.10	24	13.64
	5166	10.46	11.30	13.91	1.10	24	15.01
	5167	12.05	12.88	15.50	1.10	24	16.60
	5168	12.36	14.06	16.30	1.10	24	17.40
	5169	13.73	14.56	17.18	1.10	24	18.28
	5170	13.90	14.65	17.30	1.10	24	18.40
	5171	14.62	15.57	18.13	1.10	24	19.23
	5200	15.43	15.83	18.64	1.10	24	19.74
	5245	14.93	15.64	18.31	1.10	24	19.41
	5730.5	23.80	25.01	27.46	2.10	30	29.56
	5787.5	24.43	24.82	27.64	2.10	30	29.74
5844.5	24.38	25.46	27.96	2.10	30	30.06	
20M	5161	2.84	3.63	6.26	1.10	24	7.36
	5162	4.96	5.69	8.35	1.10	24	9.45
	5163	5.73	6.52	9.15	1.10	24	10.25
	5165	6.90	7.65	10.30	1.10	24	11.40
	5166	7.90	8.68	11.32	1.10	24	12.42
	5167	8.93	9.96	12.49	1.10	24	13.59
	5168	9.96	10.81	13.42	1.10	24	14.52
	5169	10.91	11.76	14.37	1.10	24	15.47
	5170	11.57	12.42	15.03	1.10	24	16.13
	5171	14.30	14.98	17.66	1.10	24	18.76
	5172	15.22	16.21	18.75	1.10	24	19.85
	5200	15.29	15.07	18.19	1.10	24	19.29
	5240	15.10	15.35	18.24	1.10	24	19.34
	5735.5	24.29	25.42	27.90	2.10	30	30.00
	5787.5	24.62	25.08	27.87	2.10	30	29.97
	5839.5	24.67	25.70	28.23	2.10	30	30.33
40M	5170	3.78	3.93	6.87	1.10	24	7.97

	5171	6.93	7.60	10.29	1.10	24	11.39
	5172	8.32	9.32	11.86	1.10	24	12.96
	5173	9.18	10.24	12.75	1.10	24	13.85
	5174	10.36	11.17	13.79	1.10	24	14.89
	5177	11.46	12.15	14.83	1.10	24	15.93
	5182	12.31	13.16	15.77	1.10	24	16.87
	5187	14.09	14.98	17.57	1.10	24	18.67
	5188	15.15	15.92	18.56	1.10	24	19.66
	5200	15.62	16.15	18.90	1.10	24	20.00
	5230	14.13	16.59	18.54	1.10	24	19.64
	5745.5	23.38	24.50	26.99	2.10	30	29.09
	5787.5	24.57	24.78	27.69	2.10	30	29.79
	5829.5	22.76	24.00	26.43	2.10	30	28.53
60M	5755.5	20.71	21.72	24.25	2.10	30	26.35
	5787.5	20.96	21.80	24.41	2.10	30	26.51
	5819.5	20.61	22.42	24.62	2.10	30	26.72
80M	5765.5	19.97	21.94	24.08	2.10	30	26.18
	5787.5	21.12	21.81	24.49	2.10	30	26.59
	5809.5	20.36	21.36	23.90	2.10	30	26.00

Mode	Frequency (MHz)	Average Conducted Power (dBm)			Antenna Gain (dBi)	Limit (dBm)	EIRP (dBm)
		ANT2	ANT3	Total			
10M	5157	-3.17	-1.48	0.77	2.50	24	3.27
	5158	0.40	0.39	3.41	2.50	24	5.91
	5159	0.48	1.62	4.10	2.50	24	6.60
	5160	2.51	3.59	6.09	2.50	24	8.59
	5161	3.91	3.83	6.88	2.50	24	9.38
	5162	3.83	4.76	7.33	2.50	24	9.83
	5163	5.67	7.07	9.44	2.50	24	11.94
	5165	6.81	7.91	10.41	2.50	24	12.91
	5166	9.12	9.42	12.28	2.50	24	14.78
	5167	9.97	11.21	13.64	2.50	24	16.14
	5168	11.00	11.64	14.34	2.50	24	16.84
	5169	11.47	12.92	15.27	2.50	24	17.77
	5170	12.30	12.73	15.53	2.50	24	18.03
	5171	13.58	14.22	16.92	2.50	24	19.42
	5200	13.61	13.92	16.78	2.50	24	19.28
	5245	12.83	13.10	15.98	2.50	24	18.48
5730.5	23.05	24.02	26.57	3.00	30	29.57	

	5787.5	23.07	23.55	26.33	3.00	30	29.33
	5844.5	23.38	24.66	27.08	3.00	30	30.08
20M	5161	1.02	1.31	4.18	2.50	24	6.68
	5162	2.99	4.18	6.64	2.50	24	9.14
	5163	4.19	5.03	7.64	2.50	24	10.14
	5165	5.18	5.35	8.28	2.50	24	10.78
	5166	6.33	6.49	9.42	2.50	24	11.92
	5167	6.38	8.20	10.39	2.50	24	12.89
	5168	7.72	9.78	11.88	2.50	24	14.38
	5169	9.42	10.15	12.81	2.50	24	15.31
	5170	9.57	10.04	12.82	2.50	24	15.32
	5171	12.00	12.60	15.32	2.50	24	17.82
	5172	13.88	13.76	16.83	2.50	24	19.33
	5200	14.39	14.40	17.41	2.50	24	19.91
	5240	14.14	14.45	17.31	2.50	24	19.81
	5735.5	23.11	24.59	26.92	3.00	30	29.92
	5787.5	23.51	24.12	26.84	3.00	30	29.84
	5839.5	23.59	24.79	27.24	3.00	30	30.24
40M	5170	2.46	2.79	5.64	2.50	24	8.14
	5171	5.58	6.25	8.94	2.50	24	11.44
	5172	6.19	7.70	10.02	2.50	24	12.52
	5173	7.83	8.74	11.32	2.50	24	13.82
	5174	8.76	9.97	12.42	2.50	24	14.92
	5177	9.14	10.39	12.82	2.50	24	15.32
	5182	10.03	11.48	13.83	2.50	24	16.33
	5187	11.61	12.52	15.10	2.50	24	17.60
	5188	13.99	14.13	17.07	2.50	24	19.57
	5200	14.02	14.44	17.25	2.50	24	19.75
	5230	13.57	15.43	17.61	2.50	24	20.11
	5745.5	22.12	23.49	25.87	3.00	30	28.87
	5787.5	23.18	24.30	26.79	3.00	30	29.79
	5829.5	22.26	23.22	25.78	3.00	30	28.78
60M	5755.5	19.77	20.86	23.36	3.00	30	26.36
	5787.5	20.34	20.69	23.53	3.00	30	26.53
	5819.5	19.43	21.35	23.51	3.00	30	26.51
80M	5765.5	18.78	21.00	23.04	3.00	30	26.04
	5787.5	20.49	20.88	23.70	3.00	30	26.70
	5809.5	19.07	20.28	22.73	3.00	30	25.73

Mode	Frequency (MHz)	Average Conducted Power (dBm)			Antenna Gain (dBi)	Limit (dBm)	EIRP (dBm)
		ANT2	ANT5	Total			
10M	5157	-0.62	-0.13	2.64	0.50	24	3.14
	5158	1.68	2.71	5.24	0.50	24	5.74
	5159	2.81	3.81	6.35	0.50	24	6.85
	5160	4.45	5.10	7.80	0.50	24	8.30
	5161	5.39	6.38	8.92	0.50	24	9.42
	5162	6.20	7.18	9.73	0.50	24	10.23
	5163	7.89	9.04	11.51	0.50	24	12.01
	5165	9.15	9.94	12.57	0.50	24	13.07
	5166	10.59	11.19	13.91	0.50	24	14.41
	5167	11.93	12.79	15.39	0.50	24	15.89
	5168	12.38	14.31	16.46	0.50	24	16.96
	5169	13.85	14.63	17.27	0.50	24	17.77
	5170	13.71	14.82	17.31	0.50	24	17.81
	5171	14.66	15.44	18.08	0.50	24	18.58
	5200	15.40	15.69	18.56	0.50	24	19.06
	5245	14.90	15.50	18.22	0.50	24	18.72
	5730.5	24.29	25.48	27.94	1.50	30	29.44
	5787.5	25.03	25.18	28.12	1.50	30	29.62
	5844.5	24.79	25.66	28.26	1.50	30	29.76
20M	5161	2.71	3.60	6.19	0.50	24	6.69
	5162	4.95	5.55	8.27	0.50	24	8.77
	5163	5.66	6.63	9.18	0.50	24	9.68
	5165	6.89	7.72	10.34	0.50	24	10.84
	5166	7.86	8.73	11.33	0.50	24	11.83
	5167	8.93	9.86	12.43	0.50	24	12.93
	5168	10.09	10.94	13.55	0.50	24	14.05
	5169	10.82	11.76	14.33	0.50	24	14.83
	5170	11.33	12.24	14.82	0.50	24	15.32
	5171	14.03	14.91	17.50	0.50	24	18.00
	5172	15.05	16.04	18.58	0.50	24	19.08
	5200	15.91	15.45	18.70	0.50	24	19.20
	5240	15.72	16.04	18.89	0.50	24	19.39
	5735.5	24.83	26.16	28.56	1.50	30	30.06
	5787.5	25.06	25.28	28.18	1.50	30	29.68
	5839.5	25.09	26.10	28.63	1.50	30	30.13
40M	5170	4.05	4.20	7.14	0.50	24	7.64

	5171	7.00	7.63	10.34	0.50	24	10.84
	5172	8.21	9.23	11.76	0.50	24	12.26
	5173	9.31	10.27	12.83	0.50	24	13.33
	5174	10.43	11.22	13.85	0.50	24	14.35
	5177	11.42	12.24	14.86	0.50	24	15.36
	5182	12.28	13.23	15.79	0.50	24	16.29
	5187	14.27	15.15	17.74	0.50	24	18.24
	5188	15.12	16.14	18.67	0.50	24	19.17
	5200	15.70	16.19	18.96	0.50	24	19.46
	5230	14.71	17.10	19.08	0.50	24	19.58
	5745.5	23.76	25.00	27.43	1.50	30	28.93
	5787.5	24.89	25.24	28.08	1.50	30	29.58
	5829.5	23.48	24.49	27.02	1.50	30	28.52
60M	5755.5	20.90	22.16	24.59	1.50	30	26.09
	5787.5	21.30	22.38	24.88	1.50	30	26.38
	5819.5	20.90	22.89	25.02	1.50	30	26.52
80M	5765.5	20.53	22.48	24.62	1.50	30	26.12
	5787.5	21.68	22.20	24.96	1.50	30	26.46
	5809.5	20.82	21.86	24.38	1.50	30	25.88

Mode	Frequency (MHz)	Average Conducted Power (dBm)			Antenna Gain (dBi)	Limit (dBm)	EIRP (dBm)
		ANT2	ANT7	Total			
10M	5157	-1.92	-1.18	1.48	2.50	24	3.98
	5158	0.60	1.54	4.11	2.50	24	6.61
	5159	1.03	1.42	4.24	2.50	24	6.74
	5160	3.31	3.04	6.19	2.50	24	8.69
	5161	2.96	3.83	6.43	2.50	24	8.93
	5162	4.93	4.76	7.86	2.50	24	10.36
	5163	5.52	7.02	9.34	2.50	24	11.84
	5165	7.96	7.91	10.95	2.50	24	13.45
	5166	8.07	9.97	12.13	2.50	24	14.63
	5167	10.57	11.26	13.94	2.50	24	16.44
	5168	10.15	12.64	14.58	2.50	24	17.08
	5169	12.37	13.62	16.05	2.50	24	18.55
	5170	11.75	12.78	15.31	2.50	24	17.81
	5171	13.38	13.62	16.51	2.50	24	19.01
	5200	14.16	13.32	16.77	2.50	24	19.27
	5245	12.43	13.60	16.06	2.50	24	18.56
	5730.5	23.02	24.08	26.59	3.00	30	29.59

	5787.5	23.52	23.97	26.76	3.00	30	29.76
	5844.5	23.74	24.39	27.09	3.00	30	30.09
20M	5161	1.17	1.61	4.41	2.50	24	6.91
	5162	3.44	4.33	6.92	2.50	24	9.42
	5163	4.74	4.23	7.50	2.50	24	10.00
	5165	4.73	5.50	8.14	2.50	24	10.64
	5166	6.63	6.64	9.65	2.50	24	12.15
	5167	6.88	7.50	10.21	2.50	24	12.71
	5168	7.42	8.58	11.05	2.50	24	13.55
	5169	8.57	9.80	12.24	2.50	24	14.74
	5170	10.27	10.24	13.27	2.50	24	15.77
	5171	12.90	13.10	16.01	2.50	24	18.51
	5172	13.58	13.71	16.66	2.50	24	19.16
	5200	13.96	13.59	16.79	2.50	24	19.29
	5240	13.75	13.09	16.44	2.50	24	18.94
	5735.5	23.56	24.41	27.02	3.00	30	30.02
	5787.5	23.90	24.09	27.01	3.00	30	30.01
	5839.5	23.38	24.55	27.01	3.00	30	30.01
40M	5170	1.63	1.60	4.63	2.50	24	7.13
	5171	4.53	6.15	8.43	2.50	24	10.93
	5172	6.39	7.10	9.77	2.50	24	12.27
	5173	7.58	9.19	11.47	2.50	24	13.97
	5174	8.01	9.82	12.02	2.50	24	14.52
	5177	8.89	10.39	12.71	2.50	24	15.21
	5182	11.08	11.78	14.45	2.50	24	16.95
	5187	12.06	13.32	15.75	2.50	24	18.25
	5188	12.94	14.53	16.82	2.50	24	19.32
	5200	14.02	13.99	17.02	2.50	24	19.52
	5230	11.76	15.10	16.75	2.50	24	19.25
	5745.5	22.66	23.61	26.17	3.00	30	29.17
	5787.5	23.27	23.58	26.44	3.00	30	29.44
	5829.5	22.14	23.10	25.66	3.00	30	28.66
60M	5755.5	19.56	20.68	23.17	3.00	30	26.17
	5787.5	20.19	21.05	23.65	3.00	30	26.65
	5819.5	19.52	21.47	23.61	3.00	30	26.61
80M	5765.5	18.87	21.30	23.26	3.00	30	26.26
	5787.5	20.31	21.15	23.76	3.00	30	26.76
	5809.5	19.67	20.79	23.28	3.00	30	26.28

Mode	Frequency (MHz)	Average Conducted Power (dBm)			Antenna Gain (dBi)	Limit (dBm)	EIRP (dBm)
		ANT1	ANT4	Total			
10M	5157	-1.72	-1.13	1.60	2.50	24	4.10
	5158	0.40	1.34	3.91	2.50	24	6.41
	5159	1.78	1.72	4.76	2.50	24	7.26
	5160	2.51	3.49	6.04	2.50	24	8.54
	5161	3.36	3.78	6.59	2.50	24	9.09
	5162	4.93	6.16	8.60	2.50	24	11.10
	5163	6.27	6.37	9.33	2.50	24	11.83
	5165	7.46	8.46	11.00	2.50	24	13.50
	5166	8.22	9.82	12.10	2.50	24	14.60
	5167	9.67	10.61	13.18	2.50	24	15.68
	5168	11.45	12.79	15.18	2.50	24	17.68
	5169	12.47	13.62	16.09	2.50	24	18.59
	5170	11.50	12.43	15.00	2.50	24	17.50
	5171	13.38	14.37	16.91	2.50	24	19.41
	5200	13.46	13.47	16.48	2.50	24	18.98
	5245	12.78	14.20	16.56	2.50	24	19.06
	5730.5	22.84	24.11	26.53	3.00	30	29.53
	5787.5	23.29	23.67	26.49	3.00	30	29.49
	5844.5	23.52	24.04	26.80	3.00	30	29.80
20M	5161	0.42	2.36	4.51	2.50	24	7.01
	5162	3.24	3.18	6.22	2.50	24	8.72
	5163	4.59	4.63	7.62	2.50	24	10.12
	5165	5.33	5.20	8.28	2.50	24	10.78
	5166	6.13	7.34	9.79	2.50	24	12.29
	5167	6.58	8.10	10.42	2.50	24	12.92
	5168	8.67	8.48	11.59	2.50	24	14.09
	5169	9.82	9.55	12.70	2.50	24	15.20
	5170	10.12	11.09	13.64	2.50	24	16.14
	5171	12.30	12.85	15.59	2.50	24	18.09
	5172	12.78	14.16	16.53	2.50	24	19.03
	5200	14.06	13.72	16.90	2.50	24	19.40
	5240	13.87	14.32	17.11	2.50	24	19.61
	5735.5	23.48	24.52	27.04	3.00	30	30.04
	5787.5	23.67	24.01	26.85	3.00	30	29.85
	5839.5	23.36	24.57	27.02	3.00	30	30.02
40M	5170	2.66	3.05	5.87	2.50	24	8.37
	5171	5.53	5.30	8.43	2.50	24	10.93

	5172	5.79	6.85	9.36	2.50	24	11.86
	5173	7.88	8.89	11.42	2.50	24	13.92
	5174	8.91	9.82	12.40	2.50	24	14.90
	5177	8.99	11.09	13.18	2.50	24	15.68
	5182	10.58	10.73	13.67	2.50	24	16.17
	5187	12.06	13.87	16.07	2.50	24	18.57
	5188	12.64	13.98	16.37	2.50	24	18.87
	5200	14.27	14.34	17.32	2.50	24	19.82
	5230	12.91	15.54	17.43	2.50	24	19.93
	5745.5	22.45	23.47	26.00	3.00	30	29.00
	5787.5	23.54	23.77	26.67	3.00	30	29.67
	5829.5	21.51	23.05	25.36	3.00	30	28.36
60M	5755.5	19.38	20.85	23.19	3.00	30	26.19
	5787.5	19.85	20.74	23.33	3.00	30	26.33
	5819.5	19.54	21.37	23.56	3.00	30	26.56
80M	5765.5	18.73	21.03	23.04	3.00	30	26.04
	5787.5	20.04	20.73	23.41	3.00	30	26.41
	5809.5	19.29	20.35	22.86	3.00	30	25.86

Mode	Frequency (MHz)	Average Conducted Power (dBm)			Antenna Gain (dBi)	Limit (dBm)	EIRP (dBm)
		ANT3	ANT4	Total			
10M	5157	-2.87	-1.93	0.64	2.50	24	3.14
	5158	0.35	0.24	3.31	2.50	24	5.81
	5159	0.38	1.97	4.26	2.50	24	6.76
	5160	2.21	3.79	6.08	2.50	24	8.58
	5161	3.36	4.98	7.26	2.50	24	9.76
	5162	4.88	5.81	8.38	2.50	24	10.88
	5163	6.42	6.82	9.63	2.50	24	12.13
	5165	7.26	8.46	10.91	2.50	24	13.41
	5166	9.52	9.12	12.33	2.50	24	14.83
	5167	10.57	11.71	14.19	2.50	24	16.69
	5168	10.00	12.19	14.24	2.50	24	16.74
	5169	11.62	13.57	15.71	2.50	24	18.21
	5170	12.45	12.28	15.38	2.50	24	17.88
	5171	12.53	13.07	15.82	2.50	24	18.32
	5200	13.86	13.72	16.80	2.50	24	19.30
	5245	13.23	13.75	16.51	2.50	24	19.01
	5730.5	22.68	24.26	26.55	3.00	30	29.55
	5787.5	23.19	23.51	26.36	3.00	30	29.36

	5844.5	23.34	23.89	26.63	3.00	30	29.63
20M	5161	1.17	2.21	4.73	2.50	24	7.23
	5162	3.44	3.48	6.47	2.50	24	8.97
	5163	4.59	4.48	7.55	2.50	24	10.05
	5165	4.43	6.15	8.38	2.50	24	10.88
	5166	5.48	6.99	9.31	2.50	24	11.81
	5167	6.83	7.45	10.16	2.50	24	12.66
	5168	7.82	8.28	11.07	2.50	24	13.57
	5169	8.47	9.35	11.94	2.50	24	14.44
	5170	9.97	10.49	13.25	2.50	24	15.75
	5171	13.00	12.70	15.86	2.50	24	18.36
	5172	12.63	14.26	16.53	2.50	24	19.03
	5200	14.22	13.57	16.92	2.50	24	19.42
	5240	13.96	14.29	17.14	2.50	24	19.64
	5735.5	23.62	24.48	27.08	3.00	30	30.08
	5787.5	23.69	23.95	26.83	3.00	30	29.83
	5839.5	23.17	24.38	26.83	3.00	30	29.83
40M	5170	2.47	3.03	5.77	2.50	24	8.27
	5171	4.53	6.15	8.43	2.50	24	10.93
	5172	6.39	7.10	9.77	2.50	24	12.27
	5173	7.58	9.19	11.47	2.50	24	13.97
	5174	8.01	9.82	12.02	2.50	24	14.52
	5177	8.89	10.39	12.71	2.50	24	15.21
	5182	11.08	11.78	14.45	2.50	24	16.95
	5187	12.06	13.32	15.75	2.50	24	18.25
	5188	12.94	14.53	16.82	2.50	24	19.32
	5200	14.02	13.99	17.02	2.50	24	19.52
	5230	13.04	15.71	17.59	2.50	24	20.09
	5745.5	22.43	23.34	25.92	3.00	30	28.92
	5787.5	23.55	23.83	26.70	3.00	30	29.70
	5829.5	21.41	22.96	25.26	3.00	30	28.26
60M	5755.5	19.49	20.96	23.30	3.00	30	26.30
	5787.5	19.93	20.76	23.38	3.00	30	26.38
	5819.5	19.35	21.33	23.46	3.00	30	26.46
80M	5765.5	18.81	21.04	23.08	3.00	30	26.08
	5787.5	20.11	20.62	23.38	3.00	30	26.38
	5809.5	19.16	20.19	22.72	3.00	30	25.72

Mode	Frequency (MHz)	Average Conducted Power (dBm)			Antenna Gain (dBi)	Limit (dBm)	EIRP (dBm)
		ANT4	ANT5	Total			
10M	5157	-2.47	-2.28	0.64	2.50	24	3.14
	5158	-0.45	1.14	3.43	2.50	24	5.93
	5159	0.38	2.72	4.72	2.50	24	7.22
	5160	3.06	4.04	6.59	2.50	24	9.09
	5161	3.31	3.93	6.64	2.50	24	9.14
	5162	5.28	4.71	8.01	2.50	24	10.51
	5163	6.57	7.17	9.89	2.50	24	12.39
	5165	7.86	7.81	10.85	2.50	24	13.35
	5166	9.42	9.12	12.28	2.50	24	14.78
	5167	10.22	10.56	13.40	2.50	24	15.90
	5168	10.90	12.14	14.57	2.50	24	17.07
	5169	11.52	12.82	15.23	2.50	24	17.73
	5170	11.85	13.08	15.52	2.50	24	18.02
	5171	12.98	14.07	16.57	2.50	24	19.07
	5200	12.91	13.42	16.18	2.50	24	18.68
	5245	12.93	13.60	16.29	2.50	24	18.79
	5730.5	23.06	24.08	26.61	3.00	30	29.61
	5787.5	22.92	23.52	26.24	3.00	30	29.24
	5844.5	23.31	24.59	27.01	3.00	30	30.01
20M	5161	1.27	1.91	4.61	2.50	24	7.11
	5162	2.39	4.58	6.63	2.50	24	9.13
	5163	4.04	4.98	7.55	2.50	24	10.05
	5165	4.78	5.20	8.01	2.50	24	10.51
	5166	5.58	7.14	9.44	2.50	24	11.94
	5167	7.78	7.75	10.78	2.50	24	13.28
	5168	7.92	8.88	11.44	2.50	24	13.94
	5169	8.77	9.30	12.05	2.50	24	14.55
	5170	8.92	11.19	13.21	2.50	24	15.71
	5171	12.50	12.80	15.66	2.50	24	18.16
	5172	13.03	14.91	17.08	2.50	24	19.58
	5200	13.97	13.99	16.99	2.50	24	19.49
	5240	14.06	14.43	17.26	2.50	24	19.76
	5735.5	23.26	24.60	26.99	3.00	30	29.99
	5787.5	23.37	24.32	26.88	3.00	30	29.88
	5839.5	23.61	24.98	27.36	3.00	30	30.36
40M	5170	2.54	2.89	5.73	2.50	24	8.23

	5171	5.23	5.50	8.38	2.50	24	10.88
	5172	6.19	7.75	10.05	2.50	24	12.55
	5173	7.38	9.19	11.39	2.50	24	13.89
	5174	8.21	9.42	11.87	2.50	24	14.37
	5177	10.19	10.09	13.15	2.50	24	15.65
	5182	10.38	10.68	13.54	2.50	24	16.04
	5187	12.16	13.22	15.73	2.50	24	18.23
	5188	13.49	14.03	16.78	2.50	24	19.28
	5200	13.57	14.04	16.82	2.50	24	19.32
	5230	13.38	15.58	17.63	2.50	24	20.13
	5745.5	22.08	23.42	25.81	3.00	30	28.81
	5787.5	23.16	24.30	26.78	3.00	30	29.78
	5829.5	22.11	23.23	25.72	3.00	30	28.72
60M	5755.5	19.80	20.71	23.29	3.00	30	26.29
	5787.5	20.35	20.75	23.56	3.00	30	26.56
	5819.5	19.35	21.49	23.56	3.00	30	26.56
80M	5765.5	18.84	21.16	23.16	3.00	30	26.16
	5787.5	20.49	20.82	23.67	3.00	30	26.67
	5809.5	18.91	20.15	22.58	3.00	30	25.58

Mode	Frequency (MHz)	Average Conducted Power (dBm)			Antenna Gain (dBi)	Limit (dBm)	EIRP (dBm)
		ANT4	ANT7	Total			
10M	5157	-2.77	-2.53	0.36	2.50	24	2.86
	5158	-0.05	0.69	3.35	2.50	24	5.85
	5159	1.53	1.77	4.66	2.50	24	7.16
	5160	3.36	3.09	6.24	2.50	24	8.74
	5161	3.86	4.08	6.98	2.50	24	9.48
	5162	4.38	5.86	8.19	2.50	24	10.69
	5163	6.57	6.87	9.73	2.50	24	12.23
	5165	6.86	7.41	10.15	2.50	24	12.65
	5166	8.92	9.37	12.16	2.50	24	14.66
	5167	9.57	10.46	13.05	2.50	24	15.55
	5168	10.70	12.59	14.76	2.50	24	17.26
	5169	11.67	12.77	15.27	2.50	24	17.77
	5170	12.65	13.13	15.91	2.50	24	18.41
	5171	12.38	13.67	16.08	2.50	24	18.58
	5200	13.26	14.07	16.69	2.50	24	19.19
	5245	13.48	14.35	16.95	2.50	24	19.45
5730.5	23.22	23.92	26.59	3.00	30	29.59	

	5787.5	23.53	24.16	26.87	3.00	30	29.87
	5844.5	23.84	24.57	27.23	3.00	30	30.23
20M	5161	0.37	1.21	3.82	2.50	24	6.32
	5162	2.39	3.23	5.84	2.50	24	8.34
	5163	3.84	4.98	7.46	2.50	24	9.96
	5165	4.73	5.85	8.34	2.50	24	10.84
	5166	6.13	6.29	9.22	2.50	24	11.72
	5167	7.68	7.35	10.53	2.50	24	13.03
	5168	8.77	9.03	11.91	2.50	24	14.41
	5169	8.77	10.10	12.50	2.50	24	15.00
	5170	10.02	10.94	13.51	2.50	24	16.01
	5171	12.50	13.50	16.04	2.50	24	18.54
	5172	13.63	13.56	16.61	2.50	24	19.11
	5200	14.02	13.76	16.90	2.50	24	19.40
	5240	13.76	12.90	16.36	2.50	24	18.86
	5735.5	23.40	24.22	26.84	3.00	30	29.84
	5787.5	23.95	24.12	27.05	3.00	30	30.05
	5839.5	23.35	24.40	26.92	3.00	30	29.92
40M	5170	2.25	2.41	5.34	2.50	24	7.84
	5171	4.98	6.10	8.59	2.50	24	11.09
	5172	7.24	8.20	10.76	2.50	24	13.26
	5173	8.28	8.44	11.37	2.50	24	13.87
	5174	9.06	8.87	11.98	2.50	24	14.48
	5177	10.24	10.99	13.64	2.50	24	16.14
	5182	10.33	11.43	13.93	2.50	24	16.43
	5187	12.51	12.77	15.65	2.50	24	18.15
	5188	12.69	14.03	16.42	2.50	24	18.92
	5200	13.67	13.89	16.79	2.50	24	19.29
	5230	11.91	15.04	16.76	2.50	24	19.26
	5745.5	22.75	23.46	26.13	3.00	30	29.13
	5787.5	23.16	23.69	26.44	3.00	30	29.44
	5829.5	22.26	23.30	25.82	3.00	30	28.82
60M	5755.5	19.53	20.83	23.24	3.00	30	26.24
	5787.5	20.29	21.10	23.72	3.00	30	26.72
	5819.5	19.43	21.67	23.70	3.00	30	26.70
80M	5765.5	18.79	21.20	23.17	3.00	30	26.17
	5787.5	20.36	21.11	23.76	3.00	30	26.76
	5809.5	19.73	20.87	23.35	3.00	30	26.35

Mode	Frequency (MHz)	Average Conducted Power (dBm)			Antenna Gain (dBi)	Limit (dBm)	EIRP (dBm)
		ANT1	ANT6	Total			
10M	5157	-1.67	-2.43	0.98	2.50	24	3.48
	5158	0.10	0.69	3.42	2.50	24	5.92
	5159	1.63	1.67	4.66	2.50	24	7.16
	5160	2.36	4.14	6.35	2.50	24	8.85
	5161	4.26	4.53	7.41	2.50	24	9.91
	5162	4.68	4.81	7.76	2.50	24	10.26
	5163	5.97	6.97	9.51	2.50	24	12.01
	5165	7.66	8.41	11.06	2.50	24	13.56
	5166	8.47	9.52	12.04	2.50	24	14.54
	5167	10.87	11.76	14.35	2.50	24	16.85
	5168	9.95	12.59	14.48	2.50	24	16.98
	5169	11.72	13.52	15.72	2.50	24	18.22
	5170	11.90	13.43	15.74	2.50	24	18.24
	5171	12.33	13.32	15.86	2.50	24	18.36
	5200	13.86	14.02	16.95	2.50	24	19.45
	5245	12.58	13.40	16.02	2.50	24	18.52
	5730.5	22.90	24.05	26.52	3.00	30	29.52
	5787.5	23.51	23.89	26.71	3.00	30	29.71
	5844.5	23.71	24.41	27.08	3.00	30	30.08
20M	5161	1.22	2.11	4.70	2.50	24	7.20
	5162	3.59	3.18	6.40	2.50	24	8.90
	5163	4.54	4.38	7.47	2.50	24	9.97
	5165	5.43	5.90	8.68	2.50	24	11.18
	5166	5.88	6.74	9.34	2.50	24	11.84
	5167	7.83	7.75	10.80	2.50	24	13.30
	5168	8.12	8.38	11.26	2.50	24	13.76
	5169	9.72	10.60	13.19	2.50	24	15.69
	5170	8.92	9.94	12.47	2.50	24	14.97
	5171	12.95	12.60	15.79	2.50	24	18.29
	5172	12.88	14.06	16.52	2.50	24	19.02
	5200	14.10	13.50	16.82	2.50	24	19.32
	5240	13.95	13.26	16.63	2.50	24	19.13
	5735.5	23.68	24.25	26.98	3.00	30	29.98
	5787.5	23.70	24.13	26.93	3.00	30	29.93
	5839.5	23.29	24.49	26.94	3.00	30	29.94
40M	5170	1.65	1.75	4.71	2.50	24	7.21

	5171	5.88	5.30	8.61	2.50	24	11.11
	5172	5.99	7.85	10.03	2.50	24	12.53
	5173	7.63	8.84	11.29	2.50	24	13.79
	5174	8.36	9.17	11.79	2.50	24	14.29
	5177	9.64	9.74	12.70	2.50	24	15.20
	5182	10.68	11.48	14.11	2.50	24	16.61
	5187	12.51	13.77	16.20	2.50	24	18.70
	5188	13.39	14.98	17.27	2.50	24	19.77
	5200	13.57	14.44	17.04	2.50	24	19.54
	5230	11.83	15.21	16.85	2.50	24	19.35
	5745.5	22.71	23.45	26.11	3.00	30	29.11
	5787.5	23.13	23.48	26.32	3.00	30	29.32
	5829.5	22.20	23.22	25.75	3.00	30	28.75
60M	5755.5	19.48	20.67	23.13	3.00	30	26.13
	5787.5	20.38	21.22	23.83	3.00	30	26.83
	5819.5	19.69	21.39	23.63	3.00	30	26.63
80M	5765.5	18.98	21.13	23.20	3.00	30	26.20
	5787.5	20.21	21.34	23.82	3.00	30	26.82
	5809.5	19.54	20.65	23.14	3.00	30	26.14

Mode	Frequency (MHz)	Average Conducted Power (dBm)			Antenna Gain (dBi)	Limit (dBm)	EIRP (dBm)
		ANT3	ANT6	Total			
10M	5157	-2.52	-1.48	1.04	2.50	24	3.54
	5158	0.40	1.04	3.74	2.50	24	6.24
	5159	0.88	1.67	4.30	2.50	24	6.80
	5160	2.61	3.59	6.14	2.50	24	8.64
	5161	3.11	3.78	6.47	2.50	24	8.97
	5162	4.73	4.96	7.86	2.50	24	10.36
	5163	6.97	6.37	9.69	2.50	24	12.19
	5165	7.86	7.46	10.67	2.50	24	13.17
	5166	9.47	9.87	12.68	2.50	24	15.18
	5167	9.62	10.56	13.13	2.50	24	15.63
	5168	11.00	12.59	14.88	2.50	24	17.38
	5169	12.52	12.97	15.76	2.50	24	18.26
	5170	12.40	13.18	15.82	2.50	24	18.32
	5171	13.48	13.52	16.51	2.50	24	19.01
	5200	14.21	14.12	17.18	2.50	24	19.68
	5245	13.18	13.10	16.15	2.50	24	18.65
5730.5	23.10	23.99	26.58	3.00	30	29.58	

	5787.5	23.67	24.14	26.92	3.00	30	29.92
	5844.5	23.61	24.21	26.93	3.00	30	29.93
20M	5161	0.32	2.16	4.35	2.50	24	6.85
	5162	3.09	3.98	6.57	2.50	24	9.07
	5163	4.54	4.38	7.47	2.50	24	9.97
	5165	4.88	5.65	8.29	2.50	24	10.79
	5166	5.38	6.89	9.21	2.50	24	11.71
	5167	6.38	7.75	10.13	2.50	24	12.63
	5168	7.92	9.58	11.84	2.50	24	14.34
	5169	9.17	10.65	12.98	2.50	24	15.48
	5170	9.37	10.54	13.00	2.50	24	15.50
	5171	13.05	12.55	15.82	2.50	24	18.32
	5172	12.83	14.36	16.67	2.50	24	19.17
	5200	13.76	13.78	16.78	2.50	24	19.28
	5240	13.84	13.24	16.56	2.50	24	19.06
	5735.5	23.54	24.31	26.95	3.00	30	29.95
	5787.5	23.98	23.96	26.98	3.00	30	29.98
	5839.5	23.55	24.63	27.13	3.00	30	30.13
40M	5170	1.63	1.46	4.56	2.50	24	7.06
	5171	5.33	5.55	8.45	2.50	24	10.95
	5172	5.89	7.50	9.78	2.50	24	12.28
	5173	7.03	8.34	10.74	2.50	24	13.24
	5174	8.51	10.07	12.37	2.50	24	14.87
	5177	8.99	9.59	12.31	2.50	24	14.81
	5182	10.48	10.83	13.67	2.50	24	16.17
	5187	12.01	13.42	15.78	2.50	24	18.28
	5188	13.94	14.58	17.28	2.50	24	19.78
	5200	13.77	13.74	16.77	2.50	24	19.27
	5230	11.57	15.15	16.73	2.50	24	19.23
	5745.5	22.80	23.61	26.23	3.00	30	29.23
	5787.5	23.31	23.62	26.48	3.00	30	29.48
	5829.5	21.97	23.25	25.67	3.00	30	28.67
60M	5755.5	19.73	20.85	23.34	3.00	30	26.34
	5787.5	20.20	20.90	23.57	3.00	30	26.57
	5819.5	19.44	21.30	23.48	3.00	30	26.48
80M	5765.5	19.00	21.30	23.31	3.00	30	26.31
	5787.5	20.51	21.23	23.90	3.00	30	26.90
	5809.5	19.81	20.98	23.44	3.00	30	26.44

Mode	Frequency (MHz)	Average Conducted Power (dBm)			Antenna Gain (dBi)	Limit (dBm)	EIRP (dBm)
		ANT5	ANT6	Total			
10M	5157	-2.12	-1.23	1.36	2.50	24	3.86
	5158	-0.85	1.49	3.49	2.50	24	5.99
	5159	0.33	1.57	4.00	2.50	24	6.50
	5160	2.31	2.89	5.62	2.50	24	8.12
	5161	3.76	4.13	6.96	2.50	24	9.46
	5162	4.78	5.26	8.04	2.50	24	10.54
	5163	5.97	7.57	9.85	2.50	24	12.35
	5165	6.46	8.56	10.65	2.50	24	13.15
	5166	8.52	9.67	12.14	2.50	24	14.64
	5167	10.97	11.56	14.29	2.50	24	16.79
	5168	10.00	12.79	14.63	2.50	24	17.13
	5169	11.72	13.17	15.52	2.50	24	18.02
	5170	11.35	13.63	15.65	2.50	24	18.15
	5171	13.18	14.47	16.88	2.50	24	19.38
	5200	13.66	13.32	16.50	2.50	24	19.00
	5245	13.28	13.70	16.51	2.50	24	19.01
	5730.5	23.05	23.95	26.53	3.00	30	29.53
	5787.5	23.66	23.82	26.75	3.00	30	29.75
	5844.5	23.54	24.56	27.09	3.00	30	30.09
20M	5161	1.27	2.06	4.69	2.50	24	7.19
	5162	3.74	4.43	7.11	2.50	24	9.61
	5163	3.39	5.08	7.33	2.50	24	9.83
	5165	5.68	5.10	8.41	2.50	24	10.91
	5166	5.43	7.04	9.32	2.50	24	11.82
	5167	7.38	8.00	10.71	2.50	24	13.21
	5168	7.82	8.58	11.23	2.50	24	13.73
	5169	9.32	10.25	12.82	2.50	24	15.32
	5170	9.17	9.79	12.50	2.50	24	15.00
	5171	12.90	13.15	16.04	2.50	24	18.54
	5172	12.83	13.91	16.41	2.50	24	18.91
	5200	13.80	13.39	16.61	2.50	24	19.11
	5240	13.80	12.96	16.41	2.50	24	18.91
	5735.5	23.72	24.37	27.07	3.00	30	30.07
	5787.5	24.03	24.17	27.11	3.00	30	30.11
	5839.5	23.43	24.49	27.00	3.00	30	30.00
40M	5170	1.43	1.74	4.60	2.50	24	7.10

	5171	5.03	5.20	8.13	2.50	24	10.63
	5172	5.89	8.05	10.11	2.50	24	12.61
	5173	7.88	8.29	11.10	2.50	24	13.60
	5174	8.31	10.07	12.29	2.50	24	14.79
	5177	9.49	10.19	12.86	2.50	24	15.36
	5182	10.78	12.08	14.49	2.50	24	16.99
	5187	12.36	12.92	15.66	2.50	24	18.16
	5188	12.74	14.93	16.98	2.50	24	19.48
	5200	13.72	14.29	17.02	2.50	24	19.52
	5230	13.33	14.16	16.78	2.50	24	19.28
	5745.5	22.59	23.79	26.24	3.00	30	29.24
	5787.5	23.38	23.67	26.54	3.00	30	29.54
	5829.5	22.23	23.04	25.66	3.00	30	28.66
60M	5755.5	19.52	20.76	23.19	3.00	30	26.19
	5787.5	20.11	21.19	23.69	3.00	30	26.69
	5819.5	19.32	21.64	23.64	3.00	30	26.64
80M	5765.5	18.85	21.12	23.14	3.00	30	26.14
	5787.5	20.22	21.29	23.80	3.00	30	26.80
	5809.5	19.60	20.95	23.34	3.00	30	26.34

Mode	Frequency (MHz)	Average Conducted Power (dBm)			Antenna Gain (dBi)	Limit (dBm)	EIRP (dBm)
		ANT6	ANT7	Total			
10M	5157	-2.37	-1.88	0.89	2.50	24	3.39
	5158	-0.80	0.94	3.17	2.50	24	5.67
	5159	1.33	1.37	4.36	2.50	24	6.86
	5160	2.91	3.79	6.38	2.50	24	8.88
	5161	4.31	4.08	7.21	2.50	24	9.71
	5162	4.83	5.36	8.11	2.50	24	10.61
	5163	5.77	7.57	9.77	2.50	24	12.27
	5165	7.01	8.16	10.63	2.50	24	13.13
	5166	8.27	9.17	11.75	2.50	24	14.25
	5167	10.07	11.66	13.95	2.50	24	16.45
	5168	10.45	12.39	14.54	2.50	24	17.04
	5169	12.77	13.22	16.01	2.50	24	18.51
	5170	12.60	12.18	15.41	2.50	24	17.91
	5171	12.83	13.17	16.01	2.50	24	18.51
	5200	12.96	14.52	16.82	2.50	24	19.32
	5245	12.78	13.70	16.27	2.50	24	18.77
	5730.5	22.95	23.98	26.51	3.00	30	29.51

	5787.5	23.36	24.12	26.77	3.00	30	29.77
	5844.5	23.65	24.45	27.08	3.00	30	30.08
20M	5161	1.12	1.31	4.23	2.50	24	6.73
	5162	2.94	4.38	6.73	2.50	24	9.23
	5163	3.39	4.83	7.18	2.50	24	9.68
	5165	5.23	6.35	8.84	2.50	24	11.34
	5166	6.08	7.74	10.00	2.50	24	12.50
	5167	7.68	8.45	11.09	2.50	24	13.59
	5168	8.37	8.93	11.67	2.50	24	14.17
	5169	9.42	9.55	12.50	2.50	24	15.00
	5170	10.22	10.24	13.24	2.50	24	15.74
	5171	12.75	12.50	15.64	2.50	24	18.14
	5172	13.38	14.56	17.02	2.50	24	19.52
	5200	13.77	13.41	16.60	2.50	24	19.10
	5240	13.93	13.12	16.55	2.50	24	19.05
	5735.5	23.67	24.38	27.05	3.00	30	30.05
	5787.5	24.08	24.01	27.06	3.00	30	30.06
	5839.5	23.51	24.41	26.99	3.00	30	29.99
40M	5170	2.34	2.41	5.39	2.50	24	7.89
	5171	5.08	6.60	8.92	2.50	24	11.42
	5172	6.54	6.95	9.76	2.50	24	12.26
	5173	7.18	8.29	10.78	2.50	24	13.28
	5174	9.31	9.32	12.33	2.50	24	14.83
	5177	10.34	11.04	13.71	2.50	24	16.21
	5182	11.28	10.68	14.00	2.50	24	16.50
	5187	11.66	13.87	15.91	2.50	24	18.41
	5188	13.14	14.78	17.05	2.50	24	19.55
	5200	13.52	14.04	16.80	2.50	24	19.30
	5230	12.44	15.02	16.93	2.50	24	19.43
	5745.5	22.52	23.57	26.09	3.00	30	29.09
	5787.5	23.14	23.74	26.46	3.00	30	29.46
	5829.5	22.09	23.24	25.71	3.00	30	28.71
60M	5755.5	19.75	20.84	23.34	3.00	30	26.34
	5787.5	20.34	21.24	23.82	3.00	30	26.82
	5819.5	19.36	21.37	23.49	3.00	30	26.49
80M	5765.5	18.69	21.27	23.18	3.00	30	26.18
	5787.5	20.23	21.09	23.69	3.00	30	26.69
	5809.5	19.62	20.61	23.15	3.00	30	26.15

Note: 1. Conducted Power=Meas. Level+ Correction Factor

2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.

10.5. APPENDIX E: MAXIMUM POWER SPECTRAL DENSITY

10.5.1. Test Result


Test Mode	Antenna	Frequency[MHz]	Power [dBm/MHz]	Limit [dBm/MHz]	Verdict
SRD 10MHz	Ant0	5157	-7.83	≤11.00	PASS
	Ant1	5157	-7.99	≤11.00	PASS
	total	5157	-4.90	≤11.00	PASS
	Ant0	5158	-6.47	≤11.00	PASS
	Ant1	5158	-5.25	≤11.00	PASS
	total	5158	-2.81	≤11.00	PASS
	Ant0	5159	-5.09	≤11.00	PASS
	Ant1	5159	-4.28	≤11.00	PASS
	total	5159	-1.66	≤11.00	PASS
	Ant0	5160	-3.21	≤11.00	PASS
	Ant1	5160	-2.60	≤11.00	PASS
	total	5160	0.12	≤11.00	PASS
	Ant0	5161	-2.36	≤11.00	PASS
	Ant1	5161	-1.70	≤11.00	PASS
	total	5161	0.99	≤11.00	PASS
	Ant0	5162	-1.57	≤11.00	PASS
	Ant1	5162	-0.66	≤11.00	PASS
	total	5162	1.92	≤11.00	PASS
	Ant0	5163	-0.01	≤11.00	PASS
	Ant1	5163	1.03	≤11.00	PASS
	total	5163	3.55	≤11.00	PASS
	Ant0	5165	1.02	≤11.00	PASS
	Ant1	5165	1.84	≤11.00	PASS
	total	5165	4.46	≤11.00	PASS
	Ant0	5166	2.86	≤11.00	PASS
	Ant1	5166	3.45	≤11.00	PASS
	total	5166	6.18	≤11.00	PASS
	Ant0	5167	4.09	≤11.00	PASS
	Ant1	5167	4.93	≤11.00	PASS
	total	5167	7.54	≤11.00	PASS
	Ant0	5168	4.50	≤11.00	PASS
	Ant1	5168	6.32	≤11.00	PASS
	total	5168	8.51	≤11.00	PASS
	Ant0	5169	5.94	≤11.00	PASS
	Ant1	5169	6.75	≤11.00	PASS
	total	5169	9.37	≤11.00	PASS
	Ant0	5170	5.93	≤11.00	PASS
	Ant1	5170	6.69	≤11.00	PASS
	total	5170	9.34	≤11.00	PASS
	Ant0	5171	6.99	≤11.00	PASS
	Ant1	5171	7.59	≤11.00	PASS
	total	5171	10.31	≤11.00	PASS
Ant0	5200	7.53	≤11.00	PASS	
Ant1	5200	7.69	≤11.00	PASS	
total	5200	10.62	≤11.00	PASS	
Ant0	5245	6.93	≤11.00	PASS	
Ant1	5245	7.45	≤11.00	PASS	
total	5245	10.21	≤11.00	PASS	
Ant0	5730.5	12.54	≤30.00	PASS	
Ant1	5730.5	13.81	≤30.00	PASS	
total	5730.5	16.23	≤30.00	PASS	
Ant0	5787.5	13.12	≤30.00	PASS	
Ant1	5787.5	13.76	≤30.00	PASS	
total	5787.5	16.46	≤30.00	PASS	
Ant0	5844.5	13.00	≤30.00	PASS	


	Ant1	5844.5	14.04	≤30.00	PASS
	total	5844.5	16.56	≤30.00	PASS
SRD 20MHz	Ant0	5161	-8.07	≤11.00	PASS
	Ant1	5161	-7.09	≤11.00	PASS
	total	5161	-4.54	≤11.00	PASS
	Ant0	5162	-5.94	≤11.00	PASS
	Ant1	5162	-5.34	≤11.00	PASS
	total	5162	-2.62	≤11.00	PASS
	Ant0	5163	-5.01	≤11.00	PASS
	Ant1	5163	-4.18	≤11.00	PASS
	total	5163	-1.56	≤11.00	PASS
	Ant0	5165	-4.21	≤11.00	PASS
	Ant1	5165	-3.09	≤11.00	PASS
	total	5165	-0.60	≤11.00	PASS
	Ant0	5166	-2.99	≤11.00	PASS
	Ant1	5166	-2.13	≤11.00	PASS
	total	5166	0.47	≤11.00	PASS
	Ant0	5167	-1.98	≤11.00	PASS
	Ant1	5167	-1.06	≤11.00	PASS
	total	5167	1.51	≤11.00	PASS
	Ant0	5168	-0.95	≤11.00	PASS
	Ant1	5168	0.03	≤11.00	PASS
	total	5168	2.58	≤11.00	PASS
	Ant0	5169	0.07	≤11.00	PASS
	Ant1	5169	1.14	≤11.00	PASS
	total	5169	3.65	≤11.00	PASS
	Ant0	5170	0.60	≤11.00	PASS
	Ant1	5170	1.32	≤11.00	PASS
	total	5170	3.99	≤11.00	PASS
	Ant0	5171	3.36	≤11.00	PASS
	Ant1	5171	4.20	≤11.00	PASS
	total	5171	6.81	≤11.00	PASS
	Ant0	5172	4.12	≤11.00	PASS
	Ant1	5172	5.00	≤11.00	PASS
	total	5172	7.59	≤11.00	PASS
Ant0	5200	4.69	≤11.00	PASS	
Ant1	5200	4.35	≤11.00	PASS	
total	5200	7.53	≤11.00	PASS	
Ant0	5240	3.87	≤11.00	PASS	
Ant1	5240	4.33	≤11.00	PASS	
total	5240	7.12	≤11.00	PASS	
Ant0	5735.5	10.66	≤30.00	PASS	
Ant1	5735.5	11.87	≤30.00	PASS	
total	5735.5	14.32	≤30.00	PASS	
Ant0	5787.5	10.91	≤30.00	PASS	
Ant1	5787.5	11.32	≤30.00	PASS	
total	5787.5	14.13	≤30.00	PASS	
Ant0	5839.5	10.94	≤30.00	PASS	
Ant1	5839.5	12.05	≤30.00	PASS	
total	5839.5	14.54	≤30.00	PASS	
SRD 40MHz	Ant0	5170	-9.90	≤11.00	PASS
	Ant1	5170	-9.19	≤11.00	PASS
	total	5170	-6.52	≤11.00	PASS
	Ant0	5171	-6.66	≤11.00	PASS
	Ant1	5171	-5.63	≤11.00	PASS
	total	5171	-3.10	≤11.00	PASS
	Ant0	5172	-5.41	≤11.00	PASS
	Ant1	5172	-3.53	≤11.00	PASS
total	5172	-1.36	≤11.00	PASS	
Ant0	5173	-4.29	≤11.00	PASS	

	Ant1	5173	-3.01	≤11.00	PASS
	total	5173	-0.59	≤11.00	PASS
	Ant0	5174	-3.27	≤11.00	PASS
	Ant1	5174	-2.31	≤11.00	PASS
	total	5174	0.25	≤11.00	PASS
	Ant0	5177	-2.30	≤11.00	PASS
	Ant1	5177	-0.77	≤11.00	PASS
	total	5177	1.54	≤11.00	PASS
	Ant0	5182	-1.06	≤11.00	PASS
	Ant1	5182	-0.09	≤11.00	PASS
	total	5182	2.46	≤11.00	PASS
	Ant0	5187	0.60	≤11.00	PASS
	Ant1	5187	1.70	≤11.00	PASS
	total	5187	4.20	≤11.00	PASS
	Ant0	5188	1.54	≤11.00	PASS
	Ant1	5188	2.88	≤11.00	PASS
	total	5188	5.27	≤11.00	PASS
	Ant0	5200	2.40	≤11.00	PASS
	Ant1	5200	3.16	≤11.00	PASS
	total	5200	5.81	≤11.00	PASS
	Ant0	5190	2.60	≤11.00	PASS
	Ant1	5190	4.45	≤11.00	PASS
	total	5190	6.63	≤11.00	PASS
	Ant0	5230	2.43	≤11.00	PASS
	Ant1	5230	4.48	≤11.00	PASS
	total	5230	6.59	≤11.00	PASS
	Ant0	5745.5	8.66	≤30.00	PASS
	Ant1	5745.5	9.84	≤30.00	PASS
	total	5745.5	12.30	≤30.00	PASS
	Ant0	5787.5	9.99	≤30.00	PASS
	Ant1	5787.5	10.56	≤30.00	PASS
	total	5787.5	13.29	≤30.00	PASS
	Ant0	5829.5	8.06	≤30.00	PASS
	Ant1	5829.5	9.16	≤30.00	PASS
	total	5829.5	11.66	≤30.00	PASS
	Ant0	5755.5	3.47	≤30.00	PASS
	Ant1	5755.5	4.74	≤30.00	PASS
	total	5755.5	7.16	≤30.00	PASS
	Ant0	5787.5	4.12	≤30.00	PASS
	Ant1	5787.5	4.80	≤30.00	PASS
	total	5787.5	7.48	≤30.00	PASS
	Ant0	5819.5	3.61	≤30.00	PASS
	Ant1	5819.5	5.22	≤30.00	PASS
	total	5819.5	7.50	≤30.00	PASS
	Ant0	5765.5	2.89	≤30.00	PASS
	Ant1	5765.5	4.79	≤30.00	PASS
	total	5765.5	6.95	≤30.00	PASS
	Ant0	5787.5	3.58	≤30.00	PASS
	Ant1	5787.5	4.96	≤30.00	PASS
	total	5787.5	7.33	≤30.00	PASS
	Ant0	5809.5	2.78	≤30.00	PASS
	Ant1	5809.5	3.82	≤30.00	PASS
	total	5809.5	6.34	≤30.00	PASS

- Note: 1. The Result and Limit Unit is dBm/500 kHz in the band 5.725 ~ 5.85 GHz.
 2. The Duty Cycle Factor and RBW Factor is compensated in the graph.
 3. All antennas had been tested, but only the worst data was recorded in the report.

10.5.2. Test Graphs






SRD 10MHz_Ant1_5158




SRD 10MHz_Ant0_5159



SRD 10MHz_Ant1_5159




SRD 10MHz_Ant0_5160




SRD 10MHz_Ant1_5160




SRD 10MHz_Ant0_5161




SRD 10MHz_Ant1_5161



SRD 10MHz_Ant0_5162



SRD 10MHz_Ant1_5162




SRD 10MHz_Ant0_5163




SRD 10MHz_Ant1_5163



SRD 10MHz_Ant0_5165




SRD 10MHz_Ant1_5165




SRD 10MHz_Ant0_5166



SRD 10MHz_Ant1_5166



SRD 10MHz_Ant0_5167




SRD 10MHz_Ant1_5167



SRD 10MHz_Ant0_5168




SRD 10MHz_Ant1_5168



SRD 10MHz_Ant0_5169



SRD 10MHz_Ant1_5169



SRD 10MHz_Ant0_5170




SRD 10MHz_Ant1_5170



SRD 10MHz_Ant0_5171




SRD 10MHz_Ant1_5171



SRD 10MHz_Ant0_5200




SRD 10MHz_Ant1_5200



SRD 10MHz_Ant0_5245



SRD 10MHz_Ant1_5245



SRD 10MHz_Ant0_5730.5



SRD 10MHz_Ant1_5730.5



SRD 10MHz_Ant0_5787.5



SRD 10MHz_Ant1_5787.5




SRD 10MHz_Ant0_5844.5



SRD 10MHz_Ant1_5844.5




SRD 20MHz_Ant0_5161




SRD 20MHz_Ant1_5161



SRD 20MHz_Ant0_5162



SRD 20MHz_Ant1_5162




SRD 20MHz_Ant0_5163



SRD 20MHz_Ant1_5163



SRD 20MHz_Ant0_5165




SRD 20MHz_Ant1_5165



SRD 20MHz_Ant0_5166




SRD 20MHz_Ant1_5166



SRD 20MHz_Ant0_5167



SRD 20MHz_Ant1_5167



SRD 20MHz_Ant0_5168