

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240900366204

Page: 1 of 862

TEST REPORT

Application No.: SZCR2409003662AT
Applicant: SZ DJI TECHNOLOGY CO., LTD.
Address of Applicant: Lobby of T2, DJI Sky City, No. 53 Xianyuan Road, Xili Community, Xili Street, Nanshan District, 518055, Shenzhen, China.
Manufacturer: SZ DJI TECHNOLOGY CO., LTD.
Address of Manufacturer: Lobby of T2, DJI Sky City, No. 53 Xianyuan Road, Xili Community, Xili Street, Nanshan District, 518055, Shenzhen, China.

Equipment Under Test (EUT):

EUT Name: Matrice 400
Model No.: Matrice 400
Trade Mark: DJI
FCC ID: SS3-M4002412
Standard(s) : 47 CFR Part 15, Subpart E 15.407
Date of Receipt: 2024-09-27
Date of Test: 2024-10-10 to 2024-11-15
Date of Issue: 2024-11-21

Test Result:	Pass*
---------------------	--------------

* In the configuration tested, the EUT complied with the standards specified above.

Keny Xu
 EMC Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Revision Record				
Version	Chapter	Date	Modifier	Remark
01		2024-11-21		Original

Authorized for issue by:			
		Darren Yuan	

		Darren Yuan/Project Engineer	
		Eric Fu	

		Eric Fu/Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

2 Test Summary

Radio Spectrum Technical Requirement				
Item	Standard	Method	Requirement	Result
Antenna Requirement	47 CFR Part 15, Subpart E 15.407	N/A	47 CFR Part 15, Subpart C 15.203	Pass
Transmission in the Absence of Data		N/A	47 CFR Part 15, Subpart E 15.407 (c)	Pass

Radio Spectrum Matter Part				
Item	Standard	Method	Requirement	Result
Maximum Conducted output power	47 CFR Part 15, Subpart E 15.407	KDB 789033 D02 II E	47 CFR Part 15, Subpart E 15.407 (a)	Pass
Radiated Emissions (Below 1GHz)		KDB 789033 D02 II G	47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b)	Pass
Radiated Emissions (Above 1GHz)		KDB 789033 D02 II G	47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b)	Pass
Radiated Emissions which fall in the restricted bands		KDB 789033 D02 II G	47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b)	Pass
Duty Cycle		KDB 789033 D02 II B 1	KDB 789033 D02 II B 1	Pass
99% Bandwidth		KDB 789033 D02 II D	N/A	Pass
26dB Emission bandwidth		KDB 789033 D02 II C 1	47 CFR Part 15, Subpart E 15.407 (a)	Pass
Minimum 6 dB bandwidth (5.725-5.85 GHz band)		KDB 789033 D02 II C 2	47 CFR Part 15, Subpart E 15.407 (e)	Pass
Peak Power spectrum density		KDB 789033 D02 II F	47 CFR Part 15, Subpart E 15.407 (a)	Pass
Frequency Stability		ANSI C63.10 (2013) Section 6.8	47 CFR Part 15, Subpart E 15.407 (g)	Pass

Remark: KDB 789033 D02 is not accredited by A2LA



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

3 Contents

	Page
1 Cover Page	1
2 Test Summary	3
3 Contents	4
4 General Information	6
4.1 Details of E.U.T.	6
4.2 Description of Support Units	9
4.3 Measurement Uncertainty	10
4.4 Test Location	11
4.5 Test Facility.....	11
4.6 Deviation from Standards	11
4.7 Abnormalities from Standard Conditions	11
5 Equipment List	12
6 Radio Spectrum Technical Requirement	14
6.1 Antenna Requirement	14
6.1.1 Test Requirement:	14
6.1.2 Conclusion	14
6.2 Transmission in the Absence of Data	15
6.2.1 Test Requirement:	15
6.2.2 Conclusion	15
7 Radio Spectrum Matter Test Results	16
7.1 Maximum Conducted output power	16
7.1.1 E.U.T. Operation	16
7.1.2 Test Mode Description	17
7.1.3 Test Setup Diagram	17
7.1.4 Measurement Procedure and Data.....	17
7.2 Radiated Emissions (Below 1GHz).....	18
7.2.1 E.U.T. Operation	18
7.2.2 Test Mode Description	18
7.2.3 Test Setup Diagram	19
7.2.4 Measurement Procedure and Data.....	20
7.3 Radiated Emissions (Above 1GHz).....	23
7.3.1 E.U.T. Operation	24
7.3.2 Test Mode Description	24
7.3.3 Test Setup Diagram	24
7.3.4 Measurement Procedure and Data.....	25
7.4 Radiated Emissions which fall in the restricted bands	38
7.4.1 E.U.T. Operation	38
7.4.2 Test Mode Description	39
7.4.3 Test Setup Diagram	39



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

7.4.4	Measurement Procedure and Data.....	40
7.5	Duty Cycle	137
7.5.1	E.U.T. Operation	137
7.5.2	Test Mode Description	137
7.5.3	Test Setup Diagram	138
7.5.4	Measurement Procedure and Data.....	138
7.6	99% Bandwidth	139
7.6.1	E.U.T. Operation	139
7.6.2	Test Mode Description	139
7.6.3	Test Setup Diagram	140
7.6.4	Measurement Procedure and Data.....	140
7.7	26dB Emission bandwidth	141
7.7.1	E.U.T. Operation	141
7.7.2	Test Mode Description	141
7.7.3	Test Setup Diagram	141
7.7.4	Measurement Procedure and Data.....	141
7.8	Minimum 6 dB bandwidth (5.725-5.85 GHz band).....	142
7.8.1	E.U.T. Operation	142
7.8.2	Test Mode Description	142
7.8.3	Test Setup Diagram	143
7.8.4	Measurement Procedure and Data.....	143
7.9	Peak Power spectrum density	144
7.9.1	E.U.T. Operation	144
7.9.2	Test Mode Description	144
7.9.3	Test Setup Diagram	145
7.9.4	Measurement Procedure and Data.....	145
7.10	Frequency Stability.....	146
7.10.1	E.U.T. Operation.....	146
7.10.2	Test Mode Description	146
7.10.3	Test Setup Diagram	147
7.10.4	Measurement Procedure and Data.....	147
8	Test Setup Photo	148
9	EUT Constructional Details (EUT Photos).....	148
10	Appendix.....	149



4 General Information

4.1 Details of E.U.T.

<p>Power supply:</p>	<p>Powered by Lithium Ion Rechargeable Battery Battery Information Model: TB100-20254-48.23 Nominal Voltage: 48.23VDC Rated Capacity: 20254mAh</p>
<p>Operation Frequency:</p>	<p>5.1G SDR 1.4MHz mode A: 5154MHz-5248MHz 1.4MHz mode C: 5156.19MHz-5246.19MHz 1.4MHz mode D: 5157.81MHz-5247.81MHz 3MHz mode A: 5154MHz-5247MHz 3MHz mode C: 5158.38MHz-5243.38MHz 3MHz mode D: 5161.62MHz-5246.62MHz 5MHz mode A: 5155MHz-5245MHz 5MHz mode C: 5155.76MHz-5239.76MHz 5MHz mode D: 5162.24MHz-5246.24MHz 10MHz mode A: 5157MHz-5245MHz 10MHz mode C: 5162MHz-5240MHz 10MHz mode D: 5162MHz-5240MHz 20MHz mode A: 5161MHz-5240MHz 20MHz mode C: 5170MHz-5230MHz 20MHz mode D: 5170MHz-5230MHz 40MHz mode A: 5170MHz-5230MHz 40MHz mode C: 5190MHz-5210MHz 40MHz mode D: 5190MHz-5210MHz 60MHz: 5180MHz-5220MHz 80MHz: 5190MHz-5210MHz</p> <p>5.8G SDR 1.4MHz mode A: 5728.5MHz-5844.5MHz 1.4MHz mode B: 5730.12MHz-5846.12MHz 1.4MHz mode C: 5729.69MHz-5840.69MHz 1.4MHz mode D: 5731.31MHz-5842.31MHz 3MHz mode A: 5727.5MHz-5844.5MHz 3MHz mode B: 5730.2MHz-5847.2MHz 3MHz mode C: 5730.88MHz-5840.88MHz 3MHz mode D: 5734.12MHz-5844.12MHz 5MHz mode A: 5732.5MHz-5842.5MHz 5MHz mode C: 5733.26MHz-5835.26MHz</p>



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

	<p>5MHz mode D: 5739.74MHz-5841.74MHz 10MHz mode A: 5730.5MHz-5844.5MHz 10MHz mode C: 5730.75MHz-5830.75MHz 10MHz mode D: 5744.25MHz-5844.25MHz 20MHz mode A: 5735.5MHz-5839.5MHz 20MHz mode C: 5736MHz-5812MHz 20MHz mode D: 5763MHz-5839MHz 40MHz mode A: 5745.5MHz-5829.5MHz 40MHz mode C: 5745.5MHz-5775.5MHz 40MHz mode D: 5799.5MHz-5829.5MHz 60MHz: 5755.5MHz-5819.5MHz 80MHz: 5765.5MHz-5809.5MHz</p>
Modulation Type:	OFDM
Channel Spacing:	<p>5.1G SDR 1.4MHz mode A: 2MHz 1.4MHz mode C: 3MHz 1.4MHz mode D: 3MHz 3MHz mode A: 3MHz 3MHz mode C: 5MHz 3MHz mode D: 5MHz 5MHz mode A: 5MHz 5MHz mode C: 1MHz 5MHz mode D: 1MHz 10MHz mode A: 1MHz 10MHz mode C: 1MHz 10MHz mode D: 1MHz 20MHz mode A: 1MHz 20MHz mode C: 1MHz 20MHz mode D: 1MHz 40MHz mode A: 1MHz 40MHz mode C: 1MHz 40MHz mode D: 1MHz 60MHz: 1MHz 80MHz: 1MHz</p> <p>5.8G SDR 1.4MHz mode A: 2MHz 1.4MHz mode B: 2MHz 1.4MHz mode C: 3MHz 1.4MHz mode D: 3MHz 3MHz mode A: 3MHz</p>



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

	<p>3MHz mode B: 3MHz 3MHz mode C: 5MHz 3MHz mode D: 5MHz 5MHz mode A: 5MHz 5MHz mode C: 1MHz 5MHz mode D: 1MHz 10MHz mode A: 1MHz 10MHz mode C: 1MHz 10MHz mode D: 1MHz 20MHz mode A: 1MHz 20MHz mode C: 1MHz 20MHz mode D: 1MHz 40MHz mode A: 1MHz 40MHz mode C: 1MHz 40MHz mode D: 1MHz 60MHz: 1MHz 80MHz: 1MHz</p>
<p>Number of Channels:</p>	<p>5.1G SDR 1.4MHz mode A: 48 1.4MHz mode C: 31 1.4MHz mode D: 31 3MHz mode A: 32 3MHz mode C: 18 3MHz mode D: 18 5MHz mode A: 19 5MHz mode C: 85 5MHz mode D: 85 10MHz mode A: 89 10MHz mode C: 79 10MHz mode D: 79 20MHz mode A: 80 20MHz mode C: 61 20MHz mode D: 61 40MHz mode A: 61 40MHz mode C: 21 40MHz mode D: 21 60MHz: 41 80MHz: 21</p>



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

	5.8G SDR 1.4MHz mode A: 59 1.4MHz mode B: 59 1.4MHz mode C: 38 1.4MHz mode D: 38 3MHz mode A: 40 3MHz mode B: 40 3MHz mode C: 23 3MHz mode D: 23 5MHz mode A: 23 5MHz mode C: 103 5MHz mode D: 103 10MHz mode A: 115 10MHz mode C: 101 10MHz mode D: 101 20MHz mode A: 105 20MHz mode C: 77 20MHz mode D: 77 40MHz mode A: 85 40MHz mode C: 31 40MHz mode D: 31 60MHz: 65 80MHz: 45								
Antenna Type:	PIFA								
Antenna Gain (5.1G):	ANT0	ANT1	ANT2	ANT3	ANT4	ANT5	ANT6	ANT7	
	1dBi	1dBi	2dBi	2dBi	2dBi	2dBi	2dBi	2dBi	3dBi
Antenna Gain (5.8G):	ANT0	ANT1	ANT2	ANT3	ANT4	ANT5	ANT6	ANT7	
	2dBi	2dBi	2.5dBi	2.5dBi	3dBi	2.5dBi	2.5dBi	2.5dBi	2.5dBi
Cable Loss (for RF conducted test):	5.1G: 1.8dB 5.8G: 2.3dB								

Remark: The information in this section is provided by the applicant or manufacturer, SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

4.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
--	--	--	--
The EUT has been tested as an independent unit.			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.3 Measurement Uncertainty

Test Item	Measurement Uncertainty
Maximum Conducted output power	± 0.75dB
Radiated Emissions (Below 1GHz)	± 6.0dB for 3m; ± 5.0dB for 10m
Radiated Emissions (Above 1GHz)	± 4.6dB (1-18GHz); ± 4.8dB (18-40GHz)
Radiated Emissions which fall in the restricted bands	± 6.0dB (below 1GHz); ± 4.6dB (above 1GHz);
Duty Cycle	± 0.37%
99% Bandwidth	± 3%
26dB Emission bandwidth	± 3%
Minimum 6 dB bandwidth (5.725-5.85 GHz band)	± 3%
Peak Power spectrum density	± 2.84dB
Frequency Stability	± 7.25 x 10-8
<p>Remark:</p> <p>The U_{lab} (lab Uncertainty) is less than U_{CISPR/ETSI} (CISPR/ETSI Uncertainty), so the test results</p> <ul style="list-style-type: none"> – compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit; – non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit. 	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.4 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China. 518057.

Tel: +86 755 2601 2053 Fax: +86 755 2671 0594

No tests were sub-contracted.

4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

• VCCI (Member No. 1937)

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen EMC laboratory have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

• FCC –Designation Number: CN1336

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1336. Test Firm Registration Number: 787754.

• Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.

4.6 Deviation from Standards

None

4.7 Abnormalities from Standard Conditions

None



5 Equipment List

Maximum Conducted output power					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Power Sensor	TST PASS	TSPS2023R	SEM009-26	2024-03-27	2025-03-26
Power Sensor	KEYSIGHT	U2021XA	SEM009-16	2024-03-14	2025-03-13
DC Power Supply	Chroma	62012P-80-60	SEM011-11	2024-08-14	2025-08-13
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-19	2024-03-14	2025-03-13
Signal Generator	KEYSIGHT	N5173B	SEM006-05	2024-09-14	2025-09-13
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM031-01	2024-07-06	2025-07-05
Attenuator	Huber+Suhner	6620_SMA-50-1	SEM021-09	2024-03-27	2025-03-26
Programmable Temperature & Humidity Chamber	Votsch Industrietechnik GmbH	VT 4002	SEM002-15	2024-03-19	2025-03-18

Radiated Emissions (Below 1GHz)					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Loop Antenna	ETS-Lindgren	6502	SEM003-08	2023-11-20	2025-11-19
3m Semi-Anechoic Chamber	ETS-LINDGREN	N/A	SEM001-01	2023-06-19	2026-06-18
MXE EMI Receiver	Agilent Technologies	N9038A	SEM004-15	2024-08-14	2025-08-13
BiConiLog Antenna	ETS-LINDGREN	3142C	SEM003-01	2023-09-16	2025-09-15
Pre-Amplifier	Agilent Technologies	8447D	SEM005-01	2024-03-14	2025-03-13
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM025-01	2024-07-06	2025-07-05

Radiated Emissions (Above 1GHz)					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
3m Fully-Anechoic Chamber	AUDIX	N/A	SEM001-02	2024-05-11	2027-05-10
Signal Analyzer	Rohde & Schwarz	FSV40	SEM008-04	2024-03-15	2025-03-14
Horn Antenna	Rohde&Schwarz	HF907	SEM003-07	2023-07-23	2025-07-22
Microwave system amplifier	Agilent	83017A	SEM005-25	2024-09-14	2025-09-13
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM026-01	2024-07-06	2025-07-05



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240900366204

Page: 13 of 862

Broad-Band Horn Antenna	Schwarzbeck	BBHA 9170	SEM003-15	2024-08-10	2025-08-09
Pre-Amplifier	Compliance Directions Systems Inc.	PAP-2640-50	SEM005-08	2024-03-15	2025-03-14

Radiated Emissions which fall in the restricted bands

Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
3m Fully-Anechoic Chamber	AUDIX	N/A	SEM001-02	2024-05-11	2027-05-10
Signal Analyzer	Rohde & Schwarz	FSV40	SEM008-04	2024-03-15	2025-03-14
Horn Antenna	Rohde&Schwarz	HF907	SEM003-07	2023-07-23	2025-07-22
Microwave system amplifier	Agilent	83017A	SEM005-25	2024-09-14	2025-09-13
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM026-01	2024-07-06	2025-07-05

RF Conducted Test

Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
DC Power Supply	Chroma	62012P-80-60	SEM011-11	2024-08-14	2025-08-13
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-19	2024-03-14	2025-03-13
Signal Generator	KEYSIGHT	N5173B	SEM006-05	2024-09-14	2025-09-13
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM031-01	2024-07-06	2025-07-05
Attenuator	Huber+Suhner	6620_SMA-50-1	SEM021-09	2024-03-27	2025-03-26
Programmable Temperature & Humidity Chamber	Votsch Industrietechnik GmbH	VT 4002	SEM002-15	2024-03-19	2025-03-18

General used equipment

Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Humidity/ Temperature Indicator	deli	8838	SEM002-32	2024-07-24	2025-07-23
Humidity/ Temperature Indicator	deli	8838	SEM002-33	2024-07-24	2025-07-23
Barometer	Changchun Meteorological Industry Factory	DYM3	SEM002-01	2024-03-18	2025-03-17



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

6 Radio Spectrum Technical Requirement

6.1 Antenna Requirement

6.1.1 Test Requirement:

47 CFR Part 15, Subpart C 15.203

6.1.2 Conclusion

Standard Requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

EUT Antenna:

The antenna is no consideration of replacement. The best case gain of the antennas are listed following:

Antenna Gain (5.1G):	ANT0	ANT1	ANT2	ANT3	ANT4	ANT5	ANT6	ANT7
	1dBi	1dBi	2dBi	2dBi	2dBi	2dBi	2dBi	3dBi
Antenna Gain (5.8G):	ANT0	ANT1	ANT2	ANT3	ANT4	ANT5	ANT6	ANT7
	2dBi	2dBi	2.5dBi	2.5dBi	3dBi	2.5dBi	2.5dBi	2.5dBi

Directional gain (5.1G)

ANT01	ANT03	ANT05	ANT07	ANT21	ANT23	ANT25	ANT27
4.01dBi	5.01dBi	5.51dBi	6.01dBi	5.01dBi	5.01dBi	5.01dBi	6.01dBi
ANT41	ANT43	ANT45	ANT47	ANT61	ANT63	ANT65	ANT67
5.01dBi	5.01dBi	5.01dBi	6.01dBi	5.01dBi	5.01dBi	5.01dBi	6.01dBi

Directional gain (5.8G)

ANT01	ANT03	ANT05	ANT07	ANT21	ANT23	ANT25	ANT27
5.01dBi	5.51dBi						
ANT41	ANT43	ANT45	ANT47	ANT61	ANT63	ANT65	ANT67
6.01dBi	6.01dBi	6.01dBi	6.51dBi	5.51dBi	5.51dBi	5.51dBi	5.51dBi

Antenna location: Refer to internal photo.



6.2 Transmission in the Absence of Data

6.2.1 Test Requirement:

47 CFR Part 15, Subpart E 15.407 (c)

6.2.2 Conclusion

Standard Requirement:

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signalling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals.

Applicants shall include in their application for equipment authorization a description of how this requirement is met.

EUT Details: SDR chip support automatically discontinue transmission in case of either absence of information to transmit or operational failure, if the chip detect absence of information to transmit or operational failure, it will be automatically shut off.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

7 Radio Spectrum Matter Test Results

7.1 Maximum Conducted output power

Test Requirement 47 CFR Part 15, Subpart E 15.407 (a)

Test Method: KDB 789033 D02 II E

Limit:

Frequency band(MHz)	Limit
5150-5250	≤1W(30dBm) for master device
	≤250mW(24dBm) for client device
5250-5350	≤250mW(24dBm) or 11dBm+10logB*
5470-5725	≤250mW(24dBm) or 11dBm+10logB*
5725-5850	≤1W(30dBm)
Remark:	* Where B is the 26dB emission bandwidth in MHz. The maximum conducted output power must be measured over any interval of continuous transmission using instrumentation calibrated in terms of an rms-equivalent voltage.

7.1.1 E.U.T. Operation

Operating Environment:

Temperature: 24.4 °C Humidity: 35.4 % RH Atmospheric Pressure: 1020 mbar




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

7.1.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	13	TX mode (5.1G SDR_10MHz)_Keep the EUT in transmitting mode.
Final test	14	TX mode (5.1G SDR_20MHz)_Keep the EUT in transmitting mode.
Final test	15	TX mode (5.1G SDR_40MHz)_Keep the EUT in transmitting mode.
Final test	16	TX mode (5.1G SDR_60MHz)_Keep the EUT in transmitting mode.
Final test	17	TX mode (5.1G SDR_80MHz)_Keep the EUT in transmitting mode.
Final test	18	TX mode (5.8G SDR_1.4MHz)_Keep the EUT in transmitting mode.
Final test	19	TX mode (5.8G SDR_3MHz)_Keep the EUT in transmitting mode.
Final test	20	TX mode (5.8G SDR_5MHz)_Keep the EUT in transmitting mode.
Final test	21	TX mode (5.8G SDR_10MHz)_Keep the EUT in transmitting mode.
Final test	22	TX mode (5.8G SDR_20MHz)_Keep the EUT in transmitting mode.
Final test	23	TX mode (5.8G SDR_40MHz)_Keep the EUT in transmitting mode.
Final test	24	TX mode (5.8G SDR_60MHz)_Keep the EUT in transmitting mode.
Final test	25	TX mode (5.8G SDR_80MHz)_Keep the EUT in transmitting mode.
Final test	29	TX mode (5.1G SDR_5MHz)_Keep the EUT in transmitting mode.
Pre-scan	30	TX mode (5.1G SDR_3MHz)_Keep the EUT in transmitting mode.
Pre-scan	31	TX mode (5.1G SDR_1.4MHz)_Keep the EUT in transmitting mode.

7.1.3 Test Setup Diagram



7.1.4 Measurement Procedure and Data

Note: Since the verify power the same operating range bandwidth and smaller power can be covered by the higher power.

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

7.2 Radiated Emissions (Below 1GHz)

Test Requirement 47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b)

Test Method: KDB 789033 D02 II G

Measurement Distance: 3m

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
960-1000	500	3

7.2.1 E.U.T. Operation

Operating Environment:

Temperature: 23.1 °C

Humidity: 56.2 % RH

Atmospheric Pressure: 1020 mbar

7.2.2 Test Mode Description


Pre-scan / Final test	Mode Code	Description
Pre-scan	13	TX mode (5.1G SDR_10MHz)_Keep the EUT in transmitting mode.
Pre-scan	14	TX mode (5.1G SDR_20MHz)_Keep the EUT in transmitting mode.
Pre-scan	15	TX mode (5.1G SDR_40MHz)_Keep the EUT in transmitting mode.
Pre-scan	16	TX mode (5.1G SDR_60MHz)_Keep the EUT in transmitting mode.
Pre-scan	17	TX mode (5.1G SDR_80MHz)_Keep the EUT in transmitting mode.
Final test	18	TX mode (5.8G SDR_1.4MHz)_Keep the EUT in transmitting mode.
Pre-scan	19	TX mode (5.8G SDR_3MHz)_Keep the EUT in transmitting mode.
Pre-scan	20	TX mode (5.8G SDR_5MHz)_Keep the EUT in transmitting mode.
Pre-scan	21	TX mode (5.8G SDR_10MHz)_Keep the EUT in transmitting mode.
Pre-scan	22	TX mode (5.8G SDR_20MHz)_Keep the EUT in transmitting mode.
Pre-scan	23	TX mode (5.8G SDR_40MHz)_Keep the EUT in transmitting mode.
Pre-scan	24	TX mode (5.8G SDR_60MHz)_Keep the EUT in transmitting mode.
Pre-scan	25	TX mode (5.8G SDR_80MHz)_Keep the EUT in transmitting mode.
Pre-scan	29	TX mode (5.1G SDR_5MHz)_Keep the EUT in transmitting mode.
Pre-scan	30	TX mode (5.1G SDR_3MHz)_Keep the EUT in transmitting mode.
Pre-scan	31	TX mode (5.1G SDR_1.4MHz)_Keep the EUT in transmitting mode.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

7.2.3 Test Setup Diagram



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

7.2.4 Measurement Procedure and Data


- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using quasi-peak method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete.

Remark:

1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
2. For emission below 1GHz, through the pre-scan found the worst case is the lowest channel of 802.11a. Only the worst case is recorded in the report.
3. Scan from 9kHz to 30MHz, the disturbance below 30MHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
4. The disturbance below 1GHz was very low and the harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.



Test Mode: 18; Polarity: Horizontal



Site : chamber
 Condition: 3m HORIZONTAL
 Job No. : 03662AT/03663AT
 Test Mode: 18


	Ant Freq	Cable Factor	Preamp Loss	Read Level	Limit Level	Over Line	Remark
	MHz	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	70.090	10.61	1.02	27.68	30.98	40.00	-25.07 QP
2	104.170	12.22	1.25	27.57	33.69	43.50	-23.91 QP
3	167.824	13.17	1.62	27.31	36.74	43.50	-19.28 QP
4	312.179	18.41	2.25	26.80	34.30	46.00	-17.84 QP
5	360.448	20.23	2.44	27.00	39.59	46.00	-10.74 QP
6 q	599.321	24.42	3.24	27.97	37.01	46.00	-9.30 QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Mode: 18; Polarity: Vertical



Site : chamber
 Condition: 3m VERTICAL
 Job No. : 03662AT/03663AT
 Test Mode: 18

	Ant Freq	Cable Factor	Preamp Loss	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	70.090	10.61	1.02	27.68	46.44	30.39	40.00	-9.61 QP
2	119.856	11.11	1.36	27.51	50.63	35.59	43.50	-7.91 QP
3	167.824	13.17	1.62	27.31	43.85	31.33	43.50	-12.17 QP
4	314.377	18.40	2.26	26.81	44.09	37.94	46.00	-8.06 QP
5 q	360.448	20.23	2.44	27.00	45.26	40.93	46.00	-5.07 QP
6	407.515	20.52	2.61	27.19	41.85	37.79	46.00	-8.21 QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

7.3 Radiated Emissions (Above 1GHz)

Test Requirement 47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b)

Test Method: KDB 789033 D02 II G

Measurement Distance: 3m

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
Above 1GHz	500	3
<p>*(1) For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.</p> <p>(2) For transmitters operating in the 5.25-5.35 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.</p> <p>(3) For transmitters operating in the 5.47-5.725 GHz band: All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.</p> <p>(4) For transmitters operating in the 5.725-5.85 GHz band:</p> <p>(i) All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.</p> <p>Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.</p>		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

7.3.1 E.U.T. Operation


Operating Environment:

Temperature: 21.8 °C Humidity: 68.2 % RH Atmospheric Pressure: 1020 mbar

7.3.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Pre-scan	13	TX mode (5.1G SDR_10MHz)_Keep the EUT in transmitting mode.
Pre-scan	14	TX mode (5.1G SDR_20MHz)_Keep the EUT in transmitting mode.
Pre-scan	15	TX mode (5.1G SDR_40MHz)_Keep the EUT in transmitting mode.
Pre-scan	16	TX mode (5.1G SDR_60MHz)_Keep the EUT in transmitting mode.
Final test	17	TX mode (5.1G SDR_80MHz)_Keep the EUT in transmitting mode.
Pre-scan	18	TX mode (5.8G SDR_1.4MHz)_Keep the EUT in transmitting mode.
Pre-scan	19	TX mode (5.8G SDR_3MHz)_Keep the EUT in transmitting mode.
Pre-scan	20	TX mode (5.8G SDR_5MHz)_Keep the EUT in transmitting mode.
Pre-scan	21	TX mode (5.8G SDR_10MHz)_Keep the EUT in transmitting mode.
Final test	22	TX mode (5.8G SDR_20MHz)_Keep the EUT in transmitting mode.
Pre-scan	23	TX mode (5.8G SDR_40MHz)_Keep the EUT in transmitting mode.
Pre-scan	24	TX mode (5.8G SDR_60MHz)_Keep the EUT in transmitting mode.
Pre-scan	25	TX mode (5.8G SDR_80MHz)_Keep the EUT in transmitting mode.
Pre-scan	29	TX mode (5.1G SDR_5MHz)_Keep the EUT in transmitting mode.
Pre-scan	30	TX mode (5.1G SDR_3MHz)_Keep the EUT in transmitting mode.
Pre-scan	31	TX mode (5.1G SDR_1.4MHz)_Keep the EUT in transmitting mode.

7.3.3 Test Setup Diagram



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

7.3.4 Measurement Procedure and Data

- a. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak or average method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete.

Remark:


1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
2. Scan from 18GHz to 40GHz, the disturbance above 18GHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
3. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.
4. The disturbance above 18GHz were very low and the harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.
5. For devices with multiple operating modes, measurements on the middle channel is used to determine the worst-case mode(s). Only the worst case mode with the highest output power and the mode with the highest output power spectral density for each modulation family (e.g., OFDM and direct sequence spread spectrum) is recorded in the test report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Mode: 17; Polarity: Horizontal; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5190 RSE TX
 Note : 5.1G SDR 80M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1242.068	3.74	24.99	61.40	65.51	32.84	68.20	-35.36	peak
2	1551.677	4.12	26.99	61.50	65.67	35.28	74.00	-38.72	peak
3	4341.886	7.07	34.34	61.22	63.72	43.91	74.00	-30.09	peak
4	8738.852	9.72	36.90	60.74	61.90	47.78	68.20	-20.42	peak
5	10380.000	11.17	37.10	61.44	58.98	45.81	68.20	-22.39	peak
6	15570.000	13.83	41.10	61.24	59.05	52.74	74.00	-21.26	peak



Test Mode: 17; Polarity: Vertical; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5190 RSE TX
 Note : 5.1G SDR 80M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1234.909	3.73	24.89	61.40	66.85	34.07	74.00	-39.93	peak
2	1592.571	4.18	26.83	61.51	65.25	34.75	74.00	-39.25	peak
3	4417.841	7.16	34.59	61.19	63.00	43.56	68.20	-24.64	peak
4	8129.664	9.16	36.50	60.36	61.84	47.14	74.00	-26.86	peak
5	10380.000	11.17	37.10	61.44	59.41	46.24	68.20	-21.96	peak
6	p15570.000	13.83	41.10	61.24	58.87	52.56	74.00	-21.44	peak



Test Mode: 17; Polarity: Horizontal; Modulation: OFDM, Channel: Middle




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5200 RSE TX
 Note : 5.1G SDR 80M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1249.269	3.75	25.09	61.40	65.40	32.84	68.20	-35.36	peak
2	1601.804	4.19	26.78	61.52	65.50	34.95	74.00	-39.05	peak
3	4417.841	7.16	34.59	61.19	64.04	44.60	68.20	-23.60	peak
4	8416.584	9.45	36.67	60.54	62.06	47.64	74.00	-26.36	peak
5	10400.000	11.20	37.10	61.44	58.22	45.08	68.20	-23.12	peak
6	p15600.000	13.86	41.10	61.24	58.26	51.98	74.00	-22.02	peak



Test Mode: 17; Polarity: Vertical; Modulation: OFDM, Channel: Middle




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5200 RSE TX
 Note : 5.1G SDR 80M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1238.483	3.73	24.94	61.40	65.33	32.60	74.00	-41.40	peak
2	1498.781	4.04	26.77	61.49	66.00	35.32	74.00	-38.68	peak
3	4405.090	7.14	34.74	61.20	62.67	43.35	68.20	-24.85	peak
4	8969.161	9.90	36.96	60.88	60.66	46.64	68.20	-21.56	peak
5	10400.000	11.20	37.10	61.44	58.02	44.88	68.20	-23.32	peak
6	p15600.000	13.86	41.10	61.24	58.84	52.56	74.00	-21.44	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 17; Polarity: Horizontal; Modulation: OFDM, Channel: High



Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5210 RSE TX
 Note : 5.1G SDR 80M


	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1100.079	3.54	23.70	61.34	66.53	32.43	74.00	-41.57	peak
2	1653.550	4.26	26.29	61.53	65.84	34.86	68.20	-33.34	peak
3	4341.886	7.07	34.34	61.22	64.17	44.36	74.00	-29.64	peak
4	8129.664	9.16	36.50	60.36	62.08	47.38	74.00	-26.62	peak
5	10420.000	11.23	37.14	61.44	58.39	45.32	68.20	-22.88	peak
6	p15630.000	13.90	41.13	61.23	59.35	53.15	74.00	-20.85	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Mode: 17; Polarity: Vertical; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5210 RSE TX
 Note : 5.1G SDR 80M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1242.068	3.74	24.99	61.40	66.60	33.93	68.20	-34.27	peak
2	1601.804	4.19	26.78	61.52	65.22	34.67	74.00	-39.33	peak
3	4392.376	7.13	34.74	61.20	62.18	42.85	74.00	-31.15	peak
4	7943.838	8.96	36.41	60.28	62.60	47.69	68.20	-20.51	peak
5	10420.000	11.23	37.14	61.44	59.71	46.64	68.20	-21.56	peak
6	15630.000	13.90	41.13	61.23	57.92	51.72	74.00	-22.28	peak



Test Mode: 22; Polarity: Horizontal; Modulation: OFDM, Channel: Low



Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5735.5 RSE TX
 Note : 5.8G SDR 20M


	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1260.149	3.76	25.04	61.41	65.33	32.72	68.20	-35.48	peak
2	1503.119	4.04	26.81	61.49	65.53	34.89	74.00	-39.11	peak
3	4405.090	7.14	34.74	61.20	62.35	43.03	68.20	-25.17	peak
4	8489.882	9.52	36.68	60.59	61.77	47.38	74.00	-26.62	peak
5	11471.000	11.93	37.77	61.39	60.02	48.33	74.00	-25.67	peak
6	p17206.500	14.56	43.01	60.50	58.09	55.16	68.20	-13.04	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Mode: 22; Polarity: Vertical; Modulation: OFDM, Channel: Low



Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5735.5 RSE TX
 Note : 5.8G SDR 20M


	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1285.904	3.79	24.88	61.42	65.64	32.89	68.20	-35.31	peak
2	1507.470	4.05	26.83	61.49	66.16	35.55	74.00	-38.45	peak
3	4379.699	7.11	34.64	61.21	62.71	43.25	74.00	-30.75	peak
4	8129.664	9.16	36.50	60.36	61.72	47.02	74.00	-26.98	peak
5	11471.000	11.93	37.77	61.39	58.12	46.43	74.00	-27.57	peak
6	p17206.500	14.56	43.01	60.50	58.40	55.47	68.20	-12.73	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Mode: 22; Polarity: Horizontal; Modulation: OFDM, Channel: Middle



Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5787.5 RSE TX
 Note : 5.8G SDR 20M


	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1245.663	3.74	25.04	61.40	65.48	32.86	68.20	-35.34	peak
2	1601.804	4.19	26.78	61.52	65.28	34.73	74.00	-39.27	peak
3	4417.841	7.16	34.59	61.19	61.95	42.51	68.20	-25.69	peak
4	8106.200	9.14	36.50	60.34	61.39	46.69	74.00	-27.31	peak
5	11575.000	11.95	37.72	61.39	59.98	48.26	74.00	-25.74	peak
6	p17362.500	14.73	43.29	60.42	57.60	55.20	68.20	-13.00	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Mode: 22; Polarity: Vertical; Modulation: OFDM, Channel: Middle



Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5787.5 RSE TX
 Note : 5.8G SDR 20M


	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1220.714	3.71	24.69	61.39	65.59	32.60	74.00	-41.40	peak
2	1538.281	4.10	26.95	61.50	66.09	35.64	74.00	-38.36	peak
3	4405.090	7.14	34.74	61.20	63.15	43.83	68.20	-24.37	peak
4	8613.468	9.62	36.90	60.66	61.96	47.82	68.20	-20.38	peak
5	11575.000	11.95	37.72	61.39	59.72	48.00	74.00	-26.00	peak
6	p17362.500	14.73	43.29	60.42	58.04	55.64	68.20	-12.56	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Mode: 22; Polarity: Horizontal; Modulation: OFDM, Channel: High



Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5839.5 RSE TX
 Note : 5.8G SDR 20M


	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1196.264	3.68	24.36	61.38	66.53	33.19	74.00	-40.81 peak
2	1520.598	4.07	26.88	61.49	65.43	34.89	74.00	-39.11 peak
3	4379.699	7.11	34.64	61.21	63.15	43.69	74.00	-30.31 peak
4	8013.020	9.04	36.40	60.28	61.59	46.75	68.20	-21.45 peak
5	11679.000	11.95	37.86	61.38	59.92	48.35	74.00	-25.65 peak
6	p17518.500	14.91	43.44	60.33	56.75	54.77	68.20	-13.43 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Mode: 22; Polarity: Vertical; Modulation: OFDM, Channel: High



Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5839.5 RSE TX
 Note : 5.8G SDR 20M

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1196.264	3.68	24.36	61.38	65.98	32.64	74.00	-41.36 peak
2	1601.804	4.19	26.78	61.52	65.38	34.83	74.00	-39.17 peak
3	4482.150	7.23	33.81	61.16	63.31	43.19	68.20	-25.01 peak
4	8129.664	9.16	36.50	60.36	62.11	47.41	74.00	-26.59 peak
5	11679.000	11.95	37.86	61.38	60.18	48.61	74.00	-25.39 peak
6	p17518.500	14.91	43.44	60.33	57.78	55.80	68.20	-12.40 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

7.4 Radiated Emissions which fall in the restricted bands

Test Requirement 47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b)

Test Method: KDB 789033 D02 II G

Measurement Distance: 3m

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

*(1) For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

(2) For transmitters operating in the 5.25-5.35 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

(3) For transmitters operating in the 5.47-5.725 GHz band: All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

(4) For transmitters operating in the 5.725-5.85 GHz band:

(i) All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

7.4.1 E.U.T. Operation

Operating Environment:

Temperature: 23.6 °C Humidity: 62.9 % RH Atmospheric Pressure: 1020 mbar




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

7.4.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	13	TX mode (5.1G SDR_10MHz)_Keep the EUT in transmitting mode.
Final test	14	TX mode (5.1G SDR_20MHz)_Keep the EUT in transmitting mode.
Final test	15	TX mode (5.1G SDR_40MHz)_Keep the EUT in transmitting mode.
Final test	16	TX mode (5.1G SDR_60MHz)_Keep the EUT in transmitting mode.
Final test	17	TX mode (5.1G SDR_80MHz)_Keep the EUT in transmitting mode.
Final test	18	TX mode (5.8G SDR_1.4MHz)_Keep the EUT in transmitting mode.
Final test	19	TX mode (5.8G SDR_3MHz)_Keep the EUT in transmitting mode.
Final test	20	TX mode (5.8G SDR_5MHz)_Keep the EUT in transmitting mode.
Final test	21	TX mode (5.8G SDR_10MHz)_Keep the EUT in transmitting mode.
Final test	22	TX mode (5.8G SDR_20MHz)_Keep the EUT in transmitting mode.
Final test	23	TX mode (5.8G SDR_40MHz)_Keep the EUT in transmitting mode.
Final test	24	TX mode (5.8G SDR_60MHz)_Keep the EUT in transmitting mode.
Final test	25	TX mode (5.8G SDR_80MHz)_Keep the EUT in transmitting mode.
Final test	29	TX mode (5.1G SDR_5MHz)_Keep the EUT in transmitting mode.
Final test	30	TX mode (5.1G SDR_3MHz)_Keep the EUT in transmitting mode.
Final test	31	TX mode (5.1G SDR_1.4MHz)_Keep the EUT in transmitting mode.

7.4.3 Test Setup Diagram



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

7.4.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- h. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- j. Repeat above procedures until all frequencies measured was complete.


Remark: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Mode: 31; Polarity: Horizontal; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5154 Band edge
 : 5.1G SDR 1.4M

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5120.541	18.79	33.96	31.27	38.60	60.08	74.00	-13.92 peak
2	5149.980	18.83	33.90	31.28	37.06	58.51	74.00	-15.49 peak
3 p	5154.000	18.84	33.91	31.28	75.88	97.35	68.20	29.15 peak



Test Mode: 31; Polarity: Horizontal; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5154 Band edge
 : 5.1G SDR 1.4M

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	q 5107.036	18.77	33.99	31.26	26.22	47.72	54.00	-6.28	Average
2	5149.980	18.83	33.90	31.28	26.02	47.47	54.00	-6.53	Average
3	5154.000	18.84	33.91	31.28	65.59	87.06	-----	-----	Average



Test Mode: 31; Polarity: Vertical; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5154 Band edge
 : 5.1G SDR 1.4M

	Cable	Ant	Preamp	Read	Limit	Over	
Freq	Loss	Factor	Factor	Level	Level	Line	Limit Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5143.960	18.83	33.91	31.28	38.53	59.99	74.00 -14.01 Peak
2	5149.980	18.83	33.90	31.28	37.13	58.58	74.00 -15.42 Peak
3 p	5154.000	18.84	33.91	31.28	81.51	102.98	68.20 34.78 Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 31; Polarity: Vertical; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5154 Band edge
 : 5.1G SDR 1.4M

		Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB	
1 q	5121.336	18.79	33.96	31.27	26.50	47.98	54.00	-6.02	Average
2	5149.980	18.83	33.90	31.28	26.22	47.67	54.00	-6.33	Average
3	5154.000	18.84	33.91	31.28	71.27	92.74	-----	-----	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 31; Polarity: Horizontal; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5248 Band edge
 : 5.1G SDR 1.4M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 p	5248.000	18.97	34.10	31.33	84.05	105.79	68.20	37.59	peak
2	5350.020	19.11	34.40	31.39	37.02	59.14	74.00	-14.86	peak
3	5357.730	19.12	34.43	31.39	37.94	60.10	74.00	-13.90	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 31; Polarity: Horizontal; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5248 Band edge
 : 5.1G SDR 1.4M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5248.000	18.97	34.10	31.33	73.55	95.29	-----	-----	Average
2	5350.020	19.11	34.40	31.39	25.94	48.06	54.00	-5.94	Average
3 q	5350.504	19.11	34.40	31.39	26.16	48.28	54.00	-5.72	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 31; Polarity: Vertical; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5248 Band edge
 : 5.1G SDR 1.4M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 p	5248.000	18.97	34.10	31.33	94.75	116.49	68.20	48.29	Peak
2	5350.020	19.11	34.40	31.39	36.93	59.05	74.00	-14.95	Peak
3	5356.171	19.12	34.42	31.39	38.13	60.28	74.00	-13.72	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 31; Polarity: Vertical; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5248 Band edge
 : 5.1G SDR 1.4M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5248.000	18.97	34.10	31.33	84.68	106.42	-----	-----	Average
2	5350.020	19.11	34.40	31.39	26.30	48.42	54.00	-5.58	Average
3 q	5356.880	19.12	34.43	31.39	26.47	48.63	54.00	-5.37	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 30; Polarity: Horizontal; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5154 Band edge
 : 5.1G SDR 3M

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	18.78	33.98	31.26	38.29	59.79	74.00	-14.21	peak
2	18.83	33.90	31.28	37.08	58.53	74.00	-15.47	peak
3 p	18.84	33.91	31.28	72.26	93.73	68.20	25.53	peak



Test Mode: 30; Polarity: Horizontal; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5154 Band edge
 : 5.1G SDR 3M

		Cable	Ant	Preamp	Read	Limit	Over	
Freq	Loss	Factor	Factor	Factor	Level	Level	Line	Limit Remark
MHz	dB	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB
1 q	5147.857	18.83	33.90	31.28	26.31	47.76	54.00	-6.24 Average
2	5149.980	18.83	33.90	31.28	25.97	47.42	54.00	-6.58 Average
3	5154.000	18.84	33.91	31.28	62.42	83.89	-----	----- Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 30; Polarity: Vertical; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5154 Band edge
 : 5.1G SDR 3M

	Cable	Ant	Preamp	Read	Limit	Over	
Freq	Loss	Factor	Factor	Level	Level	Line	Limit Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5140.965	18.82	33.92	31.28	38.11	59.57	74.00 -14.43 Peak
2	5149.980	18.83	33.90	31.28	37.52	58.97	74.00 -15.03 Peak
3 p	5154.000	18.84	33.91	31.28	78.80	100.27	68.20 32.07 Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 30; Polarity: Vertical; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5154 Band edge
 : 5.1G SDR 3M

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	q 5147.358	18.83	33.91	31.28	26.78	48.24	54.00	-5.76	Average
2	5149.980	18.83	33.90	31.28	26.68	48.13	54.00	-5.87	Average
3	5154.000	18.84	33.91	31.28	69.48	90.95	-----	-----	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 30; Polarity: Horizontal; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5247 Band edge
 : 5.1G SDR 3M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 p	5247.000	18.97	34.09	31.33	82.52	104.25	68.20	36.05 peak
2	5350.020	19.11	34.40	31.39	37.16	59.28	74.00	-14.72 peak
3	5354.754	19.12	34.42	31.39	38.07	60.22	74.00	-13.78 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 30; Polarity: Horizontal; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5247 Band edge
 : 5.1G SDR 3M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5247.000	18.97	34.09	31.33	73.11	94.84	-----	-----	Average
2	5350.020	19.11	34.40	31.39	25.94	48.06	54.00	-5.94	Average
3 q	5351.778	19.11	34.41	31.39	26.16	48.29	54.00	-5.71	Average



Test Mode: 30; Polarity: Vertical; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5247 Band edge
 : 5.1G SDR 3M

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 p	5247.000	18.97	34.09	31.33	93.61	115.34	68.20	47.14 Peak
2	5350.020	19.11	34.40	31.39	37.94	60.06	74.00	-13.94 Peak
3	5353.620	19.11	34.41	31.39	38.18	60.31	74.00	-13.69 Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 30; Polarity: Vertical; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5247 Band edge
 : 5.1G SDR 3M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5247.000	18.97	34.09	31.33	84.22	105.95	-----	-----	Average
2	5350.020	19.11	34.40	31.39	26.21	48.33	54.00	-5.67	Average
3 q	5351.495	19.11	34.41	31.39	26.33	48.46	54.00	-5.54	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 29; Polarity: Horizontal; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5155 Band edge
 : 5.1G SDR 5M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5148.058	18.83	33.90	31.28	38.23	59.68	74.00	-14.32 peak
2	5149.980	18.83	33.90	31.28	37.17	58.62	74.00	-15.38 peak
3 p	5155.000	18.84	33.91	31.28	73.33	94.80	68.20	26.60 peak



Test Mode: 29; Polarity: Horizontal; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5155 Band edge
 : 5.1G SDR 5M

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	q 5104.458	18.77	33.99	31.26	26.17	47.67	54.00	-6.33	Average
2	5149.980	18.83	33.90	31.28	25.99	47.44	54.00	-6.56	Average
3	5155.000	18.84	33.91	31.28	63.57	85.04	-----	-----	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 29; Polarity: Vertical; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5155 Band edge
 : 5.1G SDR 5M

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5102.675	18.77	33.99	31.26	38.67	60.17	74.00	-13.83 Peak
2	5149.980	18.83	33.90	31.28	37.80	59.25	74.00	-14.75 Peak
3 p	5155.000	18.84	33.91	31.28	80.44	101.91	68.20	33.71 Peak



Test Mode: 29; Polarity: Vertical; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5155 Band edge
 : 5.1G SDR 5M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5147.358	18.83	33.91	31.28	26.83	48.29	54.00	-5.71	Average
2 q	5149.980	18.83	33.90	31.28	27.13	48.58	54.00	-5.42	Average
3	5155.000	18.84	33.91	31.28	70.80	92.27	-----	-----	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 29; Polarity: Horizontal; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5245 Band edge
 : 5.1G SDR 5M

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 p 5245.000	18.97	34.09	31.33	84.72	106.45	68.20	38.25	peak
2 5350.020	19.11	34.40	31.39	36.63	58.75	74.00	-15.25	peak
3 5353.620	19.11	34.41	31.39	37.91	60.04	74.00	-13.96	peak



Test Mode: 29; Polarity: Horizontal; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5245 Band edge
 : 5.1G SDR 5M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5245.000	18.97	34.09	31.33	75.44	97.17	-----	-----	Average
2	5350.020	19.11	34.40	31.39	25.87	47.99	54.00	-6.01	Average
3 q	5351.495	19.11	34.41	31.39	26.15	48.28	54.00	-5.72	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 29; Polarity: Vertical; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5245 Band edge
 : 5.1G SDR 5M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 p	5245.000	18.97	34.09	31.33	92.27	114.00	68.20	45.80	Peak
2	5350.020	19.11	34.40	31.39	36.96	59.08	74.00	-14.92	Peak
3	5356.313	19.12	34.43	31.39	37.72	59.88	74.00	-14.12	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 29; Polarity: Vertical; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5245 Band edge
 : 5.1G SDR 5M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5245.000	18.97	34.09	31.33	84.11	105.84	-----	-----	Average
2	5350.020	19.11	34.40	31.39	26.14	48.26	54.00	-5.74	Average
3 q	5351.778	19.11	34.41	31.39	26.53	48.66	54.00	-5.34	Average



Test Mode: 13; Polarity: Horizontal; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5157 Band edge
 : 5.1G SDR 10M

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5124.520	18.80	33.95	31.27	38.53	60.01	74.00	-13.99 peak
2	5149.980	18.83	33.90	31.28	36.78	58.23	74.00	-15.77 peak
3 p	5157.000	18.84	33.91	31.28	70.60	92.07	68.20	23.87 peak



Test Mode: 13; Polarity: Horizontal; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5157 Band edge
 : 5.1G SDR 10M

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	q 5125.813	18.80	33.95	31.27	26.23	47.71	54.00	-6.29	Average
2	5149.980	18.83	33.90	31.28	25.95	47.40	54.00	-6.60	Average
3	5157.000	18.84	33.91	31.28	59.37	80.84	-----	-----	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 13; Polarity: Vertical; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5157 Band edge
 : 5.1G SDR 10M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5114.579	18.78	33.97	31.26	38.24	59.73	74.00	-14.27 Peak
2	5149.980	18.83	33.90	31.28	38.04	59.49	74.00	-14.51 Peak
3 p	5157.000	18.84	33.91	31.28	76.05	97.52	68.20	29.32 Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 13; Polarity: Vertical; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5157 Band edge
 : 5.1G SDR 10M

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5146.458	18.83	33.91	31.28	26.41	47.87	54.00	-6.13	Average
2 q	5149.980	18.83	33.90	31.28	26.53	47.98	54.00	-6.02	Average
3	5157.000	18.84	33.91	31.28	64.97	86.44	-----	-----	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 13; Polarity: Horizontal; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5245 Band edge
 : 5.1G SDR 10M

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 p 5245.000	18.97	34.09	31.33	81.89	103.62	68.20	35.42	peak
2 5350.020	19.11	34.40	31.39	37.25	59.37	74.00	-14.63	peak
3 5354.470	19.12	34.42	31.39	38.00	60.15	74.00	-13.85	peak



Test Mode: 13; Polarity: Horizontal; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5245 Band edge
 : 5.1G SDR 10M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5245.000	18.97	34.09	31.33	71.86	93.59	-----	-----	Average
2	5350.020	19.11	34.40	31.39	25.71	47.83	54.00	-6.17	Average
3 q	5350.504	19.11	34.40	31.39	26.11	48.23	54.00	-5.77	Average



Test Mode: 13; Polarity: Vertical; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5245 Band edge
 : 5.1G SDR 10M

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 p	5245.000	18.97	34.09	31.33	92.35	114.08	68.20	45.88 Peak
2	5350.020	19.11	34.40	31.39	37.37	59.49	74.00	-14.51 Peak
3	5351.070	19.11	34.40	31.39	38.31	60.43	74.00	-13.57 Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 13; Polarity: Vertical; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5245 Band edge
 : 5.1G SDR 10M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5245.000	18.97	34.09	31.33	81.91	103.64	-----	-----	Average
2	5350.020	19.11	34.40	31.39	26.12	48.24	54.00	-5.76	Average
3 q	5358.724	19.12	34.43	31.39	26.55	48.71	54.00	-5.29	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 14; Polarity: Horizontal; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5161 Band edge
 : 5.1G SDR 20M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.057	18.83	33.90	31.28	38.54	59.99	74.00	-14.01	peak
2	5149.980	18.83	33.90	31.28	48.25	69.70	74.00	-4.30	peak
3 p	5161.000	18.85	33.92	31.29	78.80	100.28	68.20	32.08	peak



Test Mode: 14; Polarity: Horizontal; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5161 Band edge
 : 5.1G SDR 20M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.458	18.83	33.90	31.28	27.57	49.02	54.00	-4.98	Average
2 q	5149.980	18.83	33.90	31.28	28.71	50.16	54.00	-3.84	Average
3	5161.000	18.85	33.92	31.29	68.02	89.50	-----	-----	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 14; Polarity: Vertical; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5161 Band edge
 : 5.1G SDR 20M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5133.583	18.81	33.93	31.27	38.19	59.66	74.00	-14.34 Peak
2	5149.980	18.83	33.90	31.28	42.50	63.95	74.00	-10.05 Peak
3 p	5161.000	18.85	33.92	31.29	76.42	97.90	68.20	29.70 Peak



Test Mode: 14; Polarity: Vertical; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5161 Band edge
 : 5.1G SDR 20M

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	q 5110.607	18.78	33.98	31.26	26.23	47.73	54.00	-6.27	Average
2	5149.980	18.83	33.90	31.28	25.93	47.38	54.00	-6.62	Average
3	5161.000	18.85	33.92	31.29	57.62	79.10	-----	-----	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 14; Polarity: Horizontal; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5240 Band edge
 : 5.1G SDR 20M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 p	5240.000	18.96	34.08	31.33	88.34	110.05	68.20	41.85	peak
2	5350.020	19.11	34.40	31.39	37.55	59.67	74.00	-14.33	peak
3	5356.880	19.12	34.43	31.39	38.16	60.32	74.00	-13.68	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Mode: 14; Polarity: Horizontal; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5240 Band edge
 : 5.1G SDR 20M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5240.000	18.96	34.08	31.33	77.81	99.52	-----	-----	Average
2	5350.020	19.11	34.40	31.39	26.05	48.17	54.00	-5.83	Average
3 q	5357.589	19.12	34.43	31.39	26.33	48.49	54.00	-5.51	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 14; Polarity: Vertical; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5240 Band edge
 : 5.1G SDR 20M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 p	5240.000	18.96	34.08	31.33	88.05	109.76	68.20	41.56 Peak
2	5350.020	19.11	34.40	31.39	36.86	58.98	74.00	-15.02 Peak
3	5357.589	19.12	34.43	31.39	37.85	60.01	74.00	-13.99 Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 14; Polarity: Vertical; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5240 Band edge
 : 5.1G SDR 20M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5240.000	18.96	34.08	31.33	67.45	89.16	-----	-----	Average
2	5350.020	19.11	34.40	31.39	25.99	48.11	54.00	-5.89	Average
3 q	5355.746	19.12	34.42	31.39	26.03	48.18	54.00	-5.82	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 15; Polarity: Horizontal; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5170 Band edge
 : 5.1G SDR 40M

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5135.577	18.81	33.93	31.27	38.46	59.93	74.00	-14.07 peak
2	5149.980	18.83	33.90	31.28	40.10	61.55	74.00	-12.45 peak
3 p	5170.000	18.86	33.94	31.29	69.98	91.49	68.20	23.29 peak



Test Mode: 15; Polarity: Horizontal; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5170 Band edge
 : 5.1G SDR 40M

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5136.475	18.81	33.93	31.27	26.17	47.64	54.00	-6.36	Average
2 q	5149.980	18.83	33.90	31.28	26.25	47.70	54.00	-6.30	Average
3	5170.000	18.86	33.94	31.29	59.06	80.57	-----	-----	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 15; Polarity: Vertical; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5170 Band edge
 : 5.1G SDR 40M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5149.157	18.83	33.90	31.28	39.35	60.80	74.00	-13.20 Peak
2	5149.980	18.83	33.90	31.28	47.22	68.67	74.00	-5.33 Peak
3 p	5170.000	18.86	33.94	31.29	78.07	99.58	68.20	31.38 Peak



Test Mode: 15; Polarity: Vertical; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5170 Band edge
 : 5.1G SDR 40M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5146.858	18.83	33.91	31.28	27.70	54.00	-4.84	Average
2 q	5149.980	18.83	33.90	31.28	29.30	54.00	-3.25	Average
3	5170.000	18.86	33.94	31.29	66.98	-----	-----	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 15; Polarity: Horizontal; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5230 Band edge
 : 5.1G SDR 40M

	Cable	Ant	Preamp	Read	Limit	Over	
Freq	Loss	Factor	Factor	Level	Level	Line	Limit
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 p 5230.000	18.95	34.06	31.32	80.11	101.80	68.20	33.60 peak
2 5350.020	19.11	34.40	31.39	37.47	59.59	74.00	-14.41 peak
3 5359.837	19.12	34.44	31.39	37.49	59.66	74.00	-14.34 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 15; Polarity: Horizontal; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5230 Band edge
 : 5.1G SDR 40M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5230.000	18.95	34.06	31.32	69.65	91.34	-----	-----	Average
2	5350.020	19.11	34.40	31.39	25.86	47.98	54.00	-6.02	Average
3 q	5359.675	19.12	34.44	31.39	26.06	48.23	54.00	-5.77	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 15; Polarity: Vertical; Modulation: OFDM, Channel: High



Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5230 Band edge
 : 5.1G SDR 40M


		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 p	5230.000	18.95	34.06	31.32	87.28	108.97	68.20	40.77 Peak
2	5350.020	19.11	34.40	31.39	37.30	59.42	74.00	-14.58 Peak
3	5354.480	19.12	34.42	31.39	37.84	59.99	74.00	-14.01 Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Mode: 15; Polarity: Vertical; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5230 Band edge
 : 5.1G SDR 40M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5230.000	18.95	34.06	31.32	76.86	98.55	-----	-----	Average
2	5350.020	19.11	34.40	31.39	26.35	48.47	54.00	-5.53	Average
3 q	5357.239	19.12	34.43	31.39	26.51	48.67	54.00	-5.33	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 16; Polarity: Horizontal; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5180 Band edge
 : 5.1G SDR 60M

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	18.82	33.91	31.28	38.82	60.27	74.00	-13.73	peak
2	18.83	33.90	31.28	37.54	58.99	74.00	-15.01	peak
3 p	18.88	33.96	31.30	75.19	96.73	68.20	28.53	peak



Test Mode: 16; Polarity: Horizontal; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5180 Band edge
 : 5.1G SDR 60M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5149.102	18.83	33.90	31.28	27.39	48.84	54.00	-5.16	Average
2 q	5149.980	18.83	33.90	31.28	27.56	49.01	54.00	-4.99	Average
3	5180.000	18.88	33.96	31.30	63.48	85.02	-----	-----	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 16; Polarity: Vertical; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5180 Band edge
 : 5.1G SDR 60M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dB	
1	5123.063	18.80	33.95	31.27	38.26	74.00	-14.26	Peak
2	5149.980	18.83	33.90	31.28	37.23	74.00	-15.32	Peak
3 p	5180.000	18.88	33.96	31.30	72.53	68.20	25.87	Peak



Test Mode: 16; Polarity: Vertical; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5180 Band edge
 : 5.1G SDR 60M

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	q 5144.195	18.83	33.91	31.28	26.05	47.51	54.00	-6.49	Average
2	5149.980	18.83	33.90	31.28	25.94	47.39	54.00	-6.61	Average
3	5180.000	18.88	33.96	31.30	53.34	74.88	-----	-----	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 16; Polarity: Horizontal; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5220 Band edge
 : 5.1G SDR 60M

		Cable	Ant	Preamp	Read	Limit	Over	
Freq	Loss	Factor	Factor	Factor	Level	Level	Line	Limit Remark
MHz	dB	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB
1 p 5220.000	18.93	34.04	31.32	85.50	107.15	68.20	38.95	peak
2 5350.020	19.11	34.40	31.39	37.84	59.96	74.00	-14.04	peak
3 5359.451	19.12	34.44	31.39	39.12	61.29	74.00	-12.71	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 16; Polarity: Horizontal; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5220 Band edge
 : 5.1G SDR 60M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5220.000	18.93	34.04	31.32	74.04	95.69	-----	-----	Average
2	5350.020	19.11	34.40	31.39	26.68	48.80	54.00	-5.20	Average
3 q	5359.634	19.12	34.44	31.39	26.72	48.89	54.00	-5.11	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 16; Polarity: Vertical; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5220 Band edge
 : 5.1G SDR 60M

		Cable	Ant	Preamp	Read	Limit	Over	
Freq	Loss	Factor	Factor	Factor	Level	Level	Line	Limit Remark
MHz	dB	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB
1 p 5220.000	18.93	34.04	31.32	84.73	106.38	68.20	38.18	Peak
2 5350.020	19.11	34.40	31.39	36.77	58.89	74.00	-15.11	Peak
3 5352.681	19.11	34.41	31.39	37.71	59.84	74.00	-14.16	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 16; Polarity: Vertical; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5220 Band edge
 : 5.1G SDR 60M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5220.000	18.93	34.04	31.32	64.77	86.42	-----	-----	Average
2	5350.020	19.11	34.40	31.39	25.91	48.03	54.00	-5.97	Average
3 q	5350.488	19.11	34.40	31.39	26.16	48.28	54.00	-5.72	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 17; Polarity: Horizontal; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5190 Band edge
 : 5.1G SDR 80M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5138.262	18.82	33.92	31.27	39.34	60.81	74.00	-13.19 peak
2	5149.980	18.83	33.90	31.28	38.69	60.14	74.00	-13.86 peak
3 p	5190.000	18.89	33.98	31.30	73.81	95.38	68.20	27.18 peak



Test Mode: 17; Polarity: Horizontal; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5190 Band edge
 : 5.1G SDR 80M

		Cable	Ant	Preamp	Read	Limit	Over		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	q 5138.123	18.82	33.92	31.27	30.27	51.74	54.00	-2.26	Average
2	5149.980	18.83	33.90	31.28	26.99	48.44	54.00	-5.56	Average
3	5190.000	18.89	33.98	31.30	62.40	83.97	-----	-----	Average



Test Mode: 17; Polarity: Vertical; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5190 Band edge
 : 5.1G SDR 80M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5140.767	18.82	33.92	31.28	38.24	59.70	74.00	-14.30 Peak
2	5149.980	18.83	33.90	31.28	37.31	58.76	74.00	-15.24 Peak
3 p	5190.000	18.89	33.98	31.30	73.50	95.07	68.20	26.87 Peak



Test Mode: 17; Polarity: Vertical; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5190 Band edge
 : 5.1G SDR 80M

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	q 5111.476	18.78	33.98	31.26	26.22	47.72	54.00	-6.28 Average
2	5149.980	18.83	33.90	31.28	25.75	47.20	54.00	-6.80 Average
3	5190.000	18.89	33.98	31.30	52.77	74.34	-----	----- Average



Test Mode: 17; Polarity: Horizontal; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5210 Band edge
 : 5.1G SDR 80M

		Cable	Ant	Preamp	Read	Limit	Over	
Freq	Loss	Factor	Factor	Factor	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB
1 p 5210.000	18.92	34.02	31.31	87.11	108.74	68.20	40.54	peak
2 5350.020	19.11	34.40	31.39	37.40	59.52	74.00	-14.48	peak
3 5358.066	19.12	34.43	31.39	37.87	60.03	74.00	-13.97	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 17; Polarity: Horizontal; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5210 Band edge
 : 5.1G SDR 80M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5210.000	18.92	34.02	31.31	74.57	96.20	-----	-----	Average
2	5350.020	19.11	34.40	31.39	26.76	48.88	54.00	-5.12	Average
3 q	5352.461	19.11	34.41	31.39	27.04	49.17	54.00	-4.83	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 17; Polarity: Vertical; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5210 Band edge
 : 5.1G SDR 80M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 p	5210.000	18.92	34.02	31.31	85.88	107.51	68.20	39.31 Peak
2	5350.020	19.11	34.40	31.39	37.26	59.38	74.00	-14.62 Peak
3	5358.839	19.12	34.44	31.39	37.85	60.02	74.00	-13.98 Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 17; Polarity: Vertical; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5210 Band edge
 : 5.1G SDR 80M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5210.000	18.92	34.02	31.31	65.19	86.82	-----	-----	Average
2	5350.020	19.11	34.40	31.39	25.93	48.05	54.00	-5.95	Average
3 q	5351.495	19.11	34.41	31.39	26.13	48.26	54.00	-5.74	Average



Test Mode: 18; Polarity: Horizontal; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5728.5 Band edge
 : 5G SDR 1.4M

		Cable	Ant	Preamp	Read	Limit	Over	
Freq	Loss	Factor	Factor	Factor	Level	Level	Line	Limit Remark
MHz	dB	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB
1 p 5715.000	19.45	34.27	31.57	42.53	64.68	109.40	-44.72	peak
2 5725.000	19.46	34.25	31.57	54.36	76.50	122.20	-45.70	peak
3 5728.500	19.46	34.24	31.57	96.97	119.10	-----	-----	peak



Test Mode: 18; Polarity: Vertical; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5728.5 Band edge
 : 5G SDR 1.4M

		Cable	Ant	Preamp	Read	Limit	Over	
Freq	Loss	Factor	Factor	Factor	Level	Level	Line	Limit Remark
MHz	dB	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB
1	5715.000	19.45	34.27	31.57	45.17	67.32	109.40	-42.08 peak
2 p	5725.000	19.46	34.25	31.57	62.69	84.83	122.20	-37.37 peak
3	5728.500	19.46	34.24	31.57	103.85	125.98	-----	----- peak



Test Mode: 18; Polarity: Horizontal; Modulation: OFDM, Channel: High



Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5846.12 Band edge
 : 5G SDR 1.4M


	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5846.120	19.53	34.39	31.63	96.80	119.09	-----	-----	peak
2	5850.000	19.54	34.40	31.63	46.45	68.76	122.20	-53.44	peak
3	5860.000	19.54	34.44	31.64	43.24	65.58	109.40	-43.82	peak
4 p	5931.287	19.59	34.66	31.67	42.03	64.61	68.20	-3.59	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Mode: 18; Polarity: Vertical; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5846.12 Band edge
 : 5G SDR 1.4M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5846.120	19.53	34.39	31.63	103.22	125.51	-----	-----	peak
2	5850.000	19.54	34.40	31.63	53.54	75.85	122.20	-46.35	peak
3	5860.000	19.54	34.44	31.64	44.65	66.99	109.40	-42.41	peak
4 p	5937.123	19.59	34.67	31.67	43.02	65.61	68.20	-2.59	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 19; Polarity: Horizontal; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5727.5 Band edge
 : 5G SDR 3M

		Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB	
1 p 5648.026	19.41	34.41	31.53	42.78	65.07	68.20	-3.13	peak	
2 5715.000	19.45	34.27	31.57	43.06	65.21	109.40	-44.19	peak	
3 5725.000	19.46	34.25	31.57	80.97	103.11	122.20	-19.09	peak	
4 5727.500	19.46	34.24	31.57	100.51	122.64	-----	-----	peak	



Test Mode: 19; Polarity: Vertical; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5727.5 Band edge
 : 5G SDR 3M

		Cable	Ant	Preamp	Read	Limit	Over	
Freq	Loss	Factor	Factor	Factor	Level	Level	Line	Limit Remark
MHz	dB	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB
1 p 5645.396	19.41	34.43	31.53	43.35	65.66	68.20	-2.54	peak
2 5715.000	19.45	34.27	31.57	42.81	64.96	109.40	-44.44	peak
3 5725.000	19.46	34.25	31.57	79.35	101.49	122.20	-20.71	peak
4 5727.500	19.46	34.24	31.57	99.59	121.72	-----	-----	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 19; Polarity: Horizontal; Modulation: OFDM, Channel: High



Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5847.2 Band edge
 : 5G SDR 3M


	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5847.200	19.54	34.39	31.63	97.18	119.48	-----	-----	peak
2	5850.000	19.54	34.40	31.63	75.71	98.02	122.20	-24.18	peak
3	5860.000	19.54	34.44	31.64	44.14	66.48	109.40	-42.92	peak
4 p	5925.956	19.58	34.65	31.67	41.96	64.52	68.20	-3.68	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Mode: 19; Polarity: Vertical; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5847.2 Band edge
 : 5G SDR 3M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5847.200	19.54	34.39	31.63	96.74	119.04	-----	-----	peak
2	5850.000	19.54	34.40	31.63	74.50	96.81	122.20	-25.39	peak
3	5860.000	19.54	34.44	31.64	43.83	66.17	109.40	-43.23	peak
4 p	5946.974	19.60	34.69	31.68	42.15	64.76	68.20	-3.44	peak



Test Mode: 20; Polarity: Horizontal; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5732.5 Band edge
 : 5G SDR 5M

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5715.000	19.45	34.27	31.57	45.82	67.97	109.40	-41.43 peak
2 p	5725.000	19.46	34.25	31.57	61.42	83.56	122.20	-38.64 peak
3	5732.500	19.46	34.24	31.57	101.83	123.96	-----	----- peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Vertical; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5732.5 Band edge
 : 5G SDR 5M

		Cable	Ant	Preamp	Read	Limit	Over	
Freq	Loss	Factor	Factor	Factor	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 p 5715.000	19.45	34.27	31.57	42.17	64.32	109.40	-45.08	peak
2 5725.000	19.46	34.25	31.57	54.77	76.91	122.20	-45.29	peak
3 5732.500	19.46	34.24	31.57	98.99	121.12	-----	-----	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Horizontal; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5842.5 Band edge
 : 5G SDR 5M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5842.500	19.53	34.39	31.63	100.67	122.96	-----	-----	peak
2	5850.000	19.54	34.40	31.63	59.40	81.71	122.20	-40.49	peak
3	5860.000	19.54	34.44	31.64	45.41	67.75	109.40	-41.65	peak
4 p	5942.630	19.59	34.69	31.67	42.21	64.82	68.20	-3.38	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 20; Polarity: Vertical; Modulation: OFDM, Channel: High



Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5842.5 Band edge
 : 5G SDR 5M


	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5842.500	19.53	34.39	31.63	100.65	122.94	-----	-----	peak
2	5850.000	19.54	34.40	31.63	59.61	81.92	122.20	-40.28	peak
3	5860.000	19.54	34.44	31.64	44.87	67.21	109.40	-42.19	peak
4 p	5951.487	19.60	34.71	31.68	41.99	64.62	68.20	-3.58	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Mode: 21; Polarity: Horizontal; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5730.5 Band edge
 : 5G SDR 10M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	5715.000	19.45	34.27	31.57	48.96	71.11	109.40	-38.29 peak
2 p	5725.000	19.46	34.25	31.57	84.24	106.38	122.20	-15.82 peak
3	5730.500	19.46	34.24	31.57	98.06	120.19	-----	----- peak



Test Mode: 21; Polarity: Vertical; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5730.5 Band edge
 : 5G SDR 10M

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	19.45	34.27	31.57	56.93	79.08	109.40	-30.32	peak
2 p	19.46	34.25	31.57	88.27	110.41	122.20	-11.79	peak
3	19.46	34.24	31.57	101.30	123.43	-----	-----	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 21; Polarity: Horizontal; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5844.5 Band edge
 : 5G SDR 10M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5844.500	19.53	34.39	31.63	95.49	117.78	-----	-----	peak
2	5850.000	19.54	34.40	31.63	78.40	100.71	122.20	-21.49	peak
3	5860.000	19.54	34.44	31.64	54.65	76.99	109.40	-32.41	peak
4 p	5925.456	19.58	34.65	31.67	41.81	64.37	68.20	-3.83	peak



Test Mode: 21; Polarity: Vertical; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5844.5 Band edge
 : 5G SDR 10M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5844.500	19.53	34.39	31.63	94.39	116.68	-----	-----	peak
2	5850.000	19.54	34.40	31.63	77.49	99.80	122.20	-22.40	peak
3	5860.000	19.54	34.44	31.64	52.93	75.27	109.40	-34.13	peak
4 p	5929.787	19.59	34.66	31.67	42.18	64.76	68.20	-3.44	peak



Test Mode: 22; Polarity: Horizontal; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5735.5 Band edge
 : 5G SDR 20M

		Cable	Ant	Preamp	Read	Limit	Over	
Freq	Loss	Factor	Factor	Factor	Level	Level	Line	Limit Remark
MHz	dB	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB
1 p 5715.000	19.45	34.27	31.57	61.28	83.43	109.40	-25.97	peak
2 5725.000	19.46	34.25	31.57	68.25	90.39	122.20	-31.81	peak
3 5735.500	19.46	34.23	31.58	90.98	113.09	-----	-----	peak



Test Mode: 22; Polarity: Vertical; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5735.5 Band edge
 : 5G SDR 20M

		Cable	Ant	Preamp	Read	Limit	Over	
	Freq	Loss	Factor	Factor	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 p	5715.000	19.45	34.27	31.57	67.38	89.53	109.40	-19.87 peak
2	5725.000	19.46	34.25	31.57	75.29	97.43	122.20	-24.77 peak
3	5735.500	19.46	34.23	31.58	97.20	119.31	-----	----- peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 22; Polarity: Horizontal; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5839.5 Band edge
 : 5G SDR 20M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5839.500	19.53	34.38	31.63	90.91	113.19	-----	-----	peak
2	5850.000	19.54	34.40	31.63	67.43	89.74	122.20	-32.46	peak
3 p	5860.000	19.54	34.44	31.64	62.16	84.50	109.40	-24.90	peak



Test Mode: 22; Polarity: Vertical; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5839.5 Band edge
 : 5G SDR 20M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5839.500	19.53	34.38	31.63	96.27	118.55	-----	-----	peak
2	5850.000	19.54	34.40	31.63	72.90	95.21	122.20	-26.99	peak
3 p	5860.000	19.54	34.44	31.64	67.16	89.50	109.40	-19.90	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 23; Polarity: Horizontal; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5745.5 Band edge
 : 5G SDR 40M

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 p 5643.320	19.40	34.44	31.53	42.53	64.84	68.20	-3.36	peak
2 5715.000	19.45	34.27	31.57	49.33	71.48	109.40	-37.92	peak
3 5725.000	19.46	34.25	31.57	53.12	75.26	122.20	-46.94	peak
4 5745.500	19.47	34.21	31.58	90.66	112.76	-----	-----	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 23; Polarity: Vertical; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5745.5 Band edge
 : 5G SDR 40M

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 p 5649.827	19.41	34.40	31.54	42.86	65.13	68.20	-3.07	peak
2 5715.000	19.45	34.27	31.57	50.63	72.78	109.40	-36.62	peak
3 5725.000	19.46	34.25	31.57	53.84	75.98	122.20	-46.22	peak
4 5745.500	19.47	34.21	31.58	89.43	111.53	-----	-----	peak



Test Mode: 23; Polarity: Horizontal; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5829.5 Band edge
 : 5G SDR 40M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5829.500	19.52	34.36	31.62	89.02	111.28	-----	-----	peak
2	5850.000	19.54	34.40	31.63	56.02	78.33	122.20	-43.87	peak
3	5860.000	19.54	34.44	31.64	54.50	76.84	109.40	-32.56	peak
4 p	5944.635	19.60	34.69	31.67	42.04	64.66	68.20	-3.54	peak



Test Mode: 23; Polarity: Vertical; Modulation: OFDM, Channel: High



Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5829.5 Band edge
 : 5G SDR 40M


	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5829.500	19.52	34.36	31.62	93.09	115.35	-----	-----	peak
2	5850.000	19.54	34.40	31.63	55.79	78.10	122.20	-44.10	peak
3	5860.000	19.54	34.44	31.64	52.90	75.24	109.40	-34.16	peak
4 p	5930.953	19.59	34.66	31.67	42.21	64.79	68.20	-3.41	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Mode: 24; Polarity: Horizontal; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5755.5 Band edge
 : 5G SDR 60M

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 p 5645.683	19.41	34.43	31.53	42.90	65.21	68.20	-2.99	peak
2 5715.000	19.45	34.27	31.57	56.21	78.36	109.40	-31.04	peak
3 5725.000	19.46	34.25	31.57	65.30	87.44	122.20	-34.76	peak
4 5755.500	19.48	34.21	31.59	89.49	111.59	-----	-----	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 24; Polarity: Vertical; Modulation: OFDM, Channel: Low



Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5755.5 Band edge
 : 5G SDR 60M


		Cable	Ant	Preamp	Read	Limit	Over	
Freq	Loss	Factor	Factor	Factor	Level	Level	Line	Limit Remark
MHz	dB	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB
1 p 5646.630	19.41	34.42	31.53	42.24	64.54	68.20	-3.66	peak
2 5715.000	19.45	34.27	31.57	50.61	72.76	109.40	-36.64	peak
3 5725.000	19.46	34.25	31.57	59.71	81.85	122.20	-40.35	peak
4 5755.500	19.48	34.21	31.59	84.03	106.13	-----	-----	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Mode: 24; Polarity: Horizontal; Modulation: OFDM, Channel: High



Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5819.5 Band edge
 : 5G SDR 60M


	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5819.500	19.52	34.34	31.62	89.26	111.50	-----	-----	peak
2	5850.000	19.54	34.40	31.63	63.23	85.54	122.20	-36.66	peak
3	5860.000	19.54	34.44	31.64	55.51	77.85	109.40	-31.55	peak
4 p	5937.086	19.59	34.67	31.67	42.29	64.88	68.20	-3.32	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Mode: 24; Polarity: Vertical; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5819.5 Band edge
 : 5G SDR 60M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5819.500	19.52	34.34	31.62	89.69	111.93	-----	-----	peak
2	5850.000	19.54	34.40	31.63	62.42	84.73	122.20	-37.47	peak
3	5860.000	19.54	34.44	31.64	54.76	77.10	109.40	-32.30	peak
4 p	5931.681	19.59	34.66	31.67	42.41	64.99	68.20	-3.21	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 25; Polarity: Horizontal; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5765.5 Band edge
 : 5G SDR 80M

		Cable	Ant	Preamp	Read	Limit	Over	
Freq	Loss	Factor	Factor	Factor	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB
1 p 5643.560	19.40	34.44	31.53	41.97	64.28	68.20	-3.92	peak
2 5715.000	19.45	34.27	31.57	43.74	65.89	109.40	-43.51	peak
3 5725.000	19.46	34.25	31.57	45.13	67.27	122.20	-54.93	peak
4 5765.500	19.48	34.23	31.59	86.91	109.03	-----	-----	peak



Test Mode: 25; Polarity: Vertical; Modulation: OFDM, Channel: Low




Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5765.5 Band edge
 : 5G SDR 80M

	Cable	Ant	Preamp	Read	Limit	Over		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 p 5648.649	19.41	34.41	31.53	42.74	65.03	68.20	-3.17	peak
2 5715.000	19.45	34.27	31.57	44.70	66.85	109.40	-42.55	peak
3 5725.000	19.46	34.25	31.57	47.31	69.45	122.20	-52.75	peak
4 5765.500	19.48	34.23	31.59	90.01	112.13	-----	-----	peak



Test Mode: 25; Polarity: Horizontal; Modulation: OFDM, Channel: High




Site : chamber
 Condition: 3m HORIZONTAL
 Job No : 03662AT\03663AT
 Mode : 5809.5 Band edge
 : 5G SDR 80M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5809.500	19.51	34.32	31.61	86.18	108.40	-----	-----	peak
2	5850.000	19.54	34.40	31.63	44.38	66.69	122.20	-55.51	peak
3	5860.000	19.54	34.44	31.64	45.98	68.32	109.40	-41.08	peak
4 p	5931.266	19.59	34.66	31.67	41.68	64.26	68.20	-3.94	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 25; Polarity: Vertical; Modulation: OFDM, Channel: High



Site : chamber
 Condition: 3m VERTICAL
 Job No : 03662AT\03663AT
 Mode : 5809.5 Band edge
 : 5G SDR 80M

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	5809.500	19.51	34.32	31.61	87.61	109.83	-----	-----	peak
2	5850.000	19.54	34.40	31.63	44.10	66.41	122.20	-55.79	peak
3	5860.000	19.54	34.44	31.64	43.84	66.18	109.40	-43.22	peak
4 p	5930.019	19.59	34.66	31.67	42.28	64.86	68.20	-3.34	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

7.5 Duty Cycle

Test Requirement KDB 789033 D02 II B 1
 Test Method: KDB 789033 D02 II B 1

7.5.1 E.U.T. Operation

Operating Environment:
 Temperature: 24.4 °C Humidity: 35.4 % RH Atmospheric Pressure: 1020 mbar

7.5.2 Test Mode Description


Pre-scan / Final test	Mode Code	Description
Final test	13	TX mode (5.1G SDR_10MHz)_Keep the EUT in transmitting mode.
Final test	14	TX mode (5.1G SDR_20MHz)_Keep the EUT in transmitting mode.
Final test	15	TX mode (5.1G SDR_40MHz)_Keep the EUT in transmitting mode.
Final test	16	TX mode (5.1G SDR_60MHz)_Keep the EUT in transmitting mode.
Final test	17	TX mode (5.1G SDR_80MHz)_Keep the EUT in transmitting mode.
Final test	18	TX mode (5.8G SDR_1.4MHz)_Keep the EUT in transmitting mode.
Final test	19	TX mode (5.8G SDR_3MHz)_Keep the EUT in transmitting mode.
Final test	20	TX mode (5.8G SDR_5MHz)_Keep the EUT in transmitting mode.
Final test	21	TX mode (5.8G SDR_10MHz)_Keep the EUT in transmitting mode.
Final test	22	TX mode (5.8G SDR_20MHz)_Keep the EUT in transmitting mode.
Final test	23	TX mode (5.8G SDR_40MHz)_Keep the EUT in transmitting mode.
Final test	24	TX mode (5.8G SDR_60MHz)_Keep the EUT in transmitting mode.
Final test	25	TX mode (5.8G SDR_80MHz)_Keep the EUT in transmitting mode.
Final test	29	TX mode (5.1G SDR_5MHz)_Keep the EUT in transmitting mode.
Final test	30	TX mode (5.1G SDR_3MHz)_Keep the EUT in transmitting mode.
Final test	31	TX mode (5.1G SDR_1.4MHz)_Keep the EUT in transmitting mode.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

7.5.3 Test Setup Diagram



7.5.4 Measurement Procedure and Data

Please Refer to Appendix for Details



7.6 99% Bandwidth

Test Requirement N/A
 Test Method: KDB 789033 D02 II D

7.6.1 E.U.T. Operation

Operating Environment:
 Temperature: 24.4 °C Humidity: 35.4 % RH Atmospheric Pressure: 1020 mbar

7.6.2 Test Mode Description


Pre-scan / Final test	Mode Code	Description
Final test	13	TX mode (5.1G SDR_10MHz)_Keep the EUT in transmitting mode.
Final test	14	TX mode (5.1G SDR_20MHz)_Keep the EUT in transmitting mode.
Final test	15	TX mode (5.1G SDR_40MHz)_Keep the EUT in transmitting mode.
Final test	16	TX mode (5.1G SDR_60MHz)_Keep the EUT in transmitting mode.
Final test	17	TX mode (5.1G SDR_80MHz)_Keep the EUT in transmitting mode.
Final test	18	TX mode (5.8G SDR_1.4MHz)_Keep the EUT in transmitting mode.
Final test	19	TX mode (5.8G SDR_3MHz)_Keep the EUT in transmitting mode.
Final test	20	TX mode (5.8G SDR_5MHz)_Keep the EUT in transmitting mode.
Final test	21	TX mode (5.8G SDR_10MHz)_Keep the EUT in transmitting mode.
Final test	22	TX mode (5.8G SDR_20MHz)_Keep the EUT in transmitting mode.
Final test	23	TX mode (5.8G SDR_40MHz)_Keep the EUT in transmitting mode.
Final test	24	TX mode (5.8G SDR_60MHz)_Keep the EUT in transmitting mode.
Final test	25	TX mode (5.8G SDR_80MHz)_Keep the EUT in transmitting mode.
Final test	29	TX mode (5.1G SDR_5MHz)_Keep the EUT in transmitting mode.
Final test	30	TX mode (5.1G SDR_3MHz)_Keep the EUT in transmitting mode.
Final test	31	TX mode (5.1G SDR_1.4MHz)_Keep the EUT in transmitting mode.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

7.6.3 Test Setup Diagram



7.6.4 Measurement Procedure and Data

Please Refer to Appendix for Details



7.7 26dB Emission bandwidth

Test Requirement 47 CFR Part 15, Subpart E 15.407 (a)
 Test Method: KDB 789033 D02 II C 1


7.7.1 E.U.T. Operation

Operating Environment:
 Temperature: 24.4 °C Humidity: 35.4 % RH Atmospheric Pressure: 1020 mbar

7.7.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	13	TX mode (5.1G SDR_10MHz)_Keep the EUT in transmitting mode.
Final test	14	TX mode (5.1G SDR_20MHz)_Keep the EUT in transmitting mode.
Final test	15	TX mode (5.1G SDR_40MHz)_Keep the EUT in transmitting mode.
Final test	16	TX mode (5.1G SDR_60MHz)_Keep the EUT in transmitting mode.
Final test	17	TX mode (5.1G SDR_80MHz)_Keep the EUT in transmitting mode.
Final test	29	TX mode (5.1G SDR_5MHz)_Keep the EUT in transmitting mode.
Final test	30	TX mode (5.1G SDR_3MHz)_Keep the EUT in transmitting mode.
Final test	31	TX mode (5.1G SDR_1.4MHz)_Keep the EUT in transmitting mode.

7.7.3 Test Setup Diagram



7.7.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

7.8 Minimum 6 dB bandwidth (5.725-5.85 GHz band)

Test Requirement 47 CFR Part 15, Subpart E 15.407 (e)
 Test Method: KDB 789033 D02 II C 2

Limit:

Frequency band(MHz)	Limit
5725-5850	≥500 kHz

7.8.1 E.U.T. Operation

Operating Environment:

Temperature: 24.4 °C Humidity: 35.4 % RH Atmospheric Pressure: 1020 mbar

7.8.2 Test Mode Description


Pre-scan / Final test	Mode Code	Description
Final test	18	TX mode (5.8G SDR_1.4MHz)_Keep the EUT in transmitting mode.
Final test	19	TX mode (5.8G SDR_3MHz)_Keep the EUT in transmitting mode.
Final test	20	TX mode (5.8G SDR_5MHz)_Keep the EUT in transmitting mode.
Final test	21	TX mode (5.8G SDR_10MHz)_Keep the EUT in transmitting mode.
Final test	22	TX mode (5.8G SDR_20MHz)_Keep the EUT in transmitting mode.
Final test	23	TX mode (5.8G SDR_40MHz)_Keep the EUT in transmitting mode.
Final test	24	TX mode (5.8G SDR_60MHz)_Keep the EUT in transmitting mode.
Final test	25	TX mode (5.8G SDR_80MHz)_Keep the EUT in transmitting mode.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

7.8.3 Test Setup Diagram



7.8.4 Measurement Procedure and Data

Please Refer to Appendix for Details



7.9 Peak Power spectrum density

Test Requirement 47 CFR Part 15, Subpart E 15.407 (a)

Test Method: KDB 789033 D02 II F

Limit:

Frequency band(MHz)	Limit
5150-5250	≤17dBm in 1MHz for master device
	≤11dBm in 1MHz for client device
5250-5350	≤11dBm in 1MHz for client device
5470-5725	≤11dBm in 1MHz for client device
5725-5850	≤30dBm in 500 kHz
Remark:	The maximum power spectral density is measured as a conducted emission by direct connection of a calibrated test instrument to the equipment under test.

7.9.1 E.U.T. Operation

Operating Environment:

Temperature: 24.4 °C Humidity: 35.4 % RH Atmospheric Pressure: 1020 mbar

7.9.2 Test Mode Description


Pre-scan / Final test	Mode Code	Description
Final test	13	TX mode (5.1G SDR_10MHz)_Keep the EUT in transmitting mode.
Final test	14	TX mode (5.1G SDR_20MHz)_Keep the EUT in transmitting mode.
Final test	15	TX mode (5.1G SDR_40MHz)_Keep the EUT in transmitting mode.
Final test	16	TX mode (5.1G SDR_60MHz)_Keep the EUT in transmitting mode.
Final test	17	TX mode (5.1G SDR_80MHz)_Keep the EUT in transmitting mode.
Final test	18	TX mode (5.8G SDR_1.4MHz)_Keep the EUT in transmitting mode.
Final test	19	TX mode (5.8G SDR_3MHz)_Keep the EUT in transmitting mode.
Final test	20	TX mode (5.8G SDR_5MHz)_Keep the EUT in transmitting mode.
Final test	21	TX mode (5.8G SDR_10MHz)_Keep the EUT in transmitting mode.
Final test	22	TX mode (5.8G SDR_20MHz)_Keep the EUT in transmitting mode.
Final test	23	TX mode (5.8G SDR_40MHz)_Keep the EUT in transmitting mode.
Final test	24	TX mode (5.8G SDR_60MHz)_Keep the EUT in transmitting mode.
Final test	25	TX mode (5.8G SDR_80MHz)_Keep the EUT in transmitting mode.
Final test	29	TX mode (5.1G SDR_5MHz)_Keep the EUT in transmitting mode.
Final test	30	TX mode (5.1G SDR_3MHz)_Keep the EUT in transmitting mode.
Final test	31	TX mode (5.1G SDR_1.4MHz)_Keep the EUT in transmitting mode.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

7.9.3 Test Setup Diagram



7.9.4 Measurement Procedure and Data

Please Refer to Appendix for Details



7.10 Frequency Stability

Test Requirement 47 CFR Part 15, Subpart E 15.407 (g)
 Test Method: ANSI C63.10 (2013) Section 6.8

7.10.1 E.U.T. Operation

Operating Environment:
 Temperature: 24.4 °C Humidity: 35.4 % RH Atmospheric Pressure: 1020 mbar

7.10.2 Test Mode Description


Pre-scan / Final test	Mode Code	Description
Final test	13	TX mode (5.1G SDR_10MHz)_Keep the EUT in transmitting mode.
Final test	14	TX mode (5.1G SDR_20MHz)_Keep the EUT in transmitting mode.
Final test	15	TX mode (5.1G SDR_40MHz)_Keep the EUT in transmitting mode.
Final test	16	TX mode (5.1G SDR_60MHz)_Keep the EUT in transmitting mode.
Final test	17	TX mode (5.1G SDR_80MHz)_Keep the EUT in transmitting mode.
Final test	18	TX mode (5.8G SDR_1.4MHz)_Keep the EUT in transmitting mode.
Final test	19	TX mode (5.8G SDR_3MHz)_Keep the EUT in transmitting mode.
Final test	20	TX mode (5.8G SDR_5MHz)_Keep the EUT in transmitting mode.
Final test	21	TX mode (5.8G SDR_10MHz)_Keep the EUT in transmitting mode.
Final test	22	TX mode (5.8G SDR_20MHz)_Keep the EUT in transmitting mode.
Final test	23	TX mode (5.8G SDR_40MHz)_Keep the EUT in transmitting mode.
Final test	24	TX mode (5.8G SDR_60MHz)_Keep the EUT in transmitting mode.
Final test	25	TX mode (5.8G SDR_80MHz)_Keep the EUT in transmitting mode.
Final test	29	TX mode (5.1G SDR_5MHz)_Keep the EUT in transmitting mode.
Final test	30	TX mode (5.1G SDR_3MHz)_Keep the EUT in transmitting mode.
Final test	31	TX mode (5.1G SDR_1.4MHz)_Keep the EUT in transmitting mode.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

7.10.3 Test Setup Diagram



7.10.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

8 Test Setup Photo

Refer to Setup Photo for SZCR2409003662AT

9 EUT Constructional Details (EUT Photos)

Refer to External and Internal Photos for SZCR2409003662AT



10 Appendix

Note for 5.1G

Note1: 1.4MHz, 3MHz, 5MHz, 10MHz, 20MHz and 40MHz supports mode A, mode C, mode D; only the lowest and highest frequency were selected to test, among these modes, only the operation frequency is different, modulation type and target power are the same.

Note2: This EUT support SISO and MIMO mode, but the conducted output power is the same, so only MIMO mode select to test.

Note3: MIMO mode support ANT01, ANT03, ANT05, ANT07, ANT21, ANT23, ANT25, ANT27, ANT41, ANT43, ANT45, ANT47, ANT61, ANT63, ANT65, ANT67, the worse cases are ANT01, ANT23, ANT45, ANT67, only the worse cases test data were recorded in this report.

Note for 5.8G

Note1: Both 1.4MHz and 3MHz supports mode A, mode B, mode C and mode D, 5MHz, 10MHz, 20MHz and 40MHz supports mode A, mode C, mode D; only the lowest and highest frequency were selected to test, among these modes, only the operation frequency is different, modulation type and target power are the same.

Note2: This EUT support SISO and MIMO mode, but the conducted output power is the same, so only MIMO mode select to test.

Note3: MIMO mode support ANT01, ANT03, ANT05, ANT07, ANT21, ANT23, ANT25, ANT27, ANT41, ANT43, ANT45, ANT47, ANT61, ANT63, ANT65, ANT67, the worse cases are ANT01, ANT23, ANT47, ANT65, only the worse cases test data were recorded in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

For 5.1G_SDR_ANT2& ANT3:

1. Duty Cycle

1.1 Test Result

1.1.1 Ant2

Ant2							
Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
10M	MIMO	5157	100.000	100.000	100.00	0.00	0.00
		5200	100.000	100.000	100.00	0.00	0.00
		5245	100.000	100.000	100.00	0.00	0.00
20M	MIMO	5161	100.000	100.000	100.00	0.00	0.00
		5200	100.000	100.000	100.00	0.00	0.00
		5240	100.000	100.000	100.00	0.00	0.00
40M	MIMO	5170	100.000	100.000	100.00	0.00	0.00
		5200	100.000	100.000	100.00	0.00	0.00
		5230	100.000	100.000	100.00	0.00	0.00
60M	MIMO	5180	100.000	100.000	100.00	0.00	0.00
		5200	100.000	100.000	100.00	0.00	0.00
		5220	100.000	100.000	100.00	0.00	0.00
80M	MIMO	5190	100.000	100.000	100.00	0.00	0.00
		5200	100.000	100.000	100.00	0.00	0.00
		5210	100.000	100.000	100.00	0.00	0.00
5M	MIMO	5155	100.000	100.000	100.00	0.00	0.00
		5200	100.000	100.000	100.00	0.00	0.00
		5245	100.000	100.000	100.00	0.00	0.00
3M	MIMO	5154	100.000	100.000	100.00	0.00	0.00
		5199	100.000	100.000	100.00	0.00	0.00
		5247	100.000	100.000	100.00	0.00	0.00
1.4M	MIMO	5154	100.000	100.000	100.00	0.00	0.00
		5200	100.000	100.000	100.00	0.00	0.00
		5248	100.000	100.000	100.00	0.00	0.00




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1.2 Test Graph


1.2.1 Ant2




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

2. Bandwidth

2.1 Test Result

2.1.1 OBW

Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
10M	MIMO	5157	2	9.090	/	Pass
		5200	2	9.097	/	Pass
		5245	2	9.100	/	Pass
20M	MIMO	5161	2	18.074	/	Pass
		5200	2	17.939	/	Pass
		5240	2	17.934	/	Pass
40M	MIMO	5170	2	36.030	/	Pass
		5200	2	32.043	/	Pass
		5230	2	31.884	/	Pass
60M	MIMO	5180	2	53.988	/	Pass
		5200	2	53.924	/	Pass
		5220	2	51.894	/	Pass
80M	MIMO	5190	2	71.349	/	Pass
		5200	2	61.892	/	Pass
		5210	2	61.854	/	Pass
5M	MIMO	5155	2	4.466	/	Pass
		5200	2	4.462	/	Pass
		5245	2	4.498	/	Pass
3M	MIMO	5154	2	2.303	/	Pass
		5199	2	2.297	/	Pass
		5247	2	2.299	/	Pass
1.4M	MIMO	5154	2	1.276	/	Pass
		5200	2	1.277	/	Pass
		5248	2	1.273	/	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

2.1.2 26dB BW

Mode	TX Type	Frequency (MHz)	ANT	26dB Bandwidth (MHz)		Verdict
				Result	Limit	
10M	MIMO	5157	2	10.262	/	Pass
		5200	2	10.221	/	Pass
		5245	2	10.225	/	Pass
20M	MIMO	5161	2	19.671	/	Pass
		5200	2	19.423	/	Pass
		5240	2	19.418	/	Pass
40M	MIMO	5170	2	38.068	/	Pass
		5200	2	36.588	/	Pass
		5230	2	36.574	/	Pass
60M	MIMO	5180	2	56.197	/	Pass
		5200	2	56.161	/	Pass
		5220	2	55.399	/	Pass
80M	MIMO	5190	2	73.909	/	Pass
		5200	2	72.117	/	Pass
		5210	2	72.153	/	Pass
5M	MIMO	5155	2	5.280	/	Pass
		5200	2	5.274	/	Pass
		5245	2	5.357	/	Pass
3M	MIMO	5154	2	2.791	/	Pass
		5199	2	2.844	/	Pass
		5247	2	2.817	/	Pass
1.4M	MIMO	5154	2	1.719	/	Pass
		5200	2	1.746	/	Pass
		5248	2	1.669	/	Pass




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


2.2 Test Graph

2.2.1 OBW




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

80M_LCH_5190MHz_Ant2_NTNV




80M_MCH_5200MHz_Ant2_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


80M_HCH_5210MHz_Ant2_NTNV




5M_LCH_5155MHz_Ant2_NTNV



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

3M_HCH_5247MHz_Ant2_NTNV



1.4M_LCH_5154MHz_Ant2_NTNV



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.