




SRD 40M\_Ant1\_2432.5




SRD 40M\_Ant0\_2435.5




SRD 40M\_Ant1\_2435.5




SRD 40M\_Ant0\_2437.5




SRD 40M\_Ant1\_2437.5



SRD 40M\_Ant0\_2452.5




SRD 40M\_Ant1\_2452.5



SRD 60M\_Ant0\_2432.5




SRD 60M\_Ant1\_2432.5




SRD 60M\_Ant0\_2433.5




SRD 60M\_Ant1\_2433.5



SRD 60M\_Ant0\_2435.5




SRD 60M\_Ant1\_2435.5




SRD 60M\_Ant0\_2437.5



SRD 60M\_Ant1\_2437.5



SRD 60M\_Ant0\_2442.5



SRD 60M\_Ant1\_2442.5

### 11.3. APPENDIX C: MAXIMUM CONDUCTED OUTPUT POWER

#### 11.3.1. Test Result

Mode	Channel	Conducted power(dBm)			Limit
		Ant0	Ant1	Total	
SRD 10M	2407.5	19.82	20.32	23.09	30.00
	2409.5	21.60	21.69	24.66	30.00
	2410.5	23.32	23.34	26.34	30.00
	2437.5	25.11	25.37	28.25	30.00
	2467.5	24.15	24.21	27.19	30.00
SRD 20M	2412.5	21.50	21.64	24.58	30.00
	2414.5	22.83	23.46	26.17	30.00
	2437.5	25.28	25.51	28.41	30.00
	2462.5	24.63	25.22	27.95	30.00
SRD 40M	2422.5	20.50	20.66	23.59	30.00
	2432.5	22.10	21.95	25.04	30.00
	2435.5	23.39	23.64	26.53	30.00
	2437.5	24.99	25.30	28.16	30.00
	2452.5	24.07	24.32	27.21	30.00
SRD 60M	2432.5	19.91	19.69	22.81	30.00
	2433.5	21.23	21.05	24.15	30.00
	2435.5	21.90	22.11	25.02	30.00
	2437.5	23.30	23.96	26.65	30.00
	2442.5	22.97	23.29	26.14	30.00

Mode	Channel	Conducted power(dBm)			Limit
		ANT0	ANT3	Total	
SRD 10M	2407.5	19.30	19.90	22.62	30.00
	2409.5	21.17	21.23	24.21	30.00
	2410.5	22.68	22.74	25.72	30.00
	2437.5	24.75	25.06	27.92	30.00
	2467.5	23.76	23.88	26.83	30.00
SRD 20M	2412.5	21.04	21.19	24.13	30.00
	2414.5	22.22	23.16	25.73	30.00
	2437.5	24.61	24.94	27.79	30.00
	2462.5	24.23	24.56	27.41	30.00
SRD 40M	2422.5	20.10	20.32	23.22	30.00
	2432.5	21.53	21.25	24.40	30.00
	2435.5	22.83	22.95	25.90	30.00
	2437.5	24.48	24.81	27.66	30.00
	2452.5	23.47	24.00	26.75	30.00
SRD 60M	2432.5	19.61	19.00	22.33	30.00
	2433.5	20.72	20.59	23.67	30.00
	2435.5	21.20	21.63	24.43	30.00
	2437.5	22.91	23.41	26.18	30.00
	2442.5	22.53	22.83	25.69	30.00

Mode	Channel	Conducted power(dBm)			Limit
		Ant1	Ant2	Total	
SRD 10M	2407.5	19.20	19.62	22.43	30.00
	2409.5	21.26	21.21	24.25	30.00
	2410.5	22.63	23.00	25.83	30.00
	2437.5	24.44	24.71	27.59	30.00
	2467.5	23.63	23.91	26.78	30.00
SRD 20M	2412.5	21.12	21.09	24.12	30.00
	2414.5	22.47	22.88	25.69	30.00
	2437.5	24.89	25.05	27.98	30.00
	2462.5	23.99	24.83	27.44	30.00
SRD 40M	2422.5	20.00	20.10	23.06	30.00
	2432.5	21.75	21.57	24.67	30.00
	2435.5	22.86	23.12	26.00	30.00
	2437.5	24.64	24.86	27.76	30.00
	2452.5	23.69	24.00	26.86	30.00
SRD 60M	2432.5	19.31	18.99	22.16	30.00
	2433.5	20.58	20.62	23.61	30.00
	2435.5	21.44	21.71	24.59	30.00
	2437.5	22.85	23.55	26.22	30.00
	2442.5	22.53	22.72	25.64	30.00

Mode	Channel	Conducted power(dBm)			Limit
		Ant2	Ant3	Total	
SRD 10M	2407.5	19.48	19.77	22.64	30.00
	2409.5	21.04	21.07	24.07	30.00
	2410.5	22.98	23.02	26.01	30.00
	2437.5	24.57	24.72	27.66	30.00
	2467.5	23.83	23.70	26.78	30.00
SRD 20M	2412.5	21.09	21.23	24.17	30.00
	2414.5	22.27	23.06	25.69	30.00
	2437.5	24.94	24.84	27.90	30.00
	2462.5	23.93	24.62	27.30	30.00
SRD 40M	2422.5	19.90	20.21	23.07	30.00
	2432.5	21.76	21.53	24.66	30.00
	2435.5	22.93	23.33	26.14	30.00
	2437.5	24.36	24.71	27.55	30.00
	2452.5	23.42	23.91	26.68	30.00
SRD 60M	2432.5	19.41	19.14	22.29	30.00
	2433.5	20.59	20.62	23.62	30.00
	2435.5	21.58	21.81	24.71	30.00
	2437.5	22.60	23.42	26.04	30.00
	2442.5	22.66	22.86	25.77	30.00

- Note: 1. Conducted Power=Meas. Level+ Correction Factor  
2. The Duty Cycle Factor (refer to section 7.5) had already compensated to the test data.

## 11.4. APPENDIX D: MAXIMUM POWER SPECTRAL DENSITY

### 11.4.1. Test Result


Test Mode	Antenna	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
SRD 10M	Ant0	2407.5	-6.98	≤8.00	PASS
	Ant1	2407.5	-2.03	≤8.00	PASS
	total	2407.5	-0.82	≤8.00	PASS
	Ant0	2409.5	-6.35	≤8.00	PASS
	Ant1	2409.5	-1.96	≤8.00	PASS
	total	2409.5	-0.61	≤8.00	PASS
	Ant0	2410.5	-5.27	≤8.00	PASS
	Ant1	2410.5	-2.07	≤8.00	PASS
	total	2410.5	-0.37	≤8.00	PASS
	Ant0	2437.5	-3.52	≤8.00	PASS
	Ant1	2437.5	-1.64	≤8.00	PASS
	total	2437.5	0.53	≤8.00	PASS
	Ant0	2467.5	-3.31	≤8.00	PASS
	Ant1	2467.5	-1.44	≤8.00	PASS
	total	2467.5	0.74	≤8.00	PASS
SRD 20M	Ant0	2412.5	-3.84	≤8.00	PASS
	Ant1	2412.5	-1.52	≤8.00	PASS
	total	2412.5	0.48	≤8.00	PASS
	Ant0	2414.5	1.03	≤8.00	PASS
	Ant1	2414.5	0.65	≤8.00	PASS
	total	2414.5	3.85	≤8.00	PASS
	Ant0	2437.5	3.73	≤8.00	PASS
	Ant1	2437.5	1.99	≤8.00	PASS
	total	2437.5	5.96	≤8.00	PASS
	Ant0	2462.5	2.33	≤8.00	PASS
	Ant1	2462.5	5.59	≤8.00	PASS
	total	2462.5	7.27	≤8.00	PASS
SRD 40M	Ant0	2422.5	-6.27	≤8.00	PASS
	Ant1	2422.5	-11.39	≤8.00	PASS
	total	2422.5	-5.11	≤8.00	PASS
	Ant0	2432.5	-7.68	≤8.00	PASS
	Ant1	2432.5	-7.80	≤8.00	PASS
	total	2432.5	-4.73	≤8.00	PASS
	Ant0	2435.5	-5.53	≤8.00	PASS
	Ant1	2435.5	-2.44	≤8.00	PASS
	total	2435.5	-0.71	≤8.00	PASS
	Ant0	2437.5	-3.47	≤8.00	PASS
	Ant1	2437.5	-2.62	≤8.00	PASS
	total	2437.5	-0.01	≤8.00	PASS
	Ant0	2452.5	-1.40	≤8.00	PASS
	Ant1	2452.5	-3.82	≤8.00	PASS
	total	2452.5	0.57	≤8.00	PASS
SRD 60M	Ant0	2432.5	-9.98	≤8.00	PASS
	Ant1	2432.5	-10.55	≤8.00	PASS
	total	2432.5	-7.25	≤8.00	PASS
	Ant0	2433.5	-10.91	≤8.00	PASS
	Ant1	2433.5	-12.80	≤8.00	PASS
	total	2433.5	-8.74	≤8.00	PASS
	Ant0	2435.5	-12.31	≤8.00	PASS
	Ant1	2435.5	-12.05	≤8.00	PASS
	total	2435.5	-9.17	≤8.00	PASS
	Ant0	2437.5	-6.29	≤8.00	PASS
Ant1	2437.5	-3.82	≤8.00	PASS	

---


	total	2437.5	-1.87	≤8.00	PASS
	Ant0	2442.5	-7.41	≤8.00	PASS
	Ant1	2442.5	-8.39	≤8.00	PASS
	total	2442.5	-4.86	≤8.00	PASS

Note: 1. The Duty Cycle Factor (refer to section 7.5) had already compensated to the test data.


### 11.4.2. Test Graphs




SRD 10M\_Ant0\_2407.5




SRD 10M\_Ant1\_2407.5




SRD 10M\_Ant0\_2409.5




SRD 10M\_Ant1\_2409.5




SRD 10M\_Ant0\_2410.5




SRD 10M\_Ant1\_2410.5




SRD 10M\_Ant0\_2437.5




SRD 10M\_Ant1\_2437.5




SRD 10M\_Ant0\_2467.5




SRD 10M\_Ant1\_2467.5




SRD 20M\_Ant0\_2412.5




SRD 20M\_Ant1\_2412.5




SRD 20M\_Ant0\_2414.5




SRD 20M\_Ant1\_2414.5




SRD 20M\_Ant0\_2437.5




SRD 20M\_Ant1\_2437.5




SRD 20M\_Ant0\_2462.5




SRD 20M\_Ant1\_2462.5




SRD 40M\_Ant0\_2422.5




SRD 40M\_Ant1\_2422.5




SRD 40M\_Ant0\_2432.5




SRD 40M\_Ant1\_2432.5




SRD 40M\_Ant0\_2435.5




SRD 40M\_Ant1\_2435.5




SRD 40M\_Ant0\_2437.5




SRD 40M\_Ant1\_2437.5




SRD 40M\_Ant0\_2452.5




SRD 40M\_Ant1\_2452.5




SRD 60M\_Ant0\_2432.5




SRD 60M\_Ant1\_2432.5




SRD 60M\_Ant0\_2433.5




SRD 60M\_Ant1\_2433.5




SRD 60M\_Ant0\_2435.5




SRD 60M\_Ant1\_2435.5




SRD 60M\_Ant0\_2437.5



SRD 60M\_Ant1\_2437.5



SRD 60M\_Ant0\_2442.5




SRD 60M\_Ant1\_2442.5

## 11.5. APPENDIX E: BAND EDGE MEASUREMENTS


### 11.5.1. Test Result

Test Mode	Antenna	ChName	Frequency [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
SRD 10M	Ant0	Low	2407.5	10.63	-20.54	≤-19.37	PASS
	Ant1	Low	2407.5	10.03	-21.1	≤-19.97	PASS
	Ant0	Low	2409.5	12.00	-20.2	≤-18	PASS
	Ant1	Low	2409.5	12.42	-18.73	≤-17.58	PASS
	Ant0	Low	2410.5	14.02	-17.28	≤-15.98	PASS
	Ant1	Low	2410.5	13.28	-17.85	≤-16.72	PASS
	Ant0	High	2467.5	14.36	-36.7	≤-15.64	PASS
	Ant1	High	2467.5	14.45	-37.27	≤-15.55	PASS
SRD 20M	Ant0	Low	2412.5	8.68	-24.83	≤-21.32	PASS
	Ant1	Low	2412.5	8.94	-25.86	≤-21.06	PASS
	Ant0	Low	2414.5	11.68	-18.81	≤-18.32	PASS
	Ant1	Low	2414.5	11.26	-20.44	≤-18.74	PASS
	Ant0	High	2462.5	12.84	-35.98	≤-17.16	PASS
	Ant1	High	2462.5	13.29	-36.51	≤-16.71	PASS
SRD 40M	Ant0	Low	2422.5	6.48	-31.1	≤-23.52	PASS
	Ant1	Low	2422.5	7.11	-33.24	≤-22.89	PASS
	Ant0	Low	2432.5	9.40	-33.38	≤-20.6	PASS
	Ant1	Low	2432.5	9.84	-33.03	≤-20.16	PASS
	Ant0	Low	2435.5	10.37	-32.85	≤-19.63	PASS
	Ant1	Low	2435.5	11.44	-34.46	≤-18.56	PASS
	Ant0	High	2452.5	11.04	-36.02	≤-18.96	PASS
	Ant1	High	2452.5	11.13	-36.49	≤-18.87	PASS
SRD 60M	Ant0	Low	2432.5	4.38	-26.93	≤-25.62	PASS
	Ant1	Low	2432.5	4.40	-28.17	≤-25.6	PASS
	Ant0	Low	2433.5	5.63	-25.4	≤-24.37	PASS
	Ant1	Low	2433.5	6.45	-24.61	≤-23.55	PASS
	Ant0	Low	2435.5	6.48	-25.64	≤-23.52	PASS
	Ant1	Low	2435.5	7.40	-24.86	≤-22.6	PASS
	Ant0	High	2442.5	9.06	-36.37	≤-20.94	PASS
	Ant1	High	2442.5	8.89	-35.83	≤-21.11	PASS


### 11.5.2. Test Graphs




SRD 10M\_Ant0\_Low\_2407.5




SRD 10M\_Ant1\_Low\_2407.5




SRD 10M\_Ant0\_Low\_2409.5




**SRD 10M\_Ant1\_Low\_2409.5**




**SRD 10M\_Ant0\_Low\_2410.5**




**SRD 10M\_Ant1\_Low\_2410.5**






SRD 10M\_Ant0\_High\_2467.5




SRD 10M\_Ant1\_High\_2467.5




SRD 20M\_Ant0\_Low\_2412.5







SRD 20M\_Ant0\_High\_2462.5




SRD 20M\_Ant1\_High\_2462.5




SRD 40M\_Ant0\_Low\_2422.5




SRD 40M\_Ant1\_Low\_2422.5




SRD 40M\_Ant0\_Low\_2432.5




SRD 40M\_Ant1\_Low\_2432.5




SRD 40M\_Ant0\_Low\_2435.5




SRD 40M\_Ant1\_Low\_2435.5




SRD 40M\_Ant0\_High\_2452.5




SRD 40M\_Ant1\_High\_2452.5




SRD 60M\_Ant0\_Low\_2432.5




SRD 60M\_Ant1\_Low\_2432.5




SRD 60M\_Ant0\_Low\_2433.5




SRD 60M\_Ant1\_Low\_2433.5




SRD 60M\_Ant0\_Low\_2435.5



SRD 60M\_Ant1\_Low\_2435.5



SRD 60M\_Ant0\_High\_2442.5



SRD 60M\_Ant1\_High\_2442.5


## 11.6. APPENDIX F: CONDUCTED SPURIOUS EMISSION


### 11.6.1. Test Result

Test Mode	Antenna	Frequency[MHz]	FreqRange [Mhz]	Result [dBm]	Limit [dBm]	Verdict	
SRD 10M	Ant0	2407.5	Reference	11.63	---	PASS	
			30~1000	-45.59	≤-18.37	PASS	
			1000~26500	-41.08	≤-18.37	PASS	
	Ant1	2407.5	Reference	11.88	---	PASS	
			30~1000	-45.83	≤-18.12	PASS	
			1000~26500	-40.42	≤-18.12	PASS	
	Ant0	2409.5	Reference	12.40	---	PASS	
			30~1000	-45.26	≤-17.6	PASS	
			1000~26500	-40.13	≤-17.6	PASS	
	Ant1	2409.5	Reference	12.27	---	PASS	
			30~1000	-45.87	≤-17.73	PASS	
			1000~26500	-40.68	≤-17.73	PASS	
	Ant0	2410.5	Reference	13.96	---	PASS	
			30~1000	-45.66	≤-16.04	PASS	
			1000~26500	-40.31	≤-16.04	PASS	
	Ant1	2410.5	Reference	14.07	---	PASS	
			30~1000	-45.58	≤-15.93	PASS	
			1000~26500	-39.57	≤-15.93	PASS	
	Ant0	2437.5	Reference	13.77	---	PASS	
			30~1000	-45.73	≤-16.23	PASS	
			1000~26500	-40.09	≤-16.23	PASS	
	Ant1	2437.5	Reference	14.58	---	PASS	
			30~1000	-45.54	≤-15.42	PASS	
			1000~26500	-40.63	≤-15.42	PASS	
	Ant0	2467.5	Reference	14.13	---	PASS	
			30~1000	-45.18	≤-15.87	PASS	
			1000~26500	-40.35	≤-15.87	PASS	
	Ant1	2467.5	Reference	14.41	---	PASS	
			30~1000	-45.59	≤-15.59	PASS	
			1000~26500	-40.21	≤-15.59	PASS	
	SRD 20M	Ant0	2412.5	Reference	8.64	---	PASS
				30~1000	-45.55	≤-21.36	PASS
				1000~26500	-40.36	≤-21.36	PASS
		Ant1	2412.5	Reference	9.37	---	PASS
				30~1000	-45.94	≤-20.63	PASS
				1000~26500	-39.71	≤-20.63	PASS
Ant0		2414.5	Reference	12.51	---	PASS	
			30~1000	-45.44	≤-17.49	PASS	
			1000~26500	-39.88	≤-17.49	PASS	
Ant1		2414.5	Reference	13.33	---	PASS	
			30~1000	-45.19	≤-16.67	PASS	
			1000~26500	-40.39	≤-16.67	PASS	
Ant0		2437.5	Reference	13.70	---	PASS	
			30~1000	-45.82	≤-16.3	PASS	
			1000~26500	-40.25	≤-16.3	PASS	
Ant1		2437.5	Reference	13.42	---	PASS	
			30~1000	-45.19	≤-16.58	PASS	
			1000~26500	-40.32	≤-16.58	PASS	
Ant0		2462.5	Reference	12.98	---	PASS	
			30~1000	-45.12	≤-17.02	PASS	
			1000~26500	-40.29	≤-17.02	PASS	
Ant1		2462.5	Reference	13.15	---	PASS	
			30~1000	-45.27	≤-16.85	PASS	
			1000~26500	-40.41	≤-16.85	PASS	
SRD 40M	Ant0	2422.5	Reference	6.78	---	PASS	


			30~1000	-45.95	$\leq -23.22$	PASS		
			1000~26500	-40.56	$\leq -23.22$	PASS		
			Reference	7.84	---	PASS		
	Ant1	2422.5		30~1000	-45.35	$\leq -22.16$	PASS	
				1000~26500	-40.29	$\leq -22.16$	PASS	
				Reference	9.00	---	PASS	
	Ant0	2432.5		30~1000	-44.61	$\leq -21$	PASS	
				1000~26500	-40	$\leq -21$	PASS	
				Reference	9.50	---	PASS	
	Ant1	2432.5		30~1000	-45.78	$\leq -20.5$	PASS	
				1000~26500	-40.01	$\leq -20.5$	PASS	
				Reference	10.79	---	PASS	
	Ant0	2435.5		30~1000	-44.96	$\leq -19.21$	PASS	
				1000~26500	-40.55	$\leq -19.21$	PASS	
				Reference	10.96	---	PASS	
	Ant1	2435.5		30~1000	-45.04	$\leq -19.04$	PASS	
				1000~26500	-39.72	$\leq -19.04$	PASS	
				Reference	11.23	---	PASS	
	Ant0	2437.5		30~1000	-45.99	$\leq -18.77$	PASS	
				1000~26500	-40.41	$\leq -18.77$	PASS	
				Reference	12.17	---	PASS	
	Ant1	2437.5		30~1000	-45.36	$\leq -17.83$	PASS	
				1000~26500	-40.42	$\leq -17.83$	PASS	
				Reference	10.98	---	PASS	
	Ant0	2452.5		30~1000	-44.9	$\leq -19.02$	PASS	
				1000~26500	-40.58	$\leq -19.02$	PASS	
				Reference	11.71	---	PASS	
	Ant1	2452.5		30~1000	-45.51	$\leq -18.29$	PASS	
				1000~26500	-40.44	$\leq -18.29$	PASS	
				Reference	6.73	---	PASS	
	SRD 60M	Ant0	2432.5	30~1000	-45.81	$\leq -23.27$	PASS	
				1000~26500	-40.29	$\leq -23.27$	PASS	
				Reference	6.77	---	PASS	
		Ant1	2432.5		30~1000	-45.37	$\leq -23.23$	PASS
					1000~26500	-40.35	$\leq -23.23$	PASS
					Reference	6.29	---	PASS
Ant0		2433.5		30~1000	-45.94	$\leq -23.71$	PASS	
				1000~26500	-41.02	$\leq -23.71$	PASS	
				Reference	6.95	---	PASS	
Ant1		2433.5		30~1000	-45.42	$\leq -23.05$	PASS	
				1000~26500	-40.26	$\leq -23.05$	PASS	
				Reference	6.67	---	PASS	
Ant0		2435.5		30~1000	-45.46	$\leq -23.33$	PASS	
				1000~26500	-40.43	$\leq -23.33$	PASS	
				Reference	7.63	---	PASS	
Ant1		2435.5		30~1000	-45.56	$\leq -22.37$	PASS	
				1000~26500	-40.76	$\leq -22.37$	PASS	
				Reference	9.14	---	PASS	
Ant0		2437.5		30~1000	-45.46	$\leq -20.86$	PASS	
				1000~26500	-40.24	$\leq -20.86$	PASS	
				Reference	9.54	---	PASS	
Ant1		2437.5		30~1000	-44.92	$\leq -20.46$	PASS	
				1000~26500	-40.45	$\leq -20.46$	PASS	
				Reference	9.28	---	PASS	
Ant0		2442.5		30~1000	-45.26	$\leq -20.72$	PASS	
				1000~26500	-40.24	$\leq -20.72$	PASS	
				Reference	9.62	---	PASS	
Ant1		2442.5		30~1000	-45.78	$\leq -20.38$	PASS	
				1000~26500	-39.92	$\leq -20.38$	PASS	
				Reference				

### 11.6.2. Test Graphs







**SRD 10M\_Ant1\_2407.5\_0~Reference**




**SRD 10M\_Ant1\_2407.5\_30~1000**




**SRD 10M\_Ant1\_2407.5\_1000~26500**




**SRD 10M\_Ant0\_2409.5\_0~Reference**




**SRD 10M\_Ant0\_2409.5\_30~1000**




**SRD 10M\_Ant0\_2409.5\_1000~26500**




**SRD 10M\_Ant1\_2409.5\_0~Reference**




**SRD 10M\_Ant1\_2409.5\_30~1000**




**SRD 10M\_Ant1\_2409.5\_1000~26500**




SRD 10M\_Ant0\_2410.5\_0~Reference




SRD 10M\_Ant0\_2410.5\_30~1000




SRD 10M\_Ant0\_2410.5\_1000~26500




**SRD 10M\_Ant1\_2410.5\_0~Reference**




**SRD 10M\_Ant1\_2410.5\_30~1000**




**SRD 10M\_Ant1\_2410.5\_1000~26500**



**SRD 10M\_Ant0\_2437.5\_0~Reference**



**SRD 10M\_Ant0\_2437.5\_30~1000**



**SRD 10M\_Ant0\_2437.5\_1000~26500**