


	Ant1	5201	3.46	≤11.00	PASS
	total	5201	7.18	≤11.00	PASS
	Ant0	5240	4.67	≤11.00	PASS
	Ant1	5240	3.15	≤11.00	PASS
	total	5240	6.99	≤11.00	PASS
	Ant0	5735.5	12.79	≤30.00	PASS
	Ant1	5735.5	11.58	≤30.00	PASS
	total	5735.5	15.24	≤30.00	PASS
	Ant0	5787.5	12.07	≤30.00	PASS
	Ant1	5787.5	11.71	≤30.00	PASS
	total	5787.5	14.90	≤30.00	PASS
	Ant0	5839.5	12.12	≤30.00	PASS
	Ant1	5839.5	11.45	≤30.00	PASS
	total	5839.5	14.81	≤30.00	PASS
	SRD 40M	Ant0	5170	-6.81	≤11.00
Ant1		5170	-7.96	≤11.00	PASS
total		5170	-4.34	≤11.00	PASS
Ant0		5171	-4.79	≤11.00	PASS
Ant1		5171	-5.84	≤11.00	PASS
total		5171	-2.27	≤11.00	PASS
Ant0		5173	-2.82	≤11.00	PASS
Ant1		5173	-3.45	≤11.00	PASS
total		5173	-0.11	≤11.00	PASS
Ant0		5177	-0.82	≤11.00	PASS
Ant1		5177	-1.37	≤11.00	PASS
total		5177	1.92	≤11.00	PASS
Ant0		5187	1.59	≤11.00	PASS
Ant1		5187	1.15	≤11.00	PASS
total		5187	4.39	≤11.00	PASS
Ant0		5200	1.34	≤11.00	PASS
Ant1		5200	1.25	≤11.00	PASS
total		5200	4.31	≤11.00	PASS
Ant0		5230	1.64	≤11.00	PASS
Ant1		5230	1.04	≤11.00	PASS
total		5230	4.36	≤11.00	PASS
Ant0		5745.5	7.30	≤30.00	PASS
Ant1		5745.5	7.44	≤30.00	PASS
total		5745.5	10.38	≤30.00	PASS
Ant0		5787.5	9.09	≤30.00	PASS
Ant1		5787.5	8.83	≤30.00	PASS
total		5787.5	11.97	≤30.00	PASS
Ant0		5829.5	6.34	≤30.00	PASS
Ant1		5829.5	6.23	≤30.00	PASS
total		5829.5	9.30	≤30.00	PASS
SRD 60M	Ant0	5180	-6.31	≤11.00	PASS
	Ant1	5180	-7.34	≤11.00	PASS
	total	5180	-3.78	≤11.00	PASS
	Ant0	5182	-4.48	≤11.00	PASS
	Ant1	5182	-6.29	≤11.00	PASS
	total	5182	-2.28	≤11.00	PASS
	Ant0	5186	-3.57	≤11.00	PASS
	Ant1	5186	-4.84	≤11.00	PASS
	total	5186	-1.15	≤11.00	PASS
	Ant0	5191	-2.27	≤11.00	PASS
	Ant1	5191	-2.80	≤11.00	PASS
	total	5191	0.48	≤11.00	PASS
	Ant0	5195	0.22	≤11.00	PASS
	Ant1	5195	-0.88	≤11.00	PASS
	total	5195	2.72	≤11.00	PASS
Ant0	5200	-0.02	≤11.00	PASS	


	Ant1	5200	-0.40	≤11.00	PASS
	total	5200	2.80	≤11.00	PASS
	Ant0	5220	-0.46	≤11.00	PASS
	Ant1	5220	-0.42	≤11.00	PASS
	total	5220	2.57	≤11.00	PASS
	Ant0	5755.5	5.39	≤30.00	PASS
	Ant1	5755.5	5.47	≤30.00	PASS
	total	5755.5	8.44	≤30.00	PASS
	Ant0	5787.5	5.90	≤30.00	PASS
	Ant1	5787.5	5.57	≤30.00	PASS
	total	5787.5	8.75	≤30.00	PASS
	Ant0	5819.5	5.43	≤30.00	PASS
	Ant1	5819.5	5.04	≤30.00	PASS
	total	5819.5	8.25	≤30.00	PASS
SRD 80M	Ant0	5190	-5.63	≤11.00	PASS
	Ant1	5190	-6.95	≤11.00	PASS
	total	5190	-3.23	≤11.00	PASS
	Ant0	5192	-4.15	≤11.00	PASS
	Ant1	5192	-5.58	≤11.00	PASS
	total	5192	-1.80	≤11.00	PASS
	Ant0	5195	-2.67	≤11.00	PASS
	Ant1	5195	-3.70	≤11.00	PASS
	total	5195	-0.14	≤11.00	PASS
	Ant0	5200	-0.45	≤11.00	PASS
	Ant1	5200	-2.51	≤11.00	PASS
	total	5200	1.65	≤11.00	PASS
	Ant0	5210	-0.87	≤11.00	PASS
	Ant1	5210	-1.49	≤11.00	PASS
	total	5210	1.84	≤11.00	PASS
	Ant0	5765.5	4.76	≤30.00	PASS
	Ant1	5765.5	5.49	≤30.00	PASS
	total	5765.5	8.15	≤30.00	PASS
	Ant0	5787.5	5.62	≤30.00	PASS
	Ant1	5787.5	5.74	≤30.00	PASS
	total	5787.5	8.69	≤30.00	PASS
	Ant0	5809.5	5.81	≤30.00	PASS
	Ant1	5809.5	5.71	≤30.00	PASS
	total	5809.5	8.77	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.


2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

### 11.5.2. Test Graphs







SRD 10M\_Ant1\_5158




SRD 10M\_Ant0\_5160




SRD 10M\_Ant1\_5160




SRD 10M\_Ant0\_5162



SRD 10M\_Ant1\_5162




SRD 10M\_Ant0\_5163




SRD 10M\_Ant1\_5163



SRD 10M\_Ant0\_5166




SRD 10M\_Ant1\_5166




SRD 10M\_Ant0\_5167




SRD 10M\_Ant1\_5167




SRD 10M\_Ant0\_5169




SRD 10M\_Ant1\_5169




SRD 10M\_Ant0\_5201



SRD 10M\_Ant1\_5201



SRD 10M\_Ant0\_5245




SRD 10M\_Ant1\_5245



SRD 10M\_Ant0\_5730.5




SRD 10M\_Ant1\_5730.5



SRD 10M\_Ant0\_5787.5



SRD 10M\_Ant1\_5787.5




SRD 10M\_Ant0\_5844.5




SRD 10M\_Ant1\_5844.5




SRD 20M\_Ant0\_5161




SRD 20M\_Ant1\_5161



SRD 20M\_Ant0\_5162




SRD 20M\_Ant1\_5162




SRD 20M\_Ant0\_5167



SRD 20M\_Ant1\_5167



SRD 20M\_Ant0\_5169



SRD 20M\_Ant1\_5169



SRD 20M\_Ant0\_5171



SRD 20M\_Ant1\_5171




SRD 20M\_Ant0\_5201




SRD 20M\_Ant1\_5201




SRD 20M\_Ant0\_5240




SRD 20M\_Ant1\_5240




SRD 20M\_Ant0\_5735.5




SRD 20M\_Ant1\_5735.5




SRD 20M\_Ant0\_5787.5



SRD 20M\_Ant1\_5787.5




SRD 20M\_Ant0\_5839.5




SRD 20M\_Ant1\_5839.5




SRD 40M\_Ant0\_5170




SRD 40M\_Ant1\_5170




SRD 40M\_Ant0\_5171




SRD 40M\_Ant1\_5171




SRD 40M\_Ant0\_5173




SRD 40M\_Ant1\_5173




SRD 40M\_Ant0\_5177




SRD 40M\_Ant1\_5177




SRD 40M\_Ant0\_5187




SRD 40M\_Ant1\_5187




SRD 40M\_Ant0\_5200



SRD 40M\_Ant1\_5200



SRD 40M\_Ant0\_5230




SRD 40M\_Ant1\_5230




SRD 40M\_Ant0\_5745.5



SRD 40M\_Ant1\_5745.5



SRD 40M\_Ant0\_5787.5




SRD 40M\_Ant1\_5787.5




SRD 40M\_Ant0\_5829.5




SRD 40M\_Ant1\_5829.5




SRD 60M\_Ant0\_5180




SRD 60M\_Ant1\_5180




SRD 60M\_Ant0\_5182




SRD 60M\_Ant1\_5182




SRD 60M\_Ant0\_5186




SRD 60M\_Ant1\_5186




SRD 60M\_Ant0\_5191




SRD 60M\_Ant1\_5191




SRD 60M\_Ant0\_5195




SRD 60M\_Ant1\_5195




SRD 60M\_Ant0\_5200



SRD 60M\_Ant1\_5200




SRD 60M\_Ant0\_5220



SRD 60M\_Ant1\_5220




SRD 60M\_Ant0\_5755.5




SRD 60M\_Ant1\_5755.5




SRD 60M\_Ant0\_5787.5




SRD 60M\_Ant1\_5787.5




SRD 60M\_Ant0\_5819.5




SRD 60M\_Ant1\_5819.5



SRD 80M\_Ant0\_5190




SRD 80M\_Ant1\_5190




SRD 80M\_Ant0\_5192



SRD 80M\_Ant1\_5192




SRD 80M\_Ant0\_5195




SRD 80M\_Ant1\_5195



SRD 80M\_Ant0\_5200




SRD 80M\_Ant1\_5200



SRD 80M\_Ant0\_5210



SRD 80M\_Ant1\_5210



SRD 80M\_Ant0\_5765.5




SRD 80M\_Ant1\_5765.5



SRD 80M\_Ant0\_5787.5



SRD 80M\_Ant1\_5787.5



SRD 80M\_Ant0\_5809.5



SRD 80M\_Ant1\_5809.5

## 11.6. APPENDIX F: FREQUENCY STABILITY

### 11.6.1. Test Result

Frequency Error vs. Voltage									
SRD 10M:5730.5MHz									
Temp.	Volt.	0 Minute		2 Minute		5 Minute		10 Minute	
		Freq.Error (MHz)	Tolerance (ppm)						
TN	VL	5730.5093	1.63	5730.5004	0.08	5730.4985	-0.26	5730.4861	-2.43
TN	VN	5730.4887	-1.98	5730.4789	-3.69	5730.4806	-3.38	5730.5002	0.03
TN	VH	5730.5039	0.69	5730.5069	1.20	5730.5011	0.20	5730.4751	-4.35

Frequency Error vs. Temperature									
SRD 10M:5730.5MHz									
Temp.	Volt.	0 Minute		2 Minute		5 Minute		10 Minute	
		Freq.Error (MHz)	Tolerance (ppm)						
40	VN	5730.4855	-2.52	5730.5027	0.47	5730.5147	2.56	5730.4998	-0.03
30	VN	5730.5116	2.02	5730.4901	-1.73	5730.5027	0.47	5730.4844	-2.72
20	VN	5730.5061	1.06	5730.5178	3.10	5730.4935	-1.13	5730.4942	-1.01
10	VN	5730.4854	-2.54	5730.5214	3.73	5730.5246	4.29	5730.4800	-3.49
0	VN	5730.4981	-0.34	5730.5027	0.47	5730.4999	-0.02	5730.5249	4.35
-10	VN	5730.5065	1.13	5730.4961	-0.67	5730.5047	0.82	5730.4937	-1.10

**Note:**

1. All antennas, test modes and test channels have been tested, only the worst data record in the report.
2. For the detail Test Conditions, please refer to section 7.5 TEST ENVIRONMENT.

## 11.7. APPENDIX G: DUTY CYCLE

### 11.7.1. Test Result

Test Mode	On Time (msec)	Period (msec)	Duty Cycle x (Linear)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	1/T Minimum VBW (kHz)	Final setting For VBW (kHz)
SRD 10M	100.00	100.00	1.0000	100.00	0.00	0.01	N/A
SRD 20M	100.00	100.00	1.0000	100.00	0.00	0.01	N/A
SRD 40M	100.00	100.00	1.0000	100.00	0.00	0.01	N/A
SRD 60M	100.00	100.00	1.0000	100.00	0.00	0.01	N/A
SRD 80M	100.00	100.00	1.0000	100.00	0.00	0.01	N/A

Note:

Duty Cycle Correction Factor= $10\log(1/x)$ .


Where: x is Duty Cycle (Linear)

Where: T is On Time


If that calculated VBW is not available on the analyzer then the next higher value should be used.

### 11.7.2. Test Graphs





SRD 60M\_Ant1\_5755.5



SRD 80M\_Ant1\_5765.5

**END OF REPORT**