

Appendix A: Test Results of 5.2GHz SDR

APPENDIX A: TEST RESULTS OF 5.2GHZ SDR	1
APPENDIX A.1: TEST RESULTS OF CONDUCTED POWER SPECTRAL DENSITY	2
5.2GHZ SDR, 1.4MHZ BW	2
5.2GHZ SDR, 3MHZ BW	7
5.2GHZ SDR, 5MHZ BW	12
5.2GHZ SDR, 10MHZ BW	17
5.2GHZ SDR, 20MHZ BW	22
5.2GHZ SDR, 40MHZ BW	27
5.2GHZ SDR, 60MHZ BW	32
5.2GHZ SDR, 80MHZ BW	37
APPENDIX A.2: TEST RESULTS OF FREQUENCY STABILITY	42
APPENDIX A.3: TEST RESULTS OF 26DB BANDWIDTH	43
5.2GHZ SDR, 1.4MHZ BW	43
5.2GHZ SDR, 3MHZ BW	45
5.2GHZ SDR, 5MHZ BW	47
5.2GHZ SDR, 10MHZ BW	49
5.2GHZ SDR, 20MHZ BW	51
5.2GHZ SDR, 40MHZ BW	53
5.2GHZ SDR, 60MHZ BW	55
5.2GHZ SDR, 80MHZ BW	57
APPENDIX A.4: TEST RESULTS OF 99% BANDWIDTH	59
5.2GHZ SDR, 1.4MHZ BW	59
5.2GHZ SDR, 3MHZ BW	61
5.2GHZ SDR, 5MHZ BW	63
5.2GHZ SDR, 10MHZ BW	65
5.2GHZ SDR, 20MHZ BW	67
5.2GHZ SDR, 40MHZ BW	69
5.2GHZ SDR, 60MHZ BW	71
5.2GHZ SDR, 80MHZ BW	73
APPENDIX A.5: TEST RESULTS OF RADIATED SPURIOUS EMISSIONS	75
30MHZ - 1GHZ (Worst case)	75
1GHZ - 18GHZ	77
APPENDIX A.6: TEST RESULTS OF RADIATED EMISSIONS IN RESTRICTED BANDS	109
5.2GHZ SDR, 1.4MHZ BW	109
5.2GHZ SDR, 3MHZ BW	114
5.2GHZ SDR, 5MHZ BW	119
5.2GHZ SDR, 10MHZ BW	124
5.2GHZ SDR, 20MHZ BW	129
5.2GHZ SDR, 40MHZ BW	134
5.2GHZ SDR, 60MHZ BW	139
5.2GHZ SDR, 80MHZ BW	144
APPENDIX A.7: TEST RESULTS OF CONDUCTED EMISSION ON AC MAINS	149


Appendix A.1: Test Results of Conducted Power Spectral Density

5.2GHz SDR, 1.4MHz BW

SISO mode (Worst case_ANT0)

TestMode	Antenna	Channel	Result[dBm/MHz]	Limit[dBm/MHz]	Verdict
1.4MHz	Ant0	5154	0.58	≤11.00	PASS
		5200	6.79	≤11.00	PASS
		5248	7.14	≤11.00	PASS



Note: 1. The Duty Cycle Factor and RBW Factor is compensated in the graph.



MIMO mode (Worst case_ANT0+ANT3)

TestMode	Antenna	Channel	Result[dBm/MHz]	Limit[dBm/MHz]	Verdict
1.4MHz	Ant0	5154	-1.50	≤11.00	PASS
	Ant3	5154	-2.01	≤11.00	PASS
	total	5154	1.26	≤11.00	PASS
	Ant0	5200	5.59	≤11.00	PASS
	Ant3	5200	5.80	≤11.00	PASS
	total	5200	8.71	≤11.00	PASS
	Ant0	5248	5.82	≤11.00	PASS
	Ant3	5248	6.57	≤11.00	PASS
	total	5248	9.22	≤11.00	PASS

Note: 1. The Duty Cycle Factor and RBW Factor is compensated in the graph.





5.2GHz SDR, 3MHz BW

SISO mode (Worst case_ANT0)

TestMode	Antenna	Channel	Result[dBm/MHz]	Limit[dBm/MHz]	Verdict
3MHz	Ant0	5154	-3.84	≤11.00	PASS
		5199	5.83	≤11.00	PASS
		5247	5.59	≤11.00	PASS

Note: 1. The Duty Cycle Factor and RBW Factor is compensated in the graph.

3MHz Ant0 5154



3MHz Ant0 5199




3MHz Ant0 5247



MIMO mode (Worst case_ANT0+ANT3)

TestMode	Antenna	Channel	Result[dBm/MHz]	Limit[dBm/MHz]	Verdict
3MHz	Ant0	5154	-5.27	≤11.00	PASS
	Ant3	5154	-5.39	≤11.00	PASS
	total	5154	-2.32	≤11.00	PASS
	Ant0	5199	4.07	≤11.00	PASS
	Ant3	5199	4.21	≤11.00	PASS
	total	5199	7.15	≤11.00	PASS
	Ant0	5247	3.62	≤11.00	PASS
	Ant3	5247	4.74	≤11.00	PASS
	total	5247	7.23	≤11.00	PASS

Note: 1. The Duty Cycle Factor and RBW Factor is compensated in the graph.






5.2GHz SDR, 5MHz BW

SISO mode (Worst case_ANT0)

TestMode	Antenna	Channel	Result[dBm/MHz]	Limit[dBm/MHz]	Verdict
5MHz	Ant0	5155	-5.08	≤11.00	PASS
		5200	6.47	≤11.00	PASS
		5246.24	6.79	≤11.00	PASS

Note: 1. The Duty Cycle Factor and RBW Factor is compensated in the graph.



MIMO mode (Worst case_ANT0+ANT3)

TestMode	Antenna	Channel	Result[dBm/MHz]	Limit[dBm/MHz]	Verdict
5MHz	Ant0	5155	-5.69	≤11.00	PASS
	Ant3	5155	-5.10	≤11.00	PASS
	total	5155	-2.37	≤11.00	PASS
	Ant0	5200	6.09	≤11.00	PASS
	Ant3	5200	6.33	≤11.00	PASS
	total	5200	9.22	≤11.00	PASS
	Ant0	5246.24	4.54	≤11.00	PASS
	Ant3	5246.24	5.66	≤11.00	PASS
	total	5246.24	8.15	≤11.00	PASS

Note: 1. The Duty Cycle Factor and RBW Factor is compensated in the graph.





5.2GHz SDR, 10MHz BW

SISO mode (Worst case_ANT0)

TestMode	Antenna	Channel	Result[dBm/MHz]	Limit[dBm/MHz]	Verdict
10MHz	Ant0	5157	-8.64	≤11.00	PASS
		5200	5.20	≤11.00	PASS
		5245	4.92	≤11.00	PASS



Note: 1. The Duty Cycle Factor and RBW Factor is compensated in the graph.






MIMO mode (Worst case_ANT0+ANT3)

TestMode	Antenna	Channel	Result[dBm/MHz]	Limit[dBm/MHz]	Verdict
10MHz	Ant0	5157	-10.50	≤11.00	PASS
	Ant3	5157	-10.76	≤11.00	PASS
	total	5157	-7.62	≤11.00	PASS
	Ant0	5200	3.15	≤11.00	PASS
	Ant3	5200	3.07	≤11.00	PASS
	total	5200	6.12	≤11.00	PASS
	Ant0	5245	2.70	≤11.00	PASS
	Ant3	5245	3.86	≤11.00	PASS
	total	5245	6.33	≤11.00	PASS

Note: 1. The Duty Cycle Factor and RBW Factor is compensated in the graph.






5.2GHz SDR, 20MHz BW

SISO mode (Worst case_ANT0)

TestMode	Antenna	Channel	Result[dBm/MHz]	Limit[dBm/MHz]	Verdict
20MHz	Ant0	5161	-7.62	≤11.00	PASS
		5200	2.94	≤11.00	PASS
		5240	2.33	≤11.00	PASS



Note: 1. The Duty Cycle Factor and RBW Factor is compensated in the graph.




MIMO mode (Worst case_ANT0+ANT3)

TestMode	Antenna	Channel	Result[dBm/MHz]	Limit[dBm/MHz]	Verdict
20MHz	Ant0	5161	-9.09	≤11.00	PASS
	Ant3	5161	-9.32	≤11.00	PASS
	total	5161	-6.19	≤11.00	PASS
	Ant0	5200	1.33	≤11.00	PASS
	Ant3	5200	0.70	≤11.00	PASS
	total	5200	4.04	≤11.00	PASS
	Ant0	5240	0.34	≤11.00	PASS
	Ant3	5240	0.90	≤11.00	PASS
	total	5240	3.64	≤11.00	PASS

Note: 1. The Duty Cycle Factor and RBW Factor is compensated in the graph.







5.2GHz SDR, 40MHz BW

SISO mode (Worst case_ANT0)

TestMode	Antenna	Channel	Result[dBm/MHz]	Limit[dBm/MHz]	Verdict
40MHz	Ant0	5170	-9.74	≤11.00	PASS
		5200	2.18	≤11.00	PASS
		5230	1.99	≤11.00	PASS



Note: 1. The Duty Cycle Factor and RBW Factor is compensated in the graph.



MIMO mode (Worst case_ANT0+ANT3)

TestMode	Antenna	Channel	Result[dBm/MHz]	Limit[dBm/MHz]	Verdict
40MHz	Ant0	5170	-11.67	≤11.00	PASS
	Ant3	5170	-11.44	≤11.00	PASS
	total	5170	-8.54	≤11.00	PASS
	Ant0	5200	1.32	≤11.00	PASS
	Ant3	5200	0.66	≤11.00	PASS
	total	5200	4.01	≤11.00	PASS
	Ant0	5230	0.41	≤11.00	PASS
	Ant3	5230	0.22	≤11.00	PASS
	total	5230	3.33	≤11.00	PASS

Note: 1. The Duty Cycle Factor and RBW Factor is compensated in the graph.








5.2GHz SDR, 60MHz BW

SISO mode (Worst case_ANT0)

TestMode	Antenna	Channel	Result[dBm/MHz]	Limit[dBm/MHz]	Verdict
60MHz	Ant0	5180	-10.60	≤11.00	PASS
		5200	-1.19	≤11.00	PASS
		5220	-1.24	≤11.00	PASS

Note: 1. The Duty Cycle Factor and RBW Factor is compensated in the graph.



MIMO mode (Worst case_ANT0+ANT3)

TestMode	Antenna	Channel	Result[dBm/MHz]	Limit[dBm/MHz]	Verdict
60MHz	Ant0	5180	-11.90	≤11.00	PASS
	Ant3	5180	-12.23	≤11.00	PASS
	total	5180	-9.05	≤11.00	PASS
	Ant0	5200	-4.91	≤11.00	PASS
	Ant3	5200	-4.76	≤11.00	PASS
	total	5200	-1.82	≤11.00	PASS
	Ant0	5220	-1.36	≤11.00	PASS
	Ant3	5220	-3.18	≤11.00	PASS
	total	5220	0.83	≤11.00	PASS

Note: 1. The Duty Cycle Factor and RBW Factor is compensated in the graph.