




5.8G SDR, 60MHz BW

TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
60MHz	Ant0	5755.5	54.656	5728.3242	5782.9802	---	PASS
		5787.5	54.666	5760.2128	5814.8788	---	PASS
		5819.5	54.821	5792.2073	5847.0283	---	PASS



5.8G SDR, 80MHz BW

TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
80MHz	Ant0	5765.5	72.425	5729.3432	5801.7682	---	PASS
		5787.5	72.413	5751.3565	5823.7695	---	PASS
		5809.5	72.621	5773.2550	5845.8760	---	PASS



Appendix A.5: Test Results of Radiated Spurious Emissions


Note:

- 1) This testing was carried out on SISO mode and MIMO mode, but only the worst case (MIMO mode ANT0+3) was presented in this report.
- 2) This testing was carried out on different modulations, but only the worst case was presented in this report.
- 3) Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

30MHz - 1GHz (Worst case)

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_1.4M_5786.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
49.698462	16.82	40.00	23.18	100.0	H	31.0	-18.4
104.391539	16.05	43.50	27.45	100.0	H	292.0	-18.9
170.463462	19.71	43.50	23.79	100.0	H	83.0	-21.3
742.502308	30.05	46.00	15.95	100.0	H	204.0	-7.2
983.099615	29.94	54.00	24.06	100.0	H	219.0	-3.8

Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_1.4M_5786.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
50.034231	14.06	40.00	25.94	100.0	V	101.0	-18.4
104.615385	17.54	43.50	25.96	100.0	V	300.0	-18.9
304.025000	16.45	46.00	29.55	100.0	V	110.0	-16.2
742.502308	27.36	46.00	18.64	100.0	V	142.0	-7.2
938.442308	29.52	46.00	16.48	100.0	V	110.0	-4.4

Final Result


Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

1GHz - 18GHz

Note: The highest waveform in the figure is 5.8G SDR Fundamental.

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_1.4M_5728.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1343.500000	44.35	---	74.00	29.65	150.0	H	17.0	3.1
1345.500000	---	34.75	54.00	19.25	150.0	H	23.0	3.1
2638.000000	53.60	---	74.00	20.40	150.0	H	296.0	10.0
2650.500000	---	42.35	54.00	11.65	150.0	H	28.0	10.2

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_1.4M_5728.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1116.500000	---	34.14	54.00	19.86	150.0	V	55.0	0.8
1123.500000	45.22	---	74.00	28.78	150.0	V	275.0	0.9
2655.500000	---	43.09	54.00	10.91	150.0	V	95.0	10.2
2664.500000	52.87	---	74.00	21.13	150.0	V	166.0	10.2
5453.000000	64.93	---	74.00	9.07	150.0	V	297.0	15.0

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5416.505556	51.86	54.00	2.14	148.0	V	343.0	15.0

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_1.4M_5728.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11456.900000	---	42.37	54.00	11.63	150.0	H	250.0	13.4
11457.391667	48.20	---	74.00	25.80	150.0	H	250.0	13.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_1.4M_5728.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11456.900000	52.44	---	74.00	21.56	150.0	V	3.0	13.4
11456.900000	---	45.94	54.00	8.06	150.0	V	3.0	13.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_1.4M_5786.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1309.000000	44.72	---	74.00	29.28	150.0	H	299.0	2.8
1312.500000	---	34.28	54.00	19.72	150.0	H	9.0	2.8
3197.000000	54.90	---	74.00	19.10	150.0	H	35.0	10.8
3198.500000	---	44.51	54.00	9.49	150.0	H	67.0	10.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_1.4M_5786.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1122.500000	44.40	---	74.00	29.60	150.0	V	278.0	0.9
1122.500000	---	34.46	54.00	19.54	150.0	V	278.0	0.9
2649.500000	52.31	---	74.00	21.69	150.0	V	237.0	10.1
2656.000000	---	42.93	54.00	11.07	150.0	V	259.0	10.2
5427.500000	65.69	---	74.00	8.31	150.0	V	339.0	15.0

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5417.000000	51.97	54.00	2.03	155.0	V	338.0	15.0

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_1.4M_5786.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11572.933333	50.44	---	74.00	23.56	150.0	H	250.0	13.4
11572.933333	---	44.17	54.00	9.83	150.0	H	250.0	13.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_1.4M_5786.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11572.933333	---	47.56	54.00	6.44	150.0	V	139.0	13.4
11573.425000	53.43	---	74.00	20.57	150.0	V	0.0	13.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_1.4M_5846.12MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1333.000000	---	34.55	54.00	19.45	150.0	H	182.0	3.0
1348.000000	45.54	---	74.00	28.46	150.0	H	51.0	3.1
2633.500000	---	42.11	54.00	11.89	150.0	H	28.0	10.0
2647.500000	51.87	---	74.00	22.13	150.0	H	124.0	10.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_1.4M_5846.12MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1110.000000	---	34.61	54.00	19.39	150.0	V	246.0	0.7
1118.500000	44.96	---	74.00	29.04	150.0	V	288.0	0.8
2656.000000	---	42.74	54.00	11.26	150.0	V	194.0	10.2
2658.000000	52.65	---	74.00	21.35	150.0	V	194.0	10.2
5534.000000	65.68	---	68.20	2.52	150.0	V	355.0	15.3

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5452.063889	51.15	54.00	2.85	149.0	V	350.0	15.0

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_1.4M_5846.12MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11692.408333	51.05	---	74.00	22.95	150.0	H	264.0	15.2
11692.408333	---	43.48	54.00	10.52	150.0	H	264.0	15.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_1.4M_5846.12MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11684.050000	50.69	---	74.00	23.31	150.0	V	72.0	15.1
11692.408333	---	43.08	54.00	10.92	150.0	V	60.0	15.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_3M_5727.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1345.000000	44.11	---	74.00	29.89	150.0	H	340.0	3.1
1347.000000	---	34.28	54.00	19.72	150.0	H	264.0	3.1
3521.000000	---	44.77	54.00	9.23	150.0	H	51.0	11.4
3560.000000	54.83	---	74.00	19.17	150.0	H	269.0	11.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_3M_5727.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1117.500000	---	34.73	54.00	19.27	150.0	V	275.0	0.8
1121.500000	45.44	---	74.00	28.56	150.0	V	264.0	0.9
3177.500000	54.50	---	74.00	19.50	150.0	V	0.0	10.7
3198.000000	---	45.02	54.00	8.98	150.0	V	60.0	10.8
5443.000000	65.57	---	74.00	8.43	150.0	V	354.0	15.0

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5415.755556	51.67	54.00	2.33	150.0	V	-5.0	15.0

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_3M_5727.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11454.933333	---	43.02	54.00	10.98	150.0	H	269.0	13.4
11455.425000	49.53	---	74.00	24.47	150.0	H	269.0	13.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_3M_5727.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11455.425000	52.75	---	74.00	21.25	150.0	V	136.0	13.4
11455.425000	---	44.30	54.00	9.70	150.0	V	136.0	13.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_3M_5784.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1318.500000	44.63	---	74.00	29.37	150.0	H	1.0	2.9
1333.500000	---	34.40	54.00	19.60	150.0	H	92.0	3.0
3370.000000	---	44.42	54.00	9.58	150.0	H	290.0	11.0
3373.500000	53.98	---	74.00	20.02	150.0	H	0.0	11.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_3M_5784.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1119.500000	---	34.39	54.00	19.61	150.0	V	289.0	0.8
1124.000000	45.43	---	74.00	28.57	150.0	V	289.0	0.9
2624.000000	---	42.13	54.00	11.87	150.0	V	0.0	9.8
2640.500000	52.62	---	74.00	21.38	150.0	V	247.0	10.0
5553.000000	65.55	---	68.20	2.65	150.0	V	1.0	15.3

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5458.413889	50.71	54.00	3.29	145.0	V	309.0	15.0

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_3M_5784.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11569.491667	---	44.73	54.00	9.27	150.0	H	264.0	13.4
11570.475000	53.12	---	74.00	20.88	150.0	H	264.0	13.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_3M_5784.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11569.000000	---	43.66	54.00	10.34	150.0	V	120.0	13.4
11569.983333	50.66	---	74.00	23.34	150.0	V	57.0	13.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_3M_5847.2MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1338.000000	---	34.27	54.00	19.73	150.0	H	181.0	3.0
1347.000000	45.07	---	74.00	28.93	150.0	H	254.0	3.1
3410.000000	55.45	---	74.00	18.55	150.0	H	0.0	11.2
3410.000000	---	46.72	54.00	7.28	150.0	H	0.0	11.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_3M_5847.2MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1111.500000	45.37	---	74.00	28.63	150.0	V	278.0	0.7
1113.000000	---	34.16	54.00	19.84	150.0	V	266.0	0.7
3197.000000	---	45.56	54.00	8.44	150.0	V	59.0	10.8
3198.500000	54.21	---	74.00	19.79	150.0	V	59.0	10.8
5535.000000	65.35	---	68.20	2.85	150.0	V	347.0	15.3

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5446.947222	50.70	54.00	3.30	149.0	V	337.0	15.0

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_3M_5847.2MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11693.883333	---	41.16	54.00	12.84	150.0	H	63.0	15.2
11750.916667	51.22	---	74.00	22.78	150.0	H	9.0	15.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_3M_5847.2MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11694.375000	50.07	---	74.00	23.93	150.0	V	0.0	15.2
11694.375000	---	41.34	54.00	12.66	150.0	V	0.0	15.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_5M_5732.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1315.000000	45.31	---	74.00	28.69	150.0	H	250.0	2.9
1326.500000	---	34.05	54.00	19.95	150.0	H	160.0	2.9
3194.500000	---	45.12	54.00	8.88	150.0	H	304.0	10.8
3274.500000	54.73	---	74.00	19.27	150.0	H	59.0	10.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_5M_5732.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1114.000000	---	34.65	54.00	19.35	150.0	V	268.0	0.7
1122.500000	46.88	---	74.00	27.12	150.0	V	279.0	0.9
2655.500000	53.02	---	74.00	20.99	150.0	V	253.0	10.2
2655.500000	---	44.36	54.00	9.64	150.0	V	253.0	10.2
5442.500000	63.48	---	74.00	10.52	150.0	V	342.0	15.0

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5420.619444	50.04	54.00	3.96	149.0	V	334.0	15.0

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_5M_5732.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11464.275000	---	39.25	54.00	14.75	150.0	H	246.0	13.5
11495.741667	47.77	---	74.00	26.23	150.0	H	237.0	13.7

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_5M_5732.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11465.258333	---	41.76	54.00	12.24	150.0	V	1.0	13.5
11465.750000	50.54	---	74.00	23.46	150.0	V	0.0	13.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_5M_5787.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1242.000000	---	34.19	54.00	19.81	150.0	H	112.0	2.5
1243.000000	45.79	---	74.00	28.21	150.0	H	118.0	2.5
3358.000000	---	44.06	54.00	9.94	150.0	H	13.0	11.0
3371.500000	54.65	---	74.00	19.35	150.0	H	153.0	11.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_5M_5787.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1116.500000	44.67	---	74.00	29.33	150.0	V	264.0	0.8
1118.500000	---	33.99	54.00	20.01	150.0	V	270.0	0.8
2658.500000	---	44.37	54.00	9.63	150.0	V	313.0	10.2
2661.500000	56.19	---	74.00	17.81	150.0	V	313.0	10.2
5578.500000	64.40	---	68.20	3.80	150.0	V	314.0	15.3

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5442.527778	50.35	54.00	3.65	149.0	V	309.0	15.0

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_5M_5787.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11575.391667	---	40.48	54.00	13.52	150.0	H	356.0	13.4
11576.866667	47.94	---	74.00	26.06	150.0	H	254.0	13.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_5M_5787.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11574.900000	50.91	---	74.00	23.09	150.0	V	359.0	13.4
11576.866667	---	42.84	54.00	11.16	150.0	V	0.0	13.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_5M_5842.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1299.500000	---	34.46	54.00	19.54	150.0	H	208.0	2.7
1313.500000	44.48	---	74.00	29.52	150.0	H	39.0	2.8
3375.000000	54.56	---	74.00	19.44	150.0	H	115.0	11.0
3381.000000	---	44.19	54.00	9.81	150.0	H	150.0	11.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_5M_5842.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1113.000000	45.72	---	74.00	28.28	150.0	V	282.0	0.7
1115.000000	---	34.69	54.00	19.31	150.0	V	261.0	0.8
2649.000000	52.93	---	74.00	21.07	150.0	V	103.0	10.1
2662.000000	---	42.27	54.00	11.73	150.0	V	282.0	10.2
5564.000000	65.06	---	68.20	3.14	150.0	V	345.0	15.3

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5443.119444	50.58	54.00	3.42	148.0	V	338.0	15.0

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_5M_5842.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11749.933333	51.76	---	74.00	22.24	150.0	H	324.0	15.5
11767.141667	---	41.01	54.00	12.99	150.0	H	58.0	15.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_5M_5842.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11744.525000	50.12	---	74.00	23.88	150.0	V	0.0	15.2
11755.341667	---	41.15	54.00	12.85	150.0	V	103.0	15.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_10M_5730.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1308.500000	45.27	---	74.00	28.73	150.0	H	278.0	2.8
1345.500000	---	34.43	54.00	19.57	150.0	H	278.0	3.1
3363.000000	55.01	---	74.00	18.99	150.0	H	0.0	11.0
3396.500000	---	44.57	54.00	9.43	150.0	H	73.0	11.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_10M_5730.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1122.000000	---	34.66	54.00	19.34	150.0	V	282.0	0.9
1124.000000	45.36	---	74.00	28.64	150.0	V	276.0	0.9
2632.000000	---	42.62	54.00	11.38	150.0	V	24.0	9.9
2649.500000	53.85	---	74.00	20.15	150.0	V	61.0	10.1
5426.500000	64.71	---	74.00	9.29	150.0	V	305.0	15.0

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5425.955556	51.96	54.00	2.04	148.0	V	337.0	15.0

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_10M_5730.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11758.783333	50.05	---	74.00	23.95	150.0	H	164.0	15.4
11770.583333	---	41.23	54.00	12.77	150.0	H	327.0	15.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_10M_5730.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11452.475000	47.97	---	74.00	26.03	150.0	V	210.0	13.4
11459.850000	---	39.62	54.00	14.38	150.0	V	270.0	13.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_10M_5787.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1266.500000	43.90	---	74.00	30.10	150.0	H	40.0	2.7
1266.500000	---	33.61	54.00	20.39	150.0	H	40.0	2.7
3194.000000	---	43.54	54.00	10.46	150.0	H	21.0	10.7
3209.000000	54.30	---	74.00	19.70	150.0	H	8.0	10.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_10M_5787.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1115.500000	---	34.34	54.00	19.66	150.0	V	263.0	0.8
1125.000000	45.83	---	74.00	28.17	150.0	V	268.0	0.9
2631.500000	---	42.19	54.00	11.81	150.0	V	153.0	9.9
2674.000000	52.31	---	74.00	21.69	150.0	V	87.0	10.2
5438.500000	65.51	---	74.00	8.49	150.0	V	343.0	15.0

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5419.172222	51.73	54.00	2.27	151.0	V	334.0	15.0

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_10M_5787.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11745.508333	---	41.32	54.00	12.68	150.0	H	68.0	15.2
11768.125000	51.10	---	74.00	22.90	150.0	H	55.0	15.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_10M_5787.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11576.375000	---	40.44	54.00	13.56	150.0	V	0.0	13.4
11577.850000	47.80	---	74.00	26.20	150.0	V	0.0	13.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_10M_5844.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1396.000000	---	34.51	54.00	19.49	150.0	H	203.0	3.0
1414.500000	45.03	---	74.00	28.97	150.0	H	195.0	3.0
3363.500000	55.04	---	74.00	18.96	150.0	H	289.0	11.0
3389.500000	---	44.29	54.00	9.71	150.0	H	325.0	11.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_10M_5844.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1120.500000	---	34.58	54.00	19.42	150.0	V	253.0	0.9
1123.000000	45.22	---	74.00	28.78	150.0	V	288.0	0.9
2638.500000	53.27	---	74.00	20.73	150.0	V	139.0	10.0
2655.500000	---	42.29	54.00	11.71	150.0	V	0.0	10.2
5587.500000	65.01	---	68.20	3.19	150.0	V	12.0	15.3

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5450.211111	49.31	54.00	4.69	149.0	V	-4.0	15.0

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_10M_5844.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11759.766667	50.07	---	74.00	23.93	150.0	H	323.0	15.4
11764.683333	---	41.01	54.00	12.99	150.0	H	55.0	15.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_10M_5844.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11686.016667	---	41.37	54.00	12.63	150.0	V	58.0	15.2
11745.508333	49.58	---	74.00	24.42	150.0	V	292.0	15.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_20M_5735.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1397.000000	45.18	---	74.00	28.82	150.0	H	339.0	3.0
1400.000000	---	35.55	54.00	18.45	150.0	H	1.0	3.0
3164.000000	54.11	---	74.00	19.89	150.0	H	91.0	10.6
3223.000000	---	43.82	54.00	10.18	150.0	H	131.0	10.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_20M_5735.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1119.000000	---	34.25	54.00	19.75	150.0	V	266.0	0.8
1120.500000	45.18	---	74.00	28.82	150.0	V	280.0	0.9
2658.500000	54.58	---	74.00	19.42	150.0	V	300.0	10.2
2660.500000	---	43.92	54.00	10.08	150.0	V	300.0	10.2
5421.500000	63.83	---	74.00	10.17	150.0	V	2.0	15.0

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5424.905556	50.64	54.00	3.36	148.0	V	1.0	15.0

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_20M_5735.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11770.091667	50.48	---	74.00	23.52	150.0	H	45.0	15.3
11783.366667	---	41.38	54.00	12.62	150.0	H	102.0	15.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_20M_5735.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11470.666667	47.75	---	74.00	26.25	150.0	V	99.0	13.6
11477.058333	---	39.43	54.00	14.57	150.0	V	195.0	13.7

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_20M_5787.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1319.500000	---	34.85	54.00	19.15	150.0	H	160.0	2.9
1323.500000	44.32	---	74.00	29.68	150.0	H	352.0	2.9
3388.000000	---	44.01	54.00	9.99	150.0	H	222.0	11.1
3392.000000	53.82	---	74.00	20.18	150.0	H	23.0	11.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_20M_5787.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1111.500000	---	33.91	54.00	20.09	150.0	V	269.0	0.7
1114.000000	44.86	---	74.00	29.14	150.0	V	276.0	0.7
2647.000000	---	41.79	54.00	12.21	150.0	V	349.0	10.1
2647.500000	52.23	---	74.00	21.77	150.0	V	321.0	10.1
5424.500000	64.19	---	74.00	9.81	150.0	V	2.0	15.0

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5421.947222	50.81	54.00	3.19	150.0	V	-3.0	15.0

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_20M_5787.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11754.850000	50.04	---	74.00	23.96	150.0	H	280.0	15.5
11755.833333	---	41.64	54.00	12.36	150.0	H	289.0	15.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_20M_5787.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11575.883333	---	39.89	54.00	14.11	150.0	V	289.0	13.4
11577.850000	48.15	---	74.00	25.85	150.0	V	289.0	13.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_20M_5839.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1375.500000	44.81	---	74.00	29.19	150.0	H	249.0	3.0
1383.500000	---	34.62	54.00	19.38	150.0	H	56.0	3.0
3335.000000	---	43.93	54.00	10.07	150.0	H	305.0	10.9
3361.000000	54.93	---	74.00	19.07	150.0	H	95.0	11.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_20M_5839.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1117.500000	---	34.60	54.00	19.40	150.0	V	282.0	0.8
1125.500000	47.15	---	74.00	26.85	150.0	V	274.0	0.9
2629.500000	52.70	---	74.00	21.30	150.0	V	169.0	9.9
2674.500000	---	42.52	54.00	11.48	150.0	V	74.0	10.2
5455.500000	64.79	---	74.00	9.21	150.0	V	284.0	15.1

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5454.311111	50.99	54.00	3.01	148.0	V	279.0	15.0

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_20M_5839.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11755.341667	50.78	---	74.00	23.22	150.0	H	317.0	15.5
11798.116667	---	41.16	54.00	12.84	150.0	H	236.0	14.9

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_20M_5839.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11764.683333	50.83	---	74.00	23.17	150.0	V	180.0	15.3
11784.841667	---	41.55	54.00	12.45	150.0	V	204.0	15.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_40M_5745.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1339.500000	---	34.69	54.00	19.31	150.0	H	225.0	3.0
1345.500000	44.97	---	74.00	29.03	150.0	H	292.0	3.1
3325.500000	54.91	---	74.00	19.09	150.0	H	157.0	10.9
3403.000000	---	44.49	54.00	9.51	150.0	H	164.0	11.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_40M_5745.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1111.500000	---	34.48	54.00	19.52	150.0	V	1.0	0.7
1123.500000	45.26	---	74.00	28.74	150.0	V	280.0	0.9
2660.000000	54.36	---	74.00	19.64	150.0	V	72.0	10.2
2660.000000	---	44.61	54.00	9.39	150.0	V	72.0	10.2
5425.500000	62.16	---	74.00	11.84	150.0	V	356.0	15.0
5441.000000	---	51.66	54.00	2.34	150.0	V	349.0	15.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_40M_5745.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11758.783333	---	41.18	54.00	12.82	150.0	H	250.0	15.4
11778.450000	51.28	---	74.00	22.72	150.0	H	284.0	15.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_40M_5745.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11647.666667	50.14	---	74.00	23.86	150.0	V	355.0	14.7
11753.375000	---	40.88	54.00	13.12	150.0	V	42.0	15.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_40M_5787.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1317.000000	44.56	---	74.00	29.44	150.0	H	145.0	2.9
1332.500000	---	34.66	54.00	19.34	150.0	H	197.0	3.0
3308.500000	54.57	---	74.00	19.43	150.0	H	308.0	10.9
3332.500000	---	44.18	54.00	9.82	150.0	H	222.0	10.9

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_40M_5787.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1119.500000	---	34.60	54.00	19.40	150.0	V	286.0	0.8
1120.000000	45.33	---	74.00	28.67	150.0	V	273.0	0.8
2632.000000	---	41.99	54.00	12.01	150.0	V	331.0	9.9
2639.000000	53.23	---	74.00	20.77	150.0	V	359.0	10.0
5450.000000	64.71	---	74.00	9.29	150.0	V	310.0	15.0

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5448.261111	51.13	54.00	2.87	155.0	V	345.0	15.0

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_40M_5787.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11573.425000	---	39.51	54.00	14.49	150.0	H	77.0	13.4
11573.916667	47.26	---	74.00	26.74	150.0	H	95.0	13.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_40M_5787.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11572.441667	48.01	---	74.00	25.99	150.0	V	130.0	13.4
11572.441667	---	40.36	54.00	13.64	150.0	V	130.0	13.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_40M_5829.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1302.500000	45.33	---	74.00	28.67	150.0	H	90.0	2.8
1315.500000	---	34.57	54.00	19.43	150.0	H	4.0	2.9
2648.000000	52.65	---	74.00	21.35	150.0	H	307.0	10.1
2652.500000	---	42.57	54.00	11.43	150.0	H	38.0	10.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_40M_5829.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1116.500000	45.13	---	74.00	28.87	150.0	V	260.0	0.8
1119.000000	---	34.67	54.00	19.33	150.0	V	274.0	0.8
2661.000000	---	43.30	54.00	10.70	150.0	V	240.0	10.2
2666.500000	53.16	---	74.00	20.84	150.0	V	240.0	10.2
5421.000000	---	51.18	54.00	2.82	150.0	V	347.0	15.0
5421.500000	61.81	---	74.00	12.20	150.0	V	354.0	15.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_40M_5829.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11750.916667	---	41.73	54.00	12.27	150.0	H	5.0	15.5
11774.516667	49.89	---	74.00	24.11	150.0	H	51.0	15.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_40M_5829.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11754.358333	49.69	---	74.00	24.31	150.0	V	103.0	15.5
11758.783333	---	41.04	54.00	12.96	150.0	V	237.0	15.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_60M_5755.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1315.500000	---	34.30	54.00	19.70	150.0	H	52.0	2.9
1333.500000	45.03	---	74.00	28.97	150.0	H	97.0	3.0
3150.500000	53.84	---	74.00	20.16	150.0	H	198.0	10.6
3195.000000	---	43.46	54.00	10.54	150.0	H	86.0	10.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_60M_5755.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1115.500000	---	34.58	54.00	19.42	150.0	V	283.0	0.8
1115.500000	44.38	---	74.00	29.62	150.0	V	283.0	0.8
3195.000000	54.46	---	74.00	19.54	150.0	V	256.0	10.8
3198.500000	---	45.11	54.00	8.89	150.0	V	256.0	10.8
5440.500000	63.12	---	74.00	10.88	150.0	V	353.0	15.0

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5443.658333	49.65	54.00	4.35	155.0	V	346.0	15.0

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_60M_5755.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11750.916667	---	41.33	54.00	12.67	150.0	H	81.0	15.5
11766.650000	50.47	---	74.00	23.53	150.0	H	357.0	15.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_60M_5755.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11690.933333	49.64	---	74.00	24.36	150.0	V	32.0	15.2
11698.800000	---	41.36	54.00	12.64	150.0	V	265.0	15.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_60M_5787.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1324.500000	45.34	---	74.00	28.66	150.0	H	0.0	2.9
1325.500000	---	34.70	54.00	19.30	150.0	H	70.0	2.9
3176.000000	53.96	---	74.00	20.04	150.0	H	0.0	10.7
3194.500000	---	44.45	54.00	9.55	150.0	H	348.0	10.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_60M_5787.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1119.000000	44.37	---	74.00	29.63	150.0	V	284.0	0.8
1119.000000	---	34.44	54.00	19.56	150.0	V	284.0	0.8
2637.500000	---	42.45	54.00	11.55	150.0	V	99.0	10.0
2648.000000	52.93	---	74.00	21.07	150.0	V	246.0	10.1
5436.000000	62.73	---	74.00	11.27	150.0	V	351.0	15.0

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5450.566667	48.50	54.00	5.50	147.0	V	343.0	15.0

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_60M_5787.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11687.491667	49.71	---	74.00	24.29	150.0	H	186.0	15.2
11750.916667	---	41.14	54.00	12.86	150.0	H	38.0	15.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_60M_5787.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11740.591667	49.50	---	74.00	24.50	150.0	V	290.0	14.9
11756.325000	---	41.13	54.00	12.87	150.0	V	133.0	15.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_60M_5819.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1334.500000	46.34	---	74.00	27.66	150.0	H	51.0	3.0
1336.500000	---	34.74	54.00	19.26	150.0	H	1.0	3.0
3213.000000	54.71	---	74.00	19.29	150.0	H	178.0	10.8
3241.000000	---	44.01	54.00	9.99	150.0	H	155.0	10.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_60M_5819.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1116.000000	---	33.88	54.00	20.12	150.0	V	268.0	0.8
1124.500000	44.78	---	74.00	29.22	150.0	V	262.0	0.9
2635.500000	---	42.67	54.00	11.33	150.0	V	207.0	10.0
2648.000000	52.55	---	74.00	21.45	150.0	V	91.0	10.1
5447.000000	---	51.67	54.00	2.33	150.0	V	344.0	15.0
5450.500000	62.58	---	74.00	11.42	150.0	V	349.0	15.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_60M_5819.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11748.458333	50.49	---	74.00	23.51	150.0	H	195.0	15.4
11751.900000	---	41.61	54.00	12.39	150.0	H	248.0	15.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_60M_5819.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11777.958333	49.94	---	74.00	24.06	150.0	V	296.0	15.1
11781.891667	---	41.98	54.00	12.02	150.0	V	0.0	15.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_80M_5765.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1338.000000	---	34.55	54.00	19.45	150.0	H	292.0	3.0
1352.500000	45.17	---	74.00	28.83	150.0	H	4.0	3.1
2633.000000	---	42.61	54.00	11.39	150.0	H	261.0	9.9
2656.000000	52.52	---	74.00	21.48	150.0	H	9.0	10.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_80M_5765.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1116.500000	---	33.82	54.00	20.18	150.0	V	283.0	0.8
1123.500000	44.50	---	74.00	29.50	150.0	V	283.0	0.9
2632.000000	---	42.03	54.00	11.97	150.0	V	108.0	9.9
2644.500000	52.36	---	74.00	21.64	150.0	V	15.0	10.1
5414.000000	62.06	---	74.00	11.94	150.0	V	321.0	15.0
5441.000000	---	51.96	54.00	2.04	150.0	V	0.0	15.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_80M_5765.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11743.541667	---	41.08	54.00	12.92	150.0	H	180.0	15.1
11760.258333	50.06	---	74.00	23.94	150.0	H	117.0	15.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_80M_5765.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11691.916667	50.70	---	74.00	23.30	150.0	V	262.0	15.2
11752.883333	---	41.43	54.00	12.57	150.0	V	215.0	15.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_80M_5787.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1391.500000	---	34.84	54.00	19.16	150.0	H	160.0	3.0
1409.500000	45.29	---	74.00	28.71	150.0	H	153.0	3.0
3159.500000	53.95	---	74.00	20.05	150.0	H	70.0	10.6
3196.500000	---	43.70	54.00	10.30	150.0	H	259.0	10.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_80M_5787.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1120.000000	---	34.24	54.00	19.76	150.0	V	256.0	0.8
1121.500000	45.36	---	74.00	28.64	150.0	V	277.0	0.9
2659.000000	52.81	---	74.00	21.19	150.0	V	154.0	10.2
2665.000000	---	42.44	54.00	11.56	150.0	V	132.0	10.2
5445.000000	62.61	---	74.00	11.39	150.0	V	358.0	15.0

Final Result

Frequency (MHz)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5449.002778	48.27	54.00	5.73	149.0	V	311.0	15.0

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_80M_5787.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11746.983333	51.18	---	74.00	22.82	150.0	H	259.0	15.3
11780.416667	---	41.59	54.00	12.41	150.0	H	296.0	15.1

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_80M_5787.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11757.800000	---	40.94	54.00	13.06	150.0	V	0.0	15.4
11758.783333	49.64	---	74.00	24.36	150.0	V	0.0	15.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_80M_5809.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1350.500000	45.30	---	74.00	28.70	150.0	H	309.0	3.1
1351.000000	---	34.39	54.00	19.61	150.0	H	126.0	3.1
3196.500000	54.51	---	74.00	19.49	150.0	H	202.0	10.8
3277.500000	---	43.87	54.00	10.13	150.0	H	154.0	10.8

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: D-RTK 3 Multifunctional Station
 Model: R600BS
 Test Mode: SDR 5.8G_80M_5809.5MHz
 Order No/Sample No: 168492000/A003834149-006
 Test Voltage: Battery
 Remark: Temp 24 Humi:50%
 Test Standard: FCC 15.407
 Tested By: Kei Zhang
 Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1114.000000	---	33.85	54.00	20.15	150.0	V	283.0	0.7
1121.500000	44.50	---	74.00	29.50	150.0	V	283.0	0.9
2636.000000	---	42.43	54.00	11.57	150.0	V	216.0	10.0
2666.500000	53.27	---	74.00	20.73	150.0	V	234.0	10.2
5445.500000	62.52	---	74.00	11.48	150.0	V	6.0	15.0
5448.500000	---	51.75	54.00	2.25	150.0	V	6.0	15.0

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_80M_5809.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11751.900000	50.44	---	74.00	23.56	150.0	H	139.0	15.5
11752.883333	---	41.40	54.00	12.60	150.0	H	139.0	15.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_80M_5809.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11758.291667	51.15	---	74.00	22.85	150.0	V	214.0	15.4
11792.216667	---	40.99	54.00	13.01	150.0	V	106.0	14.9

Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Appendix A.6: Test Results of Radiated Emissions in Restricted Bands

5.8G SDR, 1.4MHz BW

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_1.4M_5728.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5631.472222	57.64	68.20	10.56	150.0	H	6.0	15.3

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_1.4M_5728.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5635.811111	61.97	68.20	6.23	150.0	V	353.0	15.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_1.4M_5846.12MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5990.069444	59.57	68.20	8.63	150.0	H	107.0	16.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_1.4M_5846.12MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5950.958333	61.40	68.20	6.80	150.0	V	0.0	16.3


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

5.8G SDR, 3MHz BW

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_3M_5727.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5642.594445	56.60	68.20	11.60	150.0	H	240.0	15.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_3M_5727.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5602.75000	61.54	68.20	6.66	150.0	V	0.0	15.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_3M_5847.2MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5953.631945	58.66	68.20	9.54	150.0	H	164.0	16.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_3M_5847.2MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5942.326389	61.39	68.20	6.81	150.0	V	315.0	16.2


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

5.8G SDR, 5MHz BW

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_5M_5732.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5645.588889	56.27	68.20	11.93	150.0	H	140.0	15.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_5M_5732.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5625.911111	60.30	68.20	7.90	150.0	V	0.0	15.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_5M_5842.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5938.583333	58.29	68.20	9.91	150.0	H	41.0	16.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_5M_5842.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5925.673611	60.84	68.20	7.36	150.0	V	345.0	16.2


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

5.8G SDR, 10MHz BW

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_10M_5730.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5638.500000	56.77	68.20	11.43	150.0	H	57.0	15.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_10M_5730.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5607.883333	62.20	68.20	6.00	150.0	V	357.0	15.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_10M_5844.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5941.715278	58.76	68.20	9.44	150.0	H	312.0	16.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_10M_5844.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5926.666667	60.80	68.20	7.40	150.0	V	43.0	16.2


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

5.8G SDR, 20MHz BW

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_20M_5735.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5646.200000	56.55	68.20	11.65	150.0	H	150.0	15.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_20M_5735.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5611.366667	61.80	68.20	6.40	150.0	V	342.0	15.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_20M_5839.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5997.326389	59.47	68.20	8.73	150.0	H	246.0	16.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_20M_5839.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5929.111111	61.22	68.20	6.98	150.0	V	5.0	16.2


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

5.8G SDR, 40MHz BW

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_40M_5745.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5642.716667	56.91	68.20	11.29	150.0	H	214.0	15.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_40M_5745.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5607.333333	61.60	68.20	6.60	150.0	V	7.0	15.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_40M_5829.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5995.493056	59.27	68.20	8.93	150.0	H	292.0	16.5

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_40M_5829.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5997.784722	60.04	68.20	8.16	150.0	V	359.0	16.5


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

5.8G SDR, 60MHz BW

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_60M_5755.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5605.805556	58.17	68.20	10.03	150.0	H	80.0	15.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_60M_5755.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5608.433333	61.12	68.20	7.08	150.0	V	0.0	15.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_60M_5819.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5925.979167	58.56	68.20	9.64	150.0	H	156.0	16.2

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_60M_5819.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5931.020833	59.95	68.20	8.25	150.0	V	312.0	16.2


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

5.8G SDR, 80MHz BW

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_80M_5765.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5629.700000	57.20	68.20	11.00	150.0	H	250.0	15.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_80M_5765.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5604.216667	60.56	68.20	7.64	150.0	V	21.0	15.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_80M_5809.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5970.055556	58.52	68.20	9.68	150.0	H	337.0	16.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Model:	R600BS
Test Mode:	SDR 5.8G_80M_5809.5MHz
Order No/Sample No:	168492000/A003834149-006
Test Voltage:	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5950.500000	60.39	68.20	7.81	150.0	V	0.0	16.3


Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Appendix A.7: Test Results of Conducted Emission on AC Mains

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Order Number:	168492000
Model:	R600BS
Test Mode:	5.8G SDR Link
Test Voltage:	AC 120V/60Hz
Test Standard:	FCC Part 15C
Test By:/Review By:	Steve Lan/ Shower Dai
Tem./Hum./Pressure:	23.4°C/51.2%/101kPa
Remark:	SR2



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Line	Corr. (dB)
0.417500	---	37.49	47.57	10.08	L1	9.9
0.421500	51.28	---	57.49	6.21	L1	9.9
0.473500	---	36.60	46.44	9.84	L1	10.0
0.477500	53.31	---	56.44	3.13	L1	10.0
0.942000	---	25.93	46.00	20.07	L1	10.0
0.942000	42.25	---	56.00	13.75	L1	10.0
1.426000	43.99	---	56.00	12.01	L1	10.1
1.458000	---	26.64	46.00	19.36	L1	10.1
3.354000	40.40	---	56.00	15.60	L1	10.2
3.414000	---	26.47	46.00	19.53	L1	10.2
19.526000	---	35.14	50.00	14.86	L1	10.4
20.090000	51.64	---	60.00	8.36	L1	10.4

Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.417500	---	36.16	47.50	11.34	1000.0	9.000	L1	9.9
0.421500	48.23	---	57.42	9.19	1000.0	9.000	L1	9.9
0.473500	---	34.82	46.45	11.63	1000.0	9.000	L1	10.0
0.477500	48.95	---	56.38	7.44	1000.0	9.000	L1	10.0

EUT Information

EUT Name:	D-RTK 3 Multifunctional Station
Order Number:	168492000
Model:	R600BS
Test Mode:	5.8G SDR Link
Test Voltage:	AC 120V/60Hz
Test Standard:	FCC Part 15C
Test By:/Review By:	Steve Lan/ Shower Dai
Tem./Hum./Pressure:	23.4°C/51.2%/101kPa
Remark:	SR2



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Line	Corr. (dB)
0.421500	---	41.77	47.41	5.64	N	9.8
0.426500	53.97	---	57.41	3.44	N	9.8
0.457500	56.68	---	56.73	0.05	N	9.8
0.457500	---	41.77	46.73	4.96	N	9.8
1.374000	---	29.92	46.00	16.08	N	9.8
1.406000	44.42	---	56.00	11.58	N	9.8
2.426000	42.36	---	56.00	13.64	N	9.9
2.446000	---	29.45	46.00	16.55	N	9.9
5.730000	---	30.39	50.00	19.61	N	9.9
5.758000	41.85	---	60.00	18.15	N	9.9
19.926000	---	37.65	50.00	12.35	N	10.2
20.290000	51.76	---	60.00	8.24	N	10.2

Final Result

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.421500	---	40.30	47.42	7.12	1000.0	9.000	N	9.8
0.426500	51.94	---	57.32	5.38	1000.0	9.000	N	9.8
0.457500	---	40.95	46.74	5.79	1000.0	9.000	N	9.8
0.457500	53.72	---	56.74	3.01	1000.0	9.000	N	9.8