




BUREAU  
VERITAS

## FCC SAR Test Report



Certificate #6613.01

### Appendix E. Photographs of EUT and Setup






BUREAU  
VERITAS

## FCC SAR Test Report



Certificate #6613.01

### <Antenna Location>



### <EUT Back View>

The separation distance for antenna to edge:

| Antenna           | Overall diagonal(mm) | Display diagonal(mm) | To Left Side (mm) | To Right Side (mm) | To Top Side (mm) | To Bottom Side (mm) |
|-------------------|----------------------|----------------------|-------------------|--------------------|------------------|---------------------|
| WWAN TX Antenna-8 | 170                  | 152                  | 62                | 0                  | 20               | 130                 |
| WWAN TX Antenna-9 |                      |                      | 0                 | 55                 | 7                | 140                 |

| Antenna           | Supported bands   |
|-------------------|-------------------|
| WWAN TX Antenna-8 | WLAN2.4G / WLAN5G |
| WWAN TX Antenna-9 | WLAN2.4G / WLAN5G |

## EUT Setup Photos



Fig-4.5 Right Cheek  
(Head Mode)



Fig-4.6 Left Cheek  
(Head Mode)




Fig-4.7 Right Tilted  
(Head Mode)




Fig-4.8 Left Tilted  
(Head Mode)



Fig-4.9 Front Face of EUT with 1 cm Gap  
(Body-Worn Mode)



Fig-4.10 Rear Face of EUT with 1 cm Gap  
(Body-Worn Mode)



Fig-4.11 Left Side of EUT with 1 cm Gap  
(Body-Worn Mode)




Fig-4.12 Right Side of EUT with 1 cm Gap  
(Body-Worn Mode)




Fig-4.13 Top Side of EUT with 1 cm Gap  
(Body-Worn Mode)



Fig-4.14 Front Face of EUT with 0 cm Gap  
(Extremity Mode)



Fig-4.15 Rear Face of EUT with 0 cm Gap  
(Extremity Mode)



Fig-4.16 Left Side of EUT with 0 cm Gap  
(Extremity Mode)



Fig-4.17 Right Side of EUT with 0 cm Gap  
(Extremity Mode)




Fig-4.18 Top Side of EUT with 0 cm Gap  
(Extremity Mode)