












BUREAU
VERITAS

Reference No.: PSU-NQN2412310215RF03




MIMO Antenna 8_802.11ax (HE80)






BUREAU
VERITAS


Reference No.: PSU-NQN2412310215RF03




CH 183



CH 199



CH 215



Spectrum Plot


CH 15




CH 47



CH 79




CH 111




CH 143




CH 175



CH 207




MIMO Antenna 9_802.11a






BUREAU
VERITAS


Reference No.: PSU-NQN2412310215RF03




CH 181




CH 185




CH 213




CH 229




CH 233








Reference No.: PSU-NQN2412310215RF03









MIMO Antenna 9_802.11ax (HE40)





BUREAU
VERITAS


Reference No.: PSU-NQN2412310215RF03






BUREAU
VERITAS

Reference No.: PSU-NQN2412310215RF03




MIMO Antenna 9_802.11ax (HE80)



Huarui 7Layers High Technology
(Suzhou) Co., Ltd


Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86(0557) 368 1008




Spectrum Plot


CH 15



CH 47




CH 79




CH 111




CH 143



CH 175



CH 207



1.5 Peak Power Spectral Density Measurement

1.5.1 Limits of Peak Power Spectral Density Measurement

Operation Band	EUT Category	Limit
		Peak Power Density (EIRP)
U-NII-5 U-NII-6 U-NII-7 U-NII-8	Client Devices (controlled of an indoor AP)	-1 dBm/MHz
U-NII-5 U-NII-7	Client Devices (controlled of a Standard Power AP)	17 dBm/MHz

1.5.2 Test Setup





Reference No.: PSU-NQN2412310215RF03

1.5.3 Test Procedures

The transmitter output was connected to the spectrum analyzer through an attenuator. The bandwidth of the fundamental frequency was measured by spectrum analyzer with resolution bandwidth in the range of 1% to 5% of the anticipated emission bandwidth, and a video bandwidth at least 3x the resolution bandwidth and set the detector to SAMPLE. The width of a frequency band such that, below the lower and above the upper frequency limits, the mean powers emitted are each equal to a specified percentage 0.5 %of the total mean power of a given emission.

1.5.4 Test Results

Under control of Indoor AP:

802.11a

Chan.	Chan. Freq. (MHz)	Chain	Result (dBm)	Antenna Gain (dBi)	EIRP PSD (dBm/MHz)	EIRP PSD Limit (dBm/MHz)	Pass / Fail
1	5955	SISO 8	-12.95	1.50	-11.45	-1.00	PASS
		SISO 9	-10.43	-0.82	-11.25	-1.00	PASS
		MIMO 8	-9.11	/	/	/	/
		MIMO 9	-12.77	/	/	/	/
		Combined 8+9	-7.56	3.43	-4.13	-1.00	PASS
45	6175	SISO 8	-11.62	1.50	-10.12	-1.00	PASS
		SISO 9	-10.16	-0.82	-10.98	-1.00	PASS
		MIMO 8	-10.41	/	/	/	/
		MIMO 9	-9.29	/	/	/	/
		Combined 8+9	-6.80	3.43	-3.37	-1.00	PASS
93	6415	SISO 8	-11.02	1.50	-9.52	-1.00	PASS
		SISO 9	-10.01	-0.82	-10.83	-1.00	PASS
		MIMO 8	-6.99	/	/	/	/
		MIMO 9	-11.39	/	/	/	/
		Combined 8+9	-5.64	3.43	-2.21	-1.00	PASS
97	6435	SISO 8	-12.43	0.94	-11.49	-1.00	PASS
		SISO 9	-10.36	-7.91	-18.27	-1.00	PASS
		MIMO 8	-8.19	/	/	/	/
		MIMO 9	-12.89	/	/	/	/
		Combined 8+9	-6.92	0.61	-6.31	-1.00	PASS
105	6475	SISO 8	-10.53	0.94	-9.59	-1.00	PASS
		SISO 9	-9.34	-7.91	-17.25	-1.00	PASS
		MIMO 8	-7.69	/	/	/	/
		MIMO 9	-12.41	/	/	/	/
		Combined 8+9	-6.43	0.61	-5.82	-1.00	PASS
113	6515	SISO 8	-10.78	0.94	-9.84	-1.00	PASS
		SISO 9	-9.47	-7.91	-17.38	-1.00	PASS
		MIMO 8	-7.12	/	/	/	/
		MIMO 9	-11.83	/	/	/	/
		Combined 8+9	-5.86	0.61	-5.25	-1.00	PASS
117	6535	SISO 8	-10.97	1.51	-9.46	-1.00	PASS
		SISO 9	-10.52	-5.07	-15.59	-1.00	PASS
		MIMO 8	-8.27	/	/	/	/



**BUREAU
VERITAS**

Reference No.: PSU-NQN2412310215RF03

		MIMO 9	-13.06	/	/	/	/
		Combined 8+9	-7.03	1.84	-5.19	-1.00	PASS
153	6715	SISO 8	-12.15	1.51	-10.64	-1.00	PASS
		SISO 9	-10.41	-5.07	-15.48	-1.00	PASS
		MIMO 8	-9.28	/	/	/	/
		MIMO 9	-11.82	/	/	/	/
		Combined 8+9	-7.36	1.84	-5.52	-1.00	PASS
181	6855	SISO 8	-10.85	1.51	-9.34	-1.00	PASS
		SISO 9	-10.89	-5.07	-15.96	-1.00	PASS
		MIMO 8	-8.29	/	/	/	/
		MIMO 9	-11.56	/	/	/	/
		Combined 8+9	-6.61	1.84	-4.77	-1.00	PASS
185	6875	SISO 8	-9.52	0.25	-9.27	-1.00	PASS
		SISO 9	-10.62	-2.55	-13.17	-1.00	PASS
		MIMO 8	-8.05	/	/	/	/
		MIMO 9	-11.29	/	/	/	/
		Combined 8+9	-6.36	1.97	-4.39	-1.00	PASS
213	7015	SISO 8	-11.06	0.25	-10.81	-1.00	PASS
		SISO 9	-11.01	-2.55	-13.56	-1.00	PASS
		MIMO 8	-8.41	/	/	/	/
		MIMO 9	-13.12	/	/	/	/
		Combined 8+9	-7.15	1.97	-5.18	-1.00	PASS
229	7095	SISO 8	-13.60	0.25	-13.35	-1.00	PASS
		SISO 9	-10.81	-2.55	-13.36	-1.00	PASS
		MIMO 8	-8.13	/	/	/	/
		MIMO 9	-12.46	/	/	/	/
		Combined 8+9	-6.77	1.97	-4.80	-1.00	PASS
233	7115	SISO 8	-13.76	0.25	-13.51	-1.00	PASS
		SISO 9	-9.84	-2.55	-12.39	-1.00	PASS
		MIMO 8	-8.58	/	/	/	/
		MIMO 9	-12.72	/	/	/	/
		Combined 8+9	-7.16	1.97	-5.19	-1.00	PASS

802.11ax (HE20)

Chan.	Chan. Freq. (MHz)	Chain	Result (dBm)	Antenna Gain (dBi)	EIRP PSD (dBm/MHz)	EIRP PSD Limit (dBm/MHz)	Pass / Fail
1	5955	SISO 8	-11.02	1.50	-9.52	-1.00	PASS
		SISO 9	-11.40	-0.82	-12.22	-1.00	PASS
		MIMO 8	-8.96	/	/	/	/
		MIMO 9	-13.49	/	/	/	/



**BUREAU
VERITAS**

Reference No.: PSU-NQN2412310215RF03

		Combined 8+9	-7.65	3.43	-4.22	-1.00	PASS
45	6175	SISO 8	-10.15	1.50	-8.65	-1.00	PASS
		SISO 9	-10.17	-0.82	-10.99	-1.00	PASS
		MIMO 8	-10.26	/	/	/	/
		MIMO 9	-8.98	/	/	/	/
		Combined 8+9	-6.56	3.43	-3.13	-1.00	PASS
93	6415	SISO 8	-10.34	1.50	-8.84	-1.00	PASS
		SISO 9	-9.76	-0.82	-10.58	-1.00	PASS
		MIMO 8	-8.21	/	/	/	/
		MIMO 9	-11.65	/	/	/	/
		Combined 8+9	-6.59	3.43	-3.16	-1.00	PASS
97	6435	SISO 8	-9.86	0.94	-8.92	-1.00	PASS
		SISO 9	-10.29	-7.91	-18.20	-1.00	PASS
		MIMO 8	-7.85	/	/	/	/
		MIMO 9	-12.22	/	/	/	/
		Combined 8+9	-6.50	0.61	-5.89	-1.00	PASS
105	6475	SISO 8	-9.30	0.94	-8.36	-1.00	PASS
		SISO 9	-9.55	-7.91	-17.46	-1.00	PASS
		MIMO 8	-7.19	/	/	/	/
		MIMO 9	-11.97	/	/	/	/
		Combined 8+9	-5.94	0.61	-5.33	-1.00	PASS
113	6515	SISO 8	-9.53	0.94	-8.59	-1.00	PASS
		SISO 9	-9.60	-7.91	-17.51	-1.00	PASS
		MIMO 8	-7.13	/	/	/	/
		MIMO 9	-11.62	/	/	/	/
		Combined 8+9	-5.81	0.61	-5.20	-1.00	PASS
117	6535	SISO 8	-9.99	1.51	-8.48	-1.00	PASS
		SISO 9	-10.93	-5.07	-16.00	-1.00	PASS
		MIMO 8	-7.75	/	/	/	/
		MIMO 9	-12.27	/	/	/	/
		Combined 8+9	-6.44	1.84	-4.60	-1.00	PASS
153	6715	SISO 8	-10.32	1.51	-8.81	-1.00	PASS
		SISO 9	-10.08	-5.07	-15.15	-1.00	PASS
		MIMO 8	-9.56	/	/	/	/
		MIMO 9	-11.66	/	/	/	/
		Combined 8+9	-7.47	1.84	-5.63	-1.00	PASS
181	6855	SISO 8	-10.23	1.51	-8.72	-1.00	PASS
		SISO 9	-10.75	-5.07	-15.82	-1.00	PASS
		MIMO 8	-9.54	/	/	/	/
		MIMO 9	-12.06	/	/	/	/
		Combined 8+9	-7.61	1.84	-5.77	-1.00	PASS



**BUREAU
VERITAS**

Reference No.: PSU-NQN2412310215RF03

185	6875	SISO 8	-9.14	0.25	-8.89	-1.00	PASS
		SISO 9	-10.56	-2.55	-13.11	-1.00	PASS
		MIMO 8	-8.64	/	/	/	/
		MIMO 9	-11.07	/	/	/	/
		Combined 8+9	-6.68	1.97	-4.71	-1.00	PASS
213	7015	SISO 8	-10.33	0.25	-10.08	-1.00	PASS
		SISO 9	-10.44	-2.55	-12.99	-1.00	PASS
		MIMO 8	-8.25	/	/	/	/
		MIMO 9	-12.80	/	/	/	/
		Combined 8+9	-6.94	1.97	-4.97	-1.00	PASS
229	7095	SISO 8	-10.09	0.25	-9.84	-1.00	PASS
		SISO 9	-10.19	-2.55	-12.74	-1.00	PASS
		MIMO 8	-7.68	/	/	/	/
		MIMO 9	-12.92	/	/	/	/
		Combined 8+9	-6.54	1.97	-4.57	-1.00	PASS
233	7115	SISO 8	-10.47	0.25	-10.22	-1.00	PASS
		SISO 9	-12.79	-2.55	-15.34	-1.00	PASS
		MIMO 8	-7.96	/	/	/	/
		MIMO 9	-12.17	/	/	/	/
		Combined 8+9	-6.56	1.97	-4.59	-1.00	PASS

802.11ax (HE40)

Chan.	Chan. Freq. (MHz)	Chain	Result (dBm)	Antenna Gain (dBi)	EIRP PSD (dBm/MHz)	EIRP PSD Limit (dBm/MHz)	Pass / Fail
3	5965	SISO 8	-9.55	1.50	-8.05	-1.00	PASS
		SISO 9	-10.41	-0.82	-11.23	-1.00	PASS
		MIMO 8	-9.11	/	/	/	/
		MIMO 9	-12.89	/	/	/	/
		Combined 8+9	-7.59	3.43	-4.16	-1.00	PASS
43	6165	SISO 8	-9.77	1.50	-8.27	-1.00	PASS
		SISO 9	-9.87	-0.82	-10.69	-1.00	PASS
		MIMO 8	-9.80	/	/	/	/
		MIMO 9	-9.36	/	/	/	/
		Combined 8+9	-6.56	3.43	-3.13	-1.00	PASS
91	6405	SISO 8	-9.39	1.50	-7.89	-1.00	PASS
		SISO 9	-8.38	-0.82	-9.20	-1.00	PASS
		MIMO 8	-7.10	/	/	/	/
		MIMO 9	-10.83	/	/	/	/
		Combined 8+9	-5.57	3.43	-2.14	-1.00	PASS
99	6445	SISO 8	-9.61	0.94	-8.67	-1.00	PASS

Huarui 7Layers High Technology
(Suzhou) Co., Ltd

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86(0557) 368 1008



**BUREAU
VERITAS**

Reference No.: PSU-NQN2412310215RF03

		SISO 9	-10.11	-7.91	-18.02	-1.00	PASS
		MIMO 8	-8.19	/	/	/	/
		MIMO 9	-12.48	/	/	/	/
		Combined 8+9	-6.82	0.61	-6.21	-1.00	PASS
107	6485	SISO 8	-8.87	0.94	-7.93	-1.00	PASS
		SISO 9	-8.93	-7.91	-16.84	-1.00	PASS
		MIMO 8	-6.70	/	/	/	/
		MIMO 9	-11.56	/	/	/	/
		Combined 8+9	-5.47	0.61	-4.86	-1.00	PASS
115	6525	SISO 8	-9.67	0.94	-8.73	-1.00	PASS
		SISO 9	-10.16	-7.91	-18.07	-1.00	PASS
		MIMO 8	-7.55	/	/	/	/
		MIMO 9	-12.32	/	/	/	/
		Combined 8+9	-6.30	0.61	-5.69	-1.00	PASS
123	6565	SISO 8	-10.03	1.51	-8.52	-1.00	PASS
		SISO 9	-9.72	-5.07	-14.79	-1.00	PASS
		MIMO 8	-8.53	/	/	/	/
		MIMO 9	-12.67	/	/	/	/
		Combined 8+9	-7.11	1.84	-5.27	-1.00	PASS
155	6725	SISO 8	-10.22	1.51	-8.71	-1.00	PASS
		SISO 9	-9.85	-5.07	-14.92	-1.00	PASS
		MIMO 8	-8.97	/	/	/	/
		MIMO 9	-11.60	/	/	/	/
		Combined 8+9	-7.08	1.84	-5.24	-1.00	PASS
179	6845	SISO 8	-10.69	1.51	-9.18	-1.00	PASS
		SISO 9	-11.02	-5.07	-16.09	-1.00	PASS
		MIMO 8	-8.86	/	/	/	/
		MIMO 9	-12.13	/	/	/	/
		Combined 8+9	-7.18	1.84	-5.34	-1.00	PASS
187	6885	SISO 8	-9.32	0.25	-9.07	-1.00	PASS
		SISO 9	-9.90	-2.55	-12.45	-1.00	PASS
		MIMO 8	-7.94	/	/	/	/
		MIMO 9	-11.06	/	/	/	/
		Combined 8+9	-6.22	1.97	-4.25	-1.00	PASS
211	7005	SISO 8	-10.12	0.25	-9.87	-1.00	PASS
		SISO 9	-9.68	-2.55	-12.23	-1.00	PASS
		MIMO 8	-7.71	/	/	/	/
		MIMO 9	-10.77	/	/	/	/
		Combined 8+9	-5.97	1.97	-4.00	-1.00	PASS
227	7085	SISO 8	-9.62	0.25	-9.37	-1.00	PASS
		SISO 9	-10.27	-2.55	-12.82	-1.00	PASS

		MIMO 8	-6.76	/	/	/	/
		MIMO 9	-12.34	/	/	/	/
		Combined 8+9	-5.70	1.97	-3.73	-1.00	PASS

802.11ax (HE80)

Chan.	Chan. Freq. (MHz)	Chain	Result (dBm)	Antenna Gain (dBi)	EIRP PSD (dBm/MHz)	EIRP PSD Limit (dBm/MHz)	Pass / Fail
7	5985	SISO 8	-8.76	1.50	-7.26	-1.00	PASS
		SISO 9	-10.59	-0.82	-11.41	-1.00	PASS
		MIMO 8	-8.73	/	/	/	/
		MIMO 9	-12.23	/	/	/	/
		Combined 8+9	-7.13	3.43	-3.70	-1.00	PASS
39	6145	SISO 8	-9.73	1.50	-8.23	-1.00	PASS
		SISO 9	-9.53	-0.82	-10.35	-1.00	PASS
		MIMO 8	-9.79	/	/	/	/
		MIMO 9	-9.64	/	/	/	/
		Combined 8+9	-6.70	3.43	-3.27	-1.00	PASS
87	6385	SISO 8	-7.61	1.50	-6.11	-1.00	PASS
		SISO 9	-8.12	-0.82	-8.94	-1.00	PASS
		MIMO 8	-7.18	/	/	/	/
		MIMO 9	-10.63	/	/	/	/
		Combined 8+9	-5.56	3.43	-2.13	-1.00	PASS
103	6465	SISO 8	-8.22	0.94	-7.28	-1.00	PASS
		SISO 9	-9.02	-7.91	-16.93	-1.00	PASS
		MIMO 8	-6.37	/	/	/	/
		MIMO 9	-11.62	/	/	/	/
		Combined 8+9	-5.24	0.61	-4.63	-1.00	PASS
119	6545	SISO 8	-8.71	1.51	-7.20	-1.00	PASS
		SISO 9	-10.40	-5.07	-15.47	-1.00	PASS
		MIMO 8	-6.97	/	/	/	/
		MIMO 9	-12.39	/	/	/	/
		Combined 8+9	-5.87	1.84	-4.03	-1.00	PASS
135	6625	SISO 8	-8.94	1.51	-7.43	-1.00	PASS
		SISO 9	-10.48	-5.07	-15.55	-1.00	PASS
		MIMO 8	-7.17	/	/	/	/
		MIMO 9	-12.10	/	/	/	/
		Combined 8+9	-5.96	1.84	-4.12	-1.00	PASS
151	6705	SISO 8	-9.11	1.51	-7.60	-1.00	PASS



**BUREAU
VERITAS**

Reference No.: PSU-NQN2412310215RF03

		SISO 9	-9.67	-5.07	-14.74	-1.00	PASS
		MIMO 8	-7.80	/	/	/	/
		MIMO 9	-11.04	/	/	/	/
		Combined 8+9	-6.11	1.84	-4.27	-1.00	PASS
167	6785	SISO 8	-8.44	1.51	-6.93	-1.00	PASS
		SISO 9	-7.90	-5.07	-12.97	-1.00	PASS
		MIMO 8	-7.00	/	/	/	/
		MIMO 9	-10.96	/	/	/	/
		Combined 8+9	-5.53	1.84	-3.69	-1.00	PASS
183	6865	SISO 8	-9.07	1.51	-7.56	-1.00	PASS
		SISO 9	-9.65	-5.07	-14.72	-1.00	PASS
		MIMO 8	-8.02	/	/	/	/
		MIMO 9	-11.65	/	/	/	/
		Combined 8+9	-6.46	1.84	-4.62	-1.00	PASS
199	6945	SISO 8	-9.72	0.25	-9.47	-1.00	PASS
		SISO 9	-9.97	-2.55	-12.52	-1.00	PASS
		MIMO 8	-8.10	/	/	/	/
		MIMO 9	-11.67	/	/	/	/
		Combined 8+9	-6.52	1.97	-4.55	-1.00	PASS
215	7025	SISO 8	-8.98	0.25	-8.73	-1.00	PASS
		SISO 9	-10.14	-2.55	-12.69	-1.00	PASS
		MIMO 8	-7.49	/	/	/	/
		MIMO 9	-11.64	/	/	/	/
		Combined 8+9	-6.08	1.97	-4.11	-1.00	PASS

802.11ax (HE160)

Chan.	Chan. Freq. (MHz)	Chain	Result (dBm)	Antenna Gain (dBi)	EIRP PSD (dBm/MHz)	EIRP PSD Limit (dBm/MHz)	Pass / Fail
15	6025	SISO 8	-9.80	1.50	-8.30	-1.00	PASS
		SISO 9	-10.78	-0.82	-11.60	-1.00	PASS
		MIMO 8	-9.46	/	/	/	/
		MIMO 9	-11.96	/	/	/	/
		Combined 8+9	-7.52	3.43	-4.09	-1.00	PASS
47	6185	SISO 8	-9.18	1.50	-7.68	-1.00	PASS
		SISO 9	-8.64	-0.82	-9.46	-1.00	PASS
		MIMO 8	-9.99	/	/	/	/
		MIMO 9	-9.41	/	/	/	/



**BUREAU
VERITAS**

Reference No.: PSU-NQN2412310215RF03

		Combined 8+9	-6.68	3.43	-3.25	-1.00	PASS
79	6345	SISO 8	-8.89	1.50	-7.39	-1.00	PASS
		SISO 9	-9.73	-0.82	-10.55	-1.00	PASS
		MIMO 8	-7.74	/	/	/	/
		MIMO 9	-11.56	/	/	/	/
		Combined 8+9	-6.23	3.43	-2.80	-1.00	PASS
111	6505	SISO 8	-8.22	0.94	-7.28	-1.00	PASS
		SISO 9	-8.47	-7.91	-16.38	-1.00	PASS
		MIMO 8	-6.76	/	/	/	/
		MIMO 9	-12.56	/	/	/	/
		Combined 8+9	-5.75	0.61	-5.14	-1.00	PASS
143	6665	SISO 8	-9.03	1.51	-7.52	-1.00	PASS
		SISO 9	-8.07	-5.07	-13.14	-1.00	PASS
		MIMO 8	-7.20	/	/	/	/
		MIMO 9	-12.81	/	/	/	/
		Combined 8+9	-6.15	1.84	-4.31	-1.00	PASS
175	6825	SISO 8	-9.83	1.51	-8.32	-1.00	PASS
		SISO 9	-9.50	-5.07	-14.57	-1.00	PASS
		MIMO 8	-8.40	/	/	/	/
		MIMO 9	-12.27	/	/	/	/
		Combined 8+9	-6.91	1.84	-5.07	-1.00	PASS
207	6985	SISO 8	-8.34	0.25	-8.09	-1.00	PASS
		SISO 9	-9.37	-2.55	-11.92	-1.00	PASS
		MIMO 8	-7.42	/	/	/	/
		MIMO 9	-11.22	/	/	/	/
		Combined 8+9	-5.91	1.97	-3.94	-1.00	PASS

Under control of Indoor AP:


SISO Antenna 8_802.11a






BUREAU
VERITAS


Reference No.: PSU-NQN2412310215RF03




CH 181




CH 185





CH 213



CH 229



CH 233



SISO Antenna 8_802.11ax (HE20)

Huarui 7Layers High Technology
(Suzhou) Co., Ltd

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86(0557) 368 1008




BUREAU
VERITAS


Reference No.: PSU-NQN2412310215RF03

Spectrum Plot


CH 1




CH 45




CH 93




CH 97




CH 105




CH 113



CH 117



CH 153



CH 181

CH 185

Huarui 7Layers High Technology
(Suzhou) Co., Ltd


Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86(0557) 368 1008




BUREAU
VERITAS


Reference No.: PSU-NQN2412310215RF03




CH 213



CH 229



CH 233




SISO Antenna 8_802.11ax (HE40)

Spectrum Plot	
CH 3	CH 43




BUREAU
VERITAS


Reference No.: PSU-NQN2412310215RF03




CH 91




CH 99




CH 107




CH 115



CH 123



CH 155



CH 179




CH 187




BUREAU
VERITAS

Reference No.: PSU-NQN2412310215RF03



SISO Antenna 8_802.11ax (HE80)



Huarui 7Layers High Technology
(Suzhou) Co., Ltd

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86(0557) 368 1008