




Band41 16QAM BW=20MHz Channel=39750 RB Size=1 Position=#0




Band41 16QAM BW=20MHz Channel=40620 RB Size=1 Position=#0




Band41 16QAM BW=20MHz Channel=41490 RB Size=1 Position=#0




Band41 16QAM BW=5MHz Channel=39675 RB Size=1 Position=#0




Band41 16QAM BW=5MHz Channel=40620 RB Size=1 Position=#0




Band41 16QAM BW=5MHz Channel=41565 RB Size=1 Position=#0




Band41 QPSK BW=10MHz Channel=39700 RB Size=1 Position=#0




Band41 QPSK BW=10MHz Channel=40620 RB Size=1 Position=#0




Band41 QPSK BW=10MHz Channel=41540 RB Size=1 Position=#0




Band41 QPSK BW=15MHz Channel=39725 RB Size=1 Position=#0




Band41 QPSK BW=15MHz Channel=40620 RB Size=1 Position=#0




Band41 QPSK BW=15MHz Channel=41515 RB Size=1 Position=#0




Band41 QPSK BW=20MHz Channel=39750 RB Size=1 Position=#0




Band41 QPSK BW=20MHz Channel=40620 RB Size=1 Position=#0




Band41 QPSK BW=20MHz Channel=41490 RB Size=1 Position=#0




Band41 QPSK BW=5MHz Channel=39675 RB Size=1 Position=#0




Band41 QPSK BW=5MHz Channel=40620 RB Size=1 Position=#0




Band41 QPSK BW=5MHz Channel=41565 RB Size=1 Position=#0




Band66 16QAM BW=1.4MHz Channel=131979 RB Size=1 Position=#0




Band66 16QAM BW=1.4MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=1.4MHz Channel=132665 RB Size=1 Position=#0




Band66 16QAM BW=10MHz Channel=132022 RB Size=1 Position=#0




Band66 16QAM BW=10MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=10MHz Channel=132622 RB Size=1 Position=#0




Band66 16QAM BW=15MHz Channel=132047 RB Size=1 Position=#0




Band66 16QAM BW=15MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=15MHz Channel=132597 RB Size=1 Position=#0




Band66 16QAM BW=20MHz Channel=132072 RB Size=1 Position=#0




Band66 16QAM BW=20MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=20MHz Channel=132572 RB Size=1 Position=#0




Band66 16QAM BW=3MHz Channel=131987 RB Size=1 Position=#0




Band66 16QAM BW=3MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=3MHz Channel=132657 RB Size=1 Position=#0




Band66 16QAM BW=5MHz Channel=131997 RB Size=1 Position=#0




Band66 16QAM BW=5MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=5MHz Channel=132647 RB Size=1 Position=#0




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=1 Position=#0



Band66 QPSK BW=1.4MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=1 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=1 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=1 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=1 Position=#0




Band66 QPSK BW=15MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=15MHz Channel=132597 RB Size=1 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=1 Position=#0




Band66 QPSK BW=20MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=20MHz Channel=132572 RB Size=1 Position=#0




Band66 QPSK BW=3MHz Channel=131987 RB Size=1 Position=#0




Band66 QPSK BW=3MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=1 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=1 Position=#0



Band66 QPSK BW=5MHz Channel=132322 RB Size=1 Position=#0



Band66 QPSK BW=5MHz Channel=132647 RB Size=1 Position=#0



RADIATED SPURIOUS EMISSION

Note:

(1) Spurious emissions which are attenuated by more than 20dB below the permissible value for frequency below 1000MHz.

(2) Test is divided into three directions, X/Y/Z. X pattern for the worst.

LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.30	-25.47	7.00	12.93	-31.40	-13.00	-18.40	H
5580.49	-28.89	8.40	17.11	-37.60	-13.00	-24.60	H
7440.09	-23.12	8.10	22.20	-37.22	-13.00	-24.22	H
3720.30	-28.18	7.00	12.93	-34.11	-13.00	-21.11	V
5580.49	-26.16	8.40	17.11	-34.87	-13.00	-21.87	V
7440.09	-28.10	8.10	22.20	-42.20	-13.00	-29.20	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.94	-28.75	7.00	12.93	-34.68	-13.00	-21.68	H
5639.83	-28.87	8.40	17.11	-37.58	-13.00	-24.58	H
7519.81	-26.65	8.10	22.20	-40.75	-13.00	-27.75	H
3759.94	-28.72	7.00	12.93	-34.65	-13.00	-21.65	V
5639.83	-28.94	8.40	17.11	-37.65	-13.00	-24.65	V
7519.81	-27.82	8.10	22.20	-41.92	-13.00	-28.92	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3799.88	-28.01	7.00	12.93	-33.94	-13.00	-20.94	H
5699.83	-25.72	8.40	17.11	-34.43	-13.00	-21.43	H
7599.93	-22.67	8.10	22.20	-36.77	-13.00	-23.77	H
3799.88	-27.72	7.00	12.93	-33.65	-13.00	-20.65	V
5699.83	-28.23	8.40	17.11	-36.94	-13.00	-23.94	V
7599.93	-28.02	8.10	22.20	-42.12	-13.00	-29.12	V

LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3440.13	-25.62	7.20	12.56	-30.98	-13.00	-17.98	H
5160.02	-29.27	8.10	16.32	-37.49	-13.00	-24.49	H
6880.38	-22.82	8.30	21.13	-35.65	-13.00	-22.65	H
3440.13	-25.42	7.20	12.56	-30.78	-13.00	-17.78	V
5160.02	-27.41	8.10	16.32	-35.63	-13.00	-22.63	V
6880.38	-26.42	8.30	21.13	-39.25	-13.00	-26.25	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.69	-26.56	7.20	12.56	-31.92	-13.00	-18.92	H
5196.48	-29.03	8.10	16.32	-37.25	-13.00	-24.25	H
6929.85	-25.79	8.30	21.13	-38.62	-13.00	-25.62	H
3464.69	-26.79	7.20	12.56	-32.15	-13.00	-19.15	V
5196.48	-26.60	8.10	16.32	-34.82	-13.00	-21.82	V
6929.85	-23.61	8.30	21.13	-36.44	-13.00	-23.44	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.47	-26.93	7.20	12.56	-32.29	-13.00	-19.29	H
5235.32	-24.77	8.10	16.32	-32.99	-13.00	-19.99	H
6979.40	-26.67	8.30	21.13	-39.50	-13.00	-26.50	H
3490.47	-29.45	7.20	12.56	-34.81	-13.00	-21.81	V
5235.32	-26.66	8.10	16.32	-34.88	-13.00	-21.88	V
6979.40	-24.58	8.30	21.13	-37.41	-13.00	-24.41	V

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1657.95	-25.69	7.40	9.72	-28.01	-13.00	-15.01	H
2486.31	-28.41	8.30	10.86	-30.97	-13.00	-17.97	H
3315.18	-27.13	7.20	11.57	-31.50	-13.00	-18.50	H
1657.95	-30.22	7.40	9.72	-32.54	-13.00	-19.54	V
2486.31	-27.31	8.30	10.86	-29.87	-13.00	-16.87	V
3315.18	-24.94	7.20	11.57	-29.31	-13.00	-16.31	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.29	-26.94	7.40	9.72	-29.26	-13.00	-16.26	H
2509.13	-25.78	8.30	10.86	-28.34	-13.00	-15.34	H
3345.31	-28.32	7.20	11.57	-32.69	-13.00	-19.69	H
1672.29	-28.74	7.40	9.72	-31.06	-13.00	-18.06	V
2509.13	-29.66	8.30	10.86	-32.22	-13.00	-19.22	V
3345.31	-24.27	7.20	11.57	-28.64	-13.00	-15.64	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1687.66	-25.42	7.40	9.72	-27.74	-13.00	-14.74	H
2531.34	-28.95	8.30	10.86	-31.51	-13.00	-18.51	H
3375.61	-27.71	7.20	11.57	-32.08	-13.00	-19.08	H
1687.66	-28.14	7.40	9.72	-30.46	-13.00	-17.46	V
2531.34	-25.38	8.30	10.86	-27.94	-13.00	-14.94	V
3375.61	-27.64	7.20	11.57	-32.01	-13.00	-19.01	V

LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5021.16	-29.28	8.00	15.86	-37.14	-25.00	-12.14	H
7530.81	-26.00	8.30	19.28	-36.98	-25.00	-11.98	H
10258.80	-28.38	8.10	23.19	-43.47	-25.00	-18.47	H
5021.16	-28.61	8.00	15.86	-36.47	-25.00	-11.47	V
7530.81	-26.77	8.30	19.28	-37.75	-25.00	-12.75	V
10258.80	-27.20	8.10	23.19	-42.29	-25.00	-17.29	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.94	-28.88	8.00	15.86	-36.74	-25.00	-11.74	H
7604.91	-27.52	8.30	19.28	-38.50	-25.00	-13.50	H
10139.97	-28.53	8.10	23.19	-43.62	-25.00	-18.62	H
5069.94	-29.87	8.00	15.86	-37.73	-25.00	-12.73	V
7604.91	-26.57	8.30	19.28	-37.55	-25.00	-12.55	V
10139.97	-28.64	8.10	23.19	-43.73	-25.00	-18.73	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5118.92	-27.69	8.00	15.86	-35.55	-25.00	-10.55	H
7678.15	-25.57	8.30	19.28	-36.55	-25.00	-11.55	H
10237.57	-27.46	8.10	23.19	-42.55	-25.00	-17.55	H
5118.92	-31.80	8.00	15.86	-39.66	-25.00	-14.66	V
7678.15	-28.53	8.30	19.28	-39.51	-25.00	-14.51	V
10237.57	-24.27	8.10	23.19	-39.36	-25.00	-14.36	V

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1407.81	-25.21	6.70	9.34	-27.85	-13.00	-14.85	H
2111.94	-28.19	7.80	10.42	-30.81	-13.00	-17.81	H
2815.75	-24.08	8.00	11.12	-27.20	-13.00	-14.20	H
1407.81	-30.91	6.70	9.34	-33.55	-13.00	-20.55	V
2111.94	-26.81	7.80	10.42	-29.43	-13.00	-16.43	V
2815.75	-27.84	8.00	11.12	-30.96	-13.00	-17.96	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.82	-28.84	6.70	9.34	-31.48	-13.00	-18.48	H
2122.40	-28.85	7.80	10.42	-31.47	-13.00	-18.47	H
2829.72	-25.17	8.00	11.12	-28.29	-13.00	-15.29	H
1414.82	-28.92	6.70	9.34	-31.56	-13.00	-18.56	V
2122.40	-27.55	7.80	10.42	-30.17	-13.00	-17.17	V
2829.72	-26.11	8.00	11.12	-29.23	-13.00	-16.23	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.71	-26.85	6.70	9.34	-29.49	-13.00	-16.49	H
2132.52	-30.21	7.80	10.42	-32.83	-13.00	-19.83	H
2843.61	-27.16	8.00	11.12	-30.28	-13.00	-17.28	H
1421.71	-30.76	6.70	9.34	-33.40	-13.00	-20.40	V
2132.52	-29.84	7.80	10.42	-32.46	-13.00	-19.46	V
2843.61	-26.03	8.00	11.12	-29.15	-13.00	-16.15	V

LTE Band 13 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1564.09	-48.07	7.40	9.72	-50.39	-40.00	-10.39	H
2346.11	-35.56	8.30	10.86	-38.12	-13.00	-25.12	H
3127.72	-37.41	7.70	11.57	-41.28	-13.00	-28.28	H
1564.09	-45.21	7.40	9.72	-47.53	-40.00	-7.53	V
2346.11	-39.29	8.30	10.86	-41.85	-13.00	-28.85	V
3127.72	-37.15	7.70	11.57	-41.02	-13.00	-28.02	V

LTE Band 14 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1582.08	-48.02	7.50	7.72	-48.24	-40.00	-8.24	H
2378.84	-46.28	8.60	8.86	-46.54	-13.00	-33.54	H
3171.89	-46.03	9.70	10.57	-46.90	-13.00	-33.90	H
1582.08	-48.07	7.50	7.72	-48.29	-40.00	-8.29	V
2378.84	-47.18	8.60	8.86	-47.44	-13.00	-34.44	V
3171.89	-45.50	9.70	10.57	-46.37	-13.00	-33.37	V

LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1418.07	-27.06	6.90	9.34	-29.50	-13.00	-16.50	H
2127.54	-27.40	8.00	10.42	-29.82	-13.00	-16.82	H
2836.86	-26.32	8.00	11.12	-29.44	-13.00	-16.44	H
1418.07	-30.83	6.90	9.34	-33.27	-13.00	-20.27	V
2127.54	-26.63	8.00	10.42	-29.05	-13.00	-16.05	V
2836.86	-28.07	8.00	11.12	-31.19	-13.00	-18.19	V

LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1419.95	-27.05	6.90	9.34	-29.49	-13.00	-16.49	H
2130.12	-26.51	8.00	10.42	-28.93	-13.00	-15.93	H
2840.19	-24.94	8.00	11.12	-28.06	-13.00	-15.06	H
1419.95	-27.14	6.90	9.34	-29.58	-13.00	-16.58	V
2130.12	-29.21	8.00	10.42	-31.63	-13.00	-18.63	V
2840.19	-27.32	8.00	11.12	-30.44	-13.00	-17.44	V

LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.09	-28.87	6.90	9.34	-31.31	-13.00	-18.31	H
2131.80	-28.44	8.00	10.42	-30.86	-13.00	-17.86	H
2842.44	-28.26	8.00	11.12	-31.38	-13.00	-18.38	H
1421.09	-30.65	6.90	9.34	-33.09	-13.00	-20.09	V
2131.80	-26.87	8.00	10.42	-29.29	-13.00	-16.29	V
2842.44	-27.83	8.00	11.12	-30.95	-13.00	-17.95	V

LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.04	-26.61	7.00	12.93	-32.54	-13.00	-19.54	H
5580.29	-28.93	8.40	17.11	-37.64	-13.00	-24.64	H
7440.13	-24.92	8.10	22.20	-39.02	-13.00	-26.02	H
3720.04	-28.18	7.00	12.93	-34.11	-13.00	-21.11	V
5580.29	-27.20	8.40	17.11	-35.91	-13.00	-22.91	V
7440.13	-25.10	8.10	22.20	-39.20	-13.00	-26.20	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.05	-28.32	7.00	12.93	-34.25	-13.00	-21.25	H
5639.85	-28.94	8.40	17.11	-37.65	-13.00	-24.65	H
7520.07	-22.90	8.10	22.20	-37.00	-13.00	-24.00	H
3760.05	-29.94	7.00	12.93	-35.87	-13.00	-22.87	V
5639.85	-27.69	8.40	17.11	-36.40	-13.00	-23.40	V
7520.07	-25.24	8.10	22.20	-39.34	-13.00	-26.34	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3799.79	-24.85	7.00	12.93	-30.78	-13.00	-17.78	H
5700.20	-25.42	8.40	17.11	-34.13	-13.00	-21.13	H
7600.08	-26.70	8.10	22.20	-40.80	-13.00	-27.80	H
3799.79	-27.41	7.00	12.93	-33.34	-13.00	-20.34	V
5700.20	-26.47	8.40	17.11	-35.18	-13.00	-22.18	V
7600.08	-27.72	8.10	22.20	-41.82	-13.00	-28.82	V

LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1663.34	-26.98	7.40	9.72	-29.30	-13.00	-16.30	H
2494.46	-27.11	8.30	10.86	-29.67	-13.00	-16.67	H
3325.51	-27.81	7.20	11.57	-32.18	-13.00	-19.18	H
1663.34	-28.21	7.40	9.72	-30.53	-13.00	-17.53	V
2494.46	-27.82	8.30	10.86	-30.38	-13.00	-17.38	V
3325.51	-28.94	7.20	11.57	-33.31	-13.00	-20.31	V

LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1673.09	-28.63	7.40	9.72	-30.95	-13.00	-17.95	H
2508.88	-31.39	8.30	10.86	-33.95	-13.00	-20.95	H
3345.94	-26.96	7.20	11.57	-31.33	-13.00	-18.33	H
1673.09	-30.74	7.40	9.72	-33.06	-13.00	-20.06	V
2508.88	-27.87	8.30	10.86	-30.43	-13.00	-17.43	V
3345.94	-25.80	7.20	11.57	-30.17	-13.00	-17.17	V

LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1683.71	-30.20	7.40	9.72	-32.52	-13.00	-19.52	H
2524.30	-28.12	8.30	10.86	-30.68	-13.00	-17.68	H
3366.56	-28.82	7.20	11.57	-33.19	-13.00	-20.19	H
1683.71	-28.05	7.40	9.72	-30.37	-13.00	-17.37	V
2524.30	-27.95	8.30	10.86	-30.51	-13.00	-17.51	V
3366.56	-25.54	7.20	11.57	-29.91	-13.00	-16.91	V

LTE Band 26(814-824MHz)/ 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.79	-26.43	7.40	9.72	-28.75	-13.00	-15.75	H
2508.82	-26.84	8.30	10.86	-29.40	-13.00	-16.40	H
3346.00	-26.30	7.20	11.57	-30.67	-13.00	-17.67	H
1672.79	-28.47	7.40	9.72	-30.79	-13.00	-17.79	V
2508.82	-26.69	8.30	10.86	-29.25	-13.00	-16.25	V
3346.00	-25.54	7.20	11.57	-29.91	-13.00	-16.91	V

LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5130.09	-32.26	8.10	15.86	-40.02	-25.00	-15.02	H
7695.06	-32.08	9.00	19.28	-42.36	-25.00	-17.36	H
10259.90	-32.02	8.70	23.19	-46.51	-25.00	-21.51	H
5130.09	-32.63	8.10	15.86	-40.39	-25.00	-15.39	V
7695.06	-32.87	9.00	19.28	-43.15	-25.00	-18.15	V
10259.90	-32.86	8.70	23.19	-47.35	-25.00	-22.35	V
LTE Band 38 /20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5210.28	-32.26	8.10	15.86	-40.02	-25.00	-15.02	H
7814.97	-31.22	9.00	19.28	-41.50	-25.00	-16.50	H
10419.85	-29.14	8.70	23.19	-43.63	-25.00	-18.63	H
5210.28	-35.20	8.10	15.86	-42.96	-25.00	-17.96	V
7814.97	-31.65	9.00	19.28	-41.93	-25.00	-16.93	V
10419.85	-28.52	8.70	23.19	-43.01	-25.00	-18.01	V
LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5290.27	-32.63	8.10	15.86	-40.39	-25.00	-15.39	H
7935.29	-34.21	9.00	19.28	-44.49	-25.00	-19.49	H
10579.91	-32.23	8.70	23.19	-46.72	-25.00	-21.72	H
5290.27	-33.29	8.10	15.86	-41.05	-25.00	-16.05	V
7935.29	-34.99	9.00	19.28	-45.27	-25.00	-20.27	V
10579.91	-31.92	8.70	23.19	-46.41	-25.00	-21.41	V

LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5012.26	-33.64	7.90	15.86	-41.60	-25.00	-16.60	H
7517.90	-33.55	9.00	19.28	-43.83	-25.00	-18.83	H
10023.95	-33.04	8.70	23.19	-47.53	-25.00	-22.53	H
5012.26	-34.28	7.90	15.86	-42.24	-25.00	-17.24	V
7517.90	-34.52	9.00	19.28	-44.80	-25.00	-19.80	V
10023.95	-28.47	8.70	23.19	-42.96	-25.00	-17.96	V
LTE Band 41 /20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5186.06	-33.55	7.90	15.86	-41.51	-25.00	-16.51	H
7779.35	-35.39	9.00	19.28	-45.67	-25.00	-20.67	H
10372.19	-31.40	8.70	23.19	-45.89	-25.00	-20.89	H
5186.06	-34.10	7.90	15.86	-42.06	-25.00	-17.06	V
7779.35	-31.09	9.00	19.28	-41.37	-25.00	-16.37	V
10372.19	-28.48	8.70	23.19	-42.97	-25.00	-17.97	V
LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5360.07	-31.53	7.90	15.86	-39.49	-25.00	-14.49	H
8040.29	-33.73	9.00	19.28	-44.01	-25.00	-19.01	H
10720.02	-33.24	8.70	23.19	-47.73	-25.00	-22.73	H
5360.07	-35.78	7.90	15.86	-43.74	-25.00	-18.74	V
8040.29	-32.60	9.00	19.28	-42.88	-25.00	-17.88	V
10720.02	-32.94	8.70	23.19	-47.43	-25.00	-22.43	V

LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3439.86	-27.76	7.20	12.56	-33.12	-13.00	-20.12	H
5160.04	-27.70	8.10	16.32	-35.92	-13.00	-22.92	H
6880.09	-23.64	8.30	21.13	-36.47	-13.00	-23.47	H
3439.86	-26.40	7.20	12.56	-31.76	-13.00	-18.76	V
5160.04	-29.04	8.10	16.32	-37.26	-13.00	-24.26	V
6880.09	-25.25	8.30	21.13	-38.08	-13.00	-25.08	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.05	-25.36	7.20	12.56	-30.72	-13.00	-17.72	H
5235.21	-27.17	8.10	16.32	-35.39	-13.00	-22.39	H
6980.21	-26.50	8.30	21.13	-39.33	-13.00	-26.33	H
3490.05	-27.94	7.20	12.56	-33.30	-13.00	-20.30	V
5235.21	-26.92	8.10	16.32	-35.14	-13.00	-22.14	V
6980.21	-26.07	8.30	21.13	-38.90	-13.00	-25.90	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3540.05	-28.21	7.20	12.56	-33.57	-13.00	-20.57	H
5310.19	-26.03	8.10	16.32	-34.25	-13.00	-21.25	H
7080.75	-23.58	8.30	21.13	-36.41	-13.00	-23.41	H
3540.05	-27.19	7.20	12.56	-32.55	-13.00	-19.55	V
5310.19	-27.35	8.10	16.32	-35.57	-13.00	-22.57	V
7080.75	-27.97	8.30	21.13	-40.80	-13.00	-27.80	V

APPENDIX III - PHOTOGRAPHS OF EUT CONSTRUCTIONAL DETAILS

Note: Please see LGT24L008EM03_APPENDIX II.

※※※※※END OF THE REPORT※※※※※