


Attachment - C

Hopping Channel Carrier Frequency Separated

Hopping Channel Carrier Frequency Separated



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 100 KHz

Air Pressure: 1023 hpa

M/N: BSR-50

VBW: 100 KHz

Sweep Time: 20 ms

Mode: Hopping Channel Carrier Frequency Separated


Note:

No.	Mk.	Freq. MHz	Reading Level dBm	Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1		2402.170	2.60	0.00	2.60			peak		
2		2403.170	2.60	0.00	2.60			peak		
3	*	2404.170	2.63	0.00	2.63			peak		

Attachment - D

Number of Hopping Channel

Number of Hopping Channel



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 100 KHz

Air Pressure: 1023 hpa

M/N: BSR-50

VBW: 100 KHz

Sweep Time: 200 ms

Mode: Number of Hopping Frequency

Note:

No.	Mk.	Freq. MHz	Reading Level dBm	Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1		2402.000	2.39	0.00	2.39			peak		
2		2403.000	2.24	0.00	2.24			peak		
3		2404.000	1.99	0.00	1.99			peak		
4		2405.000	2.51	0.00	2.51			peak		
5		2406.000	2.03	0.00	2.03			peak		
6		2407.000	2.61	0.00	2.61			peak		
7		2408.000	1.99	0.00	1.99			peak		
8		2409.000	2.43	0.00	2.43			peak		
9		2410.000	2.00	0.00	2.00			peak		
10		2411.000	2.05	0.00	2.05			peak		
11		2412.000	2.42	0.00	2.42			peak		
12		2413.000	2.13	0.00	2.13			peak		

No.	Mk.	Freq.	Reading Level	Factor	Measure- ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree
13		2414.000	2.73	0.00	2.73			peak		
14		2415.000	2.54	0.00	2.54			peak		
15		2416.000	2.11	0.00	2.11			peak		
16		2417.000	2.72	0.00	2.72			peak		
17		2418.000	2.20	0.00	2.20			peak		
18		2419.000	2.68	0.00	2.68			peak		
19		2420.000	2.16	0.00	2.16			peak		
20		2421.000	2.15	0.00	2.15			peak		
21		2422.000	2.58	0.00	2.58			peak		
22		2423.000	2.16	0.00	2.16			peak		
23		2424.000	2.48	0.00	2.48			peak		
24		2425.000	2.15	0.00	2.15			peak		
25		2426.000	2.49	0.00	2.49			peak		
26		2427.000	2.75	0.00	2.75			peak		
27		2428.000	2.14	0.00	2.14			peak		
28		2429.000	2.31	0.00	2.31			peak		
29		2430.000	2.37	0.00	2.37			peak		
30		2431.000	2.52	0.00	2.52			peak		
31		2432.000	2.56	0.00	2.56			peak		
32		2433.000	2.17	0.00	2.17			peak		
33		2434.000	2.40	0.00	2.40			peak		
34		2435.000	2.19	0.00	2.19			peak		
35		2436.000	2.21	0.00	2.21			peak		
36		2437.000	2.69	0.00	2.69			peak		
37		2438.000	2.48	0.00	2.48			peak		
38		2439.000	2.22	0.00	2.22			peak		
39		2440.000	2.50	0.00	2.50			peak		
40		2441.000	2.19	0.00	2.19			peak		
41		2442.000	2.37	0.00	2.37			peak		
42		2443.000	2.75	0.00	2.75			peak		
43		2444.000	2.17	0.00	2.17			peak		

No.	Mk.	Freq.	Reading Level	Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
44		2445.000	2.17	0.00	2.17					peak
45		2446.000	2.43	0.00	2.43					peak
46		2447.000	2.60	0.00	2.60					peak
47		2448.000	2.54	0.00	2.54					peak
48		2449.000	2.44	0.00	2.44					peak
49		2450.000	2.32	0.00	2.32					peak
50		2451.000	2.14	0.00	2.14					peak
51		2452.000	2.80	0.00	2.80					peak
52		2453.000	2.67	0.00	2.67					peak
53		2454.000	2.29	0.00	2.29					peak
54		2455.000	2.74	0.00	2.74					peak
55		2456.000	2.22	0.00	2.22					peak
56		2457.000	2.62	0.00	2.62					peak
57		2458.000	2.18	0.00	2.18					peak
58		2459.000	2.45	0.00	2.45					peak
59		2460.000	2.53	0.00	2.53					peak
60		2461.000	2.68	0.00	2.68					peak
61		2462.000	2.67	0.00	2.67					peak
62		2463.000	2.73	0.00	2.73					peak
63		2464.000	2.77	0.00	2.77					peak
64		2465.000	2.65	0.00	2.65					peak
65		2466.000	2.52	0.00	2.52					peak
66		2467.000	2.17	0.00	2.17					peak
67		2468.000	2.80	0.00	2.80					peak
68		2469.000	2.69	0.00	2.69					peak
69		2470.000	2.13	0.00	2.13					peak
70		2471.000	2.44	0.00	2.44					peak
71		2472.000	2.82	0.00	2.82					peak
72		2473.000	2.41	0.00	2.41					peak
73		2474.000	2.66	0.00	2.66					peak
74		2475.000	2.79	0.00	2.79					peak
75		2476.000	2.82	0.00	2.82					peak
76	*	2477.000	2.85	0.00	2.85					peak
77		2478.000	2.74	0.00	2.74					peak
78		2479.000	2.42	0.00	2.42					peak
79		2480.000	2.76	0.00	2.76					peak

Attachment - E

Average Time of Occupancy

Average Time of Occupancy


File :0505003

Data :#5

Date: 2005/5/19

Time: 下午 02:45:35

30.0 dBm



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 1000 KHz

Air Pressure: 1023 hpa

M/N: BSR-50

VBW: 1000 KHz

Sweep Time: 20 ms

Mode: Average Time of Occupancy-DH1

Note:

No.	Mk.	Freq. MHz	Reading Level dBm	Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	9.8400	2.66	0.00	2.66			peak		
2		10.0000	2.44	0.00	2.44			peak		


File :0505003

Data :#6

Date: 2005/5/19

Time: 下午 02:46:32

30.0 dBm



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 1000 KHz

Air Pressure: 1023 hpa

M/N: BSR-50

VBW: 1000 KHz

Sweep Time: 20 ms

Mode: Average Time of Occupancy-DH3

Note:

No.	Mk.	Freq. MHz	Reading Level dBm	Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	6.4800	2.69	0.00	2.69			peak		
2		6.6400	2.56	0.00	2.56			peak		


File :0505003

Data :#7

Date: 2005/5/19

Time: 下午 02:51:08

30.0 dBm



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 1000 KHz

Air Pressure: 1023 hpa

M/N: BSR-50

VBW: 1000 KHz

Sweep Time: 20 ms

Mode: Average Time of Occupancy-DH5

Note:


No.	Mk.	Freq. MHz	Reading Level dBm	Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	3.8800	2.64	0.00	2.64			peak		
2		4.0400	2.57	0.00	2.57			peak		

Attachment - F

Bandwidth

Bandwidth

CH 1



Site CB03

Limit:

EUT: Blue Tango

M/N: BSR-50

Mode: Bandwidth-CH01

Note: 2402.426MHz-2401.538MHz=888kHz

Polarization:

Power:

Distance:

RBW: 30 KHz

VBW: 30 KHz

Temperature: 25 °C

Humidity: 60 %

Air Pressure: 1023 hpa

Sweep Time: 20 ms

No.	Mk.	Freq. MHz	Reading Level dBm	Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1		2401.538	-19.73	0.00	-19.73	0.47	-20.20	peak		
2	*	2402.426	-19.63	0.00	-19.63	0.53	-20.16	peak		

CH 40

File :0505003

Data :#3

Date: 2005/5/19

Time: 下午 02:44:13

30.0 dBm



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 30 KHz

Air Pressure: 1023 hpa

M/N: BSR-50

VBW: 30 KHz

Sweep Time: 20 ms

Mode: Bandwidth-CH040

Note: 2441.426MHz-2440.538MHz=888kHz

No.	Mk.	Freq. MHz	Reading Level dBm	Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1		2440.538	-19.53	0.00	-19.53	0.67	-20.20	peak		
2	*	2441.426	-19.19	0.00	-19.19	0.73	-19.92	peak		


CH 79

File :0505003

Data :#4

Date: 2005/5/19

Time: 下午 02:44:47



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 30 KHz

Air Pressure: 1023 hpa

M/N: BSR-50

VBW: 30 KHz

Sweep Time: 20 ms

Mode: Bandwidth-CH79

Note: 2480.426MHz-2479.538MHz=888kHz


No.	Mk.	Freq. MHz	Reading Level dBm	Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1		2479.538	-19.41	0.00	-19.41	0.93	-20.34	peak		
2	*	2480.426	-19.46	0.00	-19.46	0.87	-20.33	peak		

Attachment - G

Peak Output Power

Peak Output Power

CH 1



Site CB03

Limit:

EUT: Blue Tango

M/N: BSR-50

Mode: Peak Output Power-CH1

Note:

Polarization:

Power:

Distance:

RBW: 3000 KHz

VBW: 3000 KHz

Temperature: 25 °C

Humidity: 60 %

Air Pressure: 1023 hpa

Sweep Time: 200 ms

No.	Mk.	Freq.	Reading Level	Factor	Measure- ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree
1	*	2401.890	2.63	0.00	2.63			peak		Comment

CH 40


File :0505003

Data :#9

Date: 2005/5/19

Time: 下午 02:55:30

10.0 dBm



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 3000 KHz

Air Pressure: 1023 hpa

M/N: BSR-50

VBW: 3000 KHz


Sweep Time: 200 ms

Mode: Peak Output Power-CH40

Note:

No.	Mk.	Freq. MHz	Reading Level dBm	Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	2440.780	3.07	0.00	3.07			peak		

CH 79



Site CB03	Polarization:	Temperature: 25 °C
Limit:	Power:	Humidity: 60 %
EUT: Blue Tango	Distance:	RBW: 3000 KHz
M/N: BSR-50		VBW: 3000 KHz
Mode: Peak Output Power-CH79		Sweep Time: 200 ms
Note:		

No.	Mk.	Freq.	Reading Level	Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree
1	*	2479.730	3.04	0.00	3.04			peak		Comment

Attachment - H

Antenna conducted Spurious Emission

Antenna conducted Spurious Emission


File :0505003

Data :#12

Date: 2005/5/19

Time: 下午 03:01:18

30.0 dBm



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 100 KHz

Air Pressure: 1023 hpa

M/N: BSR-50

VBW: 100 KHz

Sweep Time: 100 ms

Mode: Antenna conducted Spurious Emission

Note:

No.	Mk.	Freq. MHz	Reading Level dBm	Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	2389.236	-30.90	0.00	-30.90	2.60	-33.50	peak		


File :0505003

Data :#13

Date: 2005/5/19

Time: 下午 03:59:36

30.0 dBm



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 100 KHz

Air Pressure: 1023 hpa

M/N: BSR-50

VBW: 100 KHz

Sweep Time: 100 ms

Mode: Antenna conducted Spurious Emission

Note:

No.	Mk.	Freq. MHz	Reading Level dBm	Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	2496.808	-31.16	0.00	-31.16	2.83	-33.99	peak		

Attachment - I

Restricted Bands Requirements

Restricted Bands Requirements


File :0505003

Data :#24

Date: 2005/05/20

Time: 下午 01:27:25

97.0 dBuV



Site CB03

Polarization: **Vertical**

Temperature: 25 °C

Limit: RF2.4G Radiation(PEAK)

Power:

Humidity: 60 %

EUT: Blue Tango

Distance: 3m

RBW: 1000 KHz

Air Pressure: 1023 hpa

M/N: BSR-50

VBW: 1000 KHz

Sweep Time: 200 ms

Mode: Restricted Bands Requirements

Note:

No.	Mk.	Freq. MHz	Reading Level dBuV	Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	2399.652	77.59	-11.89	65.70	74.00	-8.30	peak		
2		2399.652	34.88	-11.89	22.99	54.00	-31.01	AVG		


File :0505003

Data :#25

Date: 2005/05/20

Time: 下午 01:34:59

97.0 dBuV



Site CB03

Limit: RF2.4G Radiation(PEAK)

EUT: Blue Tango

M/N: BSR-50

Mode: Restricted Bands Requirements

Note:

Polarization: **Horizontal**

Power:

Distance: 3m

RBW: 1000 KHz

VBW: 1000 KHz

Temperature: 25 °C

Humidity: 60 %

Air Pressure: 1023 hpa

Sweep Time: 200 ms

No.	Mk.	Freq. MHz	Reading Level dBuV	Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	2399.838	74.88	-11.89	62.99	74.00	-11.01	peak		
2		2399.838	37.67	-11.89	25.78	54.00	-28.22	AVG		


File :0505003

Data :#27

Date: 2005/05/20

Time: 下午 01:40:42

97.0 dBuV



Site CB03

Polarization: **Vertical**

Temperature: 25 °C

Limit: RF2.4G Radiation(PEAK)

Power:

Humidity: 60 %

EUT: Blue Tango

Distance: 3m

RBW: 1000 KHz

Air Pressure: 1023 hpa

M/N: BSR-50

VBW: 1000 KHz

Sweep Time: 200 ms

Mode: Restricted Bands Requirements

Note:

No.	Mk.	Freq.	Reading Level	Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	cm	degree
1	*	2483.830	63.86	-11.44	52.42	74.00	-21.58	peak		Comment


File :0505003

Data :#26

Date: 2005/05/20

Time: 下午 01:38:48

97.0 dBuV



Site CB03

Limit: RF2.4G Radiation(PEAK)

EUT: Blue Tango

M/N: BSR-50

Mode: Restricted Bands Requirements

Note:

Polarization: **Horizontal**

Power:

Distance: 3m

RBW: 1000 KHz

VBW: 1000 KHz

Temperature: 25 °C

Humidity: 60 %

Air Pressure: 1023 hpa

Sweep Time: 200 ms

No.	Mk.	Freq.	Reading Level	Factor	Measure- ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	cm	degree
1	*	2485.132	62.87	-11.43	51.44	74.00	-22.56	peak		Comment