


Attachment - C

Hopping Channel Carrier Frequency Separated

Hopping Channel Carrier Frequency Separated



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 100 KHz

Air Pressure: 1023 hpa

M/N: BSR-51

VBW: 100 KHz

Sweep Time: 20 ms

Mode: Hopping Channel Carrier Frequency Separated


Note:

No.	Mk.	Freq.	Reading Level	Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	2402.030	5.93	0.00	5.93					peak
2		2403.020	5.71	0.00	5.71					peak
3		2404.020	4.96	0.00	4.96					peak

Attachment - D

Number of Hopping Channel

Number of Hopping Channel



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 100 KHz

Air Pressure: 1023 hpa

M/N: BSR-51

VBW: 100 KHz

Sweep Time: 200 ms

Mode: Number of Hopping Frequency

Note:

No.	Mk.	Freq.	Reading Level	Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree
1		2402.000	5.27	0.00	5.27			peak		
2		2403.000	5.17	0.00	5.17			peak		
3		2404.000	5.21	0.00	5.21			peak		
4		2405.000	5.10	0.00	5.10			peak		
5		2406.000	5.24	0.00	5.24			peak		
6		2407.000	5.13	0.00	5.13			peak		
7		2408.000	5.12	0.00	5.12			peak		
8		2409.000	5.09	0.00	5.09			peak		
9		2410.000	5.87	0.00	5.87			peak		
10		2411.000	5.03	0.00	5.03			peak		
11		2412.000	5.18	0.00	5.18			peak		
12		2413.000	5.17	0.00	5.17			peak		


No.	Mk.	Freq.	Reading Level	Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
13		2414.000	5.22	0.00	5.22					peak
14		2415.000	5.07	0.00	5.07					peak
15		2416.000	5.00	0.00	5.00					peak
16		2417.000	4.92	0.00	4.92					peak
17		2418.000	4.91	0.00	4.91					peak
18		2419.000	4.98	0.00	4.98					peak
19		2420.000	5.81	0.00	5.81					peak
20		2421.000	5.03	0.00	5.03					peak
21		2422.000	5.04	0.00	5.04					peak
22		2423.000	5.04	0.00	5.04					peak
23		2424.000	5.01	0.00	5.01					peak
24		2425.000	4.93	0.00	4.93					peak
25		2426.000	4.98	0.00	4.98					peak
26		2427.000	5.08	0.00	5.08					peak
27		2428.000	5.55	0.00	5.55					peak
28		2429.000	4.94	0.00	4.94					peak
29		2430.000	4.56	0.00	4.56					peak
30		2431.000	4.80	0.00	4.80					peak
31		2432.000	4.95	0.00	4.95					peak
32		2433.000	4.92	0.00	4.92					peak
33		2434.000	4.95	0.00	4.95					peak
34		2435.000	4.91	0.00	4.91					peak
35		2436.000	4.89	0.00	4.89					peak
36		2437.000	4.95	0.00	4.95					peak
37		2438.000	4.80	0.00	4.80					peak
38		2439.000	4.87	0.00	4.87					peak
39		2440.000	5.76	0.00	5.76					peak
40		2441.000	4.87	0.00	4.87					peak
41		2442.000	4.75	0.00	4.75					peak
42		2443.000	4.96	0.00	4.96					peak
43		2444.000	4.85	0.00	4.85					peak
44		2445.000	5.02	0.00	5.02					peak
45		2446.000	4.60	0.00	4.60					peak
46		2447.000	4.88	0.00	4.88					peak
47		2448.000	4.71	0.00	4.71					peak
48		2449.000	4.83	0.00	4.83					peak
49		2450.000	4.86	0.00	4.86					peak
50		2451.000	4.78	0.00	4.78					peak
51		2452.000	5.03	0.00	5.03					peak

No.	Mk.	Freq.	Reading Level	Factor	Measure- ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree
52		2453.000	4.90	0.00	4.90			peak		
53		2454.000	4.88	0.00	4.88			peak		
54		2455.000	4.99	0.00	4.99			peak		
55		2456.000	4.86	0.00	4.86			peak		
56		2457.000	4.86	0.00	4.86			peak		
57		2458.000	4.58	0.00	4.58			peak		
58		2459.000	4.95	0.00	4.95			peak		
59		2460.000	4.86	0.00	4.86			peak		
60		2461.000	4.65	0.00	4.65			peak		
61		2462.000	4.98	0.00	4.98			peak		
62		2463.000	4.95	0.00	4.95			peak		
63		2464.000	4.90	0.00	4.90			peak		
64		2465.000	4.88	0.00	4.88			peak		
65		2466.000	5.75	0.00	5.75			peak		
66		2467.000	4.93	0.00	4.93			peak		
67		2468.000	5.01	0.00	5.01			peak		
68		2469.000	5.78	0.00	5.78			peak		
69		2470.000	5.04	0.00	5.04			peak		
70		2471.000	4.90	0.00	4.90			peak		
71		2472.000	5.23	0.00	5.23			peak		
72		2473.000	5.02	0.00	5.02			peak		
73		2474.000	5.01	0.00	5.01			peak		
74		2475.000	4.82	0.00	4.82			peak		
75		2476.000	5.20	0.00	5.20			peak		
76		2477.000	4.99	0.00	4.99			peak		
77		2478.000	5.30	0.00	5.30			peak		
78	*	2479.000	5.90	0.00	5.90			peak		
79		2480.000	5.05	0.00	5.05			peak		

Attachment - E

Average Time of Occupancy

Average Time of Occupancy



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 1000 KHz

Air Pressure: 1023 hpa

M/N: BSR-51

VBW: 1000 KHz

Sweep Time: 20 ms

Mode: Average Time of Occupancy

Note:


No.	Mk.	Freq. MHz	Reading Level dBm	Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1		9.5600	6.02	0.00	6.02			peak		
2	*	9.7200	6.25	0.00	6.25			peak		

Attachment - F

Bandwidth

Bandwidth

CH 1



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 30 KHz

Air Pressure: 1023 hpa

M/N: BSR-51

VBW: 30 KHz

Sweep Time: 20 ms

Mode: Bandwidth-CH1

Note: 2402.45MHz-2401.52MHz=930kHz

No.	Mk.	Freq.	Reading Level	Factor	Measure- ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1		2401.520	-17.39	0.00	-17.39	3.40	-20.79	peak		
2	*	2402.450	-17.06	0.00	-17.06	3.40	-20.46	peak		

CH 40



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 30 KHz

Air Pressure: 1023 hpa

M/N: BSR-51

VBW: 30 KHz


Sweep Time: 20 ms

Mode: Bandwidth-CH40

Note: 2441.45MHz-2440.52MHz=930kHz

No.	Mk.	Freq. MHz	Reading Level dBm	Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Detector	Comment
1	*	2440.520	-16.82	0.00	-16.82	2.93	-19.75			peak	
2		2441.450	-17.45	0.00	-17.45	2.87	-20.32			peak	

CH 79



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 30 KHz

Air Pressure: 1023 hpa

M/N: BSR-51

VBW: 30 KHz

Sweep Time: 20 ms

Mode: Bandwidth-CH79

Note: 2480.45MHz-2479.52MHz=930kHz

No.	Mk.	Freq. MHz	Reading Level dBm	Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1		2479.520	-17.00	0.00	-17.00	3.27	-20.27	peak		
2	*	2480.450	-16.80	0.00	-16.80	3.33	-20.13	peak		