


**Attachment - G**

**Peak Output Power**

Peak Output Power


CH 1



Site CB03	Polarization:	Temperature: 25 °C
Limit:	Power:	Humidity: 60 %
EUT: Blue Tango	Distance:	RBW: 3000 KHz
M/N: BSR-51		VBW: 3000 KHz
Mode: Peak Output Power-CH1		Sweep Time: 200 ms
Note:		

No.	Mk.	Freq.	Reading Level	Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree
1	*	2402.080	6.39	0.00	6.39			peak		Comment

## CH 40



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 3000 KHz

Air Pressure: 1023 hpa

M/N: BSR-51

VBW: 3000 KHz


Sweep Time: 200 ms

Mode: Peak Output Power-CH40

Note:

No.	Mk.	Freq. MHz	Reading Level dBm	Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2441.010	6.23	0.00	6.23			peak		

## CH 79



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 3000 KHz

Air Pressure: 1023 hpa

M/N: BSR-51

VBW: 3000 KHz

Sweep Time: 200 ms

Mode: Peak Output Power-CH79


Note:

No.	Mk.	Freq.	Reading Level	Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	2480.060	6.40	0.00	6.40			peak		

## **Attachment - H**

### **Antenna conducted Spurious Emission**

## Antenna conducted Spurious Emission



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 100 KHz

Air Pressure: 1023 hpa

M/N: BSR-51


VBW: 100 KHz

Sweep Time: 100 ms

Mode: Antenna conducted Spurious Emission

Note:

No.	Mk.	Freq. MHz	Reading Level dBm	Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	2399.838	-30.75	0.00	-30.75	5.99	-36.74	peak		



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 100 KHz

Air Pressure: 1023 hpa

M/N: BSR-51

VBW: 100 KHz

Sweep Time: 100 ms

Mode: Antenna conducted Spurious Emission

Note:


No.	Mk.	Freq. MHz	Reading Level dBm	Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	2496.598	-29.93	0.00	-29.93	6.00	-35.93	peak		

## **Attachment - I**

### **Restricted Bands Requirements**



## Restricted Bands Requirements



Site CB03

Polarization: *Vertical*

Temperature: 25 °C

Limit: RF2.4GRadiation(PEAK)

Power:

Humidity: 60 %

EUT: BlueTango

Distance: 3m

RBW: 1000 KHz

Air Pressure: 1023 hpa

M/N: BSR-51


VBW: 1000 KHz

Sweep Time: 200 ms

Mode: Restricted Bands Requirements

Note:

No.	Mk.	Freq. MHz	Reading Level dBuV	Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Detector	Antenna Height cm	Table Degree	Comment
1	*	2399.652	77.59	-11.89	65.70	74.00	-8.30	peak			
2		2399.652	34.88	-11.89	22.99	54.00	-31.01	AVG			



Site CB03

Limit: RF2.4G Radiation(PEAK)

EUT: Blue Tango

M/N: BSR-51

Mode: Restricted Bands Requirements

Note:

Polarization: *Horizontal*

Power:

Distance: 3m

RBW: 1000 KHz

VBW: 1000 KHz


Temperature: 25 °C

Humidity: 60 %

Air Pressure: 1023 hpa

Sweep Time: 200 ms

No.	Mk.	Freq. MHz	Reading Level dBuV	Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2399.838	74.88	-11.89	62.99	74.00	-11.01	peak		
2		2399.838	37.67	-11.89	25.78	54.00	-28.22	AVG		



Site CB03

Limit: RF2.4G Radiation(PEAK)

EUT: Blue Tango

M/N: BSR-51

Mode: Restricted Bands Requirements

Note:

Polarization: *Horizontal*

Power:

Distance: 3m

RBW: 1000 KHz

VBW: 1000 KHz


Temperature: 25 °C

Humidity: 60 %

Air Pressure: 1023 hpa

Sweep Time: 200 ms

No.	Mk.	Freq. MHz	Reading Level dBuV	Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2485.132	62.87	-11.43	51.44	74.00	-22.56	peak		



Site CB03

Polarization: *Vertical*

Temperature: 25 °C

Limit: RF2.4G Radiation(PEAK)

Power:

Humidity: 60 %

EUT: BlueTango

Distance: 3m

RBW: 1000 KHz

Air Pressure: 1023 hpa

M/N: BSR-51

VBW: 1000 KHz

Sweep Time: 200 ms

Mode: Restricted Bands Requirements

Note:

No.	Mk.	Freq. MHz	Reading Level dBuV	Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Antenna Height cm	Table Degree	Comment
1	*	2483.830	63.86	-11.44	52.42	74.00	-21.58	peak		